

DAFTAR PUSTAKA

- Abbas K.A., Lichtman A.H., Pillai S., 2012, Cellular and Molecular Immunology. *Seventh ed. Philadelphia* : W B Saunders Company.
- Berk V.D., Jansen B.J.H., Kim G.C., Roelofs H., Figdor C.G., Adema G.J., 2010, Mesenchymal stem cells respond to TNF but do not produce TNF, *Journal of Leukocyte Biology*, 283-289.
- Caplan A.I., Dennis J.E., 2006, Mesenchymal stem cells as trophic mediators. *Journal of cellular biochemistry* 98(5): 1076-1084.
- Choi J.J., Yoo S.A., Park S.J., Kang Y.J., Kim W.U., Oh I.H., Cho C.S., 2008, Mesenchymal stem cells overexpressing interleukin-10 attenuate collagen-induced arthritis in mice, *Clinical and Experimental Immunology* 153: 269–276
- Dominici M., Le Blanc K., Mueller I., Slaper-Cortenbach I., Marini F., Krause D., Deans R., Keating A., Prockop D.J., Horwitz E., 2006, Minimal Criteria for Defining Multipotent Stromal Cells. *The International Society for Cellular Therapy position statement.*, NCBI, 16923606
- Forristal C.E., Wright K.L., Hanley N.A., Oreffo R.O., Houghton F.D., 2010, Hypoxia inducible factors regulate pluripotency and proliferation in human embryonic stem cells cultured at reduced oxygen tensions, *Reproduction* 139(1), 85–97.
- Gavira J.J., Perez-Illarbe M., Abizanda G., Garcia-Rodriguez A., Orbe J., Paramo J.A., Belzunce M., Rabago G., Barba J., Herreros J., Panizo A., de Jalon J.A., Martinez-Caro D., Prosper F., 2006, A comparison between percutaneous and surgical transplantation of autologous skeletal myoblasts in a swine model of chronic myocardial infarction, *Cardiovasc. Res* 71: 744-753.
- Gimble J.M., Katz J.A., Bunnell A.B., 2007, Adipose-Derived Stem Cells for Regenerative Medicine, *Circ Res* 100:1249-60.
- Gnecchi M., He H., Liang O.D., Melo L.G., Morello F., Mu H., Noiseux N., Zhang L., Pratt R.E., Ingwall J.S., Dzau V.J., 2005, Paracrine action accounts for marked protection of ischemic heart by Akt-modified mesenchymal stem cells, *Nature medicine* 11(4): 367-368.
- Halim, D., Murti, H., Sandra, F., 2010, *Stem Cell Dasar Teori & Aplikasi Klinis*, Erlangga Medical Series, Jakarta.

- Hawkins K.E., Sharp T.V., McKay T.R., 2013, The role of hypoxia in stem cell potency and differentiation, *Regen. Med.* 8(6), 771–782
- Herrmann J.L., Abarbanell A.M., Weil B.R., Wang Y., Wang M., Tan J., Meldrum D.R., 2009, Cell-based therapy for ischemic heart disease: a clinical update, *Ann. Thorac. Surg* 88: 1714-1722.
- Kresno S.B., 2010, *Imunologi Diagnosis dan Prosedur Laboratorium*. Jakarta: Badan Penerbit Fakultas Kedokteran Universitas Indonesia..
- Lavrentieva A., Majore I., Kasper C., Hass R., 2010, Effects of hypoxic culture conditions on umbilical cord-derived human mesenchymal stem cells, *Cell communication and signaling* 8: 18.
- Lee K.D., 2008, Application of mesenchymal stem cell: An updated review, *Chang Gung Med J* 31:228-36.
- Li Z., Wei H., Deng L., Cong X., Chen X., 2010, Expression and secretion of interleukin-1 β , tumour necrosis factor- α and interleukin-10 by hypoxia- and serum-deprivationstimulated mesenchymal stem cells, *FEBS journal* 277(18): 3688-3698.
- Liu N., Chen R., Du H., Wang J., Zhang Y., Wen J., 2009, Expression of IL-10 and TNF- α in rats with cerebral infarction after transplantation with mesenchymal stem cells, *Cell Mol Immunol* 6, 207–213.
- Lotfinia M., Lak S., Ghahhari N.M., Johari B., Maghsood F., Parsania S., Tabrizi B.S. Kadivar M., 2017, Hypoxia pre-conditioned embryonic mesenchymal stem cell secretome reduces il-10 production by peripheral blood mononuclear cells, *Iranian Biomedical Journal* 21(1): 24-31.
- Madrigal M., Rao K.S., Riordan N.H., 2014, A review of therapeutic effects of mesenchymal stem cell secretions and induction of secretory modification by different culture methods. *Journal of Translational Medicine* 2014, 12:260.
- Marr R.A., Pet., Thomas R.M., Peterson D.A., 2010, Insights into Neurogenesis and Aging: Potential Therapy for Degenerative Disease? *Future Neurology*, USA, 527-541.
- Muscari C, Giordano E, Bonafe` F, Govoni M., Pasini A., Guarnieri C., 2013, Priming adult stem cells by hypoxic pretreatments for applications in regenerative medicine, *J Biomed Sci* 20:63.
- Palazon A., Goldrath A.W., Nizet V., Johnson R.S., 2014, HIF transcription factors, inflammation, and immunity, *Immunity* 41(4): 518-528.

- Paterson Y.Z., Rash N., Garvican E.R., Paillot R., Guest D.J., 2014, Equine mesenchymal stromal cells and embryo-derived stem cells are immune privileged *in vitro*, *Stem cell research and therapy* 5(4): 90.
- Rosova I., Dao M., Capoccia B., Link D., Nolte J.A., 2008, Hypoxic preconditioning results in increased motility and improved therapeutic potential of human mesenchymal stem cells. *Stem cells* 26(8): 2173-2182
- Sart S., Ma T., Li Y., 2014, Preconditioning stem cells for in vivo delivery, *BioResearch* 3(4) 137-149.
- Saxena, Chawla Y.K., Verma I., Kaur J., 2014, Association of interleukin-10 with hepatitis B virus (HBV) mediated disease progression in Indian population Roli, *Indian J Med Res* 139:737-745.
- Semedo P., Palasio C.G., Oliveira C.D., Feitoza C.Q., Goncalves G.M., Cenedeze M.A., Wang P.M., Teixeira V.P., Reis M.A., Pacheco-Silva A., 2009, Early modulation of inflammation by mesenchymal stem cell after acute kidney injury. *Int Immunopharmacol* 9, 677–682.
- Singer N.G., Caplan A.I., 2011, Mesenchymal stem cells: mechanisms of inflammation. *Annual review of pathology* 6: 457-478.
- Trivanović D., Kocić J., Mojsilović S., Krstić A., Ilić V., Djordjević I.O., Santibanez J.F., Jovčić G., 2013, Mesenchymal stem cells isolated from peripheral blood and umbilical cord wharton's jelly mesenchymal stem cells isolated from peripheral blood and umbilical cordwharton's jelly, *Srp Arh Celok Lek* 141(3- 4):178-86.
- Tsai C.C., Chen Y.J., Yew T.L., Chen L.L., Wang J.Y., Chiu C.H., Hung S.C., 2011, Hypoxia inhibits senescence and maintains mesenchymal stem cell properties through down-regulation of E2A-p21 by HIF-TWIST, *Blood* 117(2): 459-469.
- Uccelli A., Moretta L., Pistoia V., 2008, Mesenchymal stem cells in health and disease. *Nature reviews immunology* 8(9): 726-736.
- Wang X., Jameel M.N., Li Q., Mansoor A., Qiang X., Swingen C., Panetta C., Zhang J., 2009, Stem cells for myocardial repair with use of a transarterial catheter, *Circulation* 120: S238-S246.

- Xu L., Wang X., Wang J., Liu D., Wang Y., Huang Z., Tan H., 2015, Hypoxia-induced secretion of IL-10 from adipose-derived mesenchymal stem cell promotes growth and cancer stem cell properties of Burkitt lymphoma, *Tumor Biol.*
- Yu Y.S., Shen Z.Y., Ye W.X., Huang H.Y., Hua F., Chen Y.H., Chen K., Lao W.J., Tao L. 2010, AKT-modified autologous intracoronary mesenchymal stem cells prevent remodeling and repair in swine infarcted myocardium, *Chinese Med. J. (Engl.)* 123: 1702- 1708.
- Zhang L., Yang J., Tian Y., Guo H., Zhang Y., 2015, Beneficial effects of hypoxic preconditioning on human umbilical cord mesenchymal stem cells, *Chinese Journal of Physiology* 58(5): 343-353
- Zhuang Y., Chen X., Xu M., Zhang L.Y., Xiang F., 2009, Chemokine stromal cell-derived factor 1/CXCL12 increases homing of mesenchymal stem cells to injured myocardium and neovascularization following myocardial infarction, *Chinese Med. J. (Engl.)* 122: 183-187.