

DAFTAR PUSTAKA

1. Mehmet Ulug1, Mustafa Kemal Celen2, Mehmet Faruk Geyik2, Salih Hosoglu2 CA. Sacroiliitis caused by *Salmonella typhi* The Journal of Infection in Developing Countries. 2009;3(7):564–8.
2. Zhang XL, Jeza VT PQ. Cell Mol Immunol. 2008;5(2):91–7.
3. Ochiai RL, Acosta CJ, Danovaro-Holliday MC, Baiqing D, Bhattacharya SK, Agtini MD, et al. A study of typhoid fever in five Asian countries: Disease burden and implications for controls. Bull World Health Organ. 2008;86(4):260–8.
4. Sidabutar, S. and Satari H. Sari Pediatri. Pilihan Ter Empiris Demam Tifoid pada Anak Kloramfenikol atau Seftriakson. 2010;434–9.
5. Widyawaruyanti A, Zaini NC. Mekanisme dan Aktivitas Antimalaria dari Senyawa Flavonoid yang Diisolasi dari Cempedak (*Artocarpus Champeden*). Jbp. 2011;13(2):67–77.
6. Chen CC, Chiu KT, Sun YT, Chen WC. Role of the cyclic AMP-protein kinase A pathway in lipopolysaccharide-induced nitric oxide synthase expression in RAW 264.7 macrophages. Involvement of cyclooxygenase-2. J Biol Chem [Internet]. 1999;274(44):31559–64. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/10531359>
7. Maeda S, Kamata H, Luo JL, Leffert H, Karin M. IKK β couples hepatocyte death to cytokine-driven compensatory proliferation that promotes chemical hepatocarcinogenesis. Cell. 2005;121(7):977–90.
8. Ferguson-Smith a C, Chen YF, Newman MS, May LT, Sehgal PB, Ruddle FH. Regional localization of the interferon-beta 2/B-cell stimulatory factor 2/hepatocyte stimulating factor gene to human chromosome 7p15-p21. Genomics [Internet]. 1988;2(3):203–8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/3294161>
9. Parry CM, Hien TT, Dougan G et al. Typhoid fever. N Engl J Med [Internet]. 2002;347(22):1770–82. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/12456854>
10. Simanjuntak CH. Hoffman SL. Punjabi NH. Edman DC. Hasibuan MA. Sumarno W. Koiman I. Epidemiologi Demam Tifoid di Suatu Daerah Pedesaan di Paseh, Jawa Barat. Cermin Dunia Kedokt. 1987;45:16–8.
11. Noer Syaifoellah. Buku Ajar Ilmu Penyakit Dalam. Jakarta: FKUI; 1996.
12. Rohman. Distribusi Penderita Demam Tifoid Menurut Umur Dan Di RSI. Roemani. Fak Kedokt UNIMUS [Internet]. 2000; Available from: <http://jurnal.unimus.ac.id>
13. Zulkoni A. Parasitologi untuk Keperawatan, Kesehatan Masyarakat, Teknik Lingkungan. Nuha Medika, editor. Yogyakarta; 2011.
14. World Health Organization. Diagnosis of typhoid fever. In : Background document : The diagnosis, treatment and prevention of typhoid fever. 2003;7–18.
15. O.O. Efunwole, Adetuberu I.A., Oladipupo O.A. AOA. Anti Bacterial Effect of Carica papaya against *Salmonella typhi*, causative agent of Typhoid Fever. IOSR J Environ Sci Toxicol Food Technol. 2014;8(1):5.

16. Karsinah et al. Buku Ajar Mikrobiologi Kedokteran. Jakarta: EGC; 1994.
17. Anonim. Profil Kesehatan Indonesia 2009. Jakarta: Departemen Kesehatan Republik Indonesia; 2010.
18. Gordon MA, Graham SM, Walsh AL et al. Epidemics of invasive *Salmonella enterica* serovar enteritidis and *S. enterica* Serovar typhimurium infection associated with multidrug resistance among adults and children in Malawi. *Clin Infect Dis.* 2008;46(7):963–9.
19. Manfredi R CF. *Salmonella typhi* disease in HIV-infected patients: case reports and literature review. *Infez Med.* 1999;7(1):49–53.
20. Uyun Ukhrowi. Pengaruh Ekstrak Etanol Umbi Bidara Upas terhadap Fagositosis Makrofag dan Produksi Nitrit Oksida (NO) Makrofag. Universitas Diponegoro Semarang; 2011.
21. Damianus L. Edhi S. *Salmonella typhimurium*, Sang jawara penginfeksi dari Genus *Salmonella*. Available from: <https://mikrobia.files.wordpress.com/2008/05/salmonella-typhimurium1.pdf>.
22. Van der Poll T, Keogh CV, Guirao X, Buurman WA, Kopf M LS. Interleukin-6 gene-deficient mice show impaired defense against pneumococcal pneumonia. *J Infect Dis.* 1997;176(2):439–44.
23. Somers W, Sathl M, Seehra J.S. A crystal structure of interleukin 6: implications for a novel mode of receptor dimerization and signaling. Available from: <http://www.rcsb.org/pdb/explore.do?structureId=1ALU>
24. Banks WA, Kastin AJ GE. Penetration of interleukin-6 across the murine blood-brain barrier. *Neurosci Lett.* 1994;179(1–2):53–6.
25. Benedict C, Scheller J, Rose-John S, Born J ML. Enhancing influence of intranasal interleukin-6 on slow-wave activity and memory consolidation during sleep. *FASEB J.* 2009;23(10):3629–36.
26. Petersen AM PB. The anti-inflammatory effect of exercise. *J Appl Physiol.* 2005;98(4):1154–62.
27. Pedersen BK. Muscle as a secretory organ. *Compr Physiol.* 2013;3(3):1337–62.
28. G Kaplanski et al. IL-6: A Regulator of the Transition From Neutrophil to Monocyte Recruitment During Inflammation. *Trends Immunol [Internet].* 2003;24(1):25–9. Available from: <https://www.ncbi.nlm.nih.gov/labs/articles/12495721/>
29. S.J. Curnow et. a. Inhibition of T Cell Apoptosis in the Aqueous Humor of Patients with Uveitis by IL-6/Soluble IL-6 Receptor trans-Signaling. *J Immunol [Internet].* 2004;173(8):: 5290 –5297. Available from: <http://www.jimmunol.org/content/173/8/5290>
30. F. Eddahri et. a. Interleukin-6/STAT3 signaling regulates the ability of naive T cells to acquire B-cell help capacities. *Blood.* 2009;113(11):2426–2433.
31. Sabine Dominitzki, Massimo C. Fantini, Clemens Neufert et. a. Cutting Edge: Trans-Signaling via the Soluble IL-6R Abrogates the Induction of FoxP3 in Naive CD4+CD25– T Cells. *J Immunol [Internet].* 2007;179(4):2041–5. Available from:

- http://www.jimmunol.org/content/179/4/2041
32. K. Ghoreschi et. a. Generation of pathogenic T(H)17 cells in the absence of TGF- β signalling. *Nature*. 2010;467(7318):967–71.
 33. G.W. Jones et. a. Loss of CD4+ T cell IL-6R expression during inflammation underlines a role for IL-6 trans signaling in the local maintenance of Th17 cells. *J Immunol*. 2010;184(4):2130–9.
 34. Abbas Abul K., Lichtman; AH, Pillai S. *Cellular and Molecular Immunology*. Vol. 8^a ed., Elsevier. 2014. 544 p.
 35. Basuki PS. Infeksi Bakteri Intraseluler pada anak. UNAIR Surabaya; 2005.
 36. Efendi. Daya Fagositosis Makrofag pada Jaringan Longgar Tubuh [Internet]. USU; 2003. Available from: <http://library.usu.ac.id/download/fk/histologi-zukesti1.pdf>
 37. Nanta F. Sistem Komplemen. 2009; Available from: <http://farmasiforyou.wordpress.com>
 38. Baratawidjaya KG. Imunologi Dasar. ke-6. Jakarta: Balai Penerbit FK UI; 2004. 32 p.
 39. Lestarini IA. Pengaruh Pemberian Ekstrak *Phyllanthus niruri* L. Terhadap Respon Imunitas Seluler Mencit balb/c yang diinfeksi *Salmonella typhimurium*. Universitas Diponegoro Semarang; 2008.
 40. Sarjadi. Patologi Umum. Semarang: Badan Penerbit Universitas Diponegoro; 2001.
 41. Sahat D. Pengaruh Ekstrak *Hedyotis corimbosa* Dosis Bertingkat terhadap Produksi Nitric Oxide Makrofag Mencit balb/c yang diinfeksi dengan *Salmonella typhimurium*. Universitas Diponegoro Semarang; 2006.
 42. Marselly Resti. Sistem Imun. Available from: <http://marsellyresti.blogspot.co.id/2012/10/sistem-imun.html>
 43. Mokdad, A.H. et al. Actual causes of death in the United States. *J Am Med Assoc* 2000. 2004;291(10):1238–45.
 44. Dirjen POM. Parameter Standar Umum Ekstrak Tumbuhan Obat. Jakarta: Depkes RI; 2000.
 45. Smecda. Tanaman Obat: *Eleusine Indica* (L.) Gaertn. Depkes RI; 2007. 45-46 p.
 46. Widyiawaruyanti. Uji Antibakteri Ekstrak Akar Rumput Belulang (*Eleusine indica* gaertn). Jakarta: Pusat Penelitian dan Pengembangan Farmasi Badan Penelitian dan Pengembangan Kesehatan Departemen Kesehatan RI; 1987.
 47. Aulia Ajizah. Sensitivitas *Salmonella Typhimurium* Terhadap Ekstrak daun Psidium guajava. Universitas Lambung Mangkurat; 2005.
 48. Jawetz E., J. Melnick EA. *Medical Microbiology*. 21st ed. Jawetz E., J. Melnick EA, editor. Connecticut: Appleton & Lange; 2005.
 49. R Naim. Senyawa Antibakteri dari Tanaman. 2004; Available from: <http://www.kompas.com>
 50. A. M Jaya. Isolasi dan Uji Aktivitas Antibakteri Senyawa Saponin dari Akar Putri Malu (*Mimosa pudica*). UIN Maulana Malik Ibrahim Malang; 2010.
 51. Wheluvchem. Identifikasi Senyawa Alkaloid, Flavonoid, Steroid,

- Terpenoid, Saponin Pada Daun Rambutan. Available from: <https://wheluvchem.wordpress.com/university/kimia-organik/identifikasi-senyawa-alkaloid-flavonoid-steroid-terpenoid-saponin-pada-daun-rambutan/>
- 52. Adrienne L Woods. Delmar nurse's drug handbook. 2009th ed. Clifton Park, N.Y.: Delmar; 2008. 296 p.
 - 53. Smith A. Hugo and Russell's Pharmaceutical Microbiology. 7th ed. UK: Blackwell Science; 2004.
 - 54. D S Nurtjahyani. Transformasi dna plasmid salmonella typhi resisten kloramfenikol ke kultur salmonella typhi sensitif kloramfenikol. Prospektus, X(2); 2012.
 - 55. Sumardjo Damin. Pengantar Kimia: Buku Panduan Kuliah Mahasiswa Kedokteran dan Program Strata I Fakultas Bioeksakta. Jakarta: EGC; 2009.
 - 56. Adnyana, I. K., Andrajati, R., Setiadi, A. P., Sigit, J. I., Sukandar EY. ISO Farmakoterapi. Jakarta: PT. ISFI; 2008. 97 p.
 - 57. Farmainfo. Kloramfenikol. Available from: <http://farmainfo.blogspot.co.id/2011/>
 - 58. S.T Pratiwi. Mikrobiologi farmasi. Jakarta: Erlangga; 2008. 150 p.
 - 59. Tjay, T.H., Rahardja K. Obat-Obat Penting. 5th ed. Jakarta: PT Elex Media Komputindo, Gramedia; 2002.
 - 60. Baron EJ, Peterson LR FS. Diagnostic microbiology. 9th ed. St. Louis: Mosby-Year book Inc; 1990. 284-95 p.
 - 61. I. A. R Fitria. Efek Pemberian Ekstrak Etanol Akar Rumput Belulang (*Eleusine indica* L. Gaertn) Terhadap Penurunan Jumlah Bakteri pada Mencit (*Mus musculus*) yang Diinokulasi *Salmonella typhi*. Fakultas Kedokteran, Universitas Haluoleo Kendari; 2013.
 - 62. Chanana, YR. MG. Propagation and Nursery Management. Department of Horticulture Punjab Agricultural University; 2008.
 - 63. Brown S. Phagocytosis triggers macrophage release of Fas ligand and induces apoptosis of bystander leukocytes. *J Immunol*. 1999;162(1):480-5.
 - 64. Zhang XY, Zhou DF, Cao LY et al. Changes in serum interleukin-2, -6, and -8 levels before and during treatment with risperidone and haloperidol: relationship to outcome in schizophrenia. *J Clin Psychiatry*. 2004;65:940-947.
 - 65. Rosenberg et. a. New Method of Gene Therapy Alters Immune Cells for Treatment of Advanced Melanoma; Technique May Also Apply to Other Common Cancers. Available from: www.cancer.gov/newscenter/.../MelanomaGeneTherapy
 - 66. Maeda H et al. Purification of inactive precursor of carboxypeptidase Y using selective cleavage method coupled with molecular display. *Biosci Biotechnol Biochem*. 73(3):753-5.
 - 67. Tobian et al. Alternate class I MHC antigen processing is inhibited by Toll-like receptor signaling pathogen-associated molecular patterns: *Mycobacterium tuberculosis* 19-kDa lipoprotein, CpG DNA, and lipopolysaccharide. *J Immunol*. 2003;171(3):1413-22.