

DAFTAR PUSTAKA

- Apriasari M.L., Tuti H., 2010, Stomatitis aftosa rekuren oleh karena anemia, *Dentofasial* 9(1):39-46.
- Bao P., Kodra A., Tomic-Canic M., Golinko M.S., 2009, The Role of Vascular Endothelial Growth Factor in Wound Healing, *J. of Surgical Research* 153, 347–358.
- Bryant R.A., Nix., 2007, *Acute & chronic wounds current management concept*. 3rd edition. USA: Mosby Elsevier.
- Cantinieaux D., Quertainmont R., Blacher S., 2013, Conditioned medium from bone marrow-derived mesenchymal stem cells improves recovery after spinal cord injury in rats: an original strategy to avoid cell transplantation, *PLoS ONE* 8(8).
- Caplan A.I., Dennis J.E., 2006, Mesenchymal stem cells as trophic mediators. *Journal of cellular biochemistry* 98(5): 1076-1084.
- Cawson R.A., Odell E.W., 2012, *Cawson's essentials of oral pathology and oral medicine*, 7th Ed, Churchill Livingstone, p. 294-5.
- Chen L., Tredget E.E., Wu P.Y.G., Wu Y., 2008, Paracrine Factors of Mesenchymal Stem Cells Recruit Macrophages and Endothelial Lineage Cells and Enhance Wound Healing, *PLoS ONE* 3(4): e1886.
- Crisostomo P.R., Wang Y., Markel T.A., Wang M., Lahm T., Meldrum D.R., 2008, Human mesenchymal stem cells stimulated by TNF-alpha, LPS, or hypoxia produce growth factors by an NF kappa B- but not JNK-dependent mechanism, *Am J Physiol Cell Physiol* 294(3):C675–C682.
- Ding D., Shyu W., Lin S., 2011, Mesenchymal stem cells. *Cell Transpl* 20:5–14.
- Dominici M., Le Blanc K., Mueller I., Slaper-Cortenbach I., Marini F., Krause D., Deans R., Keating A., Prockop Dj., Horwitz E., 2006, Minimal Criteria for Defining Multipotent Stromal Cells, *Cytotherapy* 8(4): 315 317
- Field A., Longman L., 2004, *Tyldesley's oral medicine*, 5thEd, Oxford University Press, Oxford, United Kingdom.
- Gimble J.M., Katz J.A., Bunnell A.B., 2007, Adipose-Derived Stem Cells for Regenerative Medicine, *Circ Res* 100:1249-60.

- Gnecchi M., Zhang Z., Ni A., 2008, Paracrine mechanisms in adult stem cell signaling and therapy, *Circ Res.* 103:1204–1219.
- Heo S.C., Jeon E.S., Lee I.H., Kim H.S., Kim M.B., 2011, Tumor necrosis factor alpha-activated human adipose tissue-derived mesenchymal stem cells accelerate cutaneous wound healing through paracrine mechanisms, *J Invest Dermatol* 131: 1559-1567.
- Hocking A.M., 2015, The Role of Chemokines in Mesenchymal Stem Cell Homing to Wounds, *Adv Wound Care (New Rochelle)* 4(11): 623–630.
- Honda I., Taki A., Morioka C., Komaki M., Miyasaka N., Oshima N., Iseki S., Morio T., Kubota T., Morita I., 2015, Mesenchymal Stem Cells ameliorate intra-amniotic inflammation related neonatal complications in rats. *Inflammation and Regeneration* 5:261-268.
- Jurge S., Kuffer R., Scully C., Porter S.R., 2006, Recurrent aphthous stomatitis. *Oral disease* 12(1):1-21.
- Kim H.O., Choi S., 2013, Mesenchymal stem cell-derived secretome and microvesicles as a cell-free therapeutics for neurodegenerative disorders, *Tissue Engineering and Regenerative Medicine* 10(3):93–101.
- Kresno B.S., 2010, *Imunologi: Diagnosis dan Proses Laboratorium, Edisi Kelima*, Balai Penerbit Fakultas Kedokteran Universitas Indonesia, Jakarta.
- Kusindarta D.L., Wihadmadyatmi H., Fibrianto Y.H., Nugroho W.S., Susetya H., Musana D.K., Wijayanto H., Prihatna S.A., Wahyuni, 2016, Human umbilical mesenchymal stem cells conditioned medium promote primary wound healing regeneration, *Veterinary World* 9; 605-610.
- Lee K.D., 2008, Application of mesenchymal stem cell: An updated review, *Chang Gung Med J* 31:228-36.
- Li M., Luan F., Zhao Y., Hao H., Liu J., Dong L., Fu X., Han Weidong, 2017, Mesenchymal stem cell-conditioned medium accelerates wound healing with fewer scars, *Int Wound J.* 14:64–73.
- Lotfinia M., Lak S., Ghahhari N.M., Johari B., Maghsoud F., Parsania S., Tabrizi B.S. Kadivar M., 2017, Hypoxia pre-conditioned embryonic mesenchymal stem cell secretome reduces il-10 production by peripheral blood mononuclear cells, *Iranian Biomedical Journal* 21(1): 24-31.
- Madrigal M., Rao K.S., Riordan N.H., 2014, A review of therapeutic effects of mesenchymal stem cell secretions and induction of secretory modification

by different culture methods, *Journal of Translational Medicine* 2014, 12:260.

Maltman D.J., Hardy S.A., Pryborski S.A., 2011, Role of mesenchymal stem cells in neurogenesis and nervous system repair, *Neurochemistry International* 59:347-356.

Mirabella T., Cilli M., Carlone S., Cancedda R., Gentili C., 2011, Amniotic liquid derived stem cells as reservoir of secreted angiogenic factors capable of stimulating neo-arteriogenesis in an ischemic model, *Biomaterials* 32(15): 3689–3699.

Nurdiana, Jusri M., 2011, Penatalaksanaan stomatitis aftosa rekuren mayor dengan infeksi sekunder, *Dentofasial* 10(1):42-46.

Park B. S., Kim W. S., Choi J. S., 2010, Hair growth stimulated by conditioned medium of adipose-derived stem cells is enhanced by hypoxia: evidence of increased growth factor secretion, *Biomedical Research* 31(1):27–34.

Paterson Y.Z., Rash N., Garvican E.R., Paillot R., Guest D.J., 2014, Equine mesenchymal stromal cells and embryo-derived stem cells are immune privileged *in vitro*, *Stem cell research and therapy* 5(4): 90.

Pawitan J.A., 2014, Prospect of Stem Cell Conditioned Medium in Regenerative Medicine, *BioMed Research International* (2014).

Regezi, J.A., Sciubba, J.J. dan Jordan, R.C. 2008. *Oral Pathology. Clinical Pathologic Correlations*, Ed ke-5, Saunders – Elsevier, St. Louis, Hal. 35 – 39.

Reinke J.M., Sorg H, 2012, *Wound Repair and Regeneration*, European Surgical Research, Department of Plastic, Hand and Reconstructive Surgery, Hannover Medical School, Hannover, Germany, p. 38 – 40.

Scully C., Porter S., 2008, Oral mucosal disease: recurrent aphthous stomatitis, *Br J Oral Maxillofac Surg* 46(3):198-206.

Sibbald R.G., Goodman L., Woo K.Y., Smart H., Tariq G., Ayello E.A., Burrell R.E., Keast D.H., Mayer D., Norton L., Salcido R.S., 2011, Special considerations in wound bed preparation 2011: an update, *Adv Skin Wound Care*, 24:415-36.

Sulistiwati I.D.A.N., 2011, Pemberian Ekstrak Daun Lidah Buaya (Aloe Vera) Konsentrasi 75% Lebih Menurunkan Jumlah Makrofag Daripada Konsentrasi 50% Dan 25% Pada Radang Mukosa Mulut Tikus Putih Jantan, Tesis, Program Pascasarjana Universitas Udayana, Denpasar.

Sumintarti, Marlina E., 2012, Hubungan antara level estradiol dan progesterone dengan stomatitis aftosa rekuren Relation between estradiol and progesterone hormone level with recurrent aphthous stomatitis, *Dentofasial* 11(3):137-141

Tangkilisan V., 2012, Gambaran Stres Pada Mahasiswa Pendidikan Profesi Program Studi Kedokteran Gigi Fakultas Kedokteran Universitas Sam Ratulangi Yang Memiliki Pengalaman Stomatitis Aftosa Rekuren, *Journal Medical Science.*

Trivanović D., Kocić J., Mojsilović S., Krstić A., Ilić V., Djordjević I.O., Santibanez J.F., Jovčić G., 2013, Mesenchymal stem cells isolated from peripheral blood and umbilical cord wharton's jelly mesenchymal stem cells isolated from peripheral blood and umbilical cordwharton's jelly, *Srp Arh Celok Lek* 141(3- 4):178-86.

Uccelli A., Moretta L., Pistoia V., 2008, Mesenchymal stem cells in health and disease. *Nature reviews immunology* 8(9): 726-736.

Wray, Lowe D., Felix, Scully, 2006, *Textbook of general and oral medicine*, Churchill Livingstone; p. 225-32.

Yan, L.,2011. Daya hambat ekstrak daun Binahong (Anredera Cordifolia (Ten .) Steenis terhadap polibakteri pada Stomatitis aftosa rekuren (SAR) *Inhibition effect of Binahong (Anredera Cordifolia (Ten .) Steenis) leaf extract towards polybacteria of recurrent ap. ,* 3(2), pp.18–26.

Zeidán-Chuliáa F., Nodab M., 2009, “Opening” The Mesenchymal Stem Cell Tool Box, *Eur J Dent* 3(3): 240–249.