

DAFTAR PUSTAKA

- Aydemir I., Öztürk S., Sönmez P.K., Tuglu M.I., 2016, Mesenchymal stem cells in skin wound healing, *Anatomy* 10(3): 228-234.
- Chamberlain, Giselle., Fox, James., Ashton, Brian., Middleton, Jim., 2007, Concise Review: Mesenchymal Stem Cells: Their Phenotype, Differentiation Capacity, Immunological Features, and Potential for Homing, *J. Stem Cells*, 25(11): 1634.
- Chen L., Tredget E.E., Wu P.Y.G., Wu Y., 2008, Paracrine Factors of Mesenchymal Stem Cells Recruit Macrophages and Endothelial Lineage Cells and Enhance Wound Healing, *PLoS One* 3(4):e1886.
- Dehghanifard A., Saki N., Ahmadvand M., MahmoodiniaMaymand M., MosahibiMohammadi M., Soleimani M., 2012, Mesenchymal stem cell; biology, application and role in regenerative medicine, *Sci J. Iran Blood Transfus Organ* 8(4): 306-320.
- Derynck R., Choy L., 1998, *Transforming growth factor- β and its receptors*. In: Thomsen A., editor. The Cytokine Handbook. Academic Press, Orlando, pp. 593–636.
- Dominici M., Le Blanc K., Mueller I., Slaper-Cortenbach I., Marini F., Krause D., Deans R., Keating A., Prockop Dj., Horwitz E., 2006, Minimal Criteria for Defining Multipotent Stromal Cells, *Cytotherapy* 8(4): 315 317
- Ferrara N., 2004, Vascular endothelial growth factor: basic science and clinical progress, *Endocr Rev* 25(4):581–611.
- Ferrari G., Pintucci G., Seghezzi G., Hyman K., Galloway A.C., Mignatti P., 2006, VEGF, a prosurvival factor, acts in concert with TGF-beta1 to induce endothelial cell apoptosis, *Proc Natl Acad Sci U S A* 103(46):17260–17265.
- Gilany K., Vafakhah M., 2010. Hypoxia: a Review, *Journal of Paramedical Sciences* 1(2).
- Gimble J.M., Katz J.A., Bunnell A.B., 2007, Adipose-Derived Stem Cells for Regenerative Medicine, *Circ Res* 100:1249-60.
- Graham I.D., Harrison M.B., Shafey M., 2003, Knowledge and attitudes regarding care of leg ulcers, *Can Fam Physician* 49(7): 896–902.
- Halim, D., Murti, H., Sandra, F., 2010, *Stem Cell Dasar Teori & Aplikasi Klinis*, Erlangga Medical Series, Jakarta.

- Han K.H., Kim A.K., Kim M.H., Kim D.H., Go H.N., Kim D.I., 2016, Enhancement of angiogenic effects by hypoxia-preconditioned human umbilical cord-derived mesenchymal stem cells in a mouse model of hindlimb ischemia, *Cell Biol Int* 40:27–35.
- Han W.Q., Zhu Q., Hu J., Li P.L., Zhang F., Li N., 2013, Hypoxia-inducible factor prolyl-hydroxylase-2 mediates transforming growth factor beta 1-induced epithelial–mesenchymal transition in renal tubular cells, *Biochimica et Biophysica Acta* 1833(6):1454-1462.
- Hawkins K.E., Sharp T.V., McKay T.R., 2013, The role of hypoxia in stem cell potency and differentiation, *Regen. Med.* 8(6), 771–782.
- Heikkinen P., Yliopisto T., 2015, *Modulation of TGF- β Signaling by Hypoxia*, Dissertation, University of Turku
- Hocking A.M., 2015, The Role of Chemokines in Mesenchymal Stem Cell Homing to Wounds, *Adv Wound Care (New Rochelle)* 4(11): 623–630.
- Hung S.P., Yang M.H., Tseng K.F., Lee O.K., 2013, Hypoxia-Induced Secretion of TGF- β 1 in Mesenchymal Stem Cell Promotes Breast Cancer Cell Progression, *Cell Transplantation* 22:1869–1882.
- Hung S.P., Ho J.H., Shih Y.R., Lo T., Lee O.K., 2011, Hypoxia promotes proliferation and osteogenic differentiations potentials of human mesenchymal stem cells, *J. Orthop. Res.* 30(2):260–266.
- Hurd T., Zuliani N., Posnett J., 2008, Evaluation of the impact of restructuring wound management practices in a community care provider in Niagara, Canada, *Int Wound J* 5(2): 296–304.
- Jose S., Hughbanks M.L., Binder B.Y., Ingavle G.C., Leach J.K., 2014, Enhanced trophic factor secretion by mesenchymal stem/stromal cells with Glycine-Histidine-Lysine (GHK)-modified alginate hydrogels, *Acta Biomater* 10: 1955-1964.
- Krisp C., Jacobsen F., McKay M.J., Molloy M.P., Steinstraesser L., Wolters D.A., 2013, Proteome analysis reveals antiangiogenic environments in chronic wounds of diabetes mellitus type 2 patients, *Proteomics* 13:2670-81.
- Kwon H.M., Hur S.M., Park K.Y., Kim C.K., Kim Y.M., 2014, Multiple paracrine factors secreted by mesenchymal stem cells contribute to angiogenesis, *Vascul Pharmacol* S1537-1891.

- Lanza R., Gearhart J., Hogan B., 2009, *Essentials of Stem Cell Biology*,2nd, San Diego: Academic Press.
- Lee D.E., Ayoub N., Agrawal D.K., 2016, *Mesenchymal stem cell and Cutaneous Wound Healing: Novel Methods to Increase Cell Delivery and Therapeutic Efficacy*, *Stem Cell Research & Therapy* 7:37.
- Lee K.D., 2008, Application of mesenchymal stem cell: An updated review, *Chang Gung Med J* 31:228-36.
- Lotfinia M., Lak S., Ghahhari N.M., Johari B., Maghsoud F., Parsania S., Tabrizi B.S., Kadivar M., 2017, Hypoxia pre-conditioned embryonic mesenchymal stem cell secretome reduces IL-10 production by peripheral blood mononuclear cells, *Iran. Biomed. J.*, 21 (1): 24-31
- Ma J., Wang Q., Fei T., Han J.D., Chen Y.G., 2007, MCP-1 mediates TGF-beta-induced angiogenesis by stimulating vascular smooth muscle cell migration, *Blood* 109: 987-994.
- Madrigal M., Rao K.S., Riordan N.H., 2014, A review of therapeutic effects of mesenchymal stem cell secretions and induction of secretory modification by different culture methods. *Journal of Translational Medicine* 2014, 12:260.
- Massagué J., 1998, TGF- β signal transduction, *Annu. Rev. Biochem* 67:753–791.
- Massague J., Blain SW., Lo RS., 2000, TGF beta signaling in growth control, cancer, and heritable disorders, *Cell* 103:295–309.
- Nemeth K., Keane-Myers A., Brown J.M., Metcalfe D.D., Gorham J.D., Bundoc V.G., Hodges M.G., Jelinek I., Madala S., Karpati S., 2010, Bone marrow stromal cells use TGF-beta to suppress allergic responses in a mouse model of ragweed-induced asthma, *Proc Natl Acad Sci USA* 107:5652–5657.
- Pankajakshan D., Agrawal D.K., 2014, Mesenchymal Stem Cell Paracrine Factors in Vascular Repair and Regeneration, *J Biomed Technol Res.* 1(1): 10.19104.
- Potapova I.A., Gaudette G.R., Brink P.R., Robinson R.B., Rosen M.R., 2007, Mesenchymal stem cells support migration, extracellular matrix invasion, proliferation, and survival of endothelial cells in vitro, *Stem Cells* 25: 1761-1768.
- Presta M., Dell'Era P., Mitola S., Moroni E., Ronca R., Rusnati M., 2005, Fibroblast growth factor/fibroblast growth factor receptor system in angiogenesis, *Cytokine Growth Factor Rev* 16(2):159– 178.

- Rehman J., Traktuev D., Li J., Merfeld-Clauss S., Temm-Grove C.J., 2004, Secretion of angiogenic and antiapoptotic factors by human adipose stromal cells, *Circulation* 109: 1292-1298.
- Rosova I., Dao M., Capoccia B., Link D., Nolta J.A., 2008, Hypoxic preconditioning results in increased motility and improved therapeutic potential of human mesenchymal stem cells, *Stem Cells* 26:2173–82.
- Sanchez-Elsner T., Botella L.M., Velasco B., Corbi A., Attisano L., Bernabeu C., 2001, Synergistic cooperation between hypoxia and transforming growth factor-beta pathways on human vascular endothelial growth factor gene expression, *J Biol Chem* 276: 38527-38535.
- Saputra, V., 2006. Dasar-Dasar Stem Cell dan Potensi Aplikasinya dalam Ilmu Kedokteran. *Cermin Dunia Kedokteran*, 153.
- Seib F.P., Prewitz M., Werner C., Bornhauser M., 2009, Matrix elasticity regulates the secretory profile of human bone marrow-derived multipotent mesenchymal stromal cells (MSCs), *Biochem Biophys Res Commun* 389: 663-667.
- Siegel P.M., Shu W., Massagué J., 2003, Mad upregulation and Id2 repression accompany transforming growth factor (TGF)-B-mediated epithelial cell growth suppression, *J Biol Chem* 2781 (35):444-450.
- Singh, S., Deka, D., Mulinti, R., Sood, N.K., Agrawal, R.K., and Verma, R., 2014, Isolation, Culture, In-Vitro Differentiation and Characterization of Canine Adult Mesenchymal Stem Cells, Proceedings of the National Academy of Sciences, India Section B, *Biological Sciences*, 10, 1-10.
- Sun Z., Wang S., Zhao R.C., 2014, The roles of mesenchymal stem cells in tumor inflammatory microenvironment, *Journal of Hematology & Oncology* 7:14.
- Taylor A., Verhagen J., Blaser K., Akdis M., Cezmi A., *Akdis Immunology* 117: 433–442.
- Taylor L.M., Khachigian L.M., 2000, Induction of platelet-derived growth factor B-chain expression by transforming growth factor-beta involves transactivation by Smads, *J Biol Chem* 275: 16709-16716.
- Trivanović D., Kocić J., Mojsilović S., Krstić A., Ilić V., Djordjević I.O., Santibanez J.F., Jovčić G., 2013, Mesenchymal stem cells isolated from peripheral blood and umbilical cord wharton's jelly mesenchymal stem cells isolated from peripheral blood and umbilical cordwharton's jelly, *Srp Arh Celok Lek* 141(3- 4):178-86.

Uccelli A., Moretta L., Pistoia V., 2008, Mesenchymal stem cells in health and disease, *Nat Rev Immunol*, 8(9):726-36.

Velazquez, Omaida C., 2007, Angiogenesis & Vasculogenesis: Inducing the Growth of New Blood Vessels and Wound Healing by Stimulation of Bone Marrow Derived Progenitor Cell Mobilization and Homing, *J. Vasc. Surg.* 45, 39–47.

Vinals F., Pouysségur J., 2001, Transforming growth factor β 1 (TGF- β 1) promotes endothelial cell survival during in vitro angiogenesis via an autocrine mechanism implicating TGF- α signaling, *Mol Cell Biol* 21(21): 7218–7230.

Wynn T.A., Ramalingam T.R., 2012, Mechanisms of fibrosis: therapeutic translation for fibrotic disease, *Nat Med* 18(7): 1028–1040.