

DAFTAR PUSTAKA

- Aini, N., Sandra, F., & Setiawan, B. (2008). Karakteristik Biologis dan Diferensiasi *Stem Cells*: Fokus pada *Mesenchymal Stem Cells*, cdk,161.
- Baratawijdjaja, G. K., Rengganis I. (2014). *Imunologi Dasar*. Jakarta: Badan Penerbit FKUI, 4(2): 217-85.
- Berk, V. D. et al. (2010). Mesenchymal stem cells respond to TNF but do not produce TNF. *Journal of Leukocyte Biology*, 14(3): 283-289.
- Bongso, A., Lee, E., H. (2011). Stem Cells: From Bench to Bedside. *World Scientific Publishing Co*, 8(4), 31(5): 171-242.
- Egea, V., Baumgarten, V., & Schichor, C. (2011). TNF- α respecifies human Mesenchymal Stem Cells to a neural fate and promotes migration toward experimental glioma. *Cell Research*, 134(1): 853–863.
- Fedik, A. R., Ferdiansyah, P. (2014). *Stem Cell, Mesenchymal, Hematopoetik dan Model Aplikasi*. Surabaya: Airlangga University Press, 1, 10-12, 23-25, 26-38.
- Felicia, N. (2014). PDGF, TGF- β , and FGF signaling is important for differentiation and growth of mesenchymal stem cells (MSCs): transcriptional profiling can identify markers and signaling pathways important in differentiation of MSCs into adipogenic, chondrogenic, and osteogenic lineages. *Blood*, 112:295-307.
- Freitag, J. et al. (2016). Mesenchymal stem cell therapy in the treatment of osteoarthritis: reparative pathways, safety and efficacy. *BMC Musculoskeletal Disorders*, 17:230.
- Fromigué, O., Modrowski, D., & Marie, P. (2017). Growth factors and bone formation in osteoporosis: roles for fibroblast growth factor and transforming growth factor beta. *Curr Pharm*, 10(21):2593-603.
- Halim, D. (2010). *Stem Cell Dasar Teori dan Apikasi Klinis*. Jakarta: Erlangga, 13-30.
- Hocking, A. M. (2015). The Role of Chemokines in Mesenchymal Stem Cell Homing to Wounds. *Advances In Wound Care*, 4(11), pp.623–630.
- Janet, C., Cao, X. (2014). Bone marrow mesenchymal stem cells and TGF- β signaling in bone remodeling. *National library of medicine national institutes of health*, 124(2):466–472.

- Jiang, R., Goel, M. A., Iftekhar, R., & Visaria, J. (2008). Paracrine factors secreted by umbilical cord-derived mesenchymal stem cells induce angiogenesis in vitro by a VEGF-independent pathway. *Molecular Cancer Therapeutics*, 68-81.
- Kuchroo, P., Dave, V., Vijayan, A., Viswanathan, C., & Ghost, D. (2015). TNF alpha induced accentuation in cryoinjury: mechanism in vitro and in vivo. *Stems Cells And Development*, 23-54.
- Kwon, Y. et al. (2012). Tumor necrosis factor- α -activated mesenchymal stem cells promote endothelial progenitor cell homing and angiogenesis. *World Scientific Publishing Co*, 14(3):66–72.
- Liu, Y., Shen, W. (2009). Inhibitive effect of cordyceps sinensis on experimental hepatic fibrosis and its possible mechanism. *World J Gastroenterol*, 9(3):529-33.
- Liu, Y. et al. (2011). Mesenchymal stem cell-based tissue regenerationis governed by recipient T lymphocytes via IFN-gamma and TNF-alpha. *Nature medicine*, 17(12):1594–601.
- Marr, R., Thomas, R., & Peterson, D. (2015). Insights into Neurogenesis and Aging: Potential Therapy for Degenerative Disease. *Future Neurology*, 527-541.
- Navarro, G., Fernandez, C. (2008). *The Role of Inflammatory Cytokines in Diabetic Nephropathy*. *Journal Of The American Society Of Nephrology*. pp.433–442.
- Popa, M., Breaz, N., & Jitaru, M. (2008). The impact of pollution with heavy metals on the population of industrialised area. *Journal of Environmental Protection and Ecology*, 8(4), 817-824.
- Rifai, M. (2013). *Buku Ajar Kedokteran Fisiologi dan TGF*. Jakarta: Erlangga.
- Setiawan, B. (2008). *Aplikasi Terapeutik Sel Stem Embrionik pada Berbagai Penyakit Degeneratif*, cdk, 153.
- Sukhanov, S. et al. (2008). IGF-1 Reduces Inflammatory Responses, suppresses Oxidative Stress, and Decreases Atherosclerosis Progresion in ApoE-Deficient Mice. *Arterioscler Thromb Vasc Biol*, 27:84-2690.
- Tyler, Z., Han, J. (2005). Activation and signaling of the p38 MAP kinase pathway. *Cell Research*, 15:11–18.

- Wei, Z., Liu, W. (2009). MAPK signal pathways in the regulation of cell proliferation in mammalian cells. *Cell Research*, 17:230.
- Xiao, Q. et al. (2012). TNF- α increases bone marrow mesenchymal stem cell migration to ischemic tissues. *National library of medicine national institutes of health*, 623–630.
- Zhang, H. et al. (2016). TNF- α enhances vascular cell adhesion molecule-1 expression in human bone marrow mesenchymal stem cells via the NF- κ B, ERK and JNK signaling pathways. *Molecular medicine reports*, 251-259.
- Zhenhua, L. et al. (2017). TNF- α Induced the Enhanced Apoptosis of Mesenchymal Stem Cells in Ankylosing Spondylitis by Overexpressing TRAIL-R2. *Stem Cells International*, 18-45.