

## DAFTAR PUSTAKA

- Abubakar S.A., Isezuo S.A., 2012. Health related quality of life of stroke survivors: Experience of a Stroke Unit, *Int J Biomed Sci.*; 8(3): 183–187.
- Aronowski J, Hall CE. New horizons for primary intracerebral hemorrhage treatment: experience from preclinical studies. *Neurol Res.* 2005; 27:268–279.
- Asmawati, Rusmini, Nursadjan, 2009. Hubungan dan Lamanya Menderita Stroke dengan Kejadian Depresi Pasca Stroke di Poli Saraf RSUD Mataram. *Jurnal Kesehatan Prima Vol.3 No.1*: 414-427 tersedia dalam <http://180.250.43.170:1782/poltekkes/files/NaskahJurnalmataram.pdf> diakses 28 Maret 2016
- Bariroh U., 2016. Faktor-faktor yang Berhubungan dengan Kualitas Hidup Pasien Pasca Stroke (Studi di RSUD Tugurejo Kota Semarang), [eprints.undip.ac.id/50386/](http://eprints.undip.ac.id/50386/), dikutip 6 Juni 2017.
- Berg A., Polamaki H., Lehtihalmes M., Lonngvist J., Kaste M., 2011. Post-stroke depression in acute phase after stroke, *Cerebrovasc Dis*; 12: 14-20.
- Biantoro, Tohri T., dan Juariah L. 2007. Hubungan Karakteristik Individu Dengan Tingkat Depresi Pasca Stroke Di Poliklinik Saraf Rs Rajawali Bandung. *Jurnal Stikes A.Yani Hal:30-46*. Tersedia dalam <http://www.stikesayani.ac.id/publikasi/ejournal/filesx/2007/200708/200708-003.pdf> diakses Maret 2016.
- Bisri D.Y., dan Bisri T., 2012. Perioperative Management Of Hemorrhagic Stroke, *JNI*; 1 (1):59-66.
- Black & Hawks. 2009. *Medical Surgical Nursing Clinical Mngement for Positive Outcomes*. Elsevier Saunders
- Brillianti, Pretty A. 2016. Hubungan Self-Management dengan Kualitas Hidup Pasien Pasca Stroke di Wilayah Puskesmas Pisangan Ciputat.
- Brown G.K. Steer R.A. Beck A.T. 1996. Manual for the Beck depression Inventory-II. *NCTSN TX: Psychological Corporation*. San Antonio
- Chang-Quan, H. 2009. Chronic diseases and risk for depression in old age: A meta-analysis of published literature. *Ageing research reviews*, 9,131-141.
- Christensen M.C, Meyer S., dan Ferran J.M., 2009. Quality of Life After Intercerebral Hemorrhage, *Stroke*, 1677-1682.

- Devanand.P Devangere. Goodwin D Renee. 2008. Stroke. Depression. and Functional Health Outcomes Among Adults in the Community.*Journal of Geriatric Psychiatry and Neurology Journal of Geriatric Psychiatry and Neurology*. Vol. 21. No. 1.New York
- Dinas Kesehatan Kota Semarang. Profil Kesehatan Kota Semarang 2012. Semarang: DKK Semarang; 2013. p. 70.
- Dudung J., Kaunang T.M.D., dan Dundu A.E., 2015.Prevalensi Depresi pada Pasien Stroke yang Dirawat Inap di Irina F RSUP Prof. Dr. D.Kandou Manado Periode November-Desember 2012.*Journal e-Clinic Volume 3 Nomor 1*; 573-578.
- Dudung,J., Kaunang, TMD. dan Dundu AE. 2015. Prevalensi Depresi pada Pasien Stroke yang Dirawat Inap di Irina F RSUP Prof. Dr. D.Kandou Manado Periode November-Desember 2012. *Journal e-Clinic Volume3Nomor1*: 573-578 tersedia dalam <http://ejournal.unsrat.ac.id/index.php/eclinic/article/viewFile/7610/7168> diakses 4 Mei 2016
- Ferro J.M., Caeiro L., Santos C., 2009.Poststroke emotional and behavior impairment: a narrative review, *Cerebrovasc Dis*; 27 Suppl 1:197–203.
- Gbiri C.A., Akinpelu A.O., Odole A.C., 2010.Prevalence, pattern and impact of depression on quality of life of stroke survivors, *International Journal of Psychiatry in Clinical Practice*, Vol. 14 , Iss. 3.
- Haryuni S., 2017.*Mean Arterial Pressure (MAP) Berhubungan dengan Kejadian Mortalitas pada Pasien Stroke Perdarahan Intracerebral*, *Jurnal Care* Vol .5, No.1: 123-129.
- Hong KS, Bang OY, Kang DW, Yu KH, Bae HJ, Lee JS, et al. Stroke statistics in Korea: part I. Epidemiology and risk factors: a report from the korean stroke society and clinical research center for stroke. *J Stroke* 2013;15:2–20
- Irfan, Muhammad, 2010. Fisioterapi Bagi Insan Stroke. Edisi Pertama. Penerbit Graha Ilmu:Yogyakarta.
- Kaplan & Saddock, 2010.*Buku Ajar Psikiatri Klinis Edisi 2*, EGC, Jakarta.
- Kaplan, H.I & Saddock, B.J. Sinopsis Psikiatri Ilmu pengetahuan Perilaku Psikiatri klinis. Jilid 1. 10th ed. Jakarta: Bina Rupa Aksara; 2007.
- Kaplan H.I, Sadock B.J, Grebb J.A. 2010. Sinopsis Psikiatri Jilid 2. Terjemahan Widjaja Kusuma. Jakarta: Binarupa Aksara. p. 17-35.
- Katona, C. 2012. *At a Glance* Psikiatri Edisi Keempat, Penerbit Erlangga, Jakarta

- Kim J.S., Kwon S.C., Kwon S.U., Lee H.J., Park K.A., Seo Y.S., 2005. Factors Affecting the Quality of Life After Ischemic Stroke: Young Versus Old Patients, *J Clin Neurol*; 1(1): 59–68.
- Krishnamurthi RV, Moran AE, Forouzanfar MH, Bennett DA, Mensah GA, Lawes CM, et al. The global burden of hemorrhagic stroke: a summary of findings from the GBD 2010 study. *Glob Heart* 2014;9:101–106.
- Kwan, K.L., Ergas, I.J., Somkin, C.P., Quesenberry Jr, C.P., Neugut, A.I., 2000. Quality of life among women recently diagnosed with invasive breast cancer: the Pathways Study. *Breast Cancer Res Treat*; 123(2):507-24
- Kwan, Tinna. (2000). Quality Of Life In Family Caregivers Of Persons With Schizophrenia. Dissertation. Faculty of the College Of Nursing. The University Of Arizona.
- Loubinoux I., Kronenberg G., Endres M., Bard P.S., Freret T., Filipkowski R.K., Kaczmarek L., Wagner A.P.2012. Post-Stroke Depression: Mechanism, Translation and Therapy. *J.Cell.Mol.Med.* 16(9):1961
- Moons, P. , Marquet K., Budts W., Geest, Sabina. 2004. Validity, Reliability, and Responsiveness of the Schedule for the Evaluation of Individual Quality of Live-Direct Weighting (SEIQOL-DW) in 176 Congenital Heart Disease. *Health and Quality of Life Outcomes*,2 1-8. USA: BioMed Ltd.
- Nasissi, Denise, 2010. Homorrhagic Stroke, Emedicine, Medscape, Download from <http://emedicine.madscape.com/article/793821-overview>
- O'Donnell MJ, Xavier D, Liu L, Zhang H, Chin SL, Rao-Melacini P, et al. Risk factors for ischaemic and intracerebral haemorrhagic stroke in 22 countries (the INTERSTROKE study): a case-control study. *Lancet* 2010;376:112–123.
- Paolucci Stefano. 2008. Epidemiology and treatment of post-stroke depression. *Neuropsychiatric Disease and Treatment* 2008;4(1) 145–154. Italy
- Price, S. A. dan Wilson, L. M. 2006. Patofisiologi : Konsep Klinis Proses-Proses Penyakit, Edisi 6, Volume 1. Jakarta: EGC.
- Qureshi AI, Mendelow AD, Hanley DF. Intracerebral haemorrhage. *Lancet*. 2009;373:1632–1644
- Radloff L.S. 1977. The CES-D Scale : A Self- Report Depression Scale for Research in the General Population. *Applied Psychological Measurement*. 1. 385- 401

- Sadock, Benjamin James; Sadock, Virginia Alcott. 2007. Anxiety Disorder in : Kaplan & Sadock's Synopsis of Psychiatry : Behavioral Sciences / Clinical Psychiatry, 10th Edition. New York: Lippincott Williams & Wilkin. Hal 580
- Santos, M. 2009. *Differential Impact of Lacunes and Microvascular Lesions on Poststroke Depression*
- Saldanha D, Kumar N, Ryali V, Srivastava K, Pawar AA (2009) Serum serotonin abnormality in depression. *Med J Armed Forces India* 65: 108-112.
- Sari N. 2011. Tesis: Gambaran Simtom Depresif Pada Pasien Pasca Strokedengan Menggunakan Skala Penilaian Beck Depression Inventory(BDI). *Fakultas Kedokteran Universitas Sumatera Utara*. Medan
- Silbernagl, S., Florian Lang, 2007. Gangguan Aliran Darah Otak, Stroke, Teks & Atlas Berwarna Patofisiologi. EGC:Jakarta.
- Skevington, S.M; Lotfy, M; O'Connell, K.A. (2004). *The World Health Organization's WHOQOL – BREF quality of life assessment : psychometric properties and result of the international field trial. A Report from the WHOQOL Group. Quality of Life Research* 13 : pp. 299 – 310
- Sofyan A.H., Sihombing I.Y., Hamra Y., Hubungan Umur, Jenis Kelamin, dan Hipertensi dengan Kejadian Stroke, open journal system Universitas. Sukandar, E. Y., Andrajati, R., Sigit, I. J., Adnyana, K. I., Setiadi, P. A. A., Kusnandar, 2009. ISO Farmakoterapi, Cetakan kedua, PT. ISFI Penerbitan, Jakarta.
- Sturm J.W., Donnan G.A., Dewey H.M., Macdonell R.A. 2011. Determinants of handicap after stroke. *North East Melbourne Stroke Incidence Study, Stroke*; 35:715–720.
- Susilawati, A., Ratep N. dan K.Putera, 2014. Depresi Pasca-Stroke: Diagnosis dan Tatalaksana. *CDK-223/ Vol.41 No.12*: 901-905 tersedia dalam [http://www.kalbemed.com/Portals/6/08\\_223Depresi%20PascaStroke\\_Diagnosis%20dan%20Tatalaksana.pdf](http://www.kalbemed.com/Portals/6/08_223Depresi%20PascaStroke_Diagnosis%20dan%20Tatalaksana.pdf) diakses 26 maret 2016
- Suwantara, J.R.,2004. Depresi Pasca-Stroke: Epidemiologi, Rehabilitasi dan, Psikoterapi. *Jurnal Kedokteran Trisakti Vol.23 No.4*: 150-156 tersedia dalam [www.univmed.org/wpcontent/uploads/2011/02/JEANET.pdf](http://www.univmed.org/wpcontent/uploads/2011/02/JEANET.pdf) diakses 2 Mei 2016
- Teoh V., Sam J., dan Milgrom J., 2009. Psychological Predcitors of Quality ofLife in a Sample of Community-Dwelling Stroke Survivors:Longitudinal Study,*Top Stroke Rehabil* 16(2): 157-166.

- Teter, C. S., Kando, J. C., Wells, B. G., & Hayes, P. E., 2007. Depressive Disorder ,dalam Dipiro, J. T., Talbert, R. L., Yee, G. C., Matzke, G. R., Wells, B. G.,& Posey Micheal, L.,(eds), *Pharmacotherapy A Pathophysiologic Approach*,7th Edition, Appleton and lange, New York.
- Van Asch CJ, Luitse MJ, Rinkel GJ, van der Tweel I, Algra A, Klijn CJ. Incidence, case fatality, and functional outcome of intracerebral haemorrhage over time, according to age, sex, and ethnic origin: a systematic review and meta-analysis. *Lancet Neurol* 2010;9:167–176
- Vergi, Nurul Sargia. 2013. *Kualitas Hidup Pensiun*. Skripsi. Fakultas Psikologi.Universitas Islam Negeri Sultan Syarif Kasim Riau.
- Visser M.M., Heijenbrok-Kal M.H., Spijker A.V., Oostra K.M., Busschbach J.J., Ribbers G.M., 2015. Coping, problem solving, depression, and health-related quality of life in patients receiving outpatient stroke rehabilitation., *Arch Phys Med Rehabil.*; 96(8):1492-8.
- Wang J, Dore´ S. Inflammation after intracerebral hemorrhage.*J Cereb Blood Flow Metab.* 2007;27:894–908.
- Whyte E.M., Mulsant B.H., 2012. Post-stroke depression: epidemiology, pathophysiology, and biological treatment, *Biol Psychiatry*; 52: 253-64.
- Widhani R.D., Hartanto O.S., 2013, Hubungan Usia dengan Kualitas Hidup Pasien Stroke Iskemik di RSUD Dr. Moewardi, <https://digilib.uns.ac.id/dokumen/detail/33359/Hubungan-Usia-dengan-Kualitas-Hidup-Pasien-Stroke-Iskemik-di-RSUD-Dr-Moewardi>.
- Williamms, L. S., M. Weinberger, et al. 1999. “Development of a stroke-specific quality of life scale.. “*Stroke* 30(7): 1362-1369.
- Wongpakaran N. 2013.The Use of GDS-15 in Detecting MDD: A Comparison Between Residents in a Thai Long Term Care Home and Geriatric Outpatients. Chiang Mai. *J Clin Med Res.* 5(2):101-11
- Xi G, Keep RF, Hoff JT. Mechanisms of brain injury after intracerebral haemorrhage. *Lancet Neurol.* 2006;5:53–63.
- Yastroki, 2012. 7 Tahapan Terapi Stroke Akut, online accessed on 10 Maret 2013.
- Yuliami Riwanti. 2006. *Pengaruh Depresi pada Awal Stroke (Minggu I) Terhadap Waktu Perbaikan Deficit Neurologi Penderita Stroke Non Hemoragik*. RSUP Dr. Kariadi Semarang. Semarang. UNDIP.