

## DAFTAR PUSTAKA

- Aldasouqi, S. and Gossain, V., 2008. Hemoglobin A1c: past, present and future. *Annals of Saudi medicine*, 28(6), p.411.
- American Diabetes Association, 2016. Erratum. Classification and diagnosis of diabetes. Sec. 2. In Standards of Medical Care in Diabetes–2016. *Diabetes Care* 2016; 39 (Suppl. 1): S13–S22. *Diabetes care*, 39(9), pp.1653-1653.
- Artanti, N., Widayati, R. and Fajriah, S., 2009. Aktivitas Antioksidan dan Toksisitas Ekstrak Air dan Etanol Daun Benalu (*Dendrophthoe pentandra* L. Miq) yang Tumbuh pada Berbagai Inang. *Jurnal Kimia Terapan Indonesia*, 11(1).
- Bharti, S.K., Krishnan, S., Kumar, A., Rajak, K.K., Murari, K., Bharti, B.K. and Gupta, A.K., 2013. Antidiabetic activity and molecular docking of fructooligosaccharides produced by *Aureobasidium pullulans* in poloxamer-407-induced T2DM rats. *Food chemistry*, 136(2), pp.813-821.
- Brownawell, A.M., Caers, W., Gibson, G.R., Kendall, C.W., Lewis, K.D., Ringel, Y. and Slavin, J.L., 2012. Prebiotics and the Health Benefits of Fiber: Current Regulatory Status, Future Research, and Goals, 2. *The Journal of nutrition*, 142(5), pp.962-974.
- Byrne, C.S., Chambers, E.S., Morrison, D.J. and Frost, G., 2015. The role of short chain fatty acids in appetite regulation and energy homeostasis. *International journal of obesity*, 39(9), p.1331.
- Cai, X., Wang, L., Wang, X. and Liu, S., 2017. Effect of high dietary fiber low glycemic index diet on intestinal flora, blood glucose and inflammatory response in T2DM patients. *Biomedical Research*, 28(21).
- Cani, P.D., Geurts, L., Matamoros, S., Plovier, H. and Duparc, T., 2014. Glucose metabolism: focus on gut microbiota, the endocannabinoid system and beyond. *Diabetes & metabolism*, 40(4), pp.246-257.
- Closa-Monasterolo, R., Ferré, N., Castillejo-DeVillasante, G., Luque, V., Gispert-Llaurado, M., Zaragoza-Jordana, M., Theis, S. and Escribano, J., 2017. The use of inulin-type fructans improves stool consistency in constipated children. A randomised clinical trial: pilot study. *International journal of food sciences and nutrition*, 68(5), pp.587-594.
- Cox, S., Prince, A., Myers, C., Irving, P.M., Lindsay, J.O., Lomer, M.C. and Whelan, K., 2017. Fermentable carbohydrates (FODMAPs) as triggers of functional gastrointestinal symptoms in patients with inflammatory bowel disease: a

randomised, double-blind, placebo-controlled, cross-over, re-challenge trial. *Proceedings of the Nutrition Society*, 76(OCE4).

Cummings, J.H., Macfarlane, G.T. and Englyst, H.N., 2011. Prebiotic digestion and fermentation—. *The American journal of clinical nutrition*, 73(2), pp.415s-420s.

Dalimartha, S. and Adrian, F., 2011. *Khasiat buah dan sayur*. Penebar Swadaya Grup.

Den Besten, G., Bleeker, A., Gerding, A., van Eunen, K., Havinga, R., van Dijk, T.H., Oosterveer, M.H., Jonker, J.W., Groen, A.K., Reijngoud, D.J. and Bakker, B.M., 2015. Short-chain fatty acids protect against high-fat diet-induced obesity via a PPAR $\gamma$ -dependent switch from lipogenesis to fat oxidation. *Diabetes*, 64(7), pp.2398-2408.

Drabińska, N., Zieliński, H. and Krupa-Kozak, U., 2016. Technological benefits of inulin-type fructans application in gluten-free products—A review. *Trends in Food Science & Technology*, 56, pp.149-157.

Estiasih, T., Sunarharum, W.B. and Suwita, I.K., 2012. Efek hipoglikemik polisakarida larut air gambili (*Dioscorea esculenta*) yang diekstrak dengan berbagai metode [Hypoglycaemic Effect of water soluble polysaccharides extracted from gambili (*Dioscorea esculenta*) by various methods]. *Jurnal Teknologi dan Industri Pangan*, 23(1), p.1.

Furman, B.L., 2015. Streptozotocin-induced diabetic models in mice and rats. *Current protocols in pharmacology*, pp.5-47.

Gao, Z., Yin, J., Zhang, J., Ward, R.E., Martin, R.J., Lefevre, M., Cefalu, W.T. and Ye, J., 2009. Butyrate improves insulin sensitivity and increases energy expenditure in mice. *Diabetes*, 58(7), pp.1509-1517.

Gobinath, D., Madhu, A.N., Prashant, G., Srinivasan, K. and Prapulla, S.G., 2010. Beneficial effect of xylo-oligosaccharides and fructo-oligosaccharides in streptozotocin-induced diabetic rats. *British Journal of Nutrition*, 104(1), pp.40-47.

Gomez-Perez, F.J., Aguilar-Salinas, C.A., Almeda-Valdes, P., Cuevas-Ramos, D., Garber, I.L. and Rull, J.A., 2010. HbA1c for the diagnosis of diabetes mellitus in a developing country. A position article. *Archives of medical research*, 41(4), pp.302-308.

Gough, S., Manley, S. and Stratton, I. eds., 2010. *HbA1C in diabetes: case studies using IFCC units*. John Wiley & Sons.

- Grabitske, H.A. and Slavin, J.L., 2009. Gastrointestinal effects of low-digestible carbohydrates. *Critical reviews in food science and nutrition*, 49(4), pp.327-360.
- Harijono, Estiasih, T., Sunarharum, W.B., Suwita, I.K. 2012. Efek hipoglikemik polisakarida larut air gambili (*Dioscorea esculenta*) yang diekstrak dengan berbagai metode. *J Teknol dan Industri Pangan*, 23 (1): 1-8.
- Jung, J.Y., Lim, Y., Moon, M.S., Kim, J.Y. and Kwon, O., 2011. Onion peel extracts ameliorate hyperglycemia and insulin resistance in high fat diet/streptozotocin-induced diabetic rats. *Nutrition & Metabolism*, 8(1), p.18.
- Jurgoński, A., Juśkiewicz, J., Kowalska, K. and Zduńczyk, Z., 2012. Does dietary inulin affect biological activity of a grapefruit flavonoid-rich extract?. *Nutrition & metabolism*, 9(1), p.31.
- Kelly, G., 2009. Inulin-type prebiotics: a review. *Alternative Medicine Review*, 14(1), pp.36-56.
- Lewis, M.R., Sheehan, P.R., Staten, M.A., Phillips, L.S. and Pittas, A.G., 2017. Response to Comment on Lewis et al. Management of Hemoglobin Variants Detected Incidentally in HbA1c Testing: A Common Problem Currently Lacking a Standard Approach. *Diabetes Care* 2017; 40: e8–e9. *Diabetes care*, 40(10), pp.e150-e151.
- Little, R.R. and Sacks, D.B., 2009. HbA1c: how do we measure it and what does it mean?. *Current Opinion in Endocrinology, Diabetes and Obesity*, 16(2), pp.113-118.
- Madina, T.S., Djallalluddin, D. and Yasmina, A., 2013. Hubungan Kadar HbA1C Dengan Kejadian Kaki Diabetik Pada Pasien Diabetes Melitus: Di RSUD Ulin Banjarmasin April-September 2012. *Berkala Kedokteran*, 9(2), pp.211-217.
- Mahajan, R.D. and Mishra, B., 2011. Using glycated hemoglobin HbA1c for diagnosis of diabetes mellitus: An indian perspective. *Int J Biol Med Res.*, 2(2), pp.508-512.
- Marrazzo, G., Bosco, P., La Delia, F., Scapagnini, G., Di Giacomo, C., Malaguarnera, M., Galvano, F., Nicolosi, A. and Volti, G.L., 2011. Neuroprotective effect of silibinin in diabetic mice. *Neuroscience letters*, 504(3), pp.252-256.
- Monnier, L. and Colette, C., 2009. Target for glycemic control: concentrating on glucose. *Diabetes care*, 32(suppl 2), pp.S199-S204.
- Nitin, S., 2010. HbA1c and factors other than diabetes mellitus affecting it. *Singapore Med J*, 51(8), pp.616-622.

- Okada, N., Kobayashi, S., Moriyama, K., Miyataka, K., Abe, S., Sato, C. and Kawazoe, K., 2017. Helianthus tuberosus (Jerusalem artichoke) tubers improve glucose tolerance and hepatic lipid profile in rats fed a high-fat diet. *Asian Pacific journal of tropical medicine*, 10(5), pp.439-443.
- Paineau, D., Payen, F., Panserieu, S., Coulombier, G., Sobaszek, A., Lartigau, I., Brabet, M., Galmiche, J.P., Tripodi, D., Sacher-Huvelin, S. and Chapalain, V., 2008. The effects of regular consumption of short-chain fructo-oligosaccharides on digestive comfort of subjects with minor functional bowel disorders. *British Journal of Nutrition*, 99(2), pp.311-318.
- Puspitasari, A.P. and Syauqy, A., 2015. Pengaruh Pemberian Pisang Kepok (Musa Paradisiaca Forma Typical) Terhadap Kadar Malondialdehyde (Mda) Tikus Sprague Dawley Pra-Sindrom Metabolik. *Journal of Nutrition College*, 4(4), pp.314-322.
- Rahat-Rozenbloom, S., Fernandes, J., Cheng, J., Gloor, G.B. and Wolever, T.M., 2017. The acute effects of inulin and resistant starch on postprandial serum short-chain fatty acids and second-meal glycemic response in lean and overweight humans. *European journal of clinical nutrition*, 71(2), p.227.
- Raza, H. and John, A., 2012. Implications of altered glutathione metabolism in aspirin-induced oxidative stress and mitochondrial dysfunction in HepG2 cells. *PloS one*, 7(4), p.e36325.
- Sabitha, V., Ramachandran, S., Naveen, K.R. and Panneerselvam, K., 2011. Antidiabetic and antihyperlipidemic potential of Abelmoschus esculentus (L.) Moench. in streptozotocin-induced diabetic rats. *Journal of pharmacy and bioallied sciences*, 3(3), p.397.
- Saputro, P.S. and Estiasih, T., 2014. PENGARUH POLISAKARIDA LARUT AIR (PLA) DAN SERAT PANGAN UMBI-UMBIAN TERHADAP GLUKOSA DARAH: KAJIAN PUSTAKA [IN PRESS APRIL 2015]. *Jurnal Pangan dan Agroindustri*, 3(2).
- Saudek, C.D., Herman, W.H., Sacks, D.B., Bergenstal, R.M., Edelman, D. and Davidson, M.B., 2008. A new look at screening and diagnosing diabetes mellitus. *The Journal of Clinical Endocrinology & Metabolism*, 93(7), pp.2447-2453.
- Semaan, D.G., Igoli, J.O., Young, L., Marrero, E., Gray, A.I. and Rowan, E.G., 2017. In vitro anti-diabetic activity of flavonoids and pheophytins from Allophylus cominia Sw. on PTP1B, DPPIV, alpha-glucosidase and alpha-amylase enzymes. *Journal of ethnopharmacology*, 203, pp.39-46.

- Sherwani, S.I., Khan, H.A., Ekhzaimy, A., Masood, A. and Sakharkar, M.K., 2016. Significance of HbA1c test in diagnosis and prognosis of diabetic patients. *Biomarker insights*, 11, pp.BMI-S38440.
- Sultanpur, C.M., Deepa, K. and Kumar, S.V., 2010. Comprehensive review on HbA1c in diagnosis of diabetes mellitus. *Int J Pharm Sci Rev Res*, 3(2), pp.119-22.
- Szkudelski, T., 2012. Streptozotocin–nicotinamide-induced diabetes in the rat. Characteristics of the experimental model. *Experimental Biology and Medicine*, 237(5), pp.481-490.
- Vandeputte, D., Falony, G., Vieira-Silva, S., Wang, J., Sailer, M., Theis, S., Verbeke, K. and Raes, J., 2017. Prebiotic inulin-type fructans induce specific changes in the human gut microbiota. *Gut*, 66(11), pp.1968-1974.
- Weickert, M.O. and Pfeiffer, A.F., 2008. Metabolic effects of dietary fiber consumption and prevention of diabetes. *The Journal of nutrition*, 138(3), pp.439-442.
- Winarti, S., Harmayani, E. and Nurismanto, R., 2011. Karakteristik dan profil inulin beberapa jenis uwi (*Dioscorea* spp.). *Agritech*, 31(4).
- Zhang, X., Gregg, E.W., Williamson, D.F., Barker, L.E., Thomas, W., Bullard, K.M., Imperatore, G., Williams, D.E. and Albright, A.L., 2010. A1C level and future risk of diabetes: a systematic review. *Diabetes care*, 33(7), pp.1665-1673.