

DAFTAR PUSTAKA

- Ahmed, N.E.-M.B., Murakami, M., Kaneko, S., Nakashima, M., 2016. The effects of hypoxia on the stemness properties of human dental pulp stem cells (DPSCs). *Scientific reports*, 6, hal.35476. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/27739509%5Chttp://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC5064411>.
- Ahluwalia, a. & S. Tarnawski, a., 2012. Critical Role of Hypoxia Sensor - HIF-1 α in VEGF Gene Activation. Implications for Angiogenesis and Tissue Injury Healing. *Current Medicinal Chemistry*, 19, hal.90–97.
- Aini, N., Setiawan, B., Sandra, F., 2008. Karakteristik Biologis dan Diferensiasi Stem Cell : Fokus pada pada Mesenchymal Stem Cell. *Cdk* 35, 64–67.
- Coppes, R.P. & Stokman, M.A., 2011. Stem cells and the repair of radiation-induced salivary gland damage. *Oral Diseases*, 17(2), hal.143–153.
- Djuwantono, T., Wirakusumah, F.F., Septiani, L., Kristina, I., Natalia, D., Halim, D., Faried, A., Obstetri, D., Ginekologi, D., 2011. Uji Fungsional dan Karakteristik Sel Punca Hematopoetik Hasil Isolasi dari Darah Tali Pusat Manusia Menggunakan Metode Modifikasi Unpad- Aster. *Mkb* 43, 171–177.
- Ejtehadifar, M., Shamsasenjan, K., Movassaghpour, A., Akbarzadehlaleh, P., Dehdilani, N., Abbasi, P., Molaiepour, Z., & Saleh, M., 2015. The effect of hypoxia on mesenchymal stem cell biology. *Advanced Pharmaceutical Bulletin*, 5(2), hal.141–149. Available at: <http://dx.doi.org/10.15171/apb.2015.021>.
- Fong, C.Y., Chak, L.L., Biswas, A., Tan, J.H., Gauthaman, K., Chan, W.K., Bongso, A., 2011. Human Wharton’s Jelly Stem Cells Have Unique Transcriptome Profiles Compared to Human Embryonic Stem Cells and Other Mesenchymal Stem Cells. *Stem Cell Reviews and Reports*, 7(1),1–16.
- Frisca, Sardjono, C.T., Sandra, F., 2008. Ekspansi Endothelial Progenitor Cell. *Cdk*, 35(2),68–71.
- Halim, D., 2010. *Stem Cell – Dasar Teori & Aplikasi Klinis*. Penerbit Erlangga, Jakarta.
- Haque, N., Rahman, M. T., Abu Kasim, N. H., & Alabsi, A. M. (2013). Hypoxic culture conditions as a solution for mesenchymal stem cell based regenerative therapy. *TheScientificWorldJournal*, 2013, 632972. <https://doi.org/10.1155/2013/632972>

- Hasby, E.A., Mashad, N. El & Eltatawy, R., 2017. C-Kit, CD34 & α -SMA Immunohistochemical Features in Classic Kaposi Sarcoma and Kaposiform Hemangioendothelioma. *Journal of Microscopy and Ultrastructure*, 5(1), hal.49–57. Available at: <http://www.sciencedirect.com/science/article/pii/S2213879X16300220>.
- Hu, X., Yu, Shan Ping., Fraser, Jamie L., Lu, Zhongyang., Ogle, Molly E., Wang, Jian An., Wei, Ling., 2008. Transplantation of hypoxia-preconditioned mesenchymal stem cells improves infarcted heart function via enhanced survival of implanted cells and angiogenesis. *Journal of Thoracic and Cardiovascular Surgery*, 135(4), hal.799–808.
- Hu, Y., Liang, J., Cui, H.P., Wang, X.M., Rong, H., Shao, B., & Cui, H., 2013. Wharton's jelly mesenchymal stem cells differentiate into retinal progenitor cells. *Neural Regeneration Research*, 8(19), hal.1783–1792.
- Jusuf, A.A., 2008. Aspek Dasar Sel Punca Embriolik (Embryonic Stem Cells) Dan Potensi 1–25.
- Kalodimou, V.E., 2013. Stem Cell applications and Flow Cytometry. *AABB Medical Publications*, hal.37–39.
- Kobayashi, H., Butler, J.M., O'Donnell, R., Kobayashi, M., Ding, B.S., Bonner, B., Chiu, V.K., Nolan, D.J., Shido, K., Benjamin, L., Raffi, S., 2010. Angiocrine factors from Akt-activated endothelial cells balance self-renewal and differentiation of haematopoietic stem cells. *Nature Cell Biology*, 12(11), hal.1046–1056. Available at: <http://www.nature.com/doifinder/10.1038/ncb2108>.
- Kwon, Y.W., Heo, S.C., Jeong, G.O., Yoon, J.W., Mo, W.M., Lee, M.J., Jang, Il-Ho., Kwon, S.M., Lee, J.S., Kim, J.H., 2013. Tumor necrosis factor- α -activated mesenchymal stem cells promote endothelial progenitor cell homing and angiogenesis. *Biochimica et Biophysica Acta (BBA) - Molecular Basis of Disease*, 1832(12), hal.2136–2144. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0925443913002676>.
- Lin, C.S., Ning, H., Lin, G., Lue, T.F., 2012. Is CD34 truly a negative marker for mesenchymal stromal cells? *Cytotherapy*. doi:10.3109/14653249.2012.729817
- Loscalzo, J., 2015. Hypoxia and Cyanosis. In *Harrison's Principles of Internal Medicine*, 19e. Available at: <http://mhmedical.com/content.aspx?aid=1107534918>.

- Madrigal, M., Rao, K.S. & Riordan, N.H., 2014. A review of therapeutic effects of mesenchymal stem cell secretions and induction of secretory modification by different culture methods. *Journal of Translational Medicine*, 12(1), hal.260. Available at: <http://translational-medicine.biomedcentral.com/articles/10.1186/s12967-014-0260-8>.
- Martz, E., 2014. What is Flow Cytometry?, hal.1–3. Available at: <https://www.bio.umass.edu/micro/immunology/facs542/facswhat.htm>.
- Masagus Zainuri, S.I.W., 2012. Aktivitas Spesifik M Anganese Superoxide Dismutase (MnSOD) dan Katalase Pada Hati. *Media Litbang Kesehatan*, 22(2), hal.87–92.
- Nagamura-Inoue, T., 2014. Umbilical cord-derived mesenchymal stem cells: Their advantages and potential clinical utility. *World Journal of Stem Cells*, 6(2), hal.195. Available at: <http://www.wjgnet.com/1948-0210/full/v6/i2/195.htm>.
- Health, N.I. of, 2009. Stem Cell Basics. *Stem Cells* 19, 1–26. doi:10.1038/stemcells.2009.90
- Nekanti, U., Dastidar, S., Venugopal, P., Totey, S., & Ta, M., 2010. Increased Proliferation and Analysis of Differential Gene Expression in Human Wharton ' s Jelly-derived Mesenchymal Stromal Cells under Hypoxia. *International Journal of Biological Sciences*, 6(5), hal.499–512.
- Petreaca, M., & Martins-Green, M., 2007. Chapter Seven - The dynamics of cell-ECM interactions. In *Principles of Tissue Engineering (Third Edition)* (hal. 81–99). <https://doi.org/http://dx.doi.org/10.1016/B978-012370615-7/50011-1>
- Priantono, D., Mulyawan, W., Hardiany, N.S., Wanandi, S.I., 2013. Pengaruh Induksi Hipoksia Hipobarik Intermiten pada Aktivitas Spesifik Manganese Superoxide Dismutase dan Kadar Malondialdehyde Ginjal Tikus. 1, 208–215.
- Robinson, R. & Pellenz, S., 2013. What is flow cytometry (FACS analysis)? *Antibodies-online.com*. Available at: <http://www.antibodies-online.com/resources/17/1247/what-is-flow-cytometry-facs-analysis/>.
- Rosová, I., Dao, M., Capoccia, B., Link, D., Nolte, J.A., 2008. Hypoxic Preconditioning Results in Increased Motility and Improved Therapeutic Potential of Human Mesenchymal Stem Cells. *Stem Cells* 26, 2173–2182. doi:10.1634/stemcells.2007-1104
- Samsonraj, R.M., Rai, B., Sathiyathan, P., Puan, K.J., Röttschke, O., Hui, J.H., Raghunath, M., Stanton, L.W., Nurcombe, V., Cool, S.M., 2015.

- Establishing criteria for human mesenchymal stem cell potency. *Stem Cells* 33, 1878–1891. doi:10.1002/stem.1982
- Semenza, G.L., 2012. Molecular mechanisms mediating metastasis of hypoxic breast cancer cells. *Trends in Molecular Medicine*, 18(9), hal.534–543.
- Simon, M.C., Keith, B., 2008. The role of oxygen availability in embryonic development and stem cell function. *Nature reviews.Molecular cell biology*, 9(4), hal.285–296.
- Sidney, L.E., Branch, M.J., Dunphy, S.E., Dua, H.S., Hopkinson, A., 2014. Concise review: Evidence for CD34 as a common marker for diverse progenitors. *Stem Cells*. doi:10.1002/stem.1661
- Volpe, G., Santoditocco, M., Di Mauro, L., Miscio, G., Boscia, F.M., Muto, B., Volpe, N., 2011. Four phases of checks for exclusion of umbilical cord blood donors. *Blood Transfusion* 9, 286–291. doi:10.2450/2011.0038-10
- Wanandi, S., Dewi, S., Paramita, R., 2009. Ekspresi Relatif Mrna Hif-1 A Pada Jantung, Otak Dan Darah Tikus Selama Induksi Hipoksia Sistemik. *Makara Sains* 13, 185–188.
- Wei, X., Yang, X., Han, Z., Qu, F., Shao, L., Shi, Y., 2013. Mesenchymal stem cells: a new trend for cell therapy. *Acta Pharmacologica Sinica* 34, 747–754. doi:10.1038/aps.2013.50
- Wigati, S., Mulyani, M., Setiawati, E. M., Safitri, E., Astuti, E. R., 2014. The role of heat shock protein 27 (HSP 27) as inhibitor apoptosis in hypoxic conditions of bone marrow stem cell culture, 47(1), 41–44.