

DAFTAR PUSTAKA

- Aguiar, J. M., Chacon, J., Canton, R., & Baquero, F. 1992. The emergence of highly fluoroquinolone-resistant *Escherichia coli* in community-acquired urinary tract infections. *Journal of Antimicrobial Chemotherapy*, 29(3), 349-350.
- Baltrusaitite, V.; Venskutonis, P.R. and Cekstertys, V. 2007: Antibacterial activity of honey and bee bread of different origin against *Staphylococcus aureus* and *S. epidermidis*. *Food Tech. Biotech.*, 45: 201-208.
- Brooks, J. T., Sowers, E. G., Wells, J. G., Greene, K. D., Griffin, P. M., Hoekstra, R. M., & Strockbine, N. A. 2005. Non-O157 Shiga toxin-producing *Escherichia coli* infections in the United States, 1983–2002. *The Journal of infectious diseases*, 192(8), 1422-1429.
- Clinical Laboratory and Standards Institute. 2014. M100-S24 Performance Standards for Antimicrobial.
- Dananjaya, A, S. W. 2013. Pengaruh Ekstrak Metanol Fraksi Etil Asetat Madu Terhadap Pertumbuhan *Escherichia coli* Secara In Vitro. Malang : Fakultas Kedokteran Universitas Brawijaya.
- Eliza, N. 2010. Pengaruh Pemberian Madu Terhadap Bakteri *Staphylococcus aureus* dan *Escherichia coli*.
- Gagliotti, C., Buttazzi, R., Sforza, S., Moro, M. L., & Emilia-Romagna Antibiotic Resistance Study Group. 2008. Resistance to fluoroquinolones and treatment failure/short-term relapse of community-acquired urinary tract infections caused by *Escherichia coli*. *Journal of Infection*, 57(3), 179-184.
- Gilman, A. G. 2008. Goodman&Gilman Dasar Farmako Terapi Volume 2. Alih bahasa oleh Tim Alih Bahasa Sekolah Farmasi ITB. Jakarta: ECG medica I Publisher.
- Hanafiah, K. 2003. Rancangan percobaan:Teori dan Aplikasi. Jakarta: rajawali press.
- Hopkins, K. L., Davies, R. H., & Threlfall, E. J. 2005. Mechanisms of quinolone resistance in *Escherichia coli* and *Salmonella*: recent developments. *International journal of antimicrobial agents*, 25(5), 358-373.
- Huda, M. 2013. Pengaruh Madu Terhadap Pertumbuhan Gram Positif (*Staphylococcus aureus*) dan Gram Negatif (*Escherichia coli*).
- Jacoby, G. A., & Munoz-Price, L. S. 2005. The new β -lactamases. *New England Journal of Medicine*, 352(4), 380-391.

- Jaktaji, R. P., Ebadi, R., & Karimi, M. 2012. Study of organic solvent tolerance and increased antibiotic resistance properties in *E. coli* gyrA mutants. Iranian journal of pharmaceutical research: IJPR, 11(2), 595.
- Jawetz, M. 2005. Adelberg. Microbiología médica, 18.
- Karczmarczyk, M., Abbott, Y., Walsh, C., Leonard, N., & Fanning, S. 2011. Characterization of multidrug-resistant *Escherichia coli* isolates from animals presenting at a university veterinary hospital. Applied and environmental microbiology, 77(20), 7104-7112.
- Kocsis, B., Mazzariol, A., Kocsis, E., Koncan, R., Fontana, R. and Cornaglia, G., 2013. Prevalence of plasmid-mediated quinolone resistance determinants in Enterobacteriaceae strains isolated in North-East Italy. Journal of Chemotherapy, 25(1), pp.36-40.
- Kohanski, M. A., Dwyer, D. J., & Collins, J. J. 2010. How antibiotics kill bacteria: from targets to networks. Nature reviews. Microbiology, 8(6), 423.
- Komara, S. 2002. Kajian Aktivitas Dan Identifikasi Kelas Senyawa Antibakteri 5 Jenis Madu Indonesia (Doctoral dissertation, IPB (Bogor Agricultural University)).
- Laurence, C., Legros, J., Chantzis, A., Planchat, A., & Jacquemin, D. 2015. A database of dispersion-induction DI, electrostatic ES, and hydrogen bonding α 1 and β 1 solvent parameters and some applications to the multiparameter correlation analysis of solvent effects. The Journal of Physical Chemistry B, 119(7), 3174-3184.
- Mahon, C. L. 2015. Textbox of Diagnostic Microbiology Fifth Edition. USA: Saunders Company
- Masadeh, M. M., Mhaidat, N. M., Alzoubi, K. H., Al-Azzam, S. I., & Shaweesh, A. I. 2012. Ciprofloxacin-induced antibacterial activity is reversed by vitamin E and vitamin C. Current microbiology, 64(5), 457-462.
- Milla, K. I. 2015. Efek Kombinasi Ciprofloxacin dan Vitamin C Terhadap Pertumbuhan Bakteri *Pseudomonas aeruginosa* Secara In Vitro.
- Mulu, A., Tessema, B. and Derbie, F. 2005. 'In vitro assessment of the antimicrobial potential of honey on common human pathogens', Ethiopian Journal of Health Development, 18(2), pp. 107–111. doi: 10.4314/ejhd.v18i2.9945.
- Purnawijayanti, H. A. 2001. Sanitasi Higiene dan Keselamatan Kerja dalam Pengolahan Makanan.
- Puspitasari, I. 2007. Rahasia sehat madu. Yogyakarta: B-First (PT. Bentang Pustaka).

- Rachmad, B. 2017. Isoloasi dan Identifikasi Gen Resisten Ciprofloxacin pada Isolat Escherichia coli Multidrug Resistance dari Penderita Infeksi Saluran Kemih RSUD Abdoel Moeloek Provinsi Lampung.
- Setiabudi, R. 2007. Golongan Kuinolon dan Fluorokuinolon.,dalam Gunawan, S.G., Setiabudy, R., Nafrialdi. dan Elysabeth., Farmakologi dan Terapi, Hal 720, Bagian Farmakologi Fakultas Kedokteran Universitas Indonesia, Jakarta.
- Sukandar, E.Y., Andrajati, R. Sigit, J.I., Adnyana,I.K., Setadi, A.A.P., Kusnandar. 2009. Iso Farmakoterapi. Jakarta: Penerbit ISFI.
- Suranto, A. 2004. Khasiat dan Manfaat Madu Herbal. Jakarta: AgroMedia Pustaka.
- Suswati,E dan Mufida, D. C. 2009. Petunjuk Praktikum Mikrobiologi Fakultas Farmasi. Jember: Laboratorium Mikrobiologi Fakultas Farmasi UniversitasJember.
- Weston, R.J.; Brocklebank, L.K. and Lu, Y. 2000: Identification and quantitative levels of antibacterial components of some New Zealand honeys. Food Chem., 70: 427-435.
- White JW, Riethof ML, Kushnir I. 1964. Composition of Honey. VI. The effect of storage on carbohydrates, acidity and diastase content. J Food Sci, 26(1): 63-71.