

## DAFTAR PUSTAKA

- Adedapo, A. A., Mogbojuri, O. M., & Emikpe, B. O. (2009). Safety evaluations of the aqueous extract of the leaves of *Moringa oleifera* in rats. *Journal of Medicine Plants Research*, 3(8), 586–591.
- Aminah, S., Ramdhan, T., & Yanis, M. (2015). Kandungan Nutrisi dan Sifat Fungsional Tanaman Kelor (*Moringa oleifera*). *35 Buletin Pertanian Perkotaan*, 5(2), 35–44. Retrieved from [http://jakarta.litbang.pertanian.go.id/ind/artikel\\_bptp/buletin\\_nutrisi\\_kelor\\_volume\\_5\\_o\\_2\\_2015.pdf](http://jakarta.litbang.pertanian.go.id/ind/artikel_bptp/buletin_nutrisi_kelor_volume_5_o_2_2015.pdf)
- Astuti, R., Subagyo, H. W., Muis, S. F., & Widanarko, B. (2017). Influence of fortified tempe with iron and vitamin A to increase hemoglobin level of rats with iron deficiency anemia. *Pakistan Journal of Nutrition*, 16(2), 90–95. <https://doi.org/10.3923/pjn.2017.90.95>
- Badan Penelitian dan Pengembangan Kesehatan. (2013). Riset Kesehatan Dasar (RISKESDAS) 2013. *Laporan Nasional 2013*, 1–384. <https://doi.org/10.3923/pjn.2017.90.95>
- Bahar, N. W. (2011). Pengaruh Pemberian Ekstrak dan Fraksi Daun Katuk (*Sauvagesia androgynus* (L.) Merr) terhadap Gambaran Hematologi pada Tikus Putih Laktasi.
- Betts, J. G., Desaix, P., Johnson, J. E., Korol, O., Kruse, D., Poe, B., ... Young, K. A. (2017). *Anatomy and Physiology*. OpenStax.
- Chang, S., Zeng, L., Brouwer, I. D., Kok, F. J., & Yan, H. (2013). Effect of iron deficiency anemia in pregnancy on child mental development in rural China. *Pediatrics*, 131(3), e755–63. <https://doi.org/10.1542/peds.2011-3513>
- Davis, M. R., Hester, K. K., Shawron, K. M., Lucas, E. A., Smith, B. J., & Clarke, S. L. (2012). Comparisons of the iron deficient metabolic response in rats fed either an AIN-76 or AIN-93 based diet. *Nutrition and Metabolism*, 9(1), 1. <https://doi.org/10.1186/1743-7075-9-95>
- Esan, A. J. (2016). Hematological Differences in Newborn and Aging : A Review Study. *Hematology and Transfusion International Journal*, 3(3), 1–14. <https://doi.org/10.15406/htij.2016.03.00067>
- Faye, B., Bucheton, B., Bañuls, A. L., Senghor, M. W., Niang, A. A., Diedhiou, S., ... Gaye, O. (2011). Seroprevalence of *Leishmania infantum* in a rural area of Senegal: Analysis of risk factors involved in transmission to humans. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 105(6), 333–340. <https://doi.org/10.1016/j.trstmh.2011.02.009>
- Fischbach, F. T., & Dunning, M. B. (2015). *A Manual of Laboratory and Diagnostic Test* (Vol. 40). [https://doi.org/10.1002/1521-3773\(20010316\)40:6<9823::AID-ANIE9823>3.3.CO;2-C](https://doi.org/10.1002/1521-3773(20010316)40:6<9823::AID-ANIE9823>3.3.CO;2-C)

- Gopalakrishnan, L., Doriya, K., & Kumar, D. S. (2016). Moringa oleifera: A review on nutritive importance and its medicinal application. *Food Science and Human Wellness*, 5(2), 49–56. <https://doi.org/10.1016/j.fshw.2016.04.001>
- Hadju, V., & Bahar, B. (2014). Ekstarak Daun Kelor terhadap Peningkatan Asupan dan Berat Badan Ibu Hamil Pekerja Sektor Informal, 5(November), 192–201.
- Hardiyanti, F. (2015). Pemanfaatan Aktivitas Antioksidan Ekstrak Daun Kelor (Moringa oleifera) dalam Sediaan Hand and Body Cream, 1, 1–136.
- Hoffbrand, A. V., & Moss, P. A. H. (2016). *Hoffbrand's Essential Haematology, 7th Edition*. Wiley-Blackwell. <https://doi.org/978-1-118-40867-4>
- Jansen, G. F. A., & Basnyat, B. (2011). Brain blood flow in Andean and Himalayan high-altitude populations: Evidence of different traits for the same environmental constraint. *Journal of Cerebral Blood Flow and Metabolism*, 31(2), 706–714. <https://doi.org/10.1038/jcbfm.2010.150>
- Kemenkes. (2011). Pedoman Interpretasi Data Klinik.
- Kemenkes. (2014). PMK No. 88 Tablet Tambah Darah. *Kemenkes 2014*, (1), 1–5. <https://doi.org/10.1007/s13398-014-0173-7.2>
- Kemenkes. (2016). Pedoman pencegahan dan penanggulangan anemia pada WUS, 14.
- Kemenkes RI. (2016). Surat Edaran: Pemberian Tablet Tambah Darah pada Remaja Putri dan Wanita Usia Subur.
- Letis, Z. M. (2016). KHASIAT BERBAGAI SEDIAAN KATUK ( Sauropus androgynus L.) DALAM MEMPERBAIKI PRODUKTIVITAS, KUALITAS DAGING, DAN PROFIL HEMATOLOGI AYAM BROILER.
- Lumingkewas, C. A. Y., Rotty, L. W. A., & Pandelaki, K. (2014). Hubungan Lama Terjadinya Dmt2 Dengan Hematokrit Pada Pasien Dmt2 Di Poliklinik Endokrin BLU RSUP Prof. Dr. R. D. Kandou Manado, 2.
- Magdalena, S., Yuwono, B., Wulan, A., & Dharmayanti, S. (2015). terhadap Waktu Perdarahan ( Bleeding Time ) pada Tikus Wistar Jantan sebagai Alternatif Obat Antitrombotik ( The Effect of Star Gosseberry ( Sauropus androgynus ( L .) Merr .) to bleeding time of Male Wistar Rats as an Alternative Antithrombotic Drug ), 3(2), 212–216.
- Mahan, L. K., & Raymond, J. L. (2017). *Krause's Food & The Nutrition Care Process*. Food and Nutrition Board, Institute of Medicine, National Academies (14th editi). Elsevier. <https://doi.org/10.1111/j.1753-4887.2004.tb00011.x>
- Melo, V., Vargas, N., Quirino, T., & Calvo, C. M. C. (2013). Moringa oleifera L. - An underutilized tree with macronutrients for human health. *Emirates*

- Journal of Food and Agriculture*, 25(10), 785–789.  
<https://doi.org/10.9755/ejfa.v25i10.17003>
- Muhammad, A., & Sianipar, O. (2005). Penentuan Defisiensi Besi Anemia Penyakit Kronis Menggunakan Peran Indeks sTFR-F. *Indonesian Journal of Clinical Pathology and Medical Laboratory*, 12(1), 9–15.
- Muhtadi, Hidayati, A. L., Suhendi, A., Sudjono, T. A., & Haryoto. (2014). Pengujian Daya Antioksidan dari Beberapa Ekstrak Kulit Buah Asli Indonesia dengan Metode FTC, 50–58.
- Ndong, M., Uehara, M., & Katsumata, S I, Suzuki, K. (2007). Effects of Oral Administration of *Moringa oleifera* Lam on Glucose Tolerance in Goto-Kakizaki and Wistar Rats. *Journal of Clinical Biochemistry and Nutrition*, 40(3), 229–233. <https://doi.org/10.3164/jcbn.40.229>
- Nurdin, Kusharto, C. M., & Tanziha, I. (2009). Kandungan Klorofil Berbagai Jenis Daun Tanaman dan Cu-Turunan Klorofil serta Karakteristik Fisiko-Kimianya, 4(1), 13–19.
- Onyekwere, N. (2014). Phytochemical, Proximate and Mineral Composition of Leaf Extracts of *Moringa oleifera* Lam. from Nsukka, South-Eastern Nigeria. *IOSR Journal of Pharmacy and Biological Sciences*, 9(1), 2319–7676. <https://doi.org/10.9790/3008-091699103>
- Osman, H. M., Shayoub, M. E., & Babiker, E. M. (2012). The Effect of *Moringa oleifera* Leaves on Blood Parameters and Body Weights of Albino Rats and Rabbits, (January).
- Pagana, K. D., & Pagana, T. J. (2014). Mosby ™'s Manual of Diagnostic and Laboratory Tests Kathleen Deska Pagana , PhD , RN ,.
- Pascutti, M. F., Erkelens, M. N., & Nolte, M. A. (2016). Impact of viral infections on hematopoiesis: From beneficial to detrimental effects on bone marrow output. *Frontiers in Immunology*, 7(SEP), 1–12. <https://doi.org/10.3389/fimmu.2016.00364>
- Rismarini, Anwar, Z., & Merdjani, A. (2001). Perbandingan Efektifitas Klinis antara Kloramfenikol dan Tiamfenikol dalam Pengobatan Demam Tifoid pada Anak. *Sari Pediatri*, 3(2), 83–87.
- Santoso, U. (2013). *Katuk, Tumbuhan Multi Khasiat*. Bengkulu: Badan Penerbit Fakultas Pertanian ( BPFP ) Unib. Retrieved from [https://www.researchgate.net/profile/Urip\\_Santoso2/publication/303994522\\_Katuk\\_Tumbuhan\\_Multi\\_Khasiat/links/576221a208aeeada5bc50639/Katuk-Tumbuhan-Multi-Khasiat.pdf](https://www.researchgate.net/profile/Urip_Santoso2/publication/303994522_Katuk_Tumbuhan_Multi_Khasiat/links/576221a208aeeada5bc50639/Katuk-Tumbuhan-Multi-Khasiat.pdf)
- Sharma, J. B., & Shankar, M. (2010). Anemia in Pregnancy . *Indian Journal of Medical Research*, 23(4), 253–260. <https://doi.org/10.5005/jp-journals-10006-1177>

- Shiriki, D., Igyor, M. A., & Gernah, D. I. (2015). Nutritional Evaluation of Complementary Food Formulations from Maize , Soybean and Peanut Fortified with *Moringa oleifera* Leaf Powder. *Food and Nutrition Sciences*, 6(April), 494–500. <https://doi.org/10.4236/fns.2015.65051>
- Sihombing, M., & Tuminah, S. (2011). Perubahan Nilai Hematologi, Biokimia Darah, Bobot Organ dan Bobot Badan Tikus Putih pada Umur Berbeda. *Jurnal Veteriner*, 12(1), 58–64.
- Soma-Pillay, P., Nelson-Piercy, C., Tolppanen, H., & Mebazaa, A. (2016). Physiological changes in pregnancy. *Cardiovascular Journal of Africa*, 27(2), 89–94. <https://doi.org/10.5830/CVJA-2016-021>
- Subekti, S. (2007). Komponen Sterol Dalam Ekstrak Daun Katuk (*Sauvopus androgynus* L.Merr) dan Hubungannya dengan Sistem Reproduksi Puyuh.
- Suparmi, S., Sampurna, S., C.S, N. A., Ednisari, A. M., Urfani, G. D., Laila, I., & Saintika, H. R. (2016). Anti-anemia Effect of Chlorophyll from Katuk (*Sauvopus androgynus*) Leaves on Female Mice Induced Sodium Nitrite. *Pharmacognosy Journal*, 8, 375–379. <https://doi.org/10.5530/pj.2016.4.10>
- Suprayogi, A., Kusumorini, N., & Arita, S. E. D. (2015). Fraksi Heksan Daun Katuk Sebagai Obat Untuk Memperbaiki Produksi Susu, Penampilan Induk, dan Anak Tikus, 16(1), 88–95.
- Syahid, S. F., & Kristina, N. N. (2014). Tanaman-Kelor-utk-ASI.pdf. Warta Penelitian dan Pengembangan Tanaman Industri.
- Tekle, A., Belay, A., Kelem, K., Yohannes, M. W., Wodajo, B., & Tesfaye, Y. (2015). Nutritional Profile of *Moringa Stenopetala* Species Samples Collected in Different Places in Ethiopia and their Comparison with *Morniga Oliferea* Species.
- Wallace, D. F. (2016). The Regulation of Iron Absorption and Homeostasis. *The Clinical Biochemist. Reviews*, 37(2), 51–62. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/28303071%0Ahttp://www.ncbi.nlm.nih.gov/articlerender.fcgi?artid=PMC5198508>
- Wijiindyah, A., Anwar, S., & Susetyorini, S. H. (2012). Pemanfaatan tepung daun kelor ( *Moringa oleifera* Lamk ) dengan pretreatment asam dan tepung ikan lele terhadap pemulihan anemia secara in vivo, (14).
- Witt, K. (2014). The Nutrient Content of *Moringa oleifera* Leaves. *Echo, Research Note No.* 1. <https://doi.org/http://dx.doi.org/10.4135/9781849209984.n1>
- Zaretsky, A. G., Engiles, J. B., & Hunter, C. A. (2014). Infection-Induced Changes in Hematopoiesis. *The Journal of Immunology*, 192(1), 27–33. <https://doi.org/10.4049/jimmunol.1302061>