

DAFTAR PUSTAKA

- Adhani, R., Sari, N.N. & Aspriyanto, D., 2014. Nursing mouth caries anak 2-5 tahun di Puskesmas Cempaka Banjarmasin (Nursing mouth caries children 2-5 years old in Puskesmas Cempaka Banjarmasin). , 63, pp.1–2.
- Adhidarma, T., 2011. Perbedaan Kekuatan Geser Perlekatan Restorasi *Sandwich* Semen ionomer kaca Konvensional Dan Modifikasi Resin. *jurnal kedokteran gigi*, 2(4), pp.299–304.
- Almuhaiza, M., 2016. Glass Ionomer Cements in Restorative Dentistry. *The Journal of Contemporary Dental Practice*, pp.331–336.
- Anusavice, K., 2004. *Buku Ajar Ilmu Bahan Kedokteran Gig* 10th ed., EGC : Jakarta.
- Anusavice, K.J., Shen, C. & Rawls, H.R., 2012. *Phillips' science of Dental Material* 12th ed., 2012.
- Arora, V. et al., 2013. The Open *Sandwich* Technique With Glass Ionomer Cement – A Critical Evaluation. *International Journal of Innovative Research in Science, Engineering and Technology*, 2(8), pp.3874–3876.
- Aryanto, M., Armilia, M. & Aripin, D., 2013. Compressive strength resin komposit hybrid post curing dengan light emitting diode menggunakan tiga ukuran lightbox yang berbeda (Compressive strength of hybrid composites resin with post curing light emitting diode using three different sizes of lightbox. *Dent. J. (Maj. Ked. Gigi)*, 46(2), pp.101–106.
- Ferracane, J.L., 2010. Resin composite—State of the art. *Dental Material*, pp.29–38.
- Fitriyana Cahya, D., Pangemanan, D.H.C. & Juliatri, 2014. Uji Pengaruh Saliva Buatan Terhadap Kekuatan Tekan Semen Ionomer Kaca Tipe II Yang Direndam Dalam Minuman Isotonik. *Jurnal e-GiGi (eG)*, 2(2).
- Hakim, R., B.lampus & Wowor, V.N.S., 2012. Gambaran tumpatan glass ionomer cement pada mahasiswa akademi keperawatan rumah sakit tingkat III Robert wolter monginsidi.
- Hewlett, E.R. & Graham J.Mount, 2003. Glass ionomers in contemporary restorative dentistry- a clinical update. *Journal Dental California Association.*, 31.
- Lyapina, M.G. et al., 2016. Nano-Glass-Ionomer Cement in Modern Restorative Dentistry. *Journal of IMAB - Annual Proceeding (Scientific Papers)*,

22(2), pp.1160–1163.

- Margeas, R.C., 2009. A Peer-Reviewed Publication. In *Composite Restoration Esthetics*. pp. 1–8.
- Meizarini, A. & Irmawati, 2005a. Kekerasan permukaan semen ionomer kaca konvensional tipe II akibat lama penyimpanan. , 38, pp.146–150.
- Meizarini, A. & Irmawati, 2005b. The surface hardness of type II conventional glass ionomer cement conventional because of the length of storage. *Dent.j*, 38, p.146.
- Mitchell, L., Mitchell, D.A. & McCaul, L., 2009. *Kedokteran Gigi Klinik*,
- Moazzami, S.M. et al., 2014. Efficacy of Four Lining Materials in *Sandwich* Technique to Reduce Microleakage in Class II Composite Resin Restorations. , 39(3), p.256–263.
- Mozartha, M., Herda, E. & Soufyan, A., 2010. No Pemilihan resin komposit dan fiber untuk meningkatkan kekuatan fleksural Fiber Reinforced Composite (FRC) (Selection of resin composite and fiber to increase flexural strength of fiber reinforced composite). *jurnal PDGI*, 59(1), pp.29–34.
- Ningsih, D.S., 2014. Resin Modified Glass Ionomer Cement Sebagai Material Alternatif Restorasi Untuk Gigi Sulung. *ODONTO Dental Journal.*, 1(2).
- Nugraheni, T., 2010. Efek Ketebalan Semen Ionomer Kaca Dan Resin Komposit Terhadap kekuatan TekanTumpatan *Sandwich.* , pp.8–9.
- Pasril, Y. & Pratama, W.A., 2013. Perbandingan Kekuatan Tekan Resin Komposit Hybrid Menggunakan Sinar Halogen Dan LED Comparison of Compressive Strength Hybrid Composite Resin Using Halogen and LED Light. *IDJ*, 2(2), pp.83–89.
- Permatasari, R. & Usman, M., 2008. Penutupan Diastema Dengan Menggunakan Komposit Nanofiller. *Indonesian Journal of Dentistry*, 15(3), pp.239–246.
- Putriyanti, F., Herda, E. & Soufyan, A., 2012. Pengaruh saliva buatan terhadap diametral tensile strength micro fine hybrid resin composite yang direndam dalam minuman isotonic (The effect of artificial saliva on diametral tensile strength of micro fine hybrid resin composite immersed in isotonic drin. *jurnal PDGI*, 61(1), pp.43–47.
- Ramayanti, S. & Purnakarya, I., 2013. Peran Makanan Terhadap Kejadian KariesGigi. , 7.

- Sakaguchi, R.L. & Powers, J.M., 2012. *Craig's Restorative Dental Materials* 13th ed.,
- Sari, G.G.P. & Widodo, M.Y.I.N., 2016. Kebocoran Mikro Akibat Efek Suhu Terhadap Pengerutan Komposit Nanohybrid. *Dentino Jurnal Kedokteran Gigi*, 1(2), pp.108–112.
- Sari, N.H., Sinarep & Akhyaroni, A., 2013. Analisis Sifat Kekuatan Tekan dan Foto Mikro Komposit Urea Formaldehyde Diperkuat Serat Batang Kedelai. *Jurnal Energi dan Manufaktur*, 6(1), pp.1–94.
- Septishelya, P.F., Nahzi, M.Y.I. & Dewi, N., 2016. Kadar kelarutan fluor Glass Ionomer Cement setelah perendaman air sungai dan akuades. *Maj Ked Gi Ind.*, 2(2), pp.95–100.
- Sidhu, S.K. & Nicholson, J.W., 2016. A Review of Glass-Ionomer Cements for Clinical Dentistry. *Journal of Fungsional Biomaterial*.
- Silman, Q., Mozartha, M. & K, T., 2014. Pengaruh Obat Kumur dengan Variasi Konsentrasi Alkohol Terhadap Kekuatan Tekan Resin Modified Glass Ionomer Cement. In *Proceeding Book*. pp. 1–11.
- Singh, T.M. et al., 2011. Glass Ionomer Cements (GIC) In Dentistry: A Review. *International journal of plant, animal and environmental sciences*, 1(1), pp.26–30.
- Sosrosoedirdjo, B.I., 2004. Glass Ionomer Modifikasi Resin. *Journal Dentistry indonesia*, 11(1), pp.44–47.
- Suprastiwi, E., 2009. Potensi semen ionomer kaca sebagai material bioaktif (The potency of glass ionomer cement as a bioactive material). *jurnal PDGI*, 58(2), pp.32–39.
- Taha, A, G. & Tavangar, 2015. Comparison of Mechanical Properties of Resin Composites with Resin Modified Glass Ionomers. *Journal of Dental Biomaterials.*, 2(2).
- Taha NA, A, G. & MS, T., 2015. Comparison of Mechanical Properties of Resin Composites with Resin Modified Glass Ionomers. *Journal of Dental Biomaterials*, pp.47–53.
- Tulenan, D.M.P., Wicaksono, D.A. & Soewantoro, J.S., 2014. Gambaran Tumpatan Resin Komposit Pada Gigi Permanen di Poliklinik Gigi RUMKITAL DR. Wahyu Slamet. *Jurnal e-GiGi (eG)*, 2(2), pp.2–6.
- Wiryo, D., Mulyawati, E. & Halim, H., 2011. Perbedaan Kebocoran Tepi Restorasi *Open-sandwich* Kavitas Kelas V Menggunakan Resin Komposit dengan Semen Ionomer Kaca Konvensional, Semen Ionomer

Kaca Modifikasi Resin dan Kompomer sebagai Lapisan Pengganti Dentin. *J Ked Gigi*, 2(4), pp.236–240.

Yulianto, D.K., 2014. Biomaterial Untuk Restorasi Fungsi Dan Estetik. , 4.