

TABLE OF CONTENTS

TITLE PAGE	i
APROVAL PAGE.....	ii
BERITA ACARA BIMBINGAN TUGAS AKHIR.....	iii
ABSTRACT	iv
ABSTRAK	v
MOTTO	vi
DEDICATION.....	vii
ACKNOWLEDGEMENT.....	viii
TABLE OF CONTENTS.....	ix
LIST OF FIGURE	xiii
LIST OF TABLE	xvii

CHAPTER I

INTRODUCTION	1
1.1 Background	1
1.2 Problem Statement	3
1.3 Objective of Design.....	3
1.4 Scope of Study	3

CHAPTER II

LITERATUR REVIEW	4
2.1 Introduction.....	4
2.2 Cable Stayed Bridge.....	4
2.2.1. Cable Stayed Arrangement.....	5
2.2.1.1. Fan Stay System.....	5
2.2.1.2. Harp Stay System.....	6
2.3 Component of Cable Stayed Bridge.....	6
2.3.1 Girder of Cable Stayed Bridge	7

2.3.2	Cable Stay.....	9
2.3.2.1	Type of Cable Stay.....	11
2.3.3	Tower / Pylon	13
2.4	Design Specification	16
2.5	Bridge Loading.....	17
2.6	Steps of Design	17

CHAPTER III

	RESEARCH DESIGN AND METODOLOGY	19
3.1	Introduction.....	19
3.2	Preliminary Design.....	19
3.3	Design of Upper Structure	22
3.3.1	Design of Cross Girder.....	22
3.3.2	Design of Longitudinal Box Girder	24
3.3.3	Design of Ribs.....	26
3.3.4	Design of Deck Slab.....	27
3.4	Design and Calculation of Pylon	28
3.5	Design and Calculation of Cable	28
3.6	Modeling	32
3.6.1	Working Condition Setting	32
3.6.2	Definition of Material and Section Properties.....	33
3.6.3	Bridge Modeling	35
3.6.3.1	Model Generation.....	35
3.6.3.2	Girder Modeling.....	36
3.6.3.3	Tower Modeling.....	37
3.6.3.4	3D Model Generation.....	39
3.6.3.5	Main Girder Cross Beam Generation.....	41
3.6.3.6	Tower Cross Beam Generation	42
3.6.3.7	Tower Bearing Generation	44
3.6.3.8	End Bearing Generation.....	46
3.6.3.9	Boundary Condition Input	48

3.6.3.10	Initial Cable Prestress Calculation	51
3.6.3.11	Loading condition input	52
3.6.3.12	Perform Structural Analysis.....	59
3.6.3.13	Unknown Load Factor Application.....	60
3.6.3.14	Last Modeling	66
3.7	Construction Stage Analysis	66
3.7.1	Construction Stage Category.....	67
3.7.2	Cannibalization Stage Category	68
3.7.3	Backward Construction Stage Analysis	69
3.7.3.1	Input Initial Cable Prestress	71
3.7.3.2	Define Construction Stage	74
3.7.3.3	Assign Structure Group.....	75
3.7.3.4	Assign Boundary Group.....	78
3.7.3.5	Assign Load Group	81
3.7.3.6	Assign Construction Stage	83
3.7.3.7	Input Construction Stage Analysis Data	85
3.7.3.8	Review Construction Stage Analysis Result.....	86
3.8	Analysis Design Using Midas Civil.....	91
3.9	Dynamic Analysis	93
3.10	Implementation Methodology	93

CHAPTER IV

DESIGN CALCULATION AND ANALYSIS	95	
4.1	Introduction	95
4.2	Preliminary Design.....	95
4.3	Bridge Load Analysis.....	97
4.3.1	Weight of bridge structure.....	97
4.3.2	Superimpose Dead Load	98
4.3.3	Weight of parapets in deck slab	99
4.3.4	Lane Load “D”	99
4.3.5	Break Load	102

4.3.6	Temperature Effect.....	103
4.3.7	Wind Load.....	103
4.3.8	Earthquake load.....	106
4.3.8.1	Dynamic Method of Response Spectrum.....	106
4.4	Design Calculation.....	108
4.4.1	Configure the Cable layout	108
4.4.2	The Dimension of Cross Girder	109
4.4.3	Longitudinal Girder Dimension	110
4.4.4	Early Dimension of Cable and Anchor.....	112
4.4.5	Pylon Structure.....	118
4.5	Secondary Structure Design	120
4.5.1	Vehicle Deck Plate (Composite).....	120
4.5.2	Ribs girder	123
4.5.3	Shear connector	127
4.5.4	Cross Girder	128
4.6	Static Analysis of Main Structure	133
4.7	Design of Capacity Longitudinal Box Girder	136
4.8	Iteration of Cable Needs.....	139
4.8.1	Calculation of Cable cross-section calculations based on cable forces P*	141
4.8.2	Cable cross section calculation based on P cable force....	142
4.9	Calculation of Anchor on Girder.....	144
4.10	Pylon Structure Reinforcement.....	147
4.11	Staging Analysis	151
4.11.1	Construction Stage Analysis Result	151
4.11.2	Longitudinal Box Girder Control	153
4.11.3	Pylon Structure Control.....	155
4.12	Dynamic Analysis	157
4.12.1	Aerodynamic Stability.....	157
a.	Natural Frequency	157
b.	Vortex-shedding Effect	158

c. Flutter Effect	164
4.12.2 Dynamic Earthquake	168
4.13 Conclusion of the calculation and analysis	180

CHAPTER V

CONCLUSION AND RECCOMENDATION

5.1 Conclusion	182
5.2 Recommendation.....	183

REFERENCES

APPENDICES

TABLE OF FIGURES

Figure 2.1.	The type of cable stayed arrangements: (a) fan stay system, (b) modified fan stay system.....	6
Figure 2.2.	The harp stays system of cable stayed arrangements	7
Figure 2.3.	The main structure of cable stayed bridge	7
Figure 2.4.	The flow of a force on cable stayed bridge	8
Figure 2.5.	Transversal cable configuration, (a) two sides, (b) one side.....	9
Figure 2.6.	Longitudinal cable system (a) radiating, (b) harp, (c) fan, (d) star	10
Figure 2.7.	Locked coil cable	11
Figure 2.8.	Spiral strand cable	12
Figure 2.9.	New parallel wire strand (PWS) system	13
Figure 2.10.	Sydney Lanear Bridge, Brunswick, Georgia.....	13
Figure 2.11.	William H. Natcher Bridge over Ohio River near Owensboro, Kentucky	14
Figure 2.12.	Normandy Bridge over Seine River near Le Havre, France	15
Figure 2.13.	Sunshine Skyway Bridge, Tampa, Florida.....	16
Figure 3.1.	Flowchart of Design Methodology	20
Figure 3.2.	Assign Working Condition and Unit System.....	32
Figure 3.3.	Defined section properties of cables	33
Figure 3.4.	Defined material properties of steel	34
Figure 3.5.	Defined material properties of concrete	34
Figure 3.6.	Cable-Stayed Bridge Wizard Dialog Box	36
Figure 3.7.	Generated 2D Girder Model of the Cable-Stayed Bridge	37
Figure 3.8.	Arrangement of Inclined Pylons	37
Figure 3.9.	Local Element Axis Transformation for Tower Elements	38
Figure 3.10.	Division of Tower Elements	39
Figure 3.11.	Moving 2D Model 8.5 m in the Y direction	40
Figure 3.12.	Generated 3D Model	41

Figure 3.13.	Main Girder Cross Beam Generation.....	42
Figure 3.14.	Selecting tower elements.....	43
Figure 3.15.	Tower Cross Beam Generation	43
Figure 3.16.	Tower Bearing Generation.....	44
Figure 3.17.	Tower Bearing Location Generation.....	45
Figure 3.18.	Tower Bearing Generation.....	46
Figure 3.19.	Generating Nodes at the End Bearing Locations.....	47
Figure 3.20.	Generating End Pier Bearings.....	48
Figure 3.21.	Specifying Fixed Boundary Conditions for Tower and Pier Bases	49
Figure 3.22.	Connecting Main Girders and Tower Bearings using Rigid Link on the pylon.....	50
Figure 3.23.	Connecting Main Girders and Tower Bearings using Rigid Link on the side span.....	51
Figure 3.24.	Flowchart for initial cable prestress calculation.....	52
Figure 3.25.	Generation of Loading Conditions for Dead Loads and Unit Loads	53
Figure 3.26.	Entering Self Weight.....	54
Figure 3.27.	Entering Dead loads to main girder	55
Figure 3.28.	Entering Superimpose Dead loads to main girder.....	56
Figure 3.29.	Entering Superimpose Dead loads to main girder.....	56
Figure 3.30.	Entering UDL loads to main girder.....	57
Figure 3.31.	Entering Unit Pretension Load to Cables.....	58
Figure 3.32.	Unit Pretension Loads entered for Cables.....	59
Figure 3.33.	Creating Load Combinations	60
Figure 3.34.	Unknown Load Factor Dialog Box	61
Figure 3.35.	Constraint Dialog Box	62
Figure 3.36.	Analysis Results for Unknown Load Factors.....	63
Figure 3.37.	New Load Combination using Unknown Load Factors.....	64
Figure 3.38.	New Load Combination using Unknown Load Factors.....	65
Figure 3.39.	Modeling Structural Element of the bridge.....	66

Figure 3.40.	Construction Sequence for Analytical Model	68
Figure 3.41.	Analysis Sequence by Backward Construction Stage Analysis....	70
Figure 3.42.	Entering Initial Prestress Loading Condition.....	72
Figure 3.43.	Change of Truss Element to Cable Element	73
Figure 3.44.	Change of Truss Element to Cable Element	74
Figure 3.45.	Construction stage dialog box.....	75
Figure 3.46.	Defining structure group	76
Figure 3.47.	Defining structure group	77
Figure 3.48.	Defining structure group SG20	78
Figure 3.49.	Defining boundary group	79
Figure 3.50.	Generating Fixed Support, Elastic Link and Rigid Link Conditions	80
Figure 3.51.	Generating Boundary Condition for Temporary Bents.....	81
Figure 3.52.	Defining load group	82
Figure 3.53.	Modifying Load Group for Self-Weight	82
Figure 3.54.	Defining Load Group for Superimposed Dead Load and Initial Cable Prestress	83
Figure 3.55.	Defining Elements, Boundary Conditions and Loads for Construction Stage CS0	84
Figure 3.56.	Construction Stage Analysis Control Data Dialog Box	85
Figure 3.57.	Deformed Shape for Each Construction Stage from Backward Analysis.....	86
Figure 3.58.	Bending Moment Diagram for Each Construction Stage from Backward Analysis.....	87
Figure 3.59.	Axial Forces for Each Construction Stage from Backward Analysis.....	88
Figure 3.60.	History Graph of Deformed Shape for Each Construction Stage .	89
Figure 3.61.	Cable Tension Force Variation Graph for Each Construction Stage	90
Figure 3.62.	Bending Moment Variation Graph for Each Construction Stage .	91

Figure 3.63.	Deformation structure (a) case 1, (b) case 2, (c) case	92
Figure 3.64.	Deformation structure (d) case 4, (e) case 5	92
Figure 3.65.	Erecting Stage Of Cable Stayed Bridge	94
Figure 4.1.	Structural Element of the bridge	98
Figure 4.2.	Median and side concrete barrier, high type	99
Figure 4.3.	UDL or KEL intensity.....	100
Figure 4.4.	(a) Area of wind load for the bridge from side; (b) Wind load work (looked at front of the bridge).....	104
Figure 4.5.	Wind load transfer to bridge deck	106
Figure 4.6.	Location of the bridge to determine the spectral acceleration	107
Figure 4.7.	Spectral acceleration design.....	107
Figure 4.8.	Cross section of the bridge deck	110
Figure 4.9.	Box Girder 2 x 3 m	111
Figure 4.10.	Dimension of cables.....	114
Figure 4.11.	Length of cable, pylon height and cable width on deck.....	117
Figure 4.12.	Distribution of cable axial force to pylon	119
Figure 4.13.	Cross section Detailed Bridge Plates	120
Figure 4.14.	Composite vehicle deck	122
Figure 4.15.	Decomposition of envelope load.....	123
Figure 4.16.	Result of ribs girder analysis with SAP2000 program.....	125
Figure 4.17.	The result of cross section of ribs girder design IWF 700.300.15.28.....	126
Figure 4.18.	Installation details of shear connector.....	127
Figure 4.19.	Decomposition of envelope cross girder load.....	128
Figure 4.20.	Moment (Comb.1).....	129
Figure 4.21.	Shear Force (Comb.1)	130
Figure 4.22.	Results of ultimate cross girder analysis with SAP2000 program	130
Figure 4.23.	The result of cross section of ribs girder design H-Welded Steel 1200.450.16.38.....	132
Figure 4.24.	Structure deformation (a) case 1, (b) case 2, (c) case 3	135

Figure 4.25.	Structure deformation (d) case 4, (e) case 5.....	135
Figure 4.26.	Cable Force Tuning.....	140
Figure 4.27.	Deck Moment.....	140
Figure 4.28.	Deformation Shape DXYZ	140
Figure 4.29.	Parameter of cable structure VSL-7 wire strand	143
Figure 4.30.	Notation and dimension of anchor	144
Figure 4.31.	Anchor on the deck of bridge.....	146
Figure 4.32.	Result of pylon column design on spColumn program.....	147
Figure 4.33.	Result of upper beam column design on spColumn program	148
Figure 4.34.	Result of middle beam column design on spColumn program....	149
Figure 4.35.	Result of lower beam column design on spColumn program	150
Figure 4.36.	Deformed Shape for Each Construction Stage from Backward Analysis.....	151
Figure 4.37.	Bending Moment Diagram for Each Construction Stage from Backward Analysis.....	152
Figure 4.38.	Axial force for Each Construction Stage from Backward Analysis	152
Figure 4.39.	Structure deformation and cable force on the stage 12	154
Figure 4.40.	Structure deformation and cable force on the stage 15	154
Figure 4.41.	(a) vibration shape mode 3 (bending), (b) vibration shape mode 9 (torque).....	158
Figure 4.42.	The C coefficient of the three cross sections	160
Figure 4.43.	Classification of psychological effects based on vibration amplitude.....	162
Figure 4.44.	Classification of psychological effects based on vibration acceleration	163
Figure 4.45.	Flutter effect with phase difference $\pi/2$	164
Figure 4.46.	Theoretical critical velocity for flutter	165
Figure 4.47.	Correction Coeficient $\eta = V_{\text{crit.actual}}/V_{\text{crit.theoretical}}$	167
Figure 4.48.	Bending Moment M_x X-axis	175

- Figure 4.49.** Pylon interaction diagram due to earthquake (a) quake axis x direction, (b) quake axis y direction..... 177
- Figure 4.50.** Result of upper beam column design on spColumn program 178
- Figure 4.51.** Result of middle beam column design on spColumn program..... 179
- Figure 4.52.** Result of lower beam column design on spColumn program 180

TABLE OF TABLE

Table 1.1.	Cable Stayed Bridge in Indonesia.....	5
Table 2.1.	Solid Web Girder	5
Table 3.1.	Dimension Anchor VSL	30
Table 3.2.	Material Properties.....	33
Table 3.3.	Loading conditions and element number.....	58
Table 3.4.	Cannibalization Stage Category.....	68
Table 3.5.	Initial Prestress (Pretension Loading) calculated by Optimization Technique.....	74
Table 4.1.	Bridge Data	96
Table 4.2.	Bridge Dimension	96
Table 4.3.	Material of the Structure	96
Table 4.4.	Superimpose dead load	98
Table 4.5.	Weight Road separator (parapets).....	99
Table 4.6.	Cable and anchor types	112
Table 4.7.	VSL cable and anchor dimension	113
Table 4.8.	Calculation of cross section and number of cable strands	116
Table 4.9.	Calculation of equivalent elastic modulus	117
Table 4.10.	Axial force calculation of pylon	119
Table 4.11.	Recapitulation of the loading of the bridge floor.....	121
Table 4.12.	Recapitulation of ribs girder loading	124
Table 4.13.	Combination Table Ribs Girder.....	124
Table 4.14.	Recapitulation of cross section girder loading.....	128
Table 4.15.	Combination table of cross section girder loading	129
Table 4.16.	Recapitulation of main structure loading.....	133
Table 4.17.	Load combination	134
Table 4.18.	Resume force in mid span closure girder.....	136
Table 4.19.	Resume force in the girder section	136
Table 4.20.	Unknown Load Factor Result	139

Table 4.21. Calculation of cable cross section based on cable force P*.....	141
Table 4.22. Cable cross-section calculations based on P cable forces.....	142
Table 4.23. VSL-7 wire strand dimension	143
Table 4.24. Dimension of anchor.....	144
Table 4.25. Dimension of anchor.....	146
Table 4.26. Inner force stage 17 Box Girder	153
Table 4.27. Cable force on the construction	153
Table 4.28. X-axis pylon moment at construction.....	155
Table 4.29. Y-axis pylon moment at construction.....	155
Table 4.30. Pylon shear force at construction.....	156
Table 4.31. Pylon axial force at construction	156
Table 4.32. Pylon force result	169
Table 4.33. Pylon force inside due to earthquake	173