

Lampiran 1.Kuesioner

**DAFTAR KUESIONER PENELITIAN**  
**KONTRIBUSI PENGETAHUAN PRODUK HALAL, RELIGIUSITAS DAN**  
**SIKAP DALAM PEMBENTUKAN NIAT BELI**  
**(Studi kasus pada Pizza Hut di Kota Semarang)**

Kepada Yth

Bapak/Ibu/Sdr/I Responden

Dengan hormat,

Kuesioner ini digunakan untuk kepentingan ilmiah, sehingga semua jawaban  
Anda akan saya jaga kerahasiaannya.

Atas kesediaan dan kerjasama Anda, saya ucapkan banyak terima kasih.

Hormat saya,

Rio Dananto Lazuardi  
30401411420

**A. Petunjuk Pengisian**

1. Pilihlah jawaban dari table daftar pertanyaan dengan memberi tanda silang (x) pada salah satu jawaban yang paling sesuai menurut Anda.

Adapun makna tanda jawaban sebagai berikut:

- a. STS : Sangat Tidak Setuju dengan Skor 1
  - b. TS : Tidak Setuju dengan Skor 2
  - c. N : Netral dengan Skor 3
  - d. S : Setuju dengan Skor 4
  - e. SS : Sangat Setuju dengan Skor 5
2. Jawablah setiap pertanyaan sesuai dengan pendapat Anda

**B. Identitas Responden**

Berikan tanda silang (x) pada jawaban yang anda pilih

1. Jenis kelamin anda :
  - a. Laki - laki
  - b. Perempuan
2. Usia anda saat ini :
  - a. < 25
  - b. 26 – 30
  - c. 31 – 35
  - d. > 35
3. Pendidikan terakhir :
  - a. SMA/ sederajat
  - b. Diploma
  - c. Sarjana

### 1. Pengetahuan Produk Halal

No	Pernyataan	Jawaban/tanggapan				
		STS 1	TS 2	N 3	S 4	SS 5
1.	Saya memahami hukum halal dan haram pada produk pizza hut					
2.	Saya mengetahui adanya kandungan babi pada produk pizza hut					
3.	Saya mengetahui perbedaan produk yang dilarang					
4.	Saya paham mengenai sertifikasi halal pada produk pizza hut					

1. Apakah saudara mengetahui tingkat kehalalan pada produk pizza hut?

Jawaban :

## 2. Religiusitas

No	Pernyataan	Jawaban/tanggapan				
		STS 1	TS 2	N 3	S 4	SS 5
1.	Sayamemiliki keyakinan pada produk halal					
2.	Saya percaya pada produk halal					
3.	Saya merasa berdosa jika tidak mengkonsumsi produk halal					
4.	Saya mempunyai informasi yang cukup tentang kriteria produk halal					
5.	Saya selalu mengkonsumsi produkhalal					

2. Bagaimana pendapat saudara mengenai tingkat religiusitas yang ada pada produk pizza hut?

Jawaban :

### 3. Sikap

No	Pernyataan	Jawaban/tanggapan				
		STS 1	TS 2	N 3	S 4	SS 5
1.	Saya percaya dengan produk pizza hut					
2.	Saya tertarik pada produk pizza hut					
3.	Saya aktif mencari informasi tentang produk pizza hut					

3. Bagaimana sikap saudara terhadap produk pizza hut?

Jawaban :

#### 4. Niat Beli

No	Pernyataan	Jawaban/tanggapan				
		STS 1	TS 2	N 3	S 4	SS 5
1.	Saya mencari informasi pada produk pizza hut sebelum membeli					
2.	Saya ingin segera membeli produk pizza hut					
3.	Saya menyukai produk pizza hut					

1. Mengapa saudara tertarik membeli produk pizza hut?

Jawaban :



# LAMPIRAN 1: HASIL ANALISIS DATA

## Deskriptif Responden

### Statistics

JK

N	Valid	100
	Missing	1
Mean		1.6000
Median		2.0000
Std. Deviation		.49237
Range		1.00
Minimum		1.00
Maximum		2.00



**Statistics**

JK

N	Valid	100
	Missing	1
Mean		1.6000
Median		2.0000
Std. Deviation		.49237
Range		1.00
Minimum		1.00
Maximum		2.00
Sum		160.00

JK

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Laki-laki	40	39.6	40.0	40.0
	Perempuan	60	59.4	60.0	100.0
	Total	100	99.0	100.0	
Missing	System	1	1.0		
Total		101	100.0		

**Statistics**

Usia

N	Valid	100
	Missing	1
Mean		2.1900
Median		2.0000
Std. Deviation		1.09816
Range		3.00
Minimum		1.00

Maximum	4.00
Sum	219.00

**Usia**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<25	34	33.7	34.0	34.0
	26-30	31	30.7	31.0	65.0
	31-35	17	16.8	17.0	82.0
	>35	18	17.8	18.0	100.0
	Total	100	99.0	100.0	
Missing	System	1	1.0		
Total		101	100.0		

**Statistics**

PT

N	Valid	100
	Missing	1
Mean		2.1700
Median		2.0000
Std. Deviation		.71145
Range		2.00
Minimum		1.00
Maximum		3.00
Sum		217.00

PT

	Frequency	Percent	Valid Percent	Cumulative Percent
--	-----------	---------	---------------	--------------------

Valid	SMA/Sederajat	18	17.8	18.0	18.0
	Diploma	47	46.5	47.0	65.0
	Sarjana	35	34.7	35.0	100.0
	Total	100	99.0	100.0	
Missing	System	1	1.0		
Total		101	100.0		

### Deskripsi Variabel

Deskripsi variabel x1

#### Statistics

	x11	x12	x13	x14	X1
N Valid	100	100	100	100	100
Missing	0	0	0	0	0
Mean	3.9600	4.0500	3.9000	3.8900	15.8000
Median	4.0000	4.0000	4.0000	4.0000	16.0000
Std. Deviation	.61824	.53889	.59459	.46915	1.09175
Variance	.382	.290	.354	.220	1.192
Range	2.00	2.00	3.00	2.00	5.00
Minimum	3.00	3.00	2.00	3.00	13.00
Maximum	5.00	5.00	5.00	5.00	18.00

x11

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3.00	21	21.0	21.0	21.0
Valid 4.00	62	62.0	62.0	83.0
Valid 5.00	17	17.0	17.0	100.0
Total	100	100.0	100.0	

**x12**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3.00	12	12.0	12.0	12.0
Valid 4.00	71	71.0	71.0	83.0
Valid 5.00	17	17.0	17.0	100.0
Total	100	100.0	100.0	

**x13**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 2.00	2	2.0	2.0	2.0
Valid 3.00	17	17.0	17.0	19.0
Valid 4.00	70	70.0	70.0	89.0
Valid 5.00	11	11.0	11.0	100.0
Total	100	100.0	100.0	

**x14**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3.00	17	17.0	17.0	17.0
Valid 4.00	77	77.0	77.0	94.0
Valid 5.00	6	6.0	6.0	100.0
Total	100	100.0	100.0	

**X1**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 13.00	1	1.0	1.0	1.0
Valid 14.00	8	8.0	8.0	9.0

15.00	33	33.0	33.0	42.0
16.00	34	34.0	34.0	76.0
17.00	16	16.0	16.0	92.0
18.00	8	8.0	8.0	100.0
Total	100	100.0	100.0	

Deskripsi variabel x2

**Statistics**

		x21	x22	x23	x24	x25	X2
N	Valid	100	100	100	100	100	100
	Missing	0	0	0	0	0	0
Mean		4.7500	4.3200	4.5700	4.3100	4.5100	22.6800
Median		5.0000	4.0000	5.0000	4.0000	5.0000	23.0000
Std. Deviation		.43519	.56640	.59041	.61455	.57726	2.23778
Variance		.189	.321	.349	.378	.333	5.008
Range		1.00	2.00	2.00	2.00	2.00	7.00
Minimum		4.00	3.00	3.00	3.00	3.00	18.00
Maximum		5.00	5.00	5.00	5.00	5.00	25.00

**x21**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4.00	25	25.0	25.0	25.0
	5.00	75	75.0	75.0	100.0
Total		100	100.0	100.0	

**x22**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3.00	5	5.0	5.0	5.0
Valid 4.00	58	58.0	58.0	63.0
Valid 5.00	37	37.0	37.0	100.0
Total	100	100.0	100.0	

**x23**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3.00	5	5.0	5.0	5.0
Valid 4.00	33	33.0	33.0	38.0
Valid 5.00	62	62.0	62.0	100.0
Total	100	100.0	100.0	

**x24**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3.00	8	8.0	8.0	8.0
Valid 4.00	53	53.0	53.0	61.0
Valid 5.00	39	39.0	39.0	100.0
Total	100	100.0	100.0	

**x25**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3.00	4	4.0	4.0	4.0
Valid 4.00	41	41.0	41.0	45.0

5.00	55	55.0	55.0	100.0
Total	100	100.0	100.0	

**X2**

	Frequency	Percent	Valid Percent	Cumulative Percent
18.00	5	5.0	5.0	5.0
19.00	6	6.0	6.0	11.0
20.00	7	7.0	7.0	18.0
21.00	13	13.0	13.0	31.0
Valid 22.00	17	17.0	17.0	48.0
23.00	7	7.0	7.0	55.0
24.00	9	9.0	9.0	64.0
25.00	36	36.0	36.0	100.0
Total	100	100.0	100.0	

Deskriptiv variabel y1

**y11**

	Frequency	Percent	Valid Percent	Cumulative Percent
4.00	46	46.0	46.0	46.0
Valid 5.00	54	54.0	54.0	100.0
Total	100	100.0	100.0	

**y12**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3.00	10	10.0	10.0	10.0
4.00	32	32.0	32.0	42.0
5.00	58	58.0	58.0	100.0
Total	100	100.0	100.0	

**y13**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 2.00	2	2.0	2.0	2.0
3.00	2	2.0	2.0	4.0
4.00	71	71.0	71.0	75.0
5.00	25	25.0	25.0	100.0
Total	100	100.0	100.0	

**Y1**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 10.00	2	2.0	2.0	2.0
11.00	8	8.0	8.0	10.0
12.00	17	17.0	17.0	27.0
13.00	26	26.0	26.0	53.0
14.00	34	34.0	34.0	87.0
15.00	13	13.0	13.0	100.0
Total	100	100.0	100.0	

Deskriptif variabel y2

**Statistics**

	y21	y22	y23	Y2
N Valid	100	100	100	100
Missing	0	0	0	0
Mean	4.0000	3.9500	3.6800	11.6300
Median	4.0000	4.0000	4.0000	12.0000
Std. Deviation	.53182	.57516	.85138	1.36814
Variance	.283	.331	.725	1.872
Range	2.00	2.00	3.00	7.00
Minimum	3.00	3.00	2.00	8.00



Maximum	5.00	5.00	5.00	15.00
---------	------	------	------	-------

y21

y21

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3.00	14	14.0	14.0	14.0
4.00	72	72.0	72.0	86.0
5.00	14	14.0	14.0	100.0
Total	100	100.0	100.0	

y22

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3.00	19	19.0	19.0	19.0
4.00	67	67.0	67.0	86.0
5.00	14	14.0	14.0	100.0
Total	100	100.0	100.0	

y23

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 2.00	14	14.0	14.0	14.0
3.00	15	15.0	15.0	29.0
4.00	60	60.0	60.0	89.0
5.00	11	11.0	11.0	100.0
Total	100	100.0	100.0	

Y2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 8.00	1	1.0	1.0	1.0
9.00	5	5.0	5.0	6.0
10.00	19	19.0	19.0	25.0
11.00	10	10.0	10.0	35.0
12.00	43	43.0	43.0	78.0
13.00	17	17.0	17.0	95.0

14.00	2	2.0	2.0	97.0
15.00	3	3.0	3.0	100.0
Total	100	100.0	100.0	

### UJI Valid Data

Uji Validitas X1(Pengetahuan Produk Halal)

#### Correlations

		x11	x12	x13	x14	X1
x11	Pearson Correlation	1	.188	-.258**	-.015	.512**
	Sig. (2-tailed)		.061	.009	.880	.000
	N	100	100	100	100	100
x12	Pearson Correlation	.188	1	.173	-.098	.652**
	Sig. (2-tailed)	.061		.085	.333	.000
	N	100	100	100	100	100
x13	Pearson Correlation	-.258**	.173	1	-.076	.451**
	Sig. (2-tailed)	.009	.085		.452	.000
	N	100	100	100	100	100
x14	Pearson Correlation	-.015	-.098	-.076	1	.331**
	Sig. (2-tailed)	.880	.333	.452		.001
	N	100	100	100	100	100
X1	Pearson Correlation	.512**	.652**	.451**	.331**	1
	Sig. (2-tailed)	.000	.000	.000	.001	
	N	100	100	100	100	100

\*\* . Correlation is significant at the 0.01 level (2-tailed).

Uji Validitas X2(Religiuitas)

#### Correlations

	x21	x22	x23	x24	x25	X2
--	-----	-----	-----	-----	-----	----

x21	Pearson Correlation	1	.400**	.035	.505**	.477**	.651**
	Sig. (2-tailed)		.000	.732	.000	.000	.000
	N	100	100	100	100	100	100
x22	Pearson Correlation	.400**	1	.316**	.632**	.339**	.742**
	Sig. (2-tailed)	.000		.001	.000	.001	.000
	N	100	100	100	100	100	100
x23	Pearson Correlation	.035	.316**	1	.330**	.492**	.615**
	Sig. (2-tailed)	.732	.001		.001	.000	.000
	N	100	100	100	100	100	100
x24	Pearson Correlation	.505**	.632**	.330**	1	.487**	.826**
	Sig. (2-tailed)	.000	.000	.001		.000	.000
	N	100	100	100	100	100	100
x25	Pearson Correlation	.477**	.339**	.492**	.487**	1	.773**
	Sig. (2-tailed)	.000	.001	.000	.000		.000
	N	100	100	100	100	100	100
X2	Pearson Correlation	.651**	.742**	.615**	.826**	.773**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	
	N	100	100	100	100	100	100

\*\* . Correlation is significant at the 0.01 level (2-tailed).

#### Y1(SIKAP)

##### Correlations

		y11	y12	y13	Y1
y11	Pearson Correlation	1	.272**	.062	.587**
	Sig. (2-tailed)		.006	.538	.000
	N	100	100	100	100
y12	Pearson Correlation	.272**	1	.343**	.819**
	Sig. (2-tailed)	.006		.000	.000

	N	100	100	100	100
y13	Pearson Correlation	.062	.343**	1	.674**
	Sig. (2-tailed)	.538	.000		.000
	N	100	100	100	100
Y1	Pearson Correlation	.587**	.819**	.674**	1
	Sig. (2-tailed)	.000	.000	.000	
	N	100	100	100	100

\*\* . Correlation is significant at the 0.01 level (2-tailed).

## Y2(Niat beli)

### Correlations

		y21	y22	y23	Y2
y21	Pearson Correlation	1	.462**	.178	.694**
	Sig. (2-tailed)		.000	.076	.000
	N	100	100	100	100
y22	Pearson Correlation	.462**	1	.091	.657**
	Sig. (2-tailed)	.000		.369	.000
	N	100	100	100	100
y23	Pearson Correlation	.178	.091	1	.730**
	Sig. (2-tailed)	.076	.369		.000
	N	100	100	100	100
Y2	Pearson Correlation	.694**	.657**	.730**	1
	Sig. (2-tailed)	.000	.000	.000	
	N	100	100	100	100

\*\* . Correlation is significant at the 0.01 level (2-tailed).

## Uji Reliabilitas

### X1(PENGETAHUAN PRODUK HALAL)

**Case Processing Summary**

		N	%
Cases	Valid	100	100.0
	Excluded <sup>a</sup>	0	.0
	Total	100	100.0

a. Listwise deletion based on all variables in the procedure.

**Reliability Statistics**

Cronbach's Alpha	N of Items
.611	5

**X2(RELIGIUSITAS)**

**Case Processing Summary**

		N	%
Cases	Valid	100	100.0
	Excluded <sup>a</sup>	0	.0
	Total	100	100.0

a. Listwise deletion based on all variables in the procedure.

**Reliability Statistics**

Cronbach's Alpha	N of Items
.785	6

**Y1(SIKAP)**

**Case Processing Summary**

		N	%
--	--	---	---

Cases	Valid	100	100.0
	Excluded <sup>a</sup>	0	.0
	Total	100	100.0

a. Listwise deletion based on all variables in the procedure.

#### Reliability Statistics

Cronbach's Alpha	N of Items
.785	6

#### Y2(NIAT BELI)

#### Case Processing Summary

		N	%
Cases	Valid	100	100.0
	Excluded <sup>a</sup>	0	.0
	Total	100	100.0

a. Listwise deletion based on all variables in the procedure.

#### Reliability Statistics

Cronbach's Alpha	N of Items
.762	4

### UJI ASUMSI KLASIK

#### UJI NORMALITAS PERSAMAAN 1 (KOLMOGOROV SMIRNOV)

##### One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		100
Normal Parameters <sup>a</sup>	Mean	.0000000
	Std. Deviation	.98363027
Most Extreme Differences	Absolute	.128
	Positive	.128
	Negative	-.118
Kolmogorov-Smirnov Z		1.283
Asymp. Sig. (2-tailed)		.074
a. Test distribution is Normal.		

#### PERSAMAAN 2 (KOLMOGOROV SMIRNOV)

##### One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		100
Normal Parameters <sup>a</sup>	Mean	.0000000
	Std. Deviation	1.11363072
Most Extreme Differences	Absolute	.080
	Positive	.080
	Negative	-.065
Kolmogorov-Smirnov Z		.798
Asymp. Sig. (2-tailed)		.548
a. Test distribution is Normal.		

### One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		100
Normal Parameters <sup>a</sup>	Mean	.0000000
	Std. Deviation	1.11363072
Most Extreme Differences	Absolute	.080
	Positive	.080
	Negative	-.065
Kolmogorov-Smirnov Z		.798
Asymp. Sig. (2-tailed)		.548

### UJI MULTIKOLINEARITAS + HETEROKEDASISTAS PERSAMAAN 1

#### Variabels Entered/Removed<sup>b</sup>

Model	Variabels Entered	Variabels Removed	Method
1	X2, X1 <sup>a</sup>		Enter

a. All requested variabels entered.

b. Dependent Variabel: Y1

#### Model Summary<sup>b</sup>

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.596 <sup>a</sup>	.355	.342	.99372

a. Predictors: (Constant), X2, X1

b. Dependent Variabel: Y1

#### ANOVA<sup>b</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	52.805	2	26.402	26.737	.000 <sup>a</sup>



Residual	95.785	97	.987		
Total	148.590	99			

a. Predictors: (Constant), X2, X1

b. Dependent Variabel: Y1

#### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	4.673	1.736		2.692	.008		
	X1	.077	.092	.069	.843	.402	.998	1.002
	X2	.323	.045	.589	7.225	.000	.998	1.002

a. Dependent Variabel: Y1

#### Coefficient Correlations<sup>a</sup>

Model		X2	X1
1	Correlations		
		X2	X1
		1.000	-.040
		-.040	1.000
	Covariances		
		X2	X1
		.002	.000
		.000	.008

a. Dependent Variabel: Y1

#### Collinearity Diagnostics<sup>a</sup>

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions		
				(Constant)	X1	X2
1	1	2.991	1.000	.00	.00	.00
	2	.007	20.280	.02	.21	.83
	3	.002	38.085	.98	.79	.17

a. Dependent Variabel: Y1


Residuals Statistics<sup>a</sup>

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	11.5609	14.1284	13.2100	.73033	100
Std. Predicted Value	-2.258	1.257	.000	1.000	100
Standard Error of Predicted Value	.102	.297	.166	.045	100
Adjusted Predicted Value	11.6305	14.1366	13.2105	.72943	100
Residual	-2.97408	2.20765	.00000	.98363	100
Std. Residual	-2.993	2.222	.000	.990	100
Stud. Residual	-3.025	2.302	.000	1.007	100
Deleted Residual	-3.03807	2.36953	-.00046	1.01835	100
Stud. Deleted Residual	-3.162	2.355	-.002	1.021	100
Mahal. Distance	.052	7.876	1.980	1.704	100
Cook's Distance	.000	.129	.012	.024	100
Centered Leverage Value	.001	.080	.020	.017	100

a. Dependent Variabel: Y1

Scatterplot

Dependent Variable: Y1





**PERSAMAAN 2****Variabels Entered/Removed<sup>b</sup>**

Model	Variabels Entered	Variabels Removed	Method
1	Y1, X1, X2 <sup>a</sup>		. Enter

a. All requested variabels entered.

b. Dependent Variabel: Y2

**Model Summary<sup>b</sup>**

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.581 <sup>a</sup>	.337	.317	1.13090

a. Predictors: (Constant), Y1, X1, X2

b. Dependent Variabel: Y2

**ANOVA<sup>b</sup>**

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	62.533	3	20.844	16.298	.000 <sup>a</sup>
	Residual	122.777	96	1.279		
	Total	185.310	99			

a. Predictors: (Constant), Y1, X1, X2

b. Dependent Variabel: Y2

**Coefficients<sup>a</sup>**


Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	1.247	2.048		.609	.544		
	X1	.248	.105	.198	2.375	.020	.991	1.009



Cook's Distance	.000	.177	.011	.023	100
Centered Leverage Value	.001	.109	.030	.025	100

a. Dependent Variabel: Y2

**Scatterplot**



**Uji regresi (uji T F R)**

Persamaan 1

**Variabels Entered/Removed<sup>a</sup>**

Model	Variabels Entered	Variabels Removed	Method
1	x2, x1 <sup>b</sup>	.	Enter

a. Dependent Variabel: y1

b. All requested variabels entered.

**Model Summary**

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.470 <sup>a</sup>	.221	.205	1.09228

a. Predictors: (Constant), x2, x1

#### ANOVA<sup>a</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	32.862	2	16.431	13.772	.000 <sup>b</sup>
	Residual	115.728	97	1.193		
	Total	148.590	99			

a. Dependent Variabel: y1

b. Predictors: (Constant), x2, x1

#### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	5.266	2.010		2.620	.010
	x1	.016	.102	.014	.154	.878
	x2	.343	.067	.468	5.147	.000

a. Dependent Variabel: y1

Persamaan 2

#### Variabels Entered/Removed<sup>a</sup>

Model	Variabels Entered	Variabels Removed	Method
1	y1, x1, x2 <sup>b</sup>	.	Enter

a. Dependent Variabel: y2

b. All requested variabels entered.

#### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.584 <sup>a</sup>	.341	.320	1.12802

a. Predictors: (Constant), y1, x1, x2

#### ANOVA<sup>a</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	63.157	3	21.052	16.545	.000 <sup>b</sup>
	Residual	122.153	96	1.272		
	Total	185.310	99			

a. Dependent Variabel: y2

b. Predictors: (Constant), y1, x1, x2

#### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-1.520	2.148		-.708	.481
	x1	.222	.105	.177	2.111	.037
	x2	.155	.078	.189	1.994	.049
	y1	.466	.105	.418	4.448	.000

a. Dependent Variabel: y2