

DAFTAR PUSTAKA

- Anusavice, K.J., 2004. *Phillips : Buku Ajar Ilmu Bahan Kedokteran Gigi Edisi 10* 10th ed., Jakarta: EGC.
- Ap, L.S.D., 2010. Corrosion rate of titanium orthodontic wire after immersion in artificial saliva. *STOMATOGNATIC - Jurnal Kedokteran Gigi*, 7(1): 56–61.
- Ardhy, S., Gunawarman & Affi, J., 2015. Perilaku Korosi Titanium dalam Larutan Modifikasi Saliva. *Jurnal Mekanikal*, 6(2): 585–593.
- Aryani, I., 2012. Perbandingan Tingkat Ketahanan Korosi Lepas Ion Cr dan Ni, Tesis(Sp. Orth), p.Universitas Indonesia.
- Bagwe, S. et al., 2015. Bovine colostrum : An emerging nutraceutical Bovine colostrum : an emerging nutraceutical. *Journal of Complementary and Integrative Medicine*.
- Baratawidjaja, K.G. & Rengganis, I., 2014. *Imunologi Dasar* 11th ed., Jakarta: Badan Penerbit Fakultas Kedokteran Universitas Indonesia. 338-345
- Belitz, H.D. & Grosch, W., 2009. *Food Chemistry* 2nd ed., Berlin: Springer. 521-522
- Bishara, S., 2001. *Textbook of Orthodontic*, Philadelphia: WB, Saunders Co. 98-99
- Bonde, M.M., Fatimawali & Anindita, P.S., 2016. Uji Pelepasan Ion Logam Nikel (Ni) dan Kromium (Cr) Kawat Ortodontik Stainless Steel yang Direndam dengan Air Kelapa. *PHARMACON Jurnal Ilmiah Farmasi*, 5(4): 40–45.
- Chierici, R., 2001. Antimicrobial Actions of Lactoferrin. *Advances in Nutritional Research*, 10: 247–269.
- Dundu, M.A.J., Aditya, G. & Hadianto, E., 2017. Pengaruh Larutan Ekstrak Daun Sirih (Piper betle L .) 50 % Terhadap Pelepasan Ion Metal (Ni , Cr dan Fe) pada Breket Ortodontik. *ODONTO Dental Journal*, 4(1): 32–37.
- Fatimah, S., Soekarsono & Iman, P., 2013. Pelepasa Ion Nikel Pada Braket Stainless Steel Baru dan Daur Ulang dalam Saliva Buatan (Pemeriksaan Laboratorium). *J Ked Gi*, 4(4): 283–289.
- Ferreira, L.S. et al., 2013. Colostrum silage : fermentative , microbiological and nutritional dynamics of colostrum fermented under anaerobic conditions at different temperatures. *Acta Scientiarum Animal Sciences*, 35(4): 395–401.
- Gajapurada, J. et al., 2016. Ion Release from Orthodontic Brackets in Three Different Mouthwashes and Artificial Saliva : An In Vitro Study . *IOSR*

Journal of Dental and Medical Sciences, 15(4): 76–85.

- Gresfullah, A. Z. 2017. Pengaruh Kolostrum Terhadap Pelepasan Ion Metal (Ni, Cr Dan Fe) Pada Braket Metal Ortodonti. *Undergraduate thesis*, Fakultas Kedokteran Gigi Universitas Islam Sultan Agung Semarang
- Heravi, F., Moayed, M.H. & Mokhber, N., 2015. Effect of Fluoride on Nickel-Titanium and Stainless Steel Orthodontic Archwires: An In-Vitro Study. *Journal of Dentistry, Tehran University of Medical Sciences*, 12(1): 49–59.
- Jenssen, H. & Hancock, R.E.W., 2009. Antimicrobial Properties of Lactoferrin. *Biochimie*, 91: 19–29.
- Jura, C.O., Tendean, L.E.N. & Anindita, P.S., 2015. Jumlah Ion Kromium (Cr) dan Nikel (Ni) Kawat Ortodontik Stainless Steel yang Terlepas dalam Perendaman Saliva. *Jurnal e-Gigi*, 3(2): 2–5.
- Khotimah, K. & Fahrizal, 2013. Kualitas Mikrobiologi Kolostrum Sapi Perah FH pada Waktu Pemerahan yang Berbeda di Peternakan Rakyat. *Jurnal Ilmu Ternak*, 13(2): 13–17.
- Kristianingsih, R., Joelijanto, R. & Praharani, D., 2014. Analisis Pelepasan Ion Ni dan Cr Kawat Ortodontik Stainless Steel yang Direndam dalam Minuman Berkarbonasi. *Artikel Ilmiah Hasil Penelitian Mahasiswa 2014*. Universitas Jember. Available at: <http://repository.unej.ac.id/handle/123456789/22171>.
- Lee, T. et al., 2010. Corrosion Resistance of Different Nickel-Titanium Archwires in Acidic Fluoride-containing Artificial Saliva. *The Angle Orthodontist*, 80(3): 547–553.
- Lombo, C.G., Anindita, P.S. & Juliatri, 2016. Uji Pelepasan Ion Nikel dan Kromium pada Beberapa Braket Stainless Steel yang direndam di air laut. *Jurnal e-Gigi*, 4: 0–4.
- Madigan, M.T. et al., 2011. *Biology of Microorganisms* 13th ed., New York: Prentice Hall International.
- Maheshwari, S., Verma, S.K. & Dhiman, S., 2015. Metal Hypersensitivity in Orthodontic Patients. *J Dent Mater Tech*, 4(2): 111–114.
- Minanga, M.A., Anindita, P.S. & Juliatri, 2016. Pelepasan Ion Nikel dan Kromium Braket Ortodontik Stainless Steel yang Direndam Dalam Obat Kumur. *PHARMACON Jurnal Ilmiah Farmasi*, 5(1): 135–141.
- Naschan, M., Tri, A. & Sumarni, W., 2017. Uji Validitas Analisis Fe dalam Sedimen Sungai Kaligarang dengan FAAS dan ICP-OES. *Indonesian Journal of Chemical Science*, 6(1): 11–18.
- Oh, K. et al., 2005. A stainless steel bracket for orthodontic application. *European Journal of Orthodontics*, 27: 237–244.

- Playford, R.J., Macdonald, C.E. & Johnson, W.S., 2000. Colostrum and milk-derived peptide growth factors for the treatment of gastrointestinal disorders 1 – 4. *The American Journal of Clinical Nutrition*, 72: 5–14.
- Rasyid, N.I., Sri, P. & Heryumani, J.C.P., 2014. Pelepasan ion nikel dan kromium kawat Australia dan stainless steel dalam saliva buatan (The release of nickel and chromium ions from Australian wire and stainless steel in artificial saliva). *Dental Journal*, 47(3): 168–172.
- Rathe, M. et al., 2014. Clinical applications of bovine colostrum therapy : a systematic review. *Nutrition Reviews*, 72(4): 1–18.
- Saalfeld, M.H. et al., 2013. Anaerobically fermented colostrum : an alternative for feeding calves. *Ciencia Rural*, 43(9): 1636–1641.
- Setiawan, J., 2006. Identifikasi Laktoferin pada Kolostrum dan Susu Domba Garut dengan Metode Single Radil Immunodifusi dan SDS-PAGE. *UT-Animal Production Technology*.
- Sharma, K. et al., 2017. Effects of Fluoride on Orthodontic Archwires. *Rama Univ J Dent Sci*, 4(1): 26–30.
- Sidiq, M.F., 2013. Analisa Korosi dan Pengendaliannya. *Journal Foundry*, 3(1): 25–30.
- Singh, G., 2007. *Textbook of Orthodontics* 2nd ed., New Delhi: Jaypee Brothers Medical Publishers.
- Siwy, C.J., Tendean, L.E.N. & Anindita, P.S., 2015. Uji Pelepasan Logam Kromium (Cr) dan Nikel (Ni) Beberapa Merek Braket Stainless Steel dalam Cairan Saliva Artifisial. *Jurnal e-Gigi*, 3(2): 1–5.
- Stelwagen, K. et al., 2009. Immune components of bovine colostrum and milk. *American Society of Animal Science*, 87(1): 3–9.
- Sumule, I., Anindita, P.S. & Waworuntu, O.A., 2015. Pelepasan Ion Nikel dan Kromium Braket Stainless Steel yang Direndam Dalam Minuman Berkarbonasi. *Jurnal e-Gigi*, 3(2): 1–6.
- Tahmasbi, S., 2017. Ion Release and Galvanic Corrosion of Different Orthodontic Brackets and Wires in Artificial Saliva. *The Journal of Contemporary Dental Practice*, 18(3), pp.222–227.
- Tamime, A., 2006. *Fermented Milks*, UK: Blackwell Science. 6-8
- Thapa, B.R., 2005. Health Factors in Colostrum. *Indian Journal of Pediatrics*, 72(7): 579–582.
- Utomo, B., 2009. Jenis korosi dan penanggulangannya. *KAPAL*, 6(2): 138–141.

Wakabayashi, H., Yamauchi, K. & Takase, M., 2006. Lactoferrin Research, Technology and Applications. *International Dairy Journal*, 16(11): 1241–1251.

Wasono, N.P., Assa, Y.A. & Anindita, P.S., 2016. Pelepasan Ion Nikel dan Kromium Braket Stainless Steel yang Direndam Dalam Minuman Isotonik. *PHARMACON Jurnal Ilmiah Farmasi*, 5(1): 158–163.