

# LAMPIRAN

## Lampiran 1. Surat Ijin penelitian



Nomor : Semarang, 3 Jumadil Akhir 1439 H  
 Lamp : - 19 Pebruari 2018 M  
 Hal : **Jawaban Sementara Ijin Penelitian**

Kepada Yth  
 Ketua Prodi Farmasi  
 UNIVERSITAS ISLAM SULTAN AGUNG  
 Di Semarang

Assalamu'alaikum Wr.Wb.

Teriring rasa syukur semoga limpahan kasih sayang Allah SWT menyertai didalam melaksanakan tugas dan pengabdian kita. Aamiin.

Menjawab surat saudara nomor:109/KTI/SA-K-Fa/II/2018 perihal permohonan ijin penelitian di Rumah Sakit Islam Sultan Agung Semarang, maka dengan ini kami sampaikan bahwa RSI Sultan Agung dapat menerima mahasiswa berikut :

Nama : Septika Unggulani.  
 NIM : 33101400330  
 Prodi : Farmasi  
 Universitas : Universitas Islam Sultan Agung Semarang  
 Judul Penelitian : Hubungan Kualitas Hidup Pasien Kanker Payudara Terhadap Kemoterapi Pada Siklus 3 dan 4 Di Rumah Sakit Islam Sultan Agung Semarang.

Untuk melakukan penelitian di *Onkologi Centre*, ruang Darussalam dan Poli Onkologi Rumah Sakit Islam Sultan Agung Semarang.

Demikian, atas perhatian dan kerjasamanya kami ucapkan terima kasih.

Billahittaufiq wal hidayah  
 Wassalamu'alaikum Wr. Wb.

RSI SULTAN AGUNG SEMARANG

**Rochady Setianto**  
 Kabag Penelitian Pengembangan

### Tembusan

1. Penjab R. Ma'wa  
 Penjab R. Darussalam.  
 Penjab Poliklinik
2. Arsip.

## Lampiran 2. Kuesioner Penelitian

### KUESIONER PENELITIAN

#### IDENTITAS DIRI

|                        |  |
|------------------------|--|
| <b>Nama</b>            |  |
| <b>No. Rekam Medik</b> |  |
| <b>Usia</b>            |  |
| <b>Alamat</b>          |  |
| <b>No. Telp/HP</b>     |  |

Berilah tanda silang (X) pada kotak yang telah disediakan di depan pernyataan,

#### Data Demografi

1. Usia :  < 40 tahun     41-60 tahun     >60 tahun
2. Pendidikan :  Tidak sekolah     SD     SMP  
 SMA     DIII     Sarjana

Berilah tanda silang (X) pada jawaban yang menurut anda menggambarkan keadaan anda yang sebenarnya.

BAGIAN I

| NO | PERNYATAAN   | TIDAK | YA |
|----|--|-------|----|
| 1. | Apakah anda mengalami kesulitan saat melakukan kegiatan yang berat, seperti membawa barang belanjaan atau koper yang berat?          |       |    |
| 2. | Apakah anda mengalami kesulitan jika berjalan kaki dalam jarak yang jauh?  |       |    |
| 3. | Apakah anda mengalami kesulitan saat berjalan kaki meskipun dalam jarak yang pendek, misalnya di sekitar rumah anda?                 |       |    |
| 4. | Apakah setiap hari anda harus berbaring di tempat tidur atau duduk di kursi?   |       |    |
| 5. | Apakah anda memerlukan bantuan orang lain saat makan, berpakaian, mandi atau buang air ?   |       |    |
| 6. | Dalam seminggu terakhir apakah Anda mengalami keterbatasan saat bekerja atau melakukan kegiatan santai atau kegiatan sehari-harinya? |       |    |
| 7. | Apakah Anda mengalami keterbatasan saat melakukan kegiatan santai atau kegiatan yang merupakan hobi anda?                            |       |    |

| <b>NO</b> | <b>PERNYATAAN</b>   | <b>TIDAK</b> | <b>SEDIKIT</b> | <b>AGAK</b> | <b>SANGAT</b> |
|-----------|---|--------------|----------------|-------------|---------------|
| 8.        | Apakah anda merasa sesak napas?   |              |                |             |               |
| 9.        | Apakah Anda merasa nyeri?   |              |                |             |               |
| 10.       | Apakah Anda perlu istirahat?  |              |                |             |               |
| 11.       | Apakah Anda sulit tidur?  |              |                |             |               |
| 12.       | Apakah anda merasakan badan Anda lemah?   |              |                |             |               |
| 13.       | Apakah Anda kehilangan nafsu makan?   |              |                |             |               |
| 14.       | Apakah Anda merasakan mual?   |              |                |             |               |
| 15.       | Apakah Anda muntah?   |              |                |             |               |
| 16.       | Apakah Anda sulit buang air besar?  |              |                |             |               |
| 17.       | Apakah Anda diare?  |              |                |             |               |
| 18.       | Apakah anda kelelahan?  |              |                |             |               |
| 19.       | Apakah nyeri yang dirasakan mengganggu aktivitas Anda?  |              |                |             |               |
| 20.       | Apakah Anda sulit berkonsentrasi pada suatu hal, seperti membaca Koran atau menonton televisi?  |              |                |             |               |
| 21.       | Apakah Anda merasa tegang?  |              |                |             |               |
| 22.       | Apakah Anda merasa khawatir?  |              |                |             |               |
| 23.       | Apakah Anda mudah tersinggung?  |              |                |             |               |
| 24.       | Apakah Anda merasa depresi?   |              |                |             |               |
| 25.       | Apakah Anda mengalami kesulitan untuk mengingat sesuatu?  |              |                |             |               |
| 26.       | Apakah kehidupan keluarga Anda terganggu oleh kondisi fisik atau terapi medis yang Anda jalani? |              |                |             |               |
| 27.       | Apakah aktivitas sosial Anda terganggu oleh kondisi fisik atau terapi medis yang Anda jalani?   |              |                |             |               |
| 28.       | Apakah Anda mengalami kesulitan keuangan akibat kondisi fisik atau terapi medis yang dialami?   |              |                |             |               |

## BAGIAN 3

Berilah tanda silang (X) pada jawaban yang menurut anda menggambarkan keadaan anda yang sebenarnya.

KETERANGAN :

- 1 : **SANGAT BURUK**
- 2 : **BURUK**
- 3 : **SEDIKIT BURUK**
- 4 : **SEDIKIT BAIK**
- 5 : **AGAK BAIK**
- 6 : **BAIK**
- 7 : **SANGAT BAIK**

| NO  | PERNYATAAN   | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|-----|--|---|---|---|---|---|---|---|
| 29. | Bagaimanakah Anda menilai kondisi kesehatan Anda secara keseluruhan selama seminggu? |   |   |   |   |   |   |   |
| 30. | Bagaimana Anda menilai kualitas hidup Anda selama seminggu?                          |   |   |   |   |   |   |   |

### Lampiran 3. Data SPSS

#### Case Processing Summary

|                        | Cases |         |         |         |       |         |
|------------------------|-------|---------|---------|---------|-------|---------|
|                        | Valid |         | Missing |         | Total |         |
|                        | N     | Percent | N       | Percent | N     | Percent |
| umur * obat_kemo       | 30    | 100,0%  | 0       | 0,0%    | 30    | 100,0%  |
| pendidikan * obat_kemo | 30    | 100,0%  | 0       | 0,0%    | 30    | 100,0%  |

#### umur \* obat\_kemo Crosstabulation

|       |                  |            | obat_kemo |       | Total  |
|-------|------------------|------------|-----------|-------|--------|
|       |                  |            | doxo      | paxus |        |
| umur  | dibawah 40 tahun | Count      | 2         | 4     | 6      |
|       |                  | % of Total | 6,7%      | 13,3% | 20,0%  |
|       | 41-60 tahun      | Count      | 9         | 12    | 21     |
|       |                  | % of Total | 30,0%     | 40,0% | 70,0%  |
|       | diatas 60 tahun  | Count      | 1         | 2     | 3      |
|       |                  | % of Total | 3,3%      | 6,7%  | 10,0%  |
| Total |                  | Count      | 12        | 18    | 30     |
|       |                  | % of Total | 40,0%     | 60,0% | 100,0% |

#### pendidikan \* obat\_kemo Crosstabulation

|            |               |            | obat_kemo |       | Total  |
|------------|---------------|------------|-----------|-------|--------|
|            |               |            | doxo      | paxus |        |
| Pendidikan | tidak sekolah | Count      | 5         | 11    | 16     |
|            |               | % of Total | 16,7%     | 36,7% | 53,3%  |
|            | sd            | Count      | 5         | 5     | 10     |
|            |               | % of Total | 16,7%     | 16,7% | 33,3%  |
|            | smp           | Count      | 2         | 2     | 4      |
|            |               | % of Total | 6,7%      | 6,7%  | 13,3%  |
| Total      |               | Count      | 12        | 18    | 30     |
|            |               | % of Total | 40,0%     | 60,0% | 100,0% |

**obat\_kemo****Case Processing Summary**

| obat_kemo  | Cases |         |         |         |       |         |        |
|------------|-------|---------|---------|---------|-------|---------|--------|
|            | Valid |         | Missing |         | Total |         |        |
|            | N     | Percent | N       | Percent | N     | Percent |        |
| FUNGSIONAL | doxo  | 12      | 100.0%  | 0       | .0%   | 12      | 100.0% |
|            | paxus | 18      | 100.0%  | 0       | .0%   | 18      | 100.0% |
| PERAN      | doxo  | 12      | 100.0%  | 0       | .0%   | 12      | 100.0% |
|            | paxus | 18      | 100.0%  | 0       | .0%   | 18      | 100.0% |
| EMOSI      | doxo  | 12      | 100.0%  | 0       | .0%   | 12      | 100.0% |
|            | paxus | 18      | 100.0%  | 0       | .0%   | 18      | 100.0% |
| KOGNITIF   | doxo  | 12      | 100.0%  | 0       | .0%   | 12      | 100.0% |
|            | paxus | 18      | 100.0%  | 0       | .0%   | 18      | 100.0% |
| SOSIAL     | doxo  | 12      | 100.0%  | 0       | .0%   | 12      | 100.0% |
|            | paxus | 18      | 100.0%  | 0       | .0%   | 18      | 100.0% |
| sesak      | doxo  | 12      | 100.0%  | 0       | .0%   | 12      | 100.0% |
|            | paxus | 18      | 100.0%  | 0       | .0%   | 18      | 100.0% |
| KELELAHAN  | doxo  | 12      | 100.0%  | 0       | .0%   | 12      | 100.0% |
|            | paxus | 18      | 100.0%  | 0       | .0%   | 18      | 100.0% |
| NYERI      | doxo  | 12      | 100.0%  | 0       | .0%   | 12      | 100.0% |
|            | paxus | 18      | 100.0%  | 0       | .0%   | 18      | 100.0% |
| KONSTIPASI | doxo  | 12      | 100.0%  | 0       | .0%   | 12      | 100.0% |
|            | paxus | 18      | 100.0%  | 0       | .0%   | 18      | 100.0% |
| mualmuntah | doxo  | 12      | 100.0%  | 0       | .0%   | 12      | 100.0% |
|            | paxus | 18      | 100.0%  | 0       | .0%   | 18      | 100.0% |
| gejala     | doxo  | 12      | 100.0%  | 0       | .0%   | 12      | 100.0% |
|            | paxus | 18      | 100.0%  | 0       | .0%   | 18      | 100.0% |
| diare      | doxo  | 12      | 100.0%  | 0       | .0%   | 12      | 100.0% |
|            | paxus | 18      | 100.0%  | 0       | .0%   | 18      | 100.0% |
| n.makan    | doxo  | 12      | 100.0%  | 0       | .0%   | 12      | 100.0% |
|            | paxus | 18      | 100.0%  | 0       | .0%   | 18      | 100.0% |
| finansial  | doxo  | 12      | 100.0%  | 0       | .0%   | 12      | 100.0% |
|            | paxus | 18      | 100.0%  | 0       | .0%   | 18      | 100.0% |
| kesehatan  | doxo  | 12      | 100.0%  | 0       | .0%   | 12      | 100.0% |
|            | paxus | 18      | 100.0%  | 0       | .0%   | 18      | 100.0% |
| kualitas   | doxo  | 12      | 100.0%  | 0       | .0%   | 12      | 100.0% |
|            | paxus | 18      | 100.0%  | 0       | .0%   | 18      | 100.0% |



## Descriptives

| obat_kemo           |                     |                                  | Statistic | Std. Error |
|---------------------|---------------------|----------------------------------|-----------|------------|
| FUNGSIONAL          | doxo                | Mean                             | 81.67     | 5.198      |
|                     |                     | 95% Confidence Interval for Mean | 70.23     |            |
|                     |                     | Lower Bound                      |           |            |
|                     |                     | Upper Bound                      | 93.11     |            |
|                     |                     | 5% Trimmed Mean                  | 81.85     |            |
|                     |                     | Median                           | 80.00     |            |
|                     |                     | Variance                         | 324.242   |            |
|                     |                     | Std. Deviation                   | 18.007    |            |
|                     |                     | Minimum                          | 60        |            |
|                     |                     | Maximum                          | 100       |            |
|                     | Range               | 40                               |           |            |
|                     | Interquartile Range | 40                               |           |            |
|                     | Skewness            | -.185                            | .637      |            |
|                     | Kurtosis            | -1.865                           | 1.232     |            |
|                     | paxus               | Mean                             | 80.00     | 5.830      |
|                     |                     | 95% Confidence Interval for Mean | 67.70     |            |
|                     |                     | Lower Bound                      |           |            |
|                     |                     | Upper Bound                      | 92.30     |            |
|                     |                     | 5% Trimmed Mean                  | 82.22     |            |
|                     |                     | Median                           | 90.00     |            |
| Variance            |                     | 611.765                          |           |            |
| Std. Deviation      |                     | 24.734                           |           |            |
| Minimum             |                     | 20                               |           |            |
| Maximum             |                     | 100                              |           |            |
| Range               | 80                  |                                  |           |            |
| Interquartile Range | 40                  |                                  |           |            |
| Skewness            | -1.050              | .536                             |           |            |
| Kurtosis            | .329                | 1.038                            |           |            |
| PERAN               | doxo                | Mean                             | 68.75     | 6.967      |
|                     |                     | 95% Confidence Interval for Mean | 53.42     |            |
|                     |                     | Lower Bound                      |           |            |
|                     |                     | Upper Bound                      | 84.08     |            |
|                     |                     | 5% Trimmed Mean                  | 68.06     |            |
|                     |                     | Median                           | 50.00     |            |
|                     |                     | Variance                         | 582.386   |            |
|                     |                     | Std. Deviation                   | 24.133    |            |
|                     |                     | Minimum                          | 50        |            |
|                     |                     | Maximum                          | 100       |            |
| Range               | 50                  |                                  |           |            |
| Interquartile Range | 50                  |                                  |           |            |

|                     |             |                                  |                                  |             |       |       |
|---------------------|-------------|----------------------------------|----------------------------------|-------------|-------|-------|
| EMOSI               | paxus       | Skewness                         |                                  | .591        | .637  |       |
|                     |             | Kurtosis                         |                                  | -1.858      | 1.232 |       |
|                     |             | Mean                             |                                  | 79.17       | 5.442 |       |
|                     |             | 95% Confidence Interval for Mean | Lower Bound                      | 67.68       |       |       |
|                     |             |                                  | Upper Bound                      | 90.65       |       |       |
|                     |             | 5% Trimmed Mean                  |                                  | 79.63       |       |       |
|                     |             | Median                           |                                  | 87.50       |       |       |
|                     |             | Variance                         |                                  | 533.088     |       |       |
|                     |             | Std. Deviation                   |                                  | 23.089      |       |       |
|                     |             | Minimum                          |                                  | 50          |       |       |
|                     |             | Maximum                          |                                  | 100         |       |       |
|                     |             | Range                            |                                  | 50          |       |       |
|                     |             | Interquartile Range              |                                  | 50          |       |       |
|                     |             | Skewness                         |                                  | -.364       | .536  |       |
|                     |             | Kurtosis                         |                                  | -1.831      | 1.038 |       |
|                     | doxo        | Mean                             |                                  | 28.47       | 3.317 |       |
|                     |             | 95% Confidence Interval for Mean | Lower Bound                      | 21.17       |       |       |
|                     |             |                                  | Upper Bound                      | 35.77       |       |       |
|                     |             | 5% Trimmed Mean                  |                                  | 28.40       |       |       |
|                     |             | Median                           |                                  | 29.17       |       |       |
|                     |             | Variance                         |                                  | 132.050     |       |       |
|                     |             | Std. Deviation                   |                                  | 11.491      |       |       |
|                     |             | Minimum                          |                                  | 8           |       |       |
|                     |             | Maximum                          |                                  | 50          |       |       |
|                     |             | Range                            |                                  | 42          |       |       |
|                     |             | Interquartile Range              |                                  | 15          |       |       |
|                     |             | Skewness                         |                                  | .083        | .637  |       |
|                     |             | Kurtosis                         |                                  | .043        | 1.232 |       |
|                     |             | paxus                            | Mean                             |             | 33.80 | 1.576 |
|                     |             |                                  | 95% Confidence Interval for Mean | Lower Bound | 30.47 |       |
|                     | Upper Bound |                                  | 37.12                            |             |       |       |
| 5% Trimmed Mean     |             |                                  | 33.38                            |             |       |       |
| Median              |             |                                  | 33.33                            |             |       |       |
| Variance            |             |                                  | 44.708                           |             |       |       |
| Std. Deviation      |             |                                  | 6.686                            |             |       |       |
| Minimum             |             |                                  | 25                               |             |       |       |
| Maximum             |             |                                  | 50                               |             |       |       |
| Range               |             |                                  | 25                               |             |       |       |
| Interquartile Range |             |                                  | 4                                |             |       |       |
| Skewness            |             |                                  | .663                             | .536        |       |       |
| Kurtosis            |             |                                  | .766                             | 1.038       |       |       |

|                                  |                     |                                  |             |         |       |
|----------------------------------|---------------------|----------------------------------|-------------|---------|-------|
| KOGNITIF                         | doxo                | Mean                             |             | 31.94   | 7.526 |
|                                  |                     | 95% Confidence Interval for Mean | Lower Bound | 15.38   |       |
|                                  |                     |                                  | Upper Bound | 48.51   |       |
|                                  |                     | 5% Trimmed Mean                  |             | 30.86   |       |
|                                  |                     | Median                           |             | 25.00   |       |
|                                  |                     | Variance                         |             | 679.714 |       |
|                                  |                     | Std. Deviation                   |             | 26.071  |       |
|                                  |                     | Minimum                          |             | 0       |       |
|                                  |                     | Maximum                          |             | 83      |       |
|                                  |                     | Range                            |             | 83      |       |
|                                  | Interquartile Range |                                  | 33          |         |       |
|                                  | Skewness            |                                  | .676        | .637    |       |
|                                  | Kurtosis            |                                  | -.302       | 1.232   |       |
|                                  | paxus               | Mean                             |             | 27.78   | 5.042 |
|                                  |                     | 95% Confidence Interval for Mean | Lower Bound | 17.14   |       |
|                                  |                     |                                  | Upper Bound | 38.41   |       |
|                                  |                     | 5% Trimmed Mean                  |             | 27.16   |       |
|                                  |                     | Median                           |             | 16.67   |       |
|                                  |                     | Variance                         |             | 457.516 |       |
|                                  |                     | Std. Deviation                   |             | 21.390  |       |
| Minimum                          |                     |                                  | 0           |         |       |
| Maximum                          |                     |                                  | 67          |         |       |
| Range                            |                     |                                  | 67          |         |       |
| Interquartile Range              |                     | 33                               |             |         |       |
| Skewness                         |                     | .522                             | .536        |         |       |
| Kurtosis                         |                     | -.729                            | 1.038       |         |       |
| SOSIAL                           | doxo                | Mean                             |             | 30.56   | 3.453 |
|                                  |                     | 95% Confidence Interval for Mean | Lower Bound | 22.96   |       |
|                                  |                     |                                  | Upper Bound | 38.16   |       |
|                                  |                     | 5% Trimmed Mean                  |             | 31.17   |       |
|                                  |                     | Median                           |             | 33.33   |       |
|                                  |                     | Variance                         |             | 143.098 |       |
|                                  |                     | Std. Deviation                   |             | 11.962  |       |
|                                  | Minimum             |                                  | 0           |         |       |
|                                  | Maximum             |                                  | 50          |         |       |
|                                  | Range               |                                  | 50          |         |       |
|                                  | Interquartile Range |                                  | 0           |         |       |
|                                  | Skewness            |                                  | -1.508      | .637    |       |
|                                  | Kurtosis            |                                  | 4.065       | 1.232   |       |
|                                  | paxus               | Mean                             |             | 49.07   | 3.428 |
| 95% Confidence Interval for Mean |                     | Lower Bound                      | 41.84       |         |       |

|           |       |                     |       |           |        |
|-----------|-------|---------------------|-------|-----------|--------|
|           |       | Interval for Mean   | Bound |           |        |
|           |       |                     | Upper |           |        |
|           |       |                     | Bound | 56.31     |        |
|           |       | 5% Trimmed Mean     |       | 48.97     |        |
|           |       | Median              |       | 50.00     |        |
|           |       | Variance            |       | 211.511   |        |
|           |       | Std. Deviation      |       | 14.543    |        |
|           |       | Minimum             |       | 33        |        |
|           |       | Maximum             |       | 67        |        |
|           |       | Range               |       | 33        |        |
|           |       | Interquartile Range |       | 33        |        |
|           |       | Skewness            |       | .116      | .536   |
|           |       | Kurtosis            |       | -1.730    | 1.038  |
| Sesak     | doxo  | Mean                |       | 19.44     | 7.630  |
|           |       | 95% Confidence      | Lower |           |        |
|           |       | Interval for Mean   | Bound | 2.65      |        |
|           |       |                     | Upper |           |        |
|           |       |                     | Bound | 36.24     |        |
|           |       | 5% Trimmed Mean     |       | 17.90     |        |
|           |       | Median              |       | .00       |        |
|           |       | Variance            |       | 698.653   |        |
|           |       | Std. Deviation      |       | 26.432    |        |
|           |       | Minimum             |       | 0         |        |
|           |       | Maximum             |       | 67        |        |
|           |       | Range               |       | 67        |        |
|           |       | Interquartile Range |       | 33        |        |
|           |       | Skewness            |       | .988      | .637   |
|           |       | Kurtosis            |       | -.464     | 1.232  |
|           | paxus | Mean                |       | 85.19     | 28.420 |
|           |       | 95% Confidence      | Lower |           |        |
|           |       | Interval for Mean   | Bound | 25.22     |        |
|           |       |                     | Upper |           |        |
|           |       |                     | Bound | 145.15    |        |
|           |       | 5% Trimmed Mean     |       | 77.98     |        |
|           |       | Median              |       | 33.33     |        |
|           |       | Variance            |       | 14538.853 |        |
|           |       | Std. Deviation      |       | 120.577   |        |
|           |       | Minimum             |       | 0         |        |
|           |       | Maximum             |       | 300       |        |
|           |       | Range               |       | 300       |        |
|           |       | Interquartile Range |       | 125       |        |
|           |       | Skewness            |       | 1.312     | .536   |
|           |       | Kurtosis            |       | -.077     | 1.038  |
| KELELAHAN | doxo  | Mean                |       | 16.82     | 5.778  |
|           |       | 95% Confidence      | Lower |           |        |
|           |       | Interval for Mean   | Bound | 4.11      |        |

|       |  |       |                                  |  |       |
|-------|--|-------|----------------------------------|--|-------|
|       |  |       | Upper Bound                      | 29.54  |       |
|       |  |       | 5% Trimmed Mean                  | 15.53  |       |
|       |  |       | Median                           | 2.50   |       |
|       |  |       | Variance                         | 400.623                                      |       |
|       |  |       | Std. Deviation                   | 20.016                                       |       |
|       |  |       | Minimum                          | 1  |       |
|       |  |       | Maximum                          | 56   |       |
|       |  |       | Range                            | 54   |       |
|       |  |       | Interquartile Range              | 32   |       |
|       |  |       | Skewness                         | .881   | .637  |
|       |  |       | Kurtosis                         | -.759  | 1.232 |
|       |  | paxus | Mean                             | 16.67  | 4.704 |
|       |  |       | 95% Confidence Interval for Mean | Lower Bound<br>6.75<br>Upper Bound<br>26.60  |       |
|       |  |       | 5% Trimmed Mean                  | 15.36  |       |
|       |  |       | Median                           | 2.67   |       |
|       |  |       | Variance                         | 398.374                                      |       |
|       |  |       | Std. Deviation                   | 19.959                                       |       |
|       |  |       | Minimum                          | 1  |       |
|       |  |       | Maximum                          | 56   |       |
|       |  |       | Range                            | 54   |       |
|       |  |       | Interquartile Range              | 34   |       |
|       |  |       | Skewness                         | .814   | .536  |
|       |  |       | Kurtosis                         | -1.112                                       | 1.038 |
|       |  | doxo  | Mean                             | 41.67  | 6.648 |
|       |  |       | 95% Confidence Interval for Mean | Lower Bound<br>27.04<br>Upper Bound<br>56.30 |       |
|       |  |       | 5% Trimmed Mean                  | 42.59  |       |
|       |  |       | Median                           | 50.00  |       |
|       |  |       | Variance                         | 530.303                                      |       |
|       |  |       | Std. Deviation                   | 23.028                                       |       |
|       |  |       | Minimum                          | 0  |       |
|       |  |       | Maximum                          | 67   |       |
|       |  |       | Range                            | 67   |       |
|       |  |       | Interquartile Range              | 29   |       |
|       |  |       | Skewness                         | -.868  | .637  |
|       |  |       | Kurtosis                         | .020   | 1.232 |
|       |  | paxus | Mean                             | 47.22  | 4.314 |
|       |  |       | 95% Confidence Interval for Mean | Lower Bound<br>38.12<br>Upper Bound<br>56.32 |       |
| NYERI |  |       |                                  |  |       |

|            |       |                                  |             |         |       |
|------------|-------|----------------------------------|-------------|---------|-------|
|            |       | 5% Trimmed Mean                  |             | 46.91   |       |
|            |       | Median                           |             | 41.67   |       |
|            |       | Variance                         |             | 334.967 |       |
|            |       | Std. Deviation                   |             | 18.302  |       |
|            |       | Minimum                          |             | 17      |       |
|            |       | Maximum                          |             | 83      |       |
|            |       | Range                            |             | 67      |       |
|            |       | Interquartile Range              |             | 33      |       |
|            |       | Skewness                         |             | .366    | .536  |
|            |       | Kurtosis                         |             | -.934   | 1.038 |
| KONSTIPASI | doxo  | Mean                             |             | 44.44   | 7.491 |
|            |       | 95% Confidence Interval for Mean | Lower Bound | 27.96   |       |
|            |       |                                  | Upper Bound | 60.93   |       |
|            |       | 5% Trimmed Mean                  |             | 45.68   |       |
|            |       | Median                           |             | 50.00   |       |
|            |       | Variance                         |             | 673.401 |       |
|            |       | Std. Deviation                   |             | 25.950  |       |
|            |       | Minimum                          |             | 0       |       |
|            |       | Maximum                          |             | 67      |       |
|            |       | Range                            |             | 67      |       |
|            |       | Interquartile Range              |             | 33      |       |
|            |       | Skewness                         |             | -.719   | .637  |
|            |       | Kurtosis                         |             | -.792   | 1.232 |
|            | paxus | Mean                             |             | 38.89   | 6.175 |
|            |       | 95% Confidence Interval for Mean | Lower Bound | 25.86   |       |
|            |       |                                  | Upper Bound | 51.92   |       |
|            |       | 5% Trimmed Mean                  |             | 39.51   |       |
|            |       | Median                           |             | 33.33   |       |
|            |       | Variance                         |             | 686.275 |       |
|            |       | Std. Deviation                   |             | 26.197  |       |
|            |       | Minimum                          |             | 0       |       |
|            |       | Maximum                          |             | 67      |       |
|            |       | Range                            |             | 67      |       |
|            |       | Interquartile Range              |             | 42      |       |
|            |       | Skewness                         |             | -.318   | .536  |
|            |       | Kurtosis                         |             | -1.241  | 1.038 |
| Mualmuntah | doxo  | Mean                             |             | 36.11   | 7.057 |
|            |       | 95% Confidence Interval for Mean | Lower Bound | 20.58   |       |
|            |       |                                  | Upper Bound | 51.64   |       |
|            |       | 5% Trimmed Mean                  |             | 36.42   |       |
|            |       | Median                           |             | 41.67   |       |

|        |       |                                  |             |         |       |
|--------|-------|----------------------------------|-------------|---------|-------|
|        |       | Variance                         |             | 597.643 |       |
|        |       | Std. Deviation                   |             | 24.447  |       |
|        |       | Minimum                          |             | 0       |       |
|        |       | Maximum                          |             | 67      |       |
|        |       | Range                            |             | 67      |       |
|        |       | Interquartile Range              |             | 42      |       |
|        |       | Skewness                         |             | -.549   | .637  |
|        |       | Kurtosis                         |             | -.948   | 1.232 |
|        | paxus | Mean                             |             | 43.52   | 4.884 |
|        |       | 95% Confidence Interval for Mean | Lower Bound | 33.21   |       |
|        |       |                                  | Upper Bound | 53.82   |       |
|        |       | 5% Trimmed Mean                  |             | 44.65   |       |
|        |       | Median                           |             | 50.00   |       |
|        |       | Variance                         |             | 429.375 |       |
|        |       | Std. Deviation                   |             | 20.721  |       |
|        |       | Minimum                          |             | 0       |       |
|        |       | Maximum                          |             | 67      |       |
|        |       | Range                            |             | 67      |       |
|        |       | Interquartile Range              |             | 33      |       |
|        |       | Skewness                         |             | -.802   | .536  |
|        |       | Kurtosis                         |             | .335    | 1.038 |
| Gejala | doxo  | Mean                             |             | 33.33   | 8.206 |
|        |       | 95% Confidence Interval for Mean | Lower Bound | 15.27   |       |
|        |       |                                  | Upper Bound | 51.39   |       |
|        |       | 5% Trimmed Mean                  |             | 33.33   |       |
|        |       | Median                           |             | 33.33   |       |
|        |       | Variance                         |             | 808.081 |       |
|        |       | Std. Deviation                   |             | 28.427  |       |
|        |       | Minimum                          |             | 0       |       |
|        |       | Maximum                          |             | 67      |       |
|        |       | Range                            |             | 67      |       |
|        |       | Interquartile Range              |             | 67      |       |
|        |       | Skewness                         |             | .000    | .637  |
|        |       | Kurtosis                         |             | -1.650  | 1.232 |
|        | paxus | Mean                             |             | 37.04   | 5.959 |
|        |       | 95% Confidence Interval for Mean | Lower Bound | 24.47   |       |
|        |       |                                  | Upper Bound | 49.61   |       |
|        |       | 5% Trimmed Mean                  |             | 37.45   |       |
|        |       | Median                           |             | 33.33   |       |
|        |       | Variance                         |             | 639.070 |       |
|        |       | Std. Deviation                   |             | 25.280  |       |

|         |       |                                  |             |         |       |
|---------|-------|----------------------------------|-------------|---------|-------|
|         |       | Minimum                          |             | 0       |       |
|         |       | Maximum                          |             | 67      |       |
|         |       | Range                            |             | 67      |       |
|         |       | Interquartile Range              |             | 42      |       |
|         |       | Skewness                         |             | -.195   | .536  |
|         |       | Kurtosis                         |             | -1.118  | 1.038 |
| Diare   | doxo  | Mean                             |             | 27.78   | 8.033 |
|         |       | 95% Confidence Interval for Mean | Lower Bound | 10.10   |       |
|         |       |                                  | Upper Bound | 45.46   |       |
|         |       | 5% Trimmed Mean                  |             | 27.16   |       |
|         |       | Median                           |             | 33.33   |       |
|         |       | Variance                         |             | 774.411 |       |
|         |       | Std. Deviation                   |             | 27.828  |       |
|         |       | Minimum                          |             | 0       |       |
|         |       | Maximum                          |             | 67      |       |
|         |       | Range                            |             | 67      |       |
|         |       | Interquartile Range              |             | 58      |       |
|         |       | Skewness                         |             | .354    | .637  |
|         |       | Kurtosis                         |             | -1.447  | 1.232 |
|         | paxus | Mean                             |             | 37.04   | 7.073 |
|         |       | 95% Confidence Interval for Mean | Lower Bound | 22.11   |       |
|         |       |                                  | Upper Bound | 51.96   |       |
|         |       | 5% Trimmed Mean                  |             | 37.45   |       |
|         |       | Median                           |             | 33.33   |       |
|         |       | Variance                         |             | 900.508 |       |
|         |       | Std. Deviation                   |             | 30.008  |       |
|         |       | Minimum                          |             | 0       |       |
|         |       | Maximum                          |             | 67      |       |
|         |       | Range                            |             | 67      |       |
|         |       | Interquartile Range              |             | 67      |       |
|         |       | Skewness                         |             | -.237   | .536  |
|         |       | Kurtosis                         |             | -1.808  | 1.038 |
| n.makan | doxo  | Mean                             |             | 27.78   | 9.020 |
|         |       | 95% Confidence Interval for Mean | Lower Bound | 7.92    |       |
|         |       |                                  | Upper Bound | 47.63   |       |
|         |       | 5% Trimmed Mean                  |             | 27.16   |       |
|         |       | Median                           |             | 16.67   |       |
|         |       | Variance                         |             | 976.431 |       |
|         |       | Std. Deviation                   |             | 31.248  |       |
|         |       | Minimum                          |             | 0       |       |
|         |       | Maximum                          |             | 67      |       |



|           |       |                                  |             |         |       |
|-----------|-------|----------------------------------|-------------|---------|-------|
|           |       | Range                            |             | 67      |       |
|           |       | Interquartile Range              |             | 67      |       |
|           |       | Skewness                         |             | .383    | .637  |
|           |       | Kurtosis                         |             | -1.931  | 1.232 |
|           | paxus | Mean                             |             | 33.33   | 7.130 |
|           |       | 95% Confidence Interval for Mean | Lower Bound | 18.29   |       |
|           |       |                                  | Upper Bound | 48.38   |       |
|           |       | 5% Trimmed Mean                  |             | 33.33   |       |
|           |       | Median                           |             | 33.33   |       |
|           |       | Variance                         |             | 915.033 |       |
|           |       | Std. Deviation                   |             | 30.250  |       |
|           |       | Minimum                          |             | 0       |       |
|           |       | Maximum                          |             | 67      |       |
|           |       | Range                            |             | 67      |       |
|           |       | Interquartile Range              |             | 67      |       |
|           |       | Skewness                         |             | .000    | .536  |
|           |       | Kurtosis                         |             | -1.882  | 1.038 |
| Finansial | doxo  | Mean                             |             | 30.56   | 7.630 |
|           |       | 95% Confidence Interval for Mean | Lower Bound | 13.76   |       |
|           |       |                                  | Upper Bound | 47.35   |       |
|           |       | 5% Trimmed Mean                  |             | 30.25   |       |
|           |       | Median                           |             | 33.33   |       |
|           |       | Variance                         |             | 698.653 |       |
|           |       | Std. Deviation                   |             | 26.432  |       |
|           |       | Minimum                          |             | 0       |       |
|           |       | Maximum                          |             | 67      |       |
|           |       | Range                            |             | 67      |       |
|           |       | Interquartile Range              |             | 58      |       |
|           |       | Skewness                         |             | .161    | .637  |
|           |       | Kurtosis                         |             | -1.261  | 1.232 |
|           | paxus | Mean                             |             | 40.74   | 5.752 |
|           |       | 95% Confidence Interval for Mean | Lower Bound | 28.61   |       |
|           |       |                                  | Upper Bound | 52.88   |       |
|           |       | 5% Trimmed Mean                  |             | 41.56   |       |
|           |       | Median                           |             | 33.33   |       |
|           |       | Variance                         |             | 595.497 |       |
|           |       | Std. Deviation                   |             | 24.403  |       |
|           |       | Minimum                          |             | 0       |       |
|           |       | Maximum                          |             | 67      |       |
|           |       | Range                            |             | 67      |       |
|           |       | Interquartile Range              |             | 33      |       |

|                     |                     |                                  |             |           |        |
|---------------------|---------------------|----------------------------------|-------------|-----------|--------|
| Kesehatan           | doxo                | Skewness                         |             | -0.383    | .536   |
|                     |                     | Kurtosis                         |             | -0.906    | 1.038  |
|                     |                     | Mean                             |             | 77.08     | 1.813  |
|                     |                     | 95% Confidence Interval for Mean | Lower Bound | 73.09     |        |
|                     |                     |                                  | Upper Bound | 81.07     |        |
|                     |                     | 5% Trimmed Mean                  |             | 77.31     |        |
|                     |                     | Median                           |             | 75.00     |        |
|                     |                     | Variance                         |             | 39.457    |        |
|                     |                     | Std. Deviation                   |             | 6.281     |        |
|                     |                     | Minimum                          |             | 67        |        |
|                     | Maximum             |                                  | 83          |           |        |
|                     | Range               |                                  | 17          |           |        |
|                     | Interquartile Range |                                  | 8           |           |        |
|                     | Skewness            |                                  | -0.478      | .637      |        |
|                     | Kurtosis            |                                  | -0.868      | 1.232     |        |
|                     | paxus               | Mean                             |             | 76.39     | 1.935  |
|                     |                     | 95% Confidence Interval for Mean | Lower Bound | 72.31     |        |
|                     |                     |                                  | Upper Bound | 80.47     |        |
|                     |                     | 5% Trimmed Mean                  |             | 76.54     |        |
|                     |                     | Median                           |             | 75.00     |        |
| Variance            |                     |                                  | 67.402      |           |        |
| Std. Deviation      |                     |                                  | 8.210       |           |        |
| Minimum             |                     |                                  | 58          |           |        |
| Maximum             |                     |                                  | 92          |           |        |
| Range               |                     |                                  | 33          |           |        |
| Interquartile Range |                     | 10                               |             |           |        |
| Skewness            |                     | -0.369                           | .536        |           |        |
| Kurtosis            |                     | .106                             | 1.038       |           |        |
| Kualitas            | doxo                | Mean                             |             | 596.41    | 62.532 |
|                     |                     | 95% Confidence Interval for Mean | Lower Bound | 458.78    |        |
|                     |                     |                                  | Upper Bound | 734.04    |        |
|                     |                     | 5% Trimmed Mean                  |             | 597.38    |        |
|                     |                     | Median                           |             | 480.33    |        |
|                     |                     | Variance                         |             | 46923.119 |        |
|                     |                     | Std. Deviation                   |             | 216.617   |        |
|                     | Minimum             |                                  | 295         |           |        |
|                     | Maximum             |                                  | 881         |           |        |
|                     | Range               |                                  | 586         |           |        |
|                     | Interquartile Range |                                  | 397         |           |        |
|                     | Skewness            |                                  | .236        | .637      |        |
|                     | Kurtosis            |                                  | -1.878      | 1.232     |        |

|       |                                  |             |           |        |
|-------|----------------------------------|-------------|-----------|--------|
| paxus | Mean                             |             | 725.84    | 29.170 |
|       | 95% Confidence Interval for Mean | Lower Bound | 664.30    |        |
|       |                                  | Upper Bound | 787.38    |        |
|       | 5% Trimmed Mean                  |             | 724.62    |        |
|       | Median                           |             | 745.83    |        |
|       | Variance                         |             | 15316.375 |        |
|       | Std. Deviation                   |             | 123.759   |        |
|       | Minimum                          |             | 560       |        |
|       | Maximum                          |             | 914       |        |
|       | Range                            |             | 354       |        |
|       | Interquartile Range              |             | 242       |        |
|       | Skewness                         |             | -.110     | .536   |
|       | Kurtosis                         |             | -1.606    | 1.038  |

## Tests of Normality

| obat_kemo  | Kolmogorov-Smirnov <sup>a</sup> |      |      | Shapiro-Wilk |      |      |      |
|------------|---------------------------------|------|------|--------------|------|------|------|
|            | Statistic                       | df   | Sig. | Statistic    | df   | Sig. |      |
| FUNGSIONA  | doxo                            | .262 | 12   | .022         | .781 | 12   | .006 |
|            | paxus                           | .291 | 18   | .000         | .797 | 18   | .001 |
| PERAN      | doxo                            | .365 | 12   | .000         | .680 | 12   | .001 |
|            | paxus                           | .317 | 18   | .000         | .729 | 18   | .000 |
| EMOSI      | doxo                            | .169 | 12   | .200         | .962 | 12   | .811 |
|            | paxus                           | .305 | 18   | .000         | .840 | 18   | .006 |
| KOGNITIF   | doxo                            | .221 | 12   | .109         | .920 | 12   | .288 |
|            | paxus                           | .254 | 18   | .003         | .892 | 18   | .042 |
| SOSIAL     | doxo                            | .425 | 12   | .000         | .688 | 12   | .001 |
|            | paxus                           | .249 | 18   | .004         | .783 | 18   | .001 |
| sesak      | doxo                            | .352 | 12   | .000         | .729 | 12   | .002 |
|            | paxus                           | .339 | 18   | .000         | .666 | 18   | .000 |
| KELELAHAN  | doxo                            | .344 | 12   | .000         | .773 | 12   | .005 |
|            | paxus                           | .370 | 18   | .000         | .734 | 18   | .000 |
| NYERI      | doxo                            | .225 | 12   | .096         | .856 | 12   | .044 |
|            | paxus                           | .276 | 18   | .001         | .872 | 18   | .019 |
| KONSTIPASI | doxo                            | .304 | 12   | .003         | .777 | 12   | .005 |
|            | paxus                           | .244 | 18   | .006         | .804 | 18   | .002 |
| mualmuntah | doxo                            | .215 | 12   | .131         | .858 | 12   | .046 |
|            | paxus                           | .200 | 18   | .054         | .856 | 18   | .011 |
| gejala     | doxo                            | .213 | 12   | .139         | .811 | 12   | .012 |
|            | paxus                           | .225 | 18   | .017         | .814 | 18   | .002 |
| diare      | doxo                            | .258 | 12   | .027         | .802 | 12   | .010 |
|            | paxus                           | .283 | 18   | .001         | .759 | 18   | .000 |
| n.makan    | doxo                            | .313 | 12   | .002         | .737 | 12   | .002 |
|            | paxus                           | .254 | 18   | .003         | .763 | 18   | .000 |
| finansial  | doxo                            | .209 | 12   | .153         | .824 | 12   | .018 |
|            | paxus                           | .245 | 18   | .006         | .802 | 18   | .002 |
| kesehatan  | doxo                            | .257 | 12   | .028         | .807 | 12   | .011 |
|            | paxus                           | .211 | 18   | .034         | .914 | 18   | .099 |
| kualitas   | doxo                            | .276 | 12   | .012         | .845 | 12   | .031 |
|            | paxus                           | .192 | 18   | .078         | .892 | 18   | .042 |

\*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

## NPar Tests

### Mann-Whitney Test

Ranks

|            | obat_kemo | N  | Mean Rank | Sum of Ranks |
|------------|-----------|----|-----------|--------------|
| FUNGSIONAL | doxo      | 12 | 15.33     | 184.00       |
|            | paxus     | 18 | 15.61     | 281.00       |
|            | Total     | 30 |           |              |
| PERAN      | doxo      | 12 | 13.38     | 160.50       |
|            | paxus     | 18 | 16.92     | 304.50       |
|            | Total     | 30 |           |              |
| EMOSI      | doxo      | 12 | 12.75     | 153.00       |
|            | paxus     | 18 | 17.33     | 312.00       |
|            | Total     | 30 |           |              |
| KOGNITIF   | doxo      | 12 | 16.17     | 194.00       |
|            | paxus     | 18 | 15.06     | 271.00       |
|            | Total     | 30 |           |              |
| SOSIAL     | doxo      | 12 | 9.92      | 119.00       |
|            | paxus     | 18 | 19.22     | 346.00       |
|            | Total     | 30 |           |              |
| sesak      | doxo      | 12 | 12.88     | 154.50       |
|            | paxus     | 18 | 17.25     | 310.50       |
|            | Total     | 30 |           |              |
| KELELAHAN  | doxo      | 12 | 14.88     | 178.50       |
|            | paxus     | 18 | 15.92     | 286.50       |
|            | Total     | 30 |           |              |
| NYERI      | doxo      | 12 | 14.88     | 178.50       |
|            | paxus     | 18 | 15.92     | 286.50       |
|            | Total     | 30 |           |              |
| KONSTIPASI | doxo      | 12 | 16.58     | 199.00       |
|            | paxus     | 18 | 14.78     | 266.00       |
|            | Total     | 30 |           |              |
| mualmuntah | doxo      | 12 | 14.08     | 169.00       |
|            | paxus     | 18 | 16.44     | 296.00       |
|            | Total     | 30 |           |              |
| gejala     | doxo      | 12 | 14.83     | 178.00       |
|            | paxus     | 18 | 15.94     | 287.00       |
|            | Total     | 30 |           |              |
| diare      | doxo      | 12 | 13.92     | 167.00       |
|            | paxus     | 18 | 16.56     | 298.00       |
|            | Total     | 30 |           |              |
| n.makan    | doxo      | 12 | 14.58     | 175.00       |
|            | paxus     | 18 | 16.11     | 290.00       |
|            | Total     | 30 |           |              |
| finansial  | doxo      | 12 | 13.54     | 162.50       |
|            | paxus     | 18 | 16.81     | 302.50       |
|            | Total     | 30 |           |              |
| kesehatan  | doxo      | 12 | 15.88     | 190.50       |
|            | paxus     | 18 | 15.25     | 274.50       |
|            | Total     | 30 |           |              |
| kualitas   | doxo      | 12 | 12.17     | 146.00       |
|            | paxus     | 18 | 17.72     | 319.00       |
|            | Total     | 30 |           |              |

**Test Statistics**

|                                | FUNGSIONA         | PERAN             | EMOSI             | KOGNITIF          | SOSIAL            | sesak             | KELELAHA          | NYERI             | KONSTIPAS         |
|--------------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Mann-Whitney U                 | 106.000           | 82.500            | 75.000            | 100.000           | 41.000            | 76.500            | 100.500           | 100.500           | 95.000            |
| Wilcoxon W                     | 184.000           | 160.500           | 153.000           | 271.000           | 119.000           | 154.500           | 178.500           | 178.500           | 266.000           |
| Z                              | -.091             | -1.181            | -1.486            | -.350             | -3.107            | -1.422            | -.320             | -.331             | -.593             |
| Asymp. Sig. (2-tailed)         | .928              | .238              | .137              | .726              | .002              | .155              | .749              | .741              | .553              |
| Exact Sig. [2*(1-tailed Sig.)] | .950 <sup>a</sup> | .285 <sup>a</sup> | .172 <sup>a</sup> | .755 <sup>a</sup> | .004 <sup>a</sup> | .185 <sup>a</sup> | .755 <sup>a</sup> | .755 <sup>a</sup> | .602 <sup>a</sup> |

a. Not corrected for ties.

b. Grouping Variable: obat\_kemo

## T-Test

**Group Statistics**

| obat     |                    | N  | Mean     | Std. Deviation | Std. Error Mean |
|----------|--------------------|----|----------|----------------|-----------------|
| kwalitas | brexel+doxorubicin | 12 | 831,3908 | 49,82353       | 14,38282        |
|          | cisplatin+paxus    | 18 | 569,1856 | 148,49019      | 34,99947        |

**Independent Samples Test**

|          |                             | Levene's Test for Equality of Variances |      | t-test for Equality of Means |        |                 |                 |                       |   |           |
|----------|-----------------------------|---|------|------------------------------|--------|-----------------|-----------------|-----------------------|---|-----------|
|          |                             | F                                       | Sig. | t                            | df     | Sig. (2-tailed) | Mean Difference | Std. Error Difference | 95% Confidence Interval of the Difference |           |
|          |                             |   |      |                              |        |                 |                 |                       | Lower                                     | Upper     |
| kwalitas | Equal variances assumed     | 6,341                                   | ,018 | 5,871                        | 28     | ,000            | 262,20528       | 44,66281              | 170,71766                                 | 353,69290 |
|          | Equal variances not assumed |   |      | 6,929                        | 22,246 | ,000            | 262,20528       | 37,83951              | 183,78124                                 | 340,62932 |

**Lampiran 4. Dokumentasi Penelitian**

