

## DAFTAR PUSTAKA

- Bharadwaz, A., 2012, Extraction of Polyphenols from Dried Tea Leaves, *International Journal of Scientific & Engineering Research*, Volume 3, Issue 5, May-2012.
- Bhatia, S., 2016, Nanoparticles Types, Classification, Characterization, Fabrication Methods and Drug Delivery Applications, *Springer International Publishing Switzerland* .
- BPOM, RI., 2011, *Peraturan Kepala Badan Pengawasan Obat dan Makanan Republik Indonesia Nomor HK 03.1.2.3.06.11.5629 tahun 2011 tentang persyaratan Teknis Cara Pembuatan Obat Tradisional Yang Baik*, Jakarta : Kepala BPOM,
- Cevc, G., & Vierl, U., 2010, Nanotechnology and the transdermal route: te: A state of the art review and critical appraisal, *J Control Release*, 141(3): 277-99.
- Chacko, S. T., 2010, Beneficial effects of green tea: A literature review, *Chinese Medicine*, 5(13): 1-9., 5(13): 1-9.
- Charde, M. A., 2014, Method development by liquid chromatography with validation, *International Journal of Pharmaceutical Chemistry*, 4(2):57-61.
- Das, K. D., 2012, Evaluation For Safety Assessment Of Formulated Vanishing Cream Containing Aqueous Stevia Extract For Topical Application, *Ind J Novel Drug Deliver.* 2012; 4(1):43-51.
- Dewi, R ., Anwa , E., Yunita K. S., 2014, Uji Stabilitas Fisik Formula Krim yang Mengandung Ekstrak Kacang Kedelai (Glycine max). *Pharm Sci Res ISSN Vol. 1 No. 3* 2407-2354
- Depkes RI., 2008, *Farmakope Herbal Indonesia (Edisi 1)*, Jakarta: Departemen Kesehatan Republik.
- Dini, A. A., 2015, Formulasi Sediaan *Skin Cream* Aloe Vera (*Aloe Barbadensis*): Evaluasi Fisik Dan Stabilitas Fisik Sediaan, *Naskah Publikasi*, Fakultas Farmasi, Universitas Muhammadiyah Surakarta
- Ditjen POM., 2000, *Parameter Standar Umum Ekstrak Tumbuhan Obat, Cetakan Pertama*, Jakarta: Departemen Kesehatan RI.
- Djajadisastra., 2004, *Cosmetic Stability*, Depok: Seminar Setengah Hari HIKI.
- Etzler, 2004, Particle Size Analysis: A Comparison Of Methods. *Am Pharm Rev*, 7(1): 104-108.
- Favier, H., Benaraba, R., Coves, S., Anderson, R.A., Roussel, A.M., 2009, Green Tea Extract Decreases Oxidative Stress and Improves Insulin Sensitivity in an Animal Model of Insulin, *Journal of the American College of Nutrition.*2009; Vol. 28(4): 355-61.
- Figuroa, T. T.-R., 2014, El Té Verde Uma Buena Elección Para La Prevención De Enfermedades, *Archivos Latinoamericanos de Nutrición*, v. 54,.

- Friedman, M., Levin, C.E., Lee, S.U., and Kozukue, N., 2009, Stability Of Green Tea Catechins In Commercial Tea Leaves During Storage For 6 Months, *J. Food Sci.*, 74: H47-H51.
- Garg, A.D., Aggarwal, S.G., and Sigla, A.K., 2002, Spreading of Semisolid Formulation : An update, *Pharmaceutical Technology* .
- Gaur, S. A., 2014, Green Tea: A Novel Functional Food For The Oral Health Of Older Adults, *GeriatrGerontolInt* 2014;14:238-250.
- Gouda, M., Elyaan, U. and Youssef, M.M., 2014, Synthesis and Biological Activity of Drug Delivery System Based on Chitosan Nanocapsules, *Advances in Nanoparticles*, 3, 148-158.
- Gupta, D., Bhaskar D, J., Gupta, R. K., Gupta, V., Agali, C., Punia, H., Karim, B., Jain, A., 2013, Green Tea-Boon For Oral Health, *Int.J.A.PS.BMS.Apr Jun.2013;Vol.2.(2): 112-19*.
- Hapsari, W.B., 2009, Sintesis Nanosfer Berbasis Ferrofluid Dan Poly Lactic Acid (PLA) Dengan Metode Sonikasi, *Skripsi* : Departemen Fisika Fakultas Matematika Dan Ilmu Pengetahuan Alam Institut Pertanian Bogor
- Hendrowidyatmoko et al. (1990). *Pengolahan Komoditas Perkebunan (Bahan Minuman Penyeegar)*. Yogyakarta: Pusat Antar Universitas Pangan Dan Gizi.
- Hett, A., 2004, *Nanotechnology: Small Matters, Many Unknown.*, diakses pada 19 Januari 2018
- Hielscher, T., 2005, Ultrasonic Production of Nano-Size Dispersions and Emulsions, *TIMA Editions*, pp.138-143.
- Hirun, S. A., 2011, A study of stability of (-)-Epigallocatechin gallate (EGCG) from, *International Food Research Journal* 18(4): 1261-1264 (2011).
- Jigisha, A., 2012, Green Tea : A Magical Herb With Miraculous Outcomes, *International Research Journal Of Pharmacy Issn* 2230-8407.
- Kaur, I. P., 2008, Potential Of Solid Lipid Nanoparticles In Brain Targeting, *J. Contr. Release*, 127,, 97–109.
- Kemenkes, 2014, *Farmakope Indonesia Edisi V*, Jakarta : Kementrian Kesehatan Republik Indonesia.
- Labuza, T., & Riboh, D., 1992, Theory and Application Of Arrhenius Kinetics to The Prediction of Nutrient Losses in Food, *J. Food Technology* 36, 66-74.
- Lestari, A., & Trisusilawati, M., 2010, The Effect Of Fumaric Acid-Sodium Bicarbonate On The Green Tea Effervescent Granule's Quality Made By Dry Granulation, *Majalah Farmasi Indonesia*, 21: 231-237.
- Mahmood, T. A., 2010, The Morphology, Characteristic, and Medicinal Properties of *Camelilia Sinensis*' Tea, *Journal of Medicinal Plants Research*, 4(9); 2028-2033.

- Manian, R, Anusuya, N, Siddhuraju, P., and Manian, S., 2008, The Antioxidant Activity and Free Radical Scavenging Potential of Two Different Solvent Extracts of *Camellia sinensis* (L.) O. Kuntz, *Ficus bengalensis* L. and *Ficus racemosa* L, *Food Chemistry* 107, 1000–1007.
- Marriott, J. F., 2010, *Pharmaceutical Compounding and Dispensing*, London : Pharmaceutical Press.
- Martono, Y., 2012, Analisis Kromatografi Cair Kinerja Tinggi Untuk Penetapan Kadar Asam Galat, Kafein Dan Epigallocatekin Galat Pada Beberapa Produk Teh Celup, *Agritech. Vol 32. No.4*.
- Nabila, A.S., Eka,P.O., Yurina, V., 2014, Optimasi Formula Sediaan Krim Ekstrak Stroberi (*Fragaria x ananassa*) sebagai anti penuaan, *Majalah kesehatan FKUB Volume 1, Nomer 4, Desember 2014*.
- Naibaho, D., Yamkan, V., & Weni, W., 2013, Pengaruh Basis Salep Terhadap Formulasi Sediaan Salep Ekstrak Daun Kemangi (*Ocimum sanctum* L.) pada Kulit Punggung Kelinci yang dibuat Infeksi *Staphylococcus aureus*, *Jurnal Ilmiah farmasi-UNSRAT* , 2 (2).
- Nanogloss.,2015,Retrievedfrom<http://Nanogloss.Com/Nanotechnology/Advantages-And-Disadvantages-Ofnanotechnology/#Ixxz3hk6bd3sv>. Diakses pada 1 Desember 2017
- Pandey, A., Tripathi, S., 2014, Concept Of Standardization, Extraction And Pre Phytochemical Screening Strategies For Herbal Drug, *Journal of Pharmacognosy and Phytochemistry*, 2 (5): 115-119.
- Pardeike, J., Hommoss, A., & Muller, R., 2009, Lipid Nanoparticle (SLN, NLC) In Cosmetic and Pharmaceutical Derma Products, *International Journal Pharmaceutics.* , 366, 170-184. .
- Parmar, N., Rawat, M., & Vijay, K. J., 2012, *Camellia Sinensis* (Green Tea): A Review, *Global Journal of Pharmacology* 6 (2): 52-59, 2012.
- Pawar, C. S., Bakliwal S. R., Rane B. R., Gujarathi N. A., Pawar S.P.,2013, A Short Review On Novel Approach Of Cream, *Pharma Science Monitor*, 470.
- Peer, D. K., 2007, Nanocarriers As An Emerging Platform For Cancer Therapy, *Nat. Nanotechnol.* 2, 761–770.
- Polson, C., Sarkar, P., Incledon, B., Raguvaran, V., Grant, R., 2003, Optimization of protein precipitation based upon effectiveness of protein removal and ionization effect in liquid chromatography– tandem mass spectrometry, *J. Chromatogr. B* 785 263–275
- Ponnuraj, R., Janakiraman, K., Sivaraman, G., Senthilnathan, K., Meganathan, V., Saravanan P., 2015, Formulation And Characterization Of *Epigallocatechin Gallate* Nanoparticles, *Indo American Journal of Pharmaceutical Research*, ISSN NO: 2231-6876.
- Rachmawati, H., 2011, *Training On Monothematic Lecture In Nanopharmaceuticals And Advanced Research*, Bandung : School of Pharmacy ITB.

- Rahmi, D., Yunilawati, R., Ratnawati, E., 2013, Peningkatan Stabilitas Emulsi Krim Nanopartikel, *J. Kimia Kemasan*, Vol.35 No.1 April, 30-36.
- Rahmi, D., Ratnawati, E., Yunilawati, R dan Aidha, N.N., 2014, Peningkatan Aktivitas Anti Aging Pada Krim Nanopartikel Dengan Penambahan Bahan Aktif Alam, *J. Kimia dan Kemasan*, Vol 36 No. 2 Oktober 2014 :215-224
- Ravindra, R. A., 2013, Comparison Of Physical Characteristics Of Vanishing Cream Base, Cow Ghee And Shata-Dhauta Ghrita As Per Pharmacopoeial Standards, *International Journal of Pharma and Bio Sciences*, Oct; 4(4): (P) 14 – 21.
- Rowe R. C., Sheskey, P. J., Queen, M. E., 2009, *Handbook Of Pharmaceutical Excipients*, 6th Ed, London: The Pharmaceutical Press.
- Scalia, 2013, Comparative Evaluation of Different Co-Antioxidants on the Photochemical- and Functional-Stability of *Epigallocatechin-3-gallate* in Topical Creams Exposed to Simulated Sunlight, *molecules* , 574-587.
- Seobagio, 2005, *Kimia analitik II*, Universitas Negeri Malang Press.
- Shah, R., 2014, Optimisation and Stability Assessment of Solid Lipid Nanoparticles using Particle Size and Zeta Potential, *Journal of Physical Science*, Vol. 25(1),, 59–75.
- Shinde, N., 2012, Research Journal of Pharmaceutical, Biological and Chemical Sciences, *Nanoparticles: Advances in Drug Delivery Systems*.
- Singh, M. S., 2011, Preparation And Evaluation Of Herbal Cosmetic Cream, *Pharmacologyonline* 5(2):1258-64.
- Sinija, V. R., 2008, Green tea: Health benefits, *Journal of Nutritional & Environmental Medicine*, 17(4): 232–242.
- Sovan, L. P., 2011, Nanoparticle: An Overview Of Preparation And Characterization, *Journal of Applied Pharmaceutical Science*, 228-234.
- Sugihartini, N., 2013, Optimasi Komposisi Enhancer dan Emulgator pada Formulasi Krim Fraksi Etil Asetat Ekstrak Teh Hijau (*Camellia sinensis*, L.) sebagai Sediaan Topikal Antiinflamasi, Disertasi. *Yogyakarta : Fakultas Farmasi Universitas Gadjah Mada*.
- Sugihartini, N., Susanti, H., Zaenab., Hanifah, H., Marlina, S. A, 2016, Stabilitas Epigalokatekin Galat Dalam Krim Ekstrak Teh Hijau Dengan Variasi Konsentrasi Antioksidan Vitamin C 1% Dan Vitamin E 1%, *JURNAL FARMASI SAINS DAN KOMUNITAS*, November, Vol. 13 No. 2, 52-56 .
- Sukryana, W., 2017, Pengaruh Vitamin C Dan Vitamin E Terhadap Stabilitas EGCG (*Epigallocatechin Gallate*) Pada Fraksi Etil Asetat Ekstrak Daun Teh Hijau (*Camellia sinensis* L.). *Semarang : Universitas Islam sultan agung*.
- Susanto, H., 2011, Efektivitas Teh Hitam (*camellia sinensis*) Sebagai Terapi Herbal Obesitas Melalui Penghambatan Adipogene-sis, *Jurnal*, <http://hendrasusantofaal.blogspot.com/2011/03/jurnal-teh-hitam.html>. Diakses Pada 27 Desember 2017
- Swastika, A. M., 2013, Aktivitas Antioksidan Krim Ekstrak Sari Tomat (*Solanumlycopersicum* L.), *Traditional Medicine Journal*. 18 (3), 132-140.

- Tanaka, T., Matsuo, Y and Kouno, I., 2010, Chemistry of Secondary Polyphenols Produced during Processing of Tea and Selected Foods, *Int. J. Mol. Sci.* 11, 14-40; doi:10.3390/ijms11010014
- Tariq, M. N., 2010, The Morphology, Characteristics And Medicinals Properties Of *Camellia sinensis* ' tea, *J. Med. Plants Res.* 2010;4(19):20128-2033.
- Thiyam, B., Ravindra, S. V., Devi, P.M., Yeluri, G., Gadiyar, A., 2015, Green tea- A Healthy sip, *IJSS Case Reports & Reviews Vol 1 DOI: 10.17354/cr/2015/92.*
- Ulaen, S. P., Banne, Y. S., & Ririn, A., 2012, Pembuatan Salep Anti Jerawat dari Ekstrak Rimpang Temulawak (*Curcuma xanthorrhiza* Roxb.), *Jurnal Ilmiah Farmasi.*, 3(2):45-49.
- Vishal, S. D., 2014, Processing Technology and Health Benefits of Green Tea, *Popular Kheti*, Volume -2, Issue-1 (January-March).
- Widyaningrum, N., Murrukmihadi, M., Karuniaekawati, S, 2009, Pengaruh Variasi Konsentrasi Ekstrak Etanolik Daun Teh Hijau (*Camelia sinensis* L.) Dalam Sediaan Krim Terhadap Sifat Fisik Dan Aktivitas Antibakteri, *Jurnal Ilmu Farmasi dan Farmasi Klinik Vol. 6 No.1 Juni* .
- Widyaningrum, N., 2013, *Epigallocatechin-3-Gallate* (EGCG) Pada Daun Teh Hijau Sebagai Anti Jerawat, *Majalah farmasi dan farmakologi*, Vol 17, No. 3, ISSN: 1410-7031.
- Widyaningrum, N., Fudholi, A., Sudarsono and Erna P. S., 2015a, Stability of *Epigallocatechin Gallate* (EGCG) from Green Tea (*Camelia Sinensis*) and its Antibacterial activity against *Staphylooccus epidermidis* ATCC 35984 and *Propionibacterium acnes* ATCC 6919, *Asian Journal of Biological Sciences* 8 (2): 93-101, 2015.
- Widyaningrum, N., Fudholi, A., Sudarsono and Erna P. S., 2015b, Aktivitas Antibakteri Formula Optimum Krim Antiacne Fraksi Etil Asetat Ekstrak Daun Teh Hijau (*Camelia sinensis* L), *Prosiding Seminar Nasional Peluang Herbal Sebagai Alternatif Medicine*, 141-146.
- Widyaningrum, N., Fudholi, A., Sudarsono and Erna P. S., 2015c, The Effect Of Altitude Against Total Phenolic And Epigallocatechin, *Proceedings of the IConSSE FSM SWCU*, pp., BC.34-40.
- Yadav, N., 2013, International Journal of Applied Pharmaceutics, *Solid lipid nanoparticles- A Reveiw.*
- Yapar, E.A., Inal, O., 2012, Nanomaterials and Cosmetics, Turkey : Istanbul Ecz. Fak. Derg. / J. Fac. Pharm. Istanbul 42(1) 2012 s. 43-70
- Zhang, D., 2009, *Handbook of Pharmaceutical Excipients*, Dalam Rowe, R.C., Sheckey, P.J., and Quinn, M.E., *Handbook of Pharmaceutical Excipients*, USA: Pharmaceutical Press and American Pharmacists Association, USA, p. 678.

