PROGRAM STUDI D3 KEPERAWATAN
FAKULTAS ILMU KEPERAWATAN
UNIVERSITAS ISLAM SULTAN AGUNG SEMARANG
Karya Tulis Ilmiah, Mei 2018

Ns. Tutik Rahayu, M.Kep, Sp.Kep.Mat
NIDN. 06-2402-7603

ABSTRAK

Mina Syaefatul Aulia

PENERAPAN MASASE COUNTERPRESSURE PADA NYERI PERSALINAN KALA I DI RUANG VK RUMAH SAKIT ISLAM SULTAN AGUNG SEMARANG

Latar Belakang: Persalinan dapat di artikan sebagai kontraksi uterus yang mana dapat menciptakan penipisan dan dilatasi serviks disepanjang waktu serta menimbulkan dorongan kuat untuk melahirkan janin melalui jalan lahir melawan resistensi jaringan lunak, otot, dan struktur tulang panggul. Pada ibu intranatal kala I fase aktif setelah dilakukan tindakan *counterpressure* nyeri pinggang akan menurun hal tersebut menurut tingkat nyeri pinggang kala I persalinan pada teknik *counterpressure.* Hasil penelitian tersebut menunjukan bahwa pada ibu intranatal kala I fase aktif setelah dilakukan tindakan *counterpressure* nyeri pinggang jadi menurun. Tujuan dari penelitian ini yaitu melakukan asuhan ibu bersalin dengan penerapan pijat counterperssure pada punggung untuk mengurangi nyeri persalinan kala I Pada NY. M Umur 30 Tahun di Rumah Sakit Islam Sultan Agung Semarang.
Metode: Penelitian ini merupakan studi kuantitatif dengan desain pra-eksperimen dan suatu kelompok pretest-posttest.
Hasil: Hasil penelitian dengan penerapan masase counterpressure pada nyeri persalinan kala I, Nyeri kontraksi berkurang.
Simpulan: Terdapat penerapan masase counterpressure pada nyeri persalinan kala I

Kata Kunci: Teknik masase counterpressure, Intranatal, nyeri persalinan
Daftar Pustaka: 2003-2018

STUDY PROGRAM D3 FACULTY OF NURSING SCIENCE UNIVERSITY OF ISLAM SULTAN AGUNG SEMARANG
Scientific Writing, May 2018

Ns. Tutik Rahayu, M.Kep, Sp.Kep.Mat
NIDN. 06-2402-7603

ABSTRACT

Mina Syaefatul Aulia

APPLICATION OF COUNTERPRESSURE MASASE ON PAIN PERIOD I IN THE VAC ROOM HOSPITAL ISLAM SULTAN AGUNG SEMARANG

Background: Labor can be interpreted as a uterine contraction which can create thinning and cervical dilatation over time and allow it to deliver through the birth canal against tissue, muscle, and pelvic floor resistance. At the intranatal stage when I am active after a backpressure action will decrease it with the level of blood pressure when I was giving birth to counterpressure techniques. The results showed that at the intranatal stage when I was active after the counterpressure measures lower back pain so down. The purpose of this study is to do maternity care with the application of massage in the weather for the first stage of labor in NY. M Age 30 Years in Sultan Agung Islamic Hospital Semarang.
Method: This study is a quantitative study with pretest-posttest design.
Results: The results of the study with the application
n of counterpressure massage on labor pain in the first stage, contraction pain is reduced.
Conclusion: there is application of counterpressure massage on the first stage of labor pain

Keywords: counterpressure massage technique, Intranatal, labor pain References: 2003-2018