

DAFTAR PUSTAKA

- Akinbami, L. J., & Fryar, C. D. (2016). Current Asthma Prevalence by Weight Status Among Adults. *National Health and Nutrition Examination Survey*, 63(1), 14-20.
- Antonicelli L, Micucci C, Voltolini S, Senna GE, Blasi PD, Visona G. (2010). Relationship between ARIA classification and drug treatment in allergic rhinitis and asthma. *J Allergy*, 62 (1): 1064-70.
- Bassis, C. M., Tang, A. L., Young, V. B., & Pynnonen, M. A. (2014). The nasal cavity microbiota of healthy adults. *Microbiome*, Vol 2, 27.
- Brooks Geo.F, Karen C. Carroll, Janet S. Butel, Stephen A. Morse, T. A. M. (2012). *Mikrobiologi Kedokteran*. Jakarta: EGC Medical Publisher.
- Choi, E. B., Hong, S. W., Kim, D. K., Jeon, S. G., Kim, K. R., Cho, S. H., Kim, Y. K. (2014). Decreased diversity of nasal microbiota and their secreted extracellular vesicles in patients with chronic rhinosinusitis based on a metagenomic analysis. *Allergy: European Journal of Allergy and Clinical Immunology*, 69(4), 517–526.
- Chong, S.N., & Chew, F.T. (2018). Epidemiology of allergic rhinitis and associated risk factors in Asia. *The World Allergy Organization Journal*. 11(1): 17
- Cleland, E. J., Bassiouni, A., Vreugde, S., Wormald, P. J. (2016). The bacterial microbiome in chronic rhinosinusitis: Richness, diversity, postoperative changes, and patient outcomes. *American Journal of Rhinology & Allergy*, 30, 37-43.
- Dykewicz, M. S. & Hamilos, D. L. (2009). Rhinitis and Sinusitis. *American Academy of Allergy*. 125(2):S103-S115
- Saeed, M. O. A. & Sultan, B. O. (2015). The Role of Staphylococcus aureus Enterotoxin genes in The occurrence of Allergic Rhinitis. *Kufa Journal for Veterinary Medical Science*, Vol (6) No. (2)

- Shiomori, T., Yoshida, S., Miyamoto, H., Makishima, K. (2000). Relationship of nasal carriage of *Staphylococcus aureus* pathogenesis of perennial allergic rhinitis. *The Journal of Allergy and Clinical Immunology*, 105(3):449-54
- Soepardi, E. A., Iskandar, N. (2001). *Buku Ajar Ilmu Kesehatan Telinga-Hidung-Tenggorok Kepala Leher Edisi ke lima*. Jakarta: Fakultas Kedokteran Universitas Indonesia.
- Greiner, A., Meltzer E. (2011) Overview of the treatment of allergic rhinitis and nonallergic rhinopathy. *Proc Am Thorac Soc*, 8(1), 121-311.
- Harahap, N. I. K., Siregar, S. M., Nasution M. E. (2014). Profil Kuman Pada Sekret Hidung Penderita Rinosinusitis Kronis. *Ibnu Sina Medika* 7(1), 1–13.
- Hyun, D. W., Min, H. J., Kim, M. S., Whon, T. W., Shin, N. R., Kim, P. S., Bae, J. W. (2018). Dysbiosis of inferior turbinate microbiota is associated with high total IgE levels in patients with allergic rhinitis. *Infection and Immunity*, 86(4), 1–14.
- Laufer, A. S., Metlay, J. P., Gent, J. F., Fennie, K. P., Kong, Y., & Pettigrew, M. M. (2011). Microbial communities of the upper respiratory tract and otitis media in children. *MBio*, 2(1), 1–7.
- Munawaroh, S., Munasir, Z., Bramantyo, B., & Pudjiadi, A. (2008). Insidens dan Karakteristik Otitis Media Efusi pada Rinitis Alergi Anak. *Sari Pediatri*, 10(3), 212–218.
- Payne S. C. & Benninger M. S. (2007). *Staphylococcus aureus* is a Major Pathogen in Acute Bacterial Rhinosinusitis. *Oxfords Journals*. 45; e121-7
- Priyantoro, S.T. & Mustika, S. (2015). Peranan Gut Mikrobiota dalam Patogenesis Inflammatory Bowel Disease dan Pendekatan Terapi Probiotik. *Sari Pediatri*, 42(6), 467-470.
- Quan, S. H., Zhang, Y. L., Han, D. H., Iwakura, Y., & Rhee, C. S. (2012). Contribution of interleukin 17A to the development and regulation of allergic inflammation in a murine allergic rhinitis model. *Annals of Allergy, Asthma and Immunology*, 108(5), 342–350.

- Ramakrishnan, V. R., Hauser, L. J., & Frank, D. N. (2016). The sinonasal bacterial microbiome in health and disease. *The National Center for Biotechnology Information*, 24(1): 20–25.
- Rambe, M., Yunita, A., Munir, D., Siti, T., Haryuna, H., Kedokteran, F., ... Medan, M. (2013). Hubungan rhinitis alergi dan disfungsi tuba Eustachius dengan menggunakan timpanometri. *Indonesian Journal of Otorhinolaryngology - Head and Neck Surgery*, 43(1), 80–89.
- Seidman, M. D., Gurgel, R. K., Lin, S. Y., Schwartz, S. R., Baroody, F. M., Bonner, J. R., & Nnacheta, L. C. (2015). Clinical Practice Guideline: Allergic Rhinitis. *Otolaryngology-Head and Neck Surgery*, 152(1), S1–S43.
- Shah, R., McGrath, K. G., (2012). Nonallergic rhinitis. *Allergy and asthma proceedings*, 33: S19-S21
- Silvanose, C. D., Bailey, T. A., Naldo, J. L., & Howlett, J. C. (2001). Bacterial Flora of the Conjunctiva and Nasal Cavity in Normal and Diseased Captive Bustards. *Avian Diseases*, 45(2), 447–451.
- Sumilat, W., Suheryanto, R., & Rahaju, P. (2009). Pola bakteri pada rinosinusitis maksila kronis. *Jurnal Oto Laringologica Indonesiana*, 20(1), 128-156.
- Suwannawong, D., Seresirikachorn, K., Aemjaturapat, S., Chusaklu, S., Kanjanaumporn, J., Chitsuthipakorn, W., Ruksakul, W., Snidvongs, K. (2018). Predicting bacteria causing acute bacterial rhinosinusitis by clinical features. *Brazilian Journal of Otorhinolaryngology*, 734(1), 1-6
- Wheatley, L. M, & Togias, A.(2015). Allergic Rhinitis. *New England Journal of Medicine*, 372(5), 456-463.
- Yan, M., Pamp, S. J., Fukuyama, J., Hwang, P. H., Cho, D. Y., Holmes, S., & Relman, D. A. (2013). Nasal microenvironments and interspecific interactions influence nasal microbiota complexity and *S. aureus* carriage. *Cell Host and Microbe*, 14(6), 631–640.