

## DAFTAR PUSTAKA

- Aguilar, C. *et al.* (2014) ‘Prevention of infections during primary immunodeficiency’, *Clinical Infectious Diseases*, 59(10), pp. 1462–1470. doi: 10.1093/cid/ciu646.
- Al-Kindi, S. G. *et al.* (2017) ‘Association of Anisocytosis with Markers of Immune Activation and Exhaustion in Treated HIV’, *Pathogens and Immunity*, 2(1), p. 138. doi: 10.20411/pai.v2i1.199.
- Alavi, S. M. and Sarmast Shushtari, M. H. (2013) ‘HIV/AIDS among injecting drug users: A review on epidemiology and management of occupational exposure in Iranian health network setting’, *Jundishapur Journal of Microbiology*, 6(8), pp. 1–6. doi: 10.5812/jjm.6964.
- Alis, R., Fuster, O., *et al.* (2015) ‘Influence of age and gender on red blood cell distribution width’, *Clinical Chemistry and Laboratory Medicine*, 53(2), pp. e25–e28. doi: 10.1515/cclm-2014-0756.
- Astari, L., Safitri, Y. E. and P, D. H. (2011) ‘Viral Load pada Infeksi HIV ( Viral Load in HIV Infection )’, *Departemen/Staf Medik Fungsional Kesehatan Kulit dan Kelamin Fakultas Kedokteran Universitas Airlangga/ Rumah Sakit Umum Daerah Dr. Soetomo Surabaya*, pp. 31–39.
- Bagus, S. and Be (2018) ‘Korelasi antara kadar hemoglobin dengan jumlah limfosit CD4 pada penderita terinfeksi human immunodeficiency virus ( HIV ) pra terapi antiretroviral’, 49(1), pp. 5–8. doi: 10.15562/medi.v49i1.251.
- Bipath, P., Levay, P., Olorunju, S., Viljoen, M. 2015. A non-specific biomarker of disease activity in HIV/AIDS patients from resource-limited environments. *African Health Sciences*, Vol. 15, Issue 2. 334-343.
- Beldi Ferchiou, A. and Caillat Zucman, S. (2017) ‘Control of NK cell activation by immune checkpoint molecules’, *International Journal of Molecular Sciences*, 18(10). doi: 10.3390/ijms18102129.
- Cruse, julius M. and Lewis, robert e. (2010) *Atlas of Immunology*. 3rd edn. CRC Press.
- Dahlan, M. S. (2013) *Pintu Gerbang Memahami Statistik, Metodologi, dan Epidemiologi*. 13th edn. jakarta: CV Sagung Seto.
- Direktorat Jenderal Pencegahan dan Pengendalian Penyakit (2017) ‘Laporan Perkembangan HIV/AIDS 7 Penyakit Menular Seksual (PIMS) Triwulan I Tahun 2017’, *Faktor-Faktor Risiko Penularan HIV/AIDS pada Laki-Laki dengan Orientasi Seks Heterose*  
Direktorat Jenderal Pencegahan dan Pengendalian Penyakit (2017) ‘Laporan Perkembangan HIV/AIDS 7 Penyakit Menular Seksual (PIMS) Triwulan I Tahun 2017’, *Faktor-Faktor Ris*, pp. 1–402.
- Favour, O.C., Ifeanyi, O.E., Chinedum, O.K., Abum, S.C., Ozioma, A.B. 2018. Haematological Indices of HIV Seropositive Subjects at Nnamdi Azikiwe University

Teaching Hospital (Nauth), Nnewi. *Annals of Clinical and Laboratory Research*. Vol. 6, No.1: 221.

Ford, N. *et al.* (2017) 'The evolving role of CD4 cell counts in HIV care', *Current Opinion in HIV and AIDS*, 12(2), pp. 123–128. doi: 10.1097/COH.0000000000000348.

Gallego, M., Pérez-Hernández, I., Palacios, R., Ruiz-Morales, J., Nuño, E., *et al.* 2012. Red cell distribution width in patients with HIVinfection. *Open Journal of Internal Medicine*. 2: 7-10.

Ifeanyichukwu, M. O. and Okeke, C. O. (2015) 'Haemorheology and Red Cell Indices in Hiv Positive Individuals on Anti- Retroviral Therapy in Delta State , Nigeria', 7(12), pp. 24–30.

Jelkmann, W. (2013) 'Physiology and pharmacology of erythropoietin', *Transfusion Medicine and Hemotherapy*, 40(5), pp. 302–309. doi: 10.1159/000356193.

Katzung, B. G. (2018) *Basic and Clinical Pharmacology*. 14th edn. McGraw-Hill Education (A Lange Medical Book).

Kementerian Kesehatan Republik Indonesia (2014) 'Pedoman pengobatan antiretroviral', *Peraturan Meteri Kesehatan Republik Indonesia, Nomor 87 Tahun 2014*, pp. 1–121. doi: 10.1017/CBO9781107415324.004.

LaRosa, D. F. and Orange, J. S. (2008) '1. Lymphocytes', *Journal of Allergy and Clinical Immunology*, 121(2 SUPPL. 2), pp. 364–369. doi: 10.1016/j.jaci.2007.06.016.

Lippi, G. *et al.* (2009) 'Relation between red blood cell distribution width and inflammatory biomarkers in a large cohort of unselected outpatients.', *Archives of pathology & laboratory medicine*, 133(4), pp. 628–632. doi: 10.1043/1543-2165-133.4.628.

Lippi, G. *et al.* (2014) 'Variation of red blood cell distribution width and mean platelet volume after moderate endurance exercise', *Advances in Hematology*, 2014(August). doi: 10.1155/2014/192173.

Lippi, G. and Plebani, M. (2014) 'Red blood cell distribution width (RDW) and human pathology. One size fits all', *Clinical Chemistry and Laboratory Medicine*, 52(9), pp. 1247–1249. doi: 10.1515/cclm-2014-0585.

Mathias, J. R. *et al.* (2010) 'NIH Public Access', 33(11), pp. 1212–1217. doi: 10.1016/j.dci.2009.07.003.Characterization.

de Moraes-Pinto, M. I. *et al.* (2014) 'Lymphocyte subsets in human immunodeficiency virus-unexposed Brazilian individuals from birth to adulthood', *Memorias do Instituto Oswaldo Cruz*, 109(8), pp. 989–998. doi: 10.1590/0074-0276140182.

Narci, H. *et al.* (2013) 'The role of red cell distribution width in the diagnosis of acute appendicitis: a retrospective case-controlled study.', *World journal of emergency surgery : WJES*, 8(1), p. 46. doi: 10.1186/1749-7922-8-46.

Nasronudin (2014) *HIV&AIDS Pendekatan Biologi Molekuler, Klinis, dan Sosial*. Edited by J. Barakbah. Airlangga University Press.

- Oudenhoven, H.P.W., Meijerink, H., Wisaksana, R., Oetojo, S., Indrati, A., Andre J. A. M. van der Ven, Henri A. G. H. van Asten, Alisjahbana, B., Reinout van Crevel. 2011. Total lymphocyte count is a good marker for HIVrelated mortality and can be used as a tool for starting HIV treatment in a resource-limited setting. *Tropical Medicine & International Health*; Volume 16, Issue 11.
- Owiredu, W.K.B.A., Quaye, L., Amidu, N., Addai-Mensah, O. 2011. Prevalence of anaemia and immunological markers among GhanaianHAART-naïve HIV-patients and those on HAART. *African Health Sciences*; 11(1): 2 – 15.
- Panawala, L. and Between, D. (2017) ‘Difference Between Lymphocytes and Phagocytes Main Difference – Lymphocytes vs Phagocytes’, (September).
- Puerta, S., Gallego, M., Palacios, R., Ruiz, J., Nuño, E., Márquez, M., Santos, J. 2010. Higher red blood cell distributionwidth is associated with a worse virologic and clinicalsituation in HIV-infected patients. *Biomed Central*;13:69.
- Salvagno, G. L. et al. (2015) ‘Red blood cell distribution width: A simple parameter with multiple clinical applications’, *Critical Reviews in Clinical Laboratory Sciences*. Informa Healthcare USA, Inc, 52(2), pp. 86–105. doi: 10.3109/10408363.2014.992064.
- Savira, M. (2014) ‘Imunologi Human Immunodeficiency Virus ( HIV ) dalam Kehamilan’, pp. 1–7.
- Sharma, S. dan Yadav, A. 2016. Raised Red Cell Distribution Width is Common Hematological finding of HIV infection. *Int J Med Sci Public Health.*; 3(12): 1515-1518.
- Shen, Y. et al. (2013) ‘Prevalence of Anemia among Adults with Newly Diagnosed HIV/AIDS in China’, *PLoS ONE*, 8(9), pp. 1–6. doi: 10.1371/journal.pone.0073807.
- Soetikno, R. D. (2016) ‘Hubungan antara Jumlah CD4 dan Gambaran Foto Toraks pada Penderita HIV / AIDS’, (August).
- Sultana, G. S. et al. (2011) ‘Role of red cell distribution width (RDW) in the detection of iron deficiency anaemia in pregnancy within the first 20 weeks of gestation’, *Bangladesh Medical Research Council Bulletin*, 37(3), pp. 102–105. doi: 10.3329/bmrcb.v37i3.9122.
- Sumantri, R., Wicaksana, R. and Ariantana, A. R. (2008) ‘Prevalensi dan Faktor Risiko Anemia pada HIV-AIDS Prevalence and Risk Factors of Anemia in HIV-AIDS’, *Mkb*, 41(38), pp. 2–8.
- Vanisri, H.R., dan Vadiraja, N. 2016. Association between Red blood cell parameters and immune status in HIV infectedmales. *Indian Journal of Pathology and Oncology*;3(4):684-689.
- Wardiah, N. A. (2009) ‘LAPORAN AKHIR PENELITIAN KARYA TULIS ILMIAH’.
- WHO (2009) *for enumerating CD4 T Lymphocytes in the context of HIV / AIDS Laboratory*

*Guidelines for enumerating CD4 T Lymphocytes in the context of HIV / AIDS.*

Zhang, Q. et al. (2013) ‘Early events in lymphopoiesis: An update’, *Current Opinion in Hematology*, 20(4), pp. 265–272. doi: 10.1097/MOH.0b013e3283612628.