

DAFTAR PUSTAKA

- Abbas and Kumar (2015) *Buku Ajar Patologi Robbins*. Edisi 9. Singapura: Elsevier Saunders.
- Abdel Hamid, A. A. and Soliman, M. F. (2015) ‘Effect of topical aloe vera on the process of healing of full-thickness skin burn: a histological and immunohistochemical study’, *Journal of Histology and Histopathology*, 2(1), p. 3. doi: 10.7243/2055-091X-2-3.
- Aggarwal, S. and Pittenger, M. F. (2009) ‘Human mesenchymal stem cellsmodulate allogeneic immune cell responses’, *Transplantation*, 105(4), pp. 1815–1822. doi: 10.1182/blood-2004-04-1559. Supported.
- Bao, P. et al. (2009) ‘The Role of Vascular Endothelial Growth Factor in Wound Healing’, *Journal of Surgical Research*. Elsevier Inc., 153(2), pp. 347–358. doi: 10.1016/j.jss.2008.04.023.
- Bonardo, B. et al. (2015) ‘Peran Monosit (Makrofag) pada Proses Angiogenesis dan Fibrosis’, *Seminar Nasional Cendekiawan*, pp. 254–259.
- Bryant and Nix (2007) *Acute and Chronic Wounds*.
- Chan, A. et al. (2007) ‘Improved Expansion of MSC Without Loss of Differentiation Potential’, *R&D systems, Inc*, p. 55413. Available at: http://www.rndsystems.com/ScientificPoster_sp_improved_expansion.aspx.
- Chen, L. et al. (2008) ‘Paracrine Factors of Mesenchymal Stem Cells Recruit Macrophages and Endothelial Lineage Cells and Enhance Wound Healing’, 3(4). doi: 10.1371/journal.pone.0001886.
- Cohen, I. and Diegelmann, R. (1994) *Wound Care and Wound Healing, Principles of Surgery*. Edisi 3. Philadelphia: Mc Graw Hill Inc.
- Danny, H. (2010) *Steam Cell Dasar Teori & Aplikasi Klini*. Erlangga.
- Demidova-Rice, T. N., Hamblin, M. R. and Herman, I. M. (2012) ‘Acute and impaired wound healing: pathophysiology and current methods for drug delivery, part 2: role of growth factors in normal and pathological wound healing: therapeutic potential and methods of delivery.’, *Advances in skin & wound care*, 25(8), pp. 349–70. doi: 10.1097/01.ASW.0000418541.31366.a3.

- Desmoulière, A. *et al.* (1997) ‘Apoptosis during wound healing, fibrocontractive diseases and vascular wall injury’, *International Journal of Biochemistry and Cell Biology*, 29(1), pp. 19–30. doi: 10.1016/S1357-2725(96)00117-3.
- Epstein, E. (1999) ‘Emanuel Epstein’, *Annu. Rev. Plant Physiol. Plant Mol. Biol.*, (50), pp. 641–664.
- Ferreira, M. C. *et al.* (2006) ‘REVIEW COMPLEX WOUNDS’, 61(6), pp. 571–578.
- Frandsen (1996) *Anatomy and Physiology of Farm Animal*. Edisi 7, *Anatomy and Physiology of Farm Animal*. Edisi 7. Edited by B. Srigandono and K. Praseno. Yogyakarta: Gadjah Mada University Press.
- Gonzalez, A. C. de O. *et al.* (2016) ‘Wound healing - A literature review’, *Anais Brasileiros de Dermatologia*, 91(5), pp. 614–620. doi: 10.1590/abd1806-4841.20164741.
- Guo, S. and DiPietro, L. A. (2010) ‘Critical review in oral biology & medicine: Factors affecting wound healing’, *Journal of Dental Research*, 89(3), pp. 219–229. doi: 10.1177/0022034509359125.
- Gurtner, G. C., Callaghan, M. J. and Longaker, M. T. (2007) ‘Progress and Potential for Regenerative Medicine’, *Annual Review of Medicine*, 58(1), pp. 299–312. doi: 10.1146/annurev.med.58.082405.095329.
- Hass, R. *et al.* (2011) ‘Different populations and sources of human mesenchymal stem cells (MSC): A comparison of adult and neonatal tissue-derived MSC’, *Cell Communication and Signaling*. BioMed Central Ltd, 9(1), p. 12. doi: 10.1186/1478-811X-9-12.
- Jaenisch, R. and Young, R. (2008) ‘Stem Cells, the Molecular Circuitry of Pluripotency and Nuclear Reprogramming’, *Cell*, 132(4), pp. 567–582. doi: 10.1016/j.cell.2008.01.015.
- Jeon, Y. K. *et al.* (2010) ‘Mesenchymal stem cells’ interaction with skin: Wound-healing effect on fibroblast cells and skin tissue’, *Wound Repair and Regeneration*, 18(6), pp. 655–661. doi: 10.1111/j.1524-475X.2010.00636.x.

- Kaplan and Hentz (1992) *Emergency Management of Skin and Soft Tissue Wounds*. Boston: Little Brown.
- Karantalis, V. and Hare, J. M. (2015) ‘Use of Mesenchymal Stem Cells for Therapy of Cardiac Disease’, 016960, pp. 1413–1431. doi: 10.1161/CIRCRESAHA.116.303614.
- Kondo, T. and Ishida, Y. (2010) ‘Molecular pathology of wound healing’, *Forensic Science International*. Elsevier Ireland Ltd, 203(1–3), pp. 93–98. doi: 10.1016/j.forsciint.2010.07.004.
- Kresno, S. B. (2003) *Immunologi, Diagnosis, dan Prosedur Laboratorium*. Edisi 4. Jakarta: FKUI.
- Lee, D. E., Ayoub, N. and Agrawal, D. K. (2016) ‘Mesenchymal stem cells and cutaneous wound healing: novel methods to increase cell delivery and therapeutic efficacy’, *Stem Cell Research & Therapy*. Stem Cell Research & Therapy, 7(1), p. 37. doi: 10.1186/s13287-016-0303-6.
- Lee, K.-D. D. (2008) ‘Applications of mesenchymal stem cells: an updated review’, *Chang Gung medical journal*, 31(6), p. 228. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/18782945>.
- Lee, M. I. N. J. I. et al. (2011) ‘Enhancement of wound healing by secretory factors of endothelial precursor cells derived from human embryonic stem cells’, *Cyotherapy*. Elsevier, 13(2), pp. 165–178. doi: 10.3109/14653249.2010.512632.
- Li, Z. et al. (2007) ‘Comparison between current and future environmental satellite imagers on cloud classification using MODIS’, *Remote Sensing of Environment*, 108(3), pp. 311–326. doi: 10.1016/j.rse.2006.11.023.
- Manuscript, A. and Reproduction, F. (2011) ‘NIH Public Access’, 16(2), pp. 126–139. doi: 10.1177/1933719108329956.Stem.
- Nurachmah, E. and Gayatri, D. (1999) ‘PERBANDINGAN PENYEMBUHAN LUCA TERBUKA MENGGUNAKAN BALUTAN MADU ATAU BALUTAN NORMAL SALIN- POVIDONE IODINE’.
- Orsted (2004) ‘Basic Principles of Wound Healing’, *Basi Principles of Wound Healing*
- Padeta, I. et al. (2017) ‘Mesenchymal Stem Cell-conditioned Medium Promote the Recovery of Skin Burn Wound’, *Asian Journal of Animal and Veterinary Advances*, 12(3), pp. 132–141. doi: 10.3923/ajava.2017.132.141.

- Pangkahila, W. and Aman, I. G. M. (2018) ‘Conditioned Medium (Wjmsc-Cm) Topikal Menghambat Peningkatan Ekspresi Matriks Metalloproteinase-1 Dan Meningkatkan Jumlah Kolagen Pada Kulit Tikus Wistar Yang Dipapar Sinar Ultraviolet-B’, pp. 5–8.
- Pawitan, J. A. (2014) ‘Prospect of Stem Cell Conditioned Medium in’, 2014, pp. 7–9.
- Petoud, S. *et al.* (2009) ‘NIH Public Access’, 129(1), pp. 77–83. doi: 10.1021/ja064902x.BRILLIANT.
- Pp, A. and Skp, I. A. I. (2018) ‘Peranan Sel Punca dalam Penyembuhan Luka’, 45(5), pp. 374–379.
- Pusponegoro (2005) *Standar Pelayanan Medis Kesehatan Anak*. Edisi ke 1. Jakarta: Badan Penerbit IDAI.
- Putra, A. *et al.* (2018) ‘The Role of TNF- α induced MSCs on Suppressive Inflammation by Increasing TGF- β and IL -10’, 6(10), pp. 1779–1783.
- Putra, A. and Hutagalung, A. (2018) ‘Peran Induksi TNF- α Serial Doses dalam Peningkatan VEGF dan PDGF Mesenchymal Stem Cells Effect of TNF- α Serial Doses Inducition on Increasing VEGF dan PDGF in Mesenchymal Stem Cells’, 50(2), pp. 67–73.
- Putra, A. and Nugraha, A. (2018) ‘Tumor necrosis factor- α -activated mesenchymal stem cells accelerate wound healing through vascular endothelial growth factor regulation in rats’, 37(2), pp. 135–142. doi: 10.18051/UnivMed.2018.v37.135-142.
- Rahmatia, T. U. (2016) ‘Farmaka Farmaka’, *Fakultas Farmasi, Universitas Padjajaran*, 4, pp. 1–13. doi: 10.24198/JF.V15I2.13366.
- Rajan, V. and Murray, R. Z. (2008) ‘The duplicitous nature of inflammation in wound repair’, *Wound Practice and Research*, 16(3), pp. 122–129.
- Roach and McNeish (2002) ‘Methods for the isolation and maintenance of murine embryonic stem cells’, *Methods for the isolation and maintenance of murine embryonic stem cells*, pp. 1–16. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/11768982>.
- Rowan, M. P. *et al.* (2015) ‘Burn wound healing and treatment: Review and advancements’, *Critical Care. Critical Care*, 19(1), pp. 1–12. doi: 10.1186/s13054-015-0961-2.

- Sherwood, L. L. (2001) *Fisiologi manusia dari sel ke sistem*. Jakarta: EGC.
- Singer, N. G. and Caplan, A. I. (2011) ‘Mesenchymal Stem Cells: Mechanisms of Inflammation’, *Annual Review of Pathology: Mechanisms of Disease*, 6(1), pp. 457–478. doi: 10.1146/annurev-pathol-011110-130230.
- Sinno, H. and Prakash, S. (2013) ‘Complements and the wound healing cascade: an updated review.’, *Plastic surgery international*, 2013, p. 146764. doi: 10.1155/2013/146764.
- Sinto, L. (2018) ‘Scar Hipertro k dan Keloid : Pato siologi dan Penatalaksanaan’, 45(1), pp. 29–32.
- Sjamsuhidajat (2010) *Buku Ajar Ilmu Bedah*. Edisi II. Jakarta: EGC.
- Stanley, A. and Osler, T. (2001) ‘Senescence and the healing rates of venous ulcers’, *Journal of Vascular Surgery*, 33(6), pp. 1206–1210. doi: 10.1067/mva.2001.115379.
- Suryadi, I. A., Asmarajaya, A. and Maliawan, S. (2012) ‘Proses Penyembuhan dan Penanganan Luka’, *Ilmu Penyakit Bedah*, pp. 1–19.
- Tamama, K. and Kerpedjieva, S. S. (2012) ‘Acceleration of Wound Healing by Multiple Growth Factors and Cytokines Secreted from Multipotential Stromal Cells/Mesenchymal Stem Cells’, *Advances in Wound Care*, 1(4), pp. 177–182. doi: 10.1089/wound.2011.0296.
- Tsai, R. Y. L. (2004) ‘A molecular view of stem cell and cancer cell self-renewal’, 36, pp. 684–694. doi: 10.1016/j.biocel.2003.10.016.
- Uccelli, A., Moretta, L. and Pistoia, V. (2008) ‘Mesenchymal stem cells in health and disease’, 8(SepTeMbeR), pp. 726–736. doi: 10.1038/nri2395.
- Widmann, F. (1995) *Tinjauan Klinis Atas Hasil Pemeriksaan Laboratorium*. Edisi 9, *Tinjauan Klinis Atas Hasil Pemeriksaan Laboratorium*. Edisi 9. EGC.
- Wu, Y. S. and Chen, S. N. (2014) ‘Apoptotic cell: Linkage of inflammation and wound healing’, *Frontiers in Pharmacology*, 5 JAN(January), pp. 1–6. doi: 10.3389/fphar.2014.00001.
- Yew, T. L. et al. (2011) ‘Enhancement of wound healing by human multipotent stromal cell conditioned medium: The paracrine factors and p38 MAPK activation’, *Cell Transplantation*, 20(5), pp. 693–706. doi: 10.3727/096368910X550198.

Zheng, Z. H. *et al.* (2008) 'Allogeneic mesenchymal stem cell and mesenchymal stem cell-differentiated chondrocyte suppress the responses of type II collagen-reactive T cells in rheumatoid arthritis', *Rheumatology*, 47(1), pp. 22–30. doi: 10.1093/rheumatology/kem284.