

## DAFTAR PUSTAKA

- Agoes, A., Agoes, A., & Agoes, A. (2010). *Penyakit Di Usia Tua*. (F. Dany & W. K. Nirmala, Eds.). Jakarta: EGC.
- Ahmed, T., & Haboubi, N. (2010). Assessment and management of nutrition in older people and its importance to health. *Clinical Interventions In Aging*, 5, 207–216. <https://doi.org/10.2147/CIA.S9664>
- Ambrose, A. F., Paul, G., & Hausdorff, J. M. (2013). Risk factors for falls among older adults: A review of the literature. *Maturitas*. Elsevier Ireland Ltd. <https://doi.org/10.1016/j.maturitas.2013.02.009>
- Amran, Y., Kusumawardani, R., & Supriyatiningih, N. (2012). Determinan Asupan Makanan Usia Lanjut. *Jurnal Kesehatan Masyarakat Nasional*, 6, 255–260.
- Badan Penelitian dan Pengembangan Kesehatan. (2013). Riset Kesehatan Dasar (RISKESDAS) 2013. *Laporan Nasional 2013*, 1–384. <https://doi.org/10.1016/j.maturitas.2013.02.009> Desember 2013
- Badan Pusat Statistik. (2017). *Statistik Penduduk Lanjut Usia 2017*. (D. Susilo, I. E. Harahap, & R. Sinang, Eds.). Jakarta: Badan Pusat Statistik.
- Baran, L., & Gunes, U. (2018). Predictive Validity of Three Fall Risk Assessment Tools in Nursing Home Residents in Turkey: A Comparison of the Psychometric Properties. *International Journal of Caring Sciences*, 11(1), 36–44.
- Bhurtun, H. (2012). *Obesity As a Predictor of Falls Among Older Women*. University of Jyväskylä.
- Brundle, C., Waterman, H. A., Ballinger, C., Ollevent, N., Skelton, D. A., Stanford, P., & Todd, C. (2015). The causes of falls: views of older people with visual impairment. *Health Expectations*, 2021–2031. <https://doi.org/10.1111/hex.12355>
- Castellini, G., Demarchi, A., Lanzoni, M., & Castaldi, S. (2017). Fall prevention: Is the STRATIFY tool the right instrument in Italian Hospital inpatient? A retrospective observational study. *BMC Health Services Research*, 17(1), 1–7. <https://doi.org/10.1186/s12913-017-2583-7>
- CDC. (2011). Body mass index: Considerations for practitioners. *Cdc*, 4. Retrieved from <http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Body+Mass+Index++Considerations+for+Practitioners#3%5Cnhttp://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Body+mass+index:+Considerations+for+practitioners%233>

- CDC. (2017a). Healthy Weight. Retrieved March 26, 2018, from [https://www.cdc.gov/healthyweight/assessing/bmi/adult\\_bmi/index.html](https://www.cdc.gov/healthyweight/assessing/bmi/adult_bmi/index.html)
- CDC. (2017b). Older Adult Falls : Important Facts about Falls. Retrieved March 10, 2019, from <https://www.cdc.gov/homeandrecreationalafety/falls/adultfalls.html>
- Coutinho, E. S. F., Fletcher, A., Bloch, K. V., & Rodrigues, L. C. (2008). Risk factors for falls with severe fracture in elderly people living in a middle-income country: A case control study. *BMC Geriatrics*, 8, 3–5. <https://doi.org/10.1186/1471-2318-8-21>
- Cruz-Jentoft, A. J., Baeyens, J. P., Bauer, J. M., Boirie, Y., Cederholm, T., Landi, F., ... Zamboni, M. (2010). Sarcopenia: European consensus on definition and diagnosis: Report of the European Working Group on Sarcopenia in Older People. *Age and Ageing*, 39(4), 412–423. <https://doi.org/10.1093/ageing/afq034>
- Danielsen, A., Olofsen, H., & Bremdal, B. A. (2016). Increasing fall risk awareness using wearables: A fall risk awareness protocol. *Journal of Biomedical Informatics*, 63, 184–194. <https://doi.org/10.1016/j.jbi.2016.08.016>
- Darmojo, B. (2014). *Buku Ajar Geriatri (Ilmu Kesehatan Usia Lanjut)*. Jakarta: Fakultas Kedokteran Universitas Indonesia.
- Diekmann, R., Winning, K., Uter, W., Kaiser, M. J., Sieber, C. C., Volkert, D., & Bauer, J. M. (2013). Screening for malnutrition among nursing home residents — a comparative analysis of the Mini Nutritional Assessment, the Nutritional Risk Screening, and the Malnutrition Universal Screening Tool. *The Journal of Nutrition, Health & Aging*, 17(4), 326–331. <https://doi.org/10.1007/s12603-012-0396-2>
- Dinas Kesehatan Kota Semarang. (2015). PROFIL KESEHATAN KOTA SEMARANG 2015.
- Díaz-Villegas, G., Parodi, J. F., Merino-Taboada, A., Ero, C. P.-A., Castro-Viacava, G., & Runzer-Colmenares, F. M. (2016). Calf circumference and risk of falls among Peruvian older adults. *European Geriatric Medicine*, 1–4. <https://doi.org/10.1016/j.eurger.2016.01.005>
- Hergenroeder, A. L., Wert, D. M., Elizabeth, S., Studenski, S. A., Brach, J. S., Hergenroeder, A. L., ... Brach, J. S. (2011). Research Report Measures of Balance and Mobility. <https://doi.org/10.2522/ptj.20100214>
- Indonesian MoH. (2016). Elderly Condition in Indonesia. *Report*, 8. <https://doi.org/ISSN 2442-7659>
- Jonathan, T., Aldo, S., Pieter, C. J. A. N., & Erik, C. (2013). Reliability of Standard Circumferences in Domain-Related Constitutional Applications. *American*

*Journal of Human Biology*, 642(June), 637–642.  
<https://doi.org/10.1002/ajhb.22423>

- Kawakami, R., Murakami, H., Sanada, K., Tanaka, N., Sawada, S. S., Tabata, I., ... Miyachi, M. (2014). Calf circumference as a surrogate marker of muscle mass for diagnosing sarcopenia in Japanese men and women, 1–8. <https://doi.org/10.1111/ggi.12377>
- Kemendes. (2014). Pusat Data dan Informasi Kementerian Kesehatan RI, Situasi dan analisis Lanjut Usia. *Pusdatin*. Retrieved from [http://www.depkes.go.id/download.php?../infodatin lansia 2016. pdf](http://www.depkes.go.id/download.php?../infodatin%20lansia%202016.pdf)
- Kim, K. S., Kim, J. A., Choi, Y. K., Kim, Y. J., Park, M. H., Kim, H. Y., & Song, M. S. (2011). A comparative study on the validity of fall risk assessment scales in Korean hospitals. *Asian Nursing Research*, 5(1), 28–37. [https://doi.org/10.1016/S1976-1317\(11\)60011-X](https://doi.org/10.1016/S1976-1317(11)60011-X)
- Kojima, T., Akishita, M., Nakamura, T., Nomura, K., Ogawa, S., Iijima, K., ... Ouchi, Y. (2011). Association of polypharmacy with fall risk among geriatric outpatients. *Geriatrics and Gerontology International*, 11(4), 438–444. <https://doi.org/10.1111/j.1447-0594.2011.00703.x>
- Kvamme, J., Holmen, J., Wilsgaard, T., Florholmen, J., Midthjell, K., & Jacobsen, B. K. (2012). Body mass index and mortality in elderly men and women : the Tromsø and HUNT studies, 611–617. <https://doi.org/10.1136/jech.2010.123232>
- Lusi, N. (2009). Proporsi dan Faktor Resiko Kejadian Jatuh Pada Lansia di Pantii Sosial Tresna Wredha Unit Abiyoso, Pakem, Sleman, Yogyakarta. Retrieved from <http://fk.uui.ac.id/proporsi-dan-faktor-resiko-kejadian-jatuh-pada-lansia/>
- Luzia, M. D. F., Antonio, M., & Victor, D. G. (2014). Nursing Diagnosis Risk for falls : prevalence and clinical profile of hospitalized patients 1, 22(2), 262–268. <https://doi.org/10.1590/0104-1169.3250.2411>
- McDowell, M. A., Fryar, C. D., Ogden, C. L., & Flegal, K. M. (2013). Anthropometric Reference Data for Children and Adults: United States, 2003–2006. *The Scientific World Journal*, 2013(10), 2003–2006. <https://doi.org/10.1155/2013/267691>
- Miller, R. (2009). Falls: Epidemiology, Pathophysiology, and Relationship to Fracture, 6(4), 149–154.
- Mitchell, R. J., Lord, S. R., Harvey, L. A., & Close, J. C. T. (2014). Associations between obesity and overweight and fall risk, health status and quality of life in older people. *Australian and New Zealand Journal of Public Health*, 38(1), 13–18. <https://doi.org/10.1111/1753-6405.12152>
- Miziara Soares, S. R., Barbosa Soares, A., & Rosa de Sá, A. A. (2013).

- Identification of Risk Factors for Falls in the Elderly. *Journal of Health Science*, 1, 36–47.
- Morse, J. M. (2009). *Preventing Patient Falls : Establishing A Fall Intervention Program* (2nd ed.). United States of America: Springer Publishing Company.
- Muir, S. W., Gopaul, K., & Montero Odasso, M. M. (2012). The role of cognitive impairment in fall risk among older adults: A systematic review and meta-analysis. *Age and Ageing*, 41(3), 299–308. <https://doi.org/10.1093/ageing/afs012>
- Narayanan, V., Dickinson, A., Victor, C., Griffiths, C., & Humphrey, D. (2016). Falls screening and assessment tools used in acute mental health settings: A review of policies in England and Wales. *Physiotherapy (United Kingdom)*, 102(2), 178–183. <https://doi.org/10.1016/j.physio.2015.04.010>
- Neri, S. G. R., Gadelha, A. B., Correia, A. L. M., Pereira, J. C., Safons, M. P., Lima, R. M., ... Lima, R. M. (2017). Association between obesity, risk of falls and fear of falling in older women. *Revista Brasileira de Cineantropometria & Desempenho Humano*, 19(4), 450–458. <https://doi.org/10.5007/19800037.2017v19n4p450>
- Neyens, J., Halfens, R., Spreeuwenberg, M., Meijers, J., Luiking, Y., Verlaan, G., & Schols, J. (2013). Malnutrition is associated with an increased risk of falls and impaired activity in elderly patients in Dutch residential long-term care (LTC): A cross-sectional study. *Archives of Gerontology and Geriatrics*, 56(1), 265–269. <https://doi.org/10.1016/j.archger.2012.08.005>
- Nuttall, F. Q. (2015). Body mass index: Obesity, BMI, and health: A critical review. *Nutrition Today*, 50(3), 117–128. <https://doi.org/10.1097/NT.0000000000000092>
- Osher, E., & Stern, N. (2009). Obesity in elderly subjects: in sheep's clothing perhaps, but still a wolf! *Diabetes Care*, 32 Suppl 2. <https://doi.org/10.2337/dc09-S347>
- Osterweil, D., Smith, K. B., & Beck, J. (2000). *Comprehensive Geriatric Assessment*. United States of America: McGraw-Hill.
- Perez-Zepeda, M. U., & Gutierrez-Robledo, L. M. (2016). Calf Circumference Predicts Mobility Disability : A Secondary Analysis of The Mexican Health and Ageing Study, 7(3), 262–266. <https://doi.org/10.1016/j.eurger.2016.01.004.Calf>
- Sabatini, S. N., Kusuma, H. E., & Tambunan, L. (2015). Faktor Eksternal Risiko Jatuh Lansia : Studi Empiris. *Temu Ilmiah IPBLI*, (1), 59–63.
- Sun, Y., Kao, T., Chang, Y., & Fang, W. (2017). Calf Circumference as a Novel Tool for Risk of Disability of the Elderly Population. *Scientific Reports*,

- (November), 1–7. <https://doi.org/10.1038/s41598-017-16347-9>
- Takakusaki, K., Tomita, N., & Yano, M. (2008). Substrates for normal gait and pathophysiology of gait disturbances with respect to the basal ganglia dysfunction, 19–29. <https://doi.org/10.1007/s00415-008-4004-7>
- Tareef, A. A. (2011). Falls in the elderly: Spectrum and prevention. *Canadian Family Physician*, 57(7), 771–776. <https://doi.org/10.1111/j.1464-5491.2008.02655.x>
- Tariq, H., Kloseck, M., Crilly, R. G., Gutmanis, I., & Gibson, M. (2013). An exploration of risk for recurrent falls in two geriatric care settings. *BMC Geriatrics*, 13(1). <https://doi.org/10.1186/1471-2318-13-106>
- Tinetti, M., & Kumar, C. (2010). The patient who falls: “It’s always a trade-off.” *Jama*, 303(3), 258–266. <https://doi.org/10.1001/jama.2009.2024>.The
- Tsai, A. C., & Chang, T. (2011). The effectiveness of BMI , calf circumference and mid-arm circumference in predicting subsequent mortality risk in elderly Taiwanese The effectiveness of BMI , calf circumference and mid-arm circumference in predicting subsequent mortality risk in elderly, (May). <https://doi.org/10.1017/S0007114510003429>
- Tsai, H., & Chang, F. (2017). Associations between body mass index , mid- arm circumference , calf circumference , and functional ability over time in an elderly Taiwanese population, 1–11.
- Urbanetto, J. D. S., Creutzberg, M., Franz, F., Ojeda, S., Gustavo, S., Bittencourt, H. R., ... Farina, V. A. (2013). Morse Fall Scale : translation and transcultural adaptation for the portuguese language, 47(3). <https://doi.org/10.1590/S0080-623420130000300007>
- Walston, J. D. (2012). Sarcopenia in older adults. *Current Opinion in Rheumatology*, 24(6), 623–627. <https://doi.org/10.1097/BOR.0b013e328358d59b>
- WHO. (2006). BMI Classification. Retrieved February 14, 2019, from [http://apps.who.int/bmi/index.jsp?introPage=intro\\_3.html](http://apps.who.int/bmi/index.jsp?introPage=intro_3.html)
- WHO. (2017). *Integrated care for older people : Guidelines on community level interventions to manage declines in intrinsic capacity*. Switzerland.
- WHO Media Centre. (2018). Falls. Retrieved March 25, 2018, from <http://www.who.int/mediacentre/factsheets/fs344/en/>
- Yamada, M., Arai, H., Nagai, K., Tanaka, B., Uehara, T., & Aoyama, T. (2012). Development of a new fall risk assessment index for older adults. *International Journal of Gerontology*, 6(3), 160–162. <https://doi.org/10.1016/j.ijge.2011.08.001>