

DAFTAR PUSTAKA

- Akhsaniati, N. D., Wisudarti, C. F. R. and Suryono, B. 2017 Efektifitas analgesi blok transversus abdominis plane (tap) bupivacaine 0,25% dan epinefrine 1: 200.000 dengan kombinasi obat anti inflamasi non steroid (studi pasca laparoskopi ginekologi), 4, pp. 17–23.
- Amalia, A. F., Runtuwene, T. and Kembuan, M. A. H. N. 2016 Profil nyeri di poliklinik saraf RSUP Prof. Dr. R. D. Kandou Manado periode 1 Januari 2014 – 31 Desember 2014, 4.
- Aronson, J. K. 2010 *Meyler's side effects of Analgesics and Anti-inflammatory Drugs*.
- Badawy, A. A. and Sakka, A. El 2015 Egyptian Society of Anesthesiologists Preoperative gabapentin alone or in combination with dexamethasone on postoperative pain relief after abdominal hysterectomies . A randomized controlled trial, *Egyptian Journal of Anaesthesia*. Elsevier B.V., 31(2), pp. 107–113.
- Bagus, I. et al. 2013 profil penggunaan analgetika pada pasien nyeri akut pasca bedah di rsup sanglah bulan september tahun 2013, pp. 1–10.
- Baley, K. et al 2014 *Intravenous Acetaminophen and Intravenous Ketorolac for Management of Pediatric Surgical Pain: A Literature Review Kit*.
- Beyaz, S. G., Bayar, F. and Erdem, A. F. 2011 Acute Postoperative Pain, *Journal of Anesthesia & Clinical Research*, pp. 352–359.
- Cardoso, M. M. S. et al. 2013 Effect of dexamethasone on prevention of postoperative nausea , vomiting and pain after caesarean section : a randomised , placebo-controlled , double-blind trial. Chabner, bruce A. and Knollmann, B. C. 2008 *Goodman & Gilman's The Pharmacological basis of THERAPEUTICS*. 12th edn. Edited by L. L. Brunton.
- Chandra, C., Tjitrosantoso, H. and Lolo, W. A. 2016 Studi Penggunaan Obat Analgesik pada Pasien Cedera Kepala (Concussion) di RSUP PROF . Dr . R . D . Kandou manado periode januari-desember 201, *Pharmacon*, 5(2), pp. 197–204.
- Chandrakantan, A. and Glass, P. S. A. 2011 Multimodal therapies for postoperative nausea and vomiting, and pain, *British Journal of Anaesthesia*. British Journal of Anaesthesia. Published by Elsevier Ltd., 107(SUPPL. 1), pp. i27–i40
- Chatterjee, S., Rudra, A. and Sengupta, S. 2011 Review Article Current Concepts

- in the Management of Postoperative Nausea and Vomiting‘, 2011.
- Chou, R. *et al.* 2016 _Management of Postoperative Pain: A Clinical Practice Guideline From the American Pain Society, the American Society of Regional Anesthesia and Pain Medicine, and the American Society of Anesthesiologists‘ Committee on Regional Anesthesia, Executive Commi‘, *Journal of Pain*. Elsevier, 17(2), pp. 131–157. doi: 10.1016/j.jpain.2015.12.008.
- Danesh, A., Janghorbani, M. and Khalatbari, S. 2012 _Effects of antenatal corticosteroids on maternal serum indicators of infection in women at risk for preterm delivery: A randomized trial comparing betamethasone and dexamethasone‘.
- Donnerer, J. 2003 *Antiemetic Therapy*. Basel, Karger. Library of Congress. Austria. 113-120
- Drover, D. R., Hammer, G. B. and Anderson, B. J. 2012 _The pharmacokinetics of ketorolac after single postoperative intranasal administration in adolescent Patients‘, *Anesthesia and Analgesia*, 114(6), pp. 1270–1276. doi: 10.1213/ANE.0b013e31824f92c2.
- Elsnosy, E. *et al.* 2017 _Effects of antenatal dexamethasone administration on fetal and uteroplacental Doppler waveforms in women at risk for spontaneous preterm birth‘, *Middle East Fertility Society Journal*. Middle East Fertility Society, 22(1), pp. 13–17. doi: 10.1016/j.mefs.2016.09.007.
- Erlangga, M. E., Sitanggang, R. H. and Bisri, T. 2015 _Perbandingan Pemberian Deksametason 10 mg dengan 15 mg Intravena sebagai Adjuvan Analgetik terhadap Skala Nyeri Pascabedah pada Pasien yang Dilakukan Radikal Mastektomi Termodifikasi Muchammad‘, *Jurnal Anestesi Perioperatif*, 3(9).
- Fadaizadeh, L., Emami, H. and Samii, K. 2009 _Comparison of Visual Analogue Scale and Faces Rating Scale in Measuring Acute Postoperative Pain‘, 12(1), pp. 73–75.
- Fard, A. J. *et al.* 2016 _Paracetamol Instead of Ketorolac in Post-Video-Assisted Thoracic Surgery Pain Management: A Randomized Trial‘, 6(6), pp. 4–9. doi: 10.5812/aapm.39175.Research.
- Feizerfan, A. and Sheh, G. 2015 _Transition from acute to chronic pain‘, *Continuing Education in Anaesthesia, Critical Care & Pain*, 15(2), pp. 98–102. doi: 10.1093/bjaceaccp/mku044.
- Garra, G. *et al.* 2010 _Validation of the Wong-Baker FACES Pain Rating Scale in Pediatric Emergency Department Patients‘, *Academic Emergency Medicine*. Wiley Online Library, 17(1), pp. 50–54. doi:

10.1111/j.1553-2712.2009.00620.x.

- Gómez-Hernández, J. *et al.* 2010 Preoperative dexamethasone reduces postoperative pain, nausea and vomiting following mastectomy for breast cancer, *BMC Cancer*, 10(1), p. 692. doi: 10.1186/1471-2407-10-692.
- Gupta, N. *et al.* 2016 A comparison of visual analog scale and Wong Baker facial pain scale for pain measurement in post lower caesarean section case, 5(9), pp. 3032–3035.
- Havas, F. *et al.* 2013 Spinal anesthesia for elective cesarean section is associated with shorter hospital stay compared to general anesthesia, *Agri - The Journal of The Turkish Society of Algology*, 25(2), pp. 55–63. doi: 10.5505/agri.2013.42204.
- Ho, C. M. *et al.* 2011 Dexamethasone prevents postoperative nausea and vomiting: Benefit versus risk, *Acta Anaesthesiologica Taiwanica*. Elsevier Taiwan LLC, 49(3), pp. 100–104. doi: 10.1016/j.aat.2011.06.002.
- Jadon, A. *et al.* 2016 Effect of Intravenous Dexamethasone on Postoperative Nausea-Vomiting (PONV) after Intrathecal Morphine during Caesarean Section, *SOJ Anesthesiology & Pain Management*, 3(1), pp. 01–05. doi: 10.15226/2374-684X/3/1/00130.
- Jaywant, S. S. and Pai, A. V 2003 a comparative study of pain measurement scales in acute burn.
- Jelting, Y. *et al.* 2017 Preventing nausea and vomiting in women undergoing regional anesthesia for cesarean section: challenges and solutions, *Local & Regional Anesthesia*, 10, pp. 83–90. doi: 10.2147/LRA.S111459.
- Jhaveri, P. M. *et al.* 2012 A dose-response relationship for time to bone pain resolution after stereotactic body radiotherapy (SBRT) for renal cell carcinoma (RCC) bony metastases, (January 2012). doi: 10.3109/0284186X.2011.652741.
- Kartapraja, R. D., Fuadi, I. and Redjeki, I. S. 2016 Perbandingan Efek Pemberian Analgesia Pre-emtif Parecoxib dengan Parasetamol terhadap Nyeri Pascaoperasi Radikal Mastektomi Menggunakan Numeric Rating Scale, *Jurnal Anestesi Periopeatif*, 4(35), pp. 111–116.
- Longdong, J. F., Redjeki, I. S. and Wargahadibrata, A. H. 2013 Perbandingan Efektivitas Anestesi Spinal Menggunakan Bupivakain Isobarik dengan Bupivakain Hiperbarik pada Pasien yang Menjalani Operasi Abdomen Bagian Bawah, 1(2), pp. 69–77.

- Lussier, D. and Beaulieu, P. 2015 *Oxford American Pain Library Adjuvant Analgesiks*.
- Murphy, G. S. et al. 2011 *Preoperative dexamethasone enhances quality of recovery after laparoscopic cholecystectomy: Effect on in-hospital and postdischarge recovery outcomes*, *Anesthesiology*, 114(4), pp. 882–890. doi: 10.1097/ALN.0b013e3181ec642e.
- Murphy, G. S. et al. 2014 *The effect of single low-dose dexamethasone on blood glucose concentrations in the perioperative period: A randomized, placebo-controlled investigation in gynecologic surgical patients*, *Anesthesia and Analgesia*, 118(6), pp. 1204–1212. doi: 10.1213/ANE.0b013e3182a53981.
- De Oliveira GS Jr.; Almeida MD; Benzon HT; McCarthy RJ 2011 *Perioperative Single Dose Systemic Dexamethasone for*, *Anesthesiology*, 115(3), pp. 575–588. doi: 10.1097/ALN.0b013e31822a24c2.
- Paul, J. E., Nantha-arée, M. and Buckley, N. 2015 *Randomized controlled trial of gabapentin as an adjunct to perioperative analgesia in total hip arthroplasty patients* tude randomise e contro le e de l ajout de gabapentin pour sie pe riepe ratoire de patients subissant une arthroplastie l, pp. 476–484. doi: 10.1007/s12630-014-0310-y.
- Phan, N. Q. et al. 2012 *Assessment of pruritus intensity: Prospective study on validity and reliability of the visual analogue scale, numerical rating scale and verbal rating scale in 471 patients with chronic pruritus*, *Acta Dermato-Venereologica*, 92(5), pp. 502–507. doi: 10.2340/00015555-1246.
- Pierre, S. and Whelan, R. 2013 *Nausea and vomiting after surgery*, *Continuing Education in Anaesthesia, Critical Care and Pain*, 13(1), pp. 28–32. doi: 10.1093/bjaceaccp/mks046.
- Pogatzki-zahn, E. M., Segelcke, D. and Schug, S. A. 2017 *Postoperative pain — from mechanisms to treatment*, 2.
- Putri, E. T. and Herdayati, M. 2012 *Persalinan dengan Metode Operasi Sesar di Indonesia dan Faktor yang Mempengaruhi (Analisis SDKI Tahun 2012)*.
- Rastogi, B. et al. 2016 *Postoperative analgesia after laparoscopic cholecystectomy by preemptive use of intravenous paracetamol or ketorolac: A comparative study*, pp. 29–33. doi: 10.4103/0970- 5333.173460.
- Reddi, D. and Curran, N. 2014 *Chronic pain after surgery: Pathophysiology, risk factors and prevention*, *Postgraduate Medical Journal*, 90(1062), pp. 222–227. doi: 10.1136/postgradmedj-2013-132215.

- Schmidt, M. *et al.* 2016 Cardiovascular safety of non-aspirin non-steroidal anti- inflammatory drugs: review and position paper by the working group for Cardiovascular Pharmacotherapy of the European Society of Cardiology‘, European Heart Journal, 37(13), pp. 1015–1023. doi: 10.1093/eurheartj/ehv505.
- Shaikh, S. *et al.* 2012 Review Article Applications of Steroid in Clinical Practice: A Review‘, 2012. doi: 10.5402/2012/985495.
- Shapiro, F. E. 2007 *Manual Of Office-Based Anesthesia Procedures*. Lippincott Williams & Wilkins. USA.
- Sujata, N. and Hanjoora, V. M. 2014 Pain Control After Cesarean Birth – What are the Options ? Journal of General Practice‘, 2(4), pp. 2–5. doi: 10.4172/2329-9126.1000164.
- Sumelung, V., Kundre, R. and Karundeng, M. 2014 Faktor – faktor yang berperan meningkatnya angka kejadian‘, Ejurnal keperawatan, 2. Available at: <http://ejurnal.unsrat.ac.id/index.php/jkp/article/view/4052>.
- Sungur, M. O. *et al.* 2013 Spinal anesthesia for elective cesarean section is associated with shorter hospital stay compared to general anesthesia‘, 25(April), pp. 55–63. doi: 10.5505/agri.2013.42204.
- Tewu, H., Posangi, I. and Kumaat, L. 2015 Perbandingan Mual – Muntah Pada Premedikasi Dengan Pemberian Ondansetron Dan Dengan Deksametason Pasca Operasi Sectio Caesarea Dengan Anestesi Regional 1havriray‘, 3.
- Utami, S. 2016 Efektivitas Aromaterapi Bitter Orange Terhadap Nyeri Post‘, (316–323).
- Williamson, A. and Hoggart, B. 2005 Pain:a review of three commonly used rating scales‘, Journal of Clinical Nursing, 14(7), pp. 798–804. doi: 10.1111/j.1365-2702.2005.01121.x.
- Yacob, M. C., Ihsan, M. and Wijaya, D. W. 2013 Perbandingan Efektivitas antara Gabapentin 600 mg dan Gabapentin 900 mg Kombinasi dengan Ketorolak 30 mg/8 Jam sebagai Analgesia Pascabedah pada Total Abdominal Histerektomi dengan Anestesi Umum‘, Jurnal Anestesi Periopeatif, 4(17), pp. 2–31.
- Yosieto, A., Kumaat, L. and Posangi, I. 2015 Perbandingan Efektifitas Tramadol 1,5 mg/kgBB IV dengan Ketorolak 30 mg IV terhadap Tingkat Nyeri Pasca Operasi Seksio Sesarea‘, Jurnal e-Clinic (eCl), 3(1), pp. 199– 209.