

## DAFTAR PUSTAKA

- Ambrose, A. F., Paul, G., & Hausdorff, J. M. (2013). Risk factors for falls among older adults: A review of the literature. *Maturitas*, 75(1), 51–61. <https://doi.org/10.1016/j.maturitas.2013.02.009>
- Arianda, R. (2014). Hubungan Antara Keseimbangan Tubuh Dengan Riwayat Jatuh Pada Lanjut Usia. *Hubungan Antara Keseimbangan Tubuh Dengan Riwayat Jatuh Pada Lanjut Usia*, (1), 1–5. <https://doi.org/10.1007/s13398-014-0173-7.2>
- Badan Penelitian dan Pengembangan Kesehatan. (2013). Riset Kesehatan Dasar (RISKESDAS) 2013. *Laporan Nasional 2013*, 1–384. <https://doi.org/10.13140/RG.2.2.12320.44802> Desember 2013
- Baran, L. (2018). Predictive Validity of Three Fall Risk Assessment Tools in Nursing Home Residents in Turkey : A Comparison of the Psychometric Properties, 11(1), 36–44.
- Bhurtun, H. (2012). Obesity As a Predictor of Falls Among Older Women.
- Bonder, B. R., & Bello-Haas, V. D. (2009). *Functional Performance in Older Adults*.
- Castellini, G., Demarchi, A., Lanzoni, M., & Castaldi, S. (2017). Fall prevention: Is the STRATIFY tool the right instrument in Italian Hospital inpatient? A retrospective observational study. *BMC Health Services Research*, 17(1), 1–7. <https://doi.org/10.1186/s12913-017-2583-7>
- Corsonello, A., Lattanzio, F., Pedone, C., Garasto, S., Laino, I., Bustacchini, S., ... Incalzi, R. A. (2012). Prognostic Significance of the Short Physical Performance Battery in Older Patients Discharged from Acute Care Hospitals, 15(1). <https://doi.org/10.1089/rej.2011.1215>
- Fisher, S., Ottenbacher, K. J., Goodwin, J. S., Graham, J. E., & Ostir, G. V. (2009). Short physical performance battery in hospitalized older adults. *Aging Clinical and Experimental Research*, 21(6), 445–452. <https://doi.org/10.1007/BF03327444>
- Forrest, G. P., Chen, E., Huss, S., & Giesler, A. (2012). A Comparison of the Functional Independence Measure and Morse Fall Scale as Tools to Assess Risk of Fall on An Inpatient Rehabilitation, 186–192. <https://doi.org/10.1002/rnj.86>
- Guralnik, Ferrucci, Simonsick, Salive, & Wallace. (1994). Short physical performance battery protocol and score sheet. *Stand*, 1–8. <https://doi.org/10.1200/JCO.2017.74.6032>

- Han, S. S., Kim, K. W., Kim, K.-I., Na, K. Y., Chae, D.-W., Kim, S., & Chin, H. J. (2010). Lean Mass Index: A Better Predictor of Mortality than Body Mass Index in Elderly Asians. *Journal of the American Geriatrics Society*, 58(2), 312–317. <https://doi.org/10.1111/j.1532-5415.2009.02672.x>
- Hergenroeder, A. L., Wert, D. M., Elizabeth, S., Studenski, S. A., Brach, J. S., Hergenroeder, A. L., ... Brach, J. S. (2011). Research Report Measures of Balance and Mobility. <https://doi.org/10.2522/ptj.20100214>
- Herman, T., Giladi, N., & Hausdorff, J. M. (2011). Properties of the “Timed Up and Go” test: More than meets the eye. *Gerontology*, 57(3), 203–210. <https://doi.org/10.1159/000314963>
- Hita-Contreras, F., Martínez-Amat, A., Lomas-Vega, R., Álvarez, P., Mendoza, N., Romero-Franco, N., & Aránega, A. (2012). Relationship of body mass index and body fat distribution with postural balance and risk of falls in Spanish postmenopausal women. *Menopause: The Journal of The North American Menopause Society*, 20(2), 1. <https://doi.org/10.1097/gme.0b013e318261f242>
- Hosseini, H., & Hosseini, N. (2008). Epidemiology and prevention of fall injuries among the elderly. *Hospital Topics*, 86(3), 15–20. <https://doi.org/10.3200/HTPS.86.3.15-20>
- Infodatin. (2017). Analisis LANSIA di Indonesia. *Pusat Data Dan Informasi Kementerian Kesehatan RI*, (Lansia), 1–8.
- Iwasaki, S., & Yamasoba, T. (2015). Dizziness and Imbalance in the Elderly: Age-related Decline in the Vestibular System. *Aging and Disease*, 6(1), 38. <https://doi.org/10.14336/AD.2014.0128>
- Jacobson, G. P., & Shepard, N. T. (2016). *Balance Function Assessment and Management*.
- Ku, P. X., Osman, N. A. A., Yusof, A., & Abas, W. A. B. W. (2012). Biomechanical evaluation of the relationship between postural control and body mass index, 45, 1638–1642. <https://doi.org/10.1016/j.jbiomech.2012.03.029>
- L. Sturnieks, D., St George, R., & R. Lord, S. (2008). Balance disorders in the elderly. *Neurophysiologie Clinique*, 38(6), 467–478. <https://doi.org/10.1016/j.neucli.2008.09.001>
- Lin, H. W., & Bhattacharyya, N. (2012). Balance Disorders in the Elderly : Epidemiology and Functional Impact, (August), 1858–1861. <https://doi.org/10.1002/lary.23376>
- Miller, S. L., & Wolfe, R. R. (2008). THE DANGER OF WEIGHT LOSS IN THE ELDERLY, 12(7), 487–491.

- Morse, J. M. (2002). *Preventing patient falls. Establishing a Fall Intervention Program. Age and ageing* (Vol. 31). <https://doi.org/10.1093/ageing/31.1.75>
- Morse, J. M. (2009). *Preventing Patient Falls*. (A. Graubard, Ed.) (2nd ed.). New York: Springer Publishing Company.
- Nagano, K., Hori, H., & Muramatsu, K. (2015). A comparison of at-home walking and 10-meter walking test parameters of individuals with post-stroke hemiparesis. *Journal of Physical Therapy Science*, 27(2), 357–359. <https://doi.org/10.1589/jpts.27.357>
- Nuttall, F. Q. (2015). Body mass index: Obesity, BMI, and health: A critical review. *Nutrition Today*, 50(3), 117–128. <https://doi.org/10.1097/NT.0000000000000092>
- Objective, B., & DIs, I.-. (2014). Nutritional status , physical performance and functional capacity in an elderly population in southern Brazil, 60(3), 242–248.
- Oliveira, M. R. M., Fogaça, K. C. P., & Leandro-merhi, V. A. (2009). Nutritional status and functional capacity of hospitalized elderly, 8, 1–8. <https://doi.org/10.1186/1475-2891-8-54>
- Progetto, T., Anziani, V., Veronese, N., Bolzetta, F., Toffanello, E. D., Zambon, S., ... Manzato, E. (2014). Association Between Short Physical Performance, 17(3), 276–284. <https://doi.org/10.1089/rej.2013.1491>
- Robinovitch, S. N., Feldman, F., Yang, Y., Schonnop, R., Leung, P. M., Sarraf, T., ... Loughi, M. (2013). Video capture of the circumstances of falls in elderly people residing in long-term care: An observational study. *The Lancet*, 381(9860), 47–54. [https://doi.org/10.1016/S0140-6736\(12\)61263-X](https://doi.org/10.1016/S0140-6736(12)61263-X)
- Schubert, M. C., & Minor, L. B. (2015). Disorders of Balance and Vestibular Function in US Adults, 169(10), 2001–2004.
- Setiati, S. (2013). Geriatric medicine, sarkopenia, frailty, dan kualitas hidup pasien usia lanjut: tantangan masa depan pendidikan, penelitian dan pelayanan kedokteran di Indonesia. *eJurnal Kedokteran Indonesia*, 1(3), 234–242.
- Shimada, H., Tiedemann, A., Lord, S. R., Suzukawa, M., Makizako, H., Kobayashi, K., & Suzuki, T. (2011). Physical factors underlying the association between lower walking performance and falls in older people: A structural equation model. *Archives of Gerontology and Geriatrics*, 53(2), 131–134. <https://doi.org/10.1016/j.archger.2010.11.003>
- Somers, V. K., Thomas, R. J., Collazo-clavell, M. L., Korinek, J., Allison, T. G., Batsis, J. A., & Sert-kuniyoshi, F. H. (2008). Accuracy of body mass index

- in diagnosing obesity in the adult general population, 959–966.  
<https://doi.org/10.1038/ijo.2008.11>
- Study, A. C. (2011). Polypharmacy and Nutritional Status in Older Adults, 28(4), 315–323.
- Toraman, A., & Yildirim, N. Ü. (2010). The falling risk and physical fitness in older people. *Archives of Gerontology and Geriatrics*, 51(2), 222–226.  
<https://doi.org/10.1016/j.archger.2009.10.012>
- Utami, F. Y. (2015). Hubungan Indeks Massa Tubuh Dan Kecepatan Jalan Dengan Resiko Jatuh Pada Lanjut Usia. *Hubungan Indeks Massa Tubuh Dan Kecepatan Jalan Dengan Resiko Jatuh Pada Lanjut Usia*.
- Viswanathan, A., & Sudarsky, L. (2011). *Balance and gait problems in the elderly. Handbook of Clinical Neurology* (1st ed., Vol. 103). Elsevier B.V.  
<https://doi.org/10.1016/B978-0-444-51892-7.00045-0>