

TABLE OF CONTENTS

TITLE PAGE	i
APROVAL PAGE	ii
BERITA ACARA BIMBINGAN TUGAS AKHIR	iii
ABSTRACT	iv
ABSTRAK	v
MOTTO	vi
DEDICATION	vii
ACKNOWLEDGEMENT	viii
TABLE OF CONTENTS	ix
LIST OF FIGURE	xiii
LIST OF TABLE	xvii

CHAPTER I

INTRODUCTION	1
1.1 Background	1
1.2 Problem Limitation	5
1.3 The Objective of the Study	5
1.4 Scope of the Study	5

CHAPTER II

LITERATUR REVIEW	6
2.1 Introduction	6
2.2 Cable Stayed Bridge.....	6
2.3 Cable Stayed Arrangement	7
2.3.1 Fan Stay System	7
2.3.2 The Harp Stay System	8
2.4 Component of Cable-Stayed Structure.....	9
2.5 Cable Configuration.....	10

2.5.1	Transversal Cable Configuration.....	10
2.5.2	Longitudinal Cable Configuration	12
2.6	Type of Cable	12
2.6.1	Locked Coil	13
2.6.2	Helical or Spiral Strand	13
2.6.3	New Parallel Wire Stand (PWS)	14
2.7	Tower or Pylon.....	15

CHAPTER III

	RESEARCH DESIGN AND METODOLOGY	17
3.1	Introduction	17
3.2	Preliminary Design.....	17
3.3	Design of Upper Structure	20
3.3.1	Design of Cross Girder.....	20
3.3.2	Design of Longitudinal Box Girder	22
3.3.3	Design of Ribs	24
3.3.4	Design of Deck Slab.....	25
3.4	Design and Calculation of Pylon.....	25
3.5	Design and Calculation of Cable.....	26
3.6	Modeling	29
3.6.1	Working Condition Setting	29
3.6.2	Definition of Material and Section Properties.....	29
3.6.3	Bridge Modeling	32
3.6.3.1	Model Generation.....	32
3.6.3.2	Girder Modeling.....	33
3.6.3.3	Pylon Modeling.....	34
3.6.3.4	3D Model Generation.....	36
3.6.3.5	Main Girder Cross Beam Generation.....	37
3.6.3.6	Tower Cross Beam Generation.....	38
3.6.3.7	Tower Bearing Generation.....	40
3.6.3.8	End Bearing Generation.....	42

3.6.3.9	Boundary Condition Input.....	44
3.6.3.10	Initial Cable Prestress Calculation	47
3.6.3.11	Loading condition input	48
3.6.3.12	Perform Structural Analysis.....	55
3.6.3.13	Unknown Load Factor Application.....	56
3.6.3.14	Last Modeling	61
3.7	Construction Stage Analysis	62
3.7.1	Construction Stage Category.....	62
3.7.2	Cannibalization Stage Category	63
3.7.3	Backward Construction Stage Analysis.....	64
3.7.3.1	Input Initial Cable Prestress	66
3.7.3.2	Define Construction Stage	69
3.7.3.3	Assign Structure Group.....	70
3.7.3.4	Assign Boundary Group.....	73
3.7.3.5	Assign Load Group	76
3.7.3.6	Assign Construction Stage	78
3.7.3.7	Input Construction Stage Analysis Data	80
3.7.3.8	Review Construction Stage Analysis Result.....	80
3.8	Analysis Design Using Midas Civil.....	86
3.9	Dynamic Analysis	87
3.10	Implementation Methodology	89

CHAPTER IV

	DESIGN CALCULATION AND ANALYSIS.....	90
4.1	Introduction	90
4.2	Preliminary Design.....	90
4.3	Bridge Load Analysis.....	92
4.3.1	Weight of bridge structure.....	92
4.3.2	Superimpose Dead Load	93
4.3.3	Weight of parapets in deck slab	94
4.3.4	Lane Load “D”	94

4.3.5	Break Load	96
4.3.6	Temperature Effect.....	97
4.3.7	Wind Load.....	98
4.3.8	Earthquake load.....	100
4.3.8.1	Dynamic Method of Response Spectrum.....	100
4.4	Design Calculation.....	102
4.4.1	Configure the Cable layout	102
4.4.2	The Dimension of Cross Girder	103
4.4.3	Longitudinal Girder Dimension.....	104
4.4.4	Early Dimension of Cable and Anchor	106
4.4.5	Pylon Structure.....	111
4.5	Secondary Structure Design	113
4.5.1	Vehicle Deck Plate (Composite).....	113
4.5.2	Ribs girder	115
4.5.3	Shear connector	120
4.5.4	Cross Girder	128
4.6	Static Analysis of Main Structure	124
4.7	Design of Capacity Longitudinal Box Girder	127
4.8	Iteration of Cable Needs.....	130
4.8.1	Calculation of Cable cross-section calculations based on cable forces P^*	131
4.8.2	Cable cross section calculation based on P cable force.....	132
4.9	Calculation of Anchor on Girder.....	134
4.10	Pylon Structure Reinforcement.....	137
4.11	Staging Analysis.....	140
4.11.1	Construction Stage Analysis Result	140
4.11.2	Longitudinal Box Girder Control.....	142
4.11.3	Pylon Structure Control.....	144
4.12	Dynamic Analysis	145
4.12.1	Aerodynamic Stability.....	146
a.	Natural Frequency.....	146

b. Vortex-shedding Effect	147
c. Flutter Effect	151
4.12.2 Dynamic Earthquake	156
4.13 Conclusion of the calculation and analysis	167

CHAPTER V

CONCLUSION AND RECCOMENDATION	168
5.1 Conclusion.....	168
5.2 Recommendation.....	168

REFERENCES

APPENDICES

TABLE OF FIGURES

Figure 1.1.	Simple bridge beam, a basic concept of the bridge.....	1
Figure 1.2.	Alexander Hamilton Bridge, an open-spandrel arch bridge.....	2
Figure 1.3.	Suspension bridge, Akashi Kaikyō Bridge in Japan	3
Figure 1.4.	Illustration of truss bridge	4
Figure 1.5.	Cable-stayed bridge in Boston's Leonard P. Zakim Bunker Hill Memorial Bridge at dusk.....	5
Figure 2.1.	Fan stay system of cable stayed arrangements.....	7
Figure 2.2.	Fan stay system of cable stayed modified arrangements	8
Figure 2.3.	The harp stays system of cable-stayed arrangements	8
Figure 2.4.	The main structure of cable-stayed bridge	9
Figure 2.5.	Behavior of a cable stayed bridge	9
Figure 2.6.	One side transversal cable configuration	11
Figure 2.7.	Two side transversal cable configuration.....	11
Figure 2.8.	Three side transversal cable configuration.....	11
Figure 2.9.	Longitudinal cable system (a) radial, (b) harp, (c) fan, (d) star	12
Figure 2.10.	Locked coil cable	13
Figure 2.11.	Spiral strand cable.....	14
Figure 2.12.	New parallel wire strand (PWS) system	14
Figure 2.13.	Sydney Lanear Bridge, Brunswick, Georgia.....	15
Figure 3.1.	Flowchart of Design Methodology	18
Figure 3.2.	Assign Working Condition and Unit System.....	29
Figure 3.3.	Defined section properties of cables	30
Figure 3.4.	Defined material properties of steel.....	31
Figure 3.5.	Defined material properties of concrete.....	31
Figure 3.6.	Cable-Stayed Bridge Wizard Dialog Box	33
Figure 3.7.	Generated 2D Girder Model of the Cable-Stayed Bridge	34
Figure 3.8.	Arrangement of Inclined Pylons	34

Figure 3.9.	Local Element Axis Transformation for Tower Elements.....	35
Figure 3.10.	Division of Tower Elements	36
Figure 3.11.	Moving 2D Model 8.5 m in the Y direction.....	36
Figure 3.12.	Generated 3D Model.....	37
Figure 3.13.	Main Girder Cross Beam Generation.....	38
Figure 3.14.	Selecting tower elements.....	39
Figure 3.15.	Tower Cross Beam Generation	40
Figure 3.16.	Tower Bearing Generation.....	40
Figure 3.17.	Tower Bearing Location Generation.....	41
Figure 3.18.	Tower Bearing Generation.....	42
Figure 3.19.	Generating Nodes at the End Bearing Locations.....	43
Figure 3.20.	Generating End Pier Bearings.....	44
Figure 3.21.	Specifying Fixed Boundary Conditions for Tower and Pier Bases	45
Figure 3.22.	Connecting Main Girders and Tower Bearings using Rigid Link on the pylon.....	46
Figure 3.23.	Connecting Main Girders and Tower Bearings using Rigid Link on the side span.....	47
Figure 3.24.	Flowchart for initial cable prestress calculation.....	48
Figure 3.25.	Generation of Loading Conditions for Dead Loads and Unit Loads	49
Figure 3.26.	Entering Self Weight.....	50
Figure 3.27.	Entering Dead loads to main girder	51
Figure 3.28.	Entering Superimpose Dead loads to main girder.....	52
Figure 3.29.	Entering Superimpose Dead loads to main girder.....	52
Figure 3.30.	Entering UDL loads to main girder.....	53
Figure 3.31.	Entering Unit Pretension Load to Cables.....	54
Figure 3.32.	Unit Pretension Loads entered for Cables.....	55
Figure 3.33.	Creating Load Combinations	56
Figure 3.34.	Unknown Load Factor Dialog Box	57
Figure 3.35.	Constraint Dialog Box.....	58

Figure 3.36.	Analysis Results for Unknown Load Factors.....	59
Figure 3.37.	New Load Combination using Unknown Load Factors.....	60
Figure 3.38.	New Load Combination using Unknown Load Factors.....	61
Figure 3.39.	Modeling Structural Element of the bridge.....	61
Figure 3.40.	Construction Sequence for Analytical Model.....	63
Figure 3.41.	Analysis Sequence by Backward Construction Stage Analysis....	65
Figure 3.42.	Entering Initial Prestress Loading Condition.....	67
Figure 3.43.	Change of Truss Element to Cable Element	68
Figure 3.44.	Change of Truss Element to Cable Element	69
Figure 3.45.	Construction stage dialog box.....	70
Figure 3.46.	Defining structure group	71
Figure 3.47.	Defining structure group	72
Figure 3.48.	Defining structure group SG20	73
Figure 3.49.	Defining boundary group	74
Figure 3.50.	Generating Fixed Support, Elastic Link and Rigid Link Conditions	75
Figure 3.51.	Generating Boundary Condition for Temporary Bents.....	76
Figure 3.52.	Defining load group	77
Figure 3.53.	Modifying Load Group for Self-Weight.....	77
Figure 3.54.	Defining Load Group for Superimposed Dead Load and Initial Cable Prestress	78
Figure 3.55.	Defining Elements, Boundary Conditions and Loads for Construction Stage CS0	79
Figure 3.56.	Construction Stage Analysis Control Data Dialog Box.....	80
Figure 3.57.	Deformed Shape for Each Construction Stage from Backward Analysis.....	81
Figure 3.58.	Bending Moment Diagram for Each Construction Stage from Backward Analysis.....	82
Figure 3.59.	Axial Forces for Each Construction Stage from Backward Analysis.....	83

Figure 3.60.	History Graph of Deformed Shape for Each Construction Stage .	84
Figure 3.61.	Cable Tension Force Variation Graph for Each Construction Stage.....	85
Figure 3.62.	Bending Moment Variation Graph for Each Construction Stage .	86
Figure 3.63.	Deformation structure (a) case 1, (b) case 2, (c) case	87
Figure 3.64.	Deformation structure (d) case 4, (e) case 5	87
Figure 3.65.	Erecting Stage Of Cable Stayed Bridge.....	89
Figure 4.1.	Structural Element of the bridge	93
Figure 4.2.	Median and side concrete barrier, high type	94
Figure 4.3.	UDL or KEL intensity.....	95
Figure 4.4.	(a) Area of wind load for the bridge from side; (b) Wind load work (looked at front of the bridge).....	98
Figure 4.5.	Wind load transfer to bridge deck.....	100
Figure 4.6.	Location of the bridge to determine the spectral acceleration	101
Figure 4.7.	Spectral acceleration design.....	101
Figure 4.8.	Cross section of the bridge deck	104
Figure 4.9.	Box Girder 2 x 3 m.....	105
Figure 4.10.	Dimension of cables.....	107
Figure 4.11.	Length of cable, pylon height and cable width on deck.....	109
Figure 4.12.	Distribution of cable axial force to pylon	111
Figure 4.13.	Cross section Detailed Bridge Plates	112
Figure 4.14.	Composite vehicle deck	114
Figure 4.15.	Decomposition of envelope load.....	115
Figure 4.16.	Result of ribs girder analysis with SAP2000 program.....	116
Figure 4.17.	The result of cross section of ribs girder design IWF 700.300.15.28.....	117
Figure 4.18.	Installation details of shear connector.....	118
Figure 4.19.	Decomposition of envelope cross girder load.....	119
Figure 4.20.	Moment (Comb.1).....	120
Figure 4.21.	Shear Force (Comb.1)	120

Figure 4.22.	Results of ultimate cross girder analysis with SAP2000 program	121
Figure 4.23.	The result of cross section of ribs girder design H-Welded Steel 1200.450.16.38.....	123
Figure 4.24.	Structure deformation (a) case 1, (b) case 2, (c) case 3	125
Figure 4.25.	Structure deformation (d) case 4, (e) case 5.....	125
Figure 4.26.	Cable Force Tuning.....	129
Figure 4.27.	Deck Moment.....	130
Figure 4.28.	Deformation Shape DXYZ	130
Figure 4.29.	Parameter of cable structure VSL-7 wire strand.....	132
Figure 4.30.	Notation and dimension of anchor.....	133
Figure 4.31.	Anchor on the deck of bridge.....	135
Figure 4.32.	Result of pylon column design on spColumn program.....	136
Figure 4.33.	Result of upper beam column design on spColumn program.....	137
Figure 4.34.	Result of middle beam column design on spColumn program.....	138
Figure 4.35.	Result of lower beam column design on spColumn program.....	139
Figure 4.36.	Deformed Shape for Each Construction Stage from Backward Analysis.....	140
Figure 4.37.	Bending Moment Diagram for Each Construction Stage from Backward Analysis.....	140
Figure 4.38.	Axial force for Each Construction Stage from Backward Analysis	141
Figure 4.39.	Structure deformation and cable force on the stage 12.....	142
Figure 4.40.	Structure deformation and cable force on the stage 15.....	143
Figure 4.41.	(a) vibration shape mode 3 (bending), (b) vibration shape mode 9 (torque).....	145
Figure 4.42.	The C coefficient of the three cross sections	147
Figure 4.43.	Classification of psychological effects based on vibration amplitude.....	149
Figure 4.44.	Classification of psychological effects based on vibration acceleration	150
Figure 4.45.	Flutter effect with phase difference $\pi/2$	151

Figure 4.46.	Theoretical critical velocity for flutter	152
Figure 4.47.	Correction Coefficient $\eta = V_{\text{crit.actual}}/V_{\text{crit.theoretical}}$	154
Figure 4.48.	Bending Moment M_x X-axis	161
Figure 4.49.	Pylon interaction diagram due to earthquake (a) quake axis x direction, (b) quake axis y direction.....	163
Figure 4.50.	Result of upper beam column design on spColumn program	164
Figure 4.51.	Result of middle beam column design on spColumn program	165
Figure 4.52.	Result of lower beam column design on spColumn program	166

TABLE OF TABLE

Table 3.1.	Dimension Anchor VSL	27
Table 3.2.	Material Properties.....	30
Table 3.3.	Loading conditions and element number.....	54
Table 3.4.	Cannibalization Stage Category.....	66
Table 3.5.	Initial Prestress (Pretension Loading) calculated by Optimization Technique.....	69
Table 4.1.	Bridge Data	91
Table 4.2.	Bridge Dimension	91
Table 4.3.	Material of the Structure	91
Table 4.4.	Superimpose dead load	93
Table 4.5.	Weight Road separator (parapets).....	94
Table 4.6.	Cable and anchor types	106
Table 4.7.	VSL cable and anchor dimension	107
Table 4.8.	Calculation of cross section and number of cable strands	109
Table 4.9.	Calculation of equivalent elastic modulus	110
Table 4.10.	Axial force calculation of pylon	111
Table 4.11.	Recapitulation of the loading of the bridge floor.....	113
Table 4.12.	Recapitulation of ribs girder loading	115
Table 4.13.	Combination Table Ribs Girder.....	116
Table 4.14.	Recapitulation of cross section girder loading.....	119
Table 4.15.	Combination table of cross section girder loading	120
Table 4.16.	Recapitulation of main structure loading.....	123
Table 4.17.	Load combination	123
Table 4.18.	Resume force in mid span closure girder.....	126
Table 4.19.	Resume force in the girder section	126
Table 4.20.	Unknown Load Factor Result	129
Table 4.21.	Calculation of cable cross section based on cable force P^*	131
Table 4.22.	Cable cross-section calculations based on P cable forces.....	132

Table 4.23. VSL-7 wire strand dimension.....	132
Table 4.24. Dimension of anchor.....	134
Table 4.25. Dimension of anchor.....	135
Table 4.26. Inner force stage 17 Box Girder	141
Table 4.27. Cable force on the construction	142
Table 4.28. X-axis pylon moment at construction.....	143
Table 4.29. Y-axis pylon moment at construction.....	143
Table 4.30. Pylon shear force at construction.....	144
Table 4.31. Pylon axial force at construction	144
Table 4.32. Pylon force result.....	156
Table 4.33. Pylon force inside due to earthquake.....	160

REFERENCES

- [1] https://en.wikipedia.org/wiki/Arch_bridge, access on August 4, 2018 at 03.00 p.m.
- [2] *Chakzampa Thangtong Gyalpo – Architect, Philosopher and Iron Chain Bridge Builder* Archived 25 May 2014 at Wikiwix by Manfred Gerner. Thimphu: Center for Bhutan Studies 2007. ISBN 99936-14-39-4
- [3] *Lhasa and Its Mysteries* by Lawrence Austine Waddell, 1905, p.313
- [4] https://en.wikipedia.org/wiki/Suspension_bridge, access on August 4, 2018 at 03.00 p.m.
- [5] https://en.wikipedia.org/wiki/Truss_bridge, access on August 4, 2018 at 03.00 p.m.
- [6] Nordrum, Amy. "*Popular Cable-Stay Bridges Rise Across U.S. to Replace Crumbling Spans*". Scientific American. Retrieved 30 April 2017.
- [7] https://en.wikipedia.org/wiki/Cable-stayed_bridge, access on August 4, 2018 at 03.00 p.m.
- [8] U.S. Department of transportation federal highway administration. 2012. *Selecting the right type bridge.*, U.S : U.S. Department of transportation federal highway administration
- [10] Calado, Carlos Miguel Cabeçadas. 2011. *Structural Design Of Cable-Stayed Bridges*. Instituto Superior Técnico - Universidade Técnica de Lisboa, Portugal.
- [11] D. J. Farquhar Mott Macdonald. 2008. *Cable Stayed Bridge*, U.S., ICE manual
- [12] Supriyadi dan Muntohar. 2007. *Jembatan*. Yogyakarta : Beta Offset
- [13] Departemen Pekerjaan Umum. RSNI T-03-2005. *Perencanaan Struktur Baja untuk Jembatan*. Bandung: Badan Standarisasi Nasional.

- [14] Departemen Pekerjaan Umum. RSNI T-02-2005. *Standar Pembebanan untuk Jembatan*. Bandung: Badan Standarisasi Nasional.
- [15] Gimsing, N.J. 1983. *Cable Supported Bridges: Concept and Design*. John Wiley & Sons, Inc.
- [16] MIDAS/Civil Manual. *Final and Construction Stage Analysis for a Cable Stayed Bridge*. MIDASoft Inc.
- [17] Suangga, M. 2007. “*Konsep Desain Jembatan Cable Stayed Suramadu*”. *Modul Kuliah Tamu Jembatan Suramadu*. Jurusan Teknik Sipil FTSP-ITS, Surabaya.
- [18] Zamad, Muhammad Kadri. 2017. “*Pengaruh Jarak Kabel Penggantung Terhadap Desain Elemen Kabel Jembatan Cable-Stayed (Studi Kasus Jembatan Suramadu)*”. Skripsi. Jurusan Teknik Sipil FTSP-ITS, Surabaya.
- [19] Hendri. 2010. “*Desain Jembatan Cable Stayed Malangsari –Banyuwangi Dengan Two Vertical Planes System*”. Jurusan Teknik Sipil FTSP-ITS, Surabaya.
- [20] Pawitan, Damar Yanda. 2013. “*Perancangan Ulang Jembatan Kutai Kartanegara Dengan Sistem Cable Stayed*”. Jurusan Teknik Sipil FTSP-ITS, Surabaya.
- [21] Prasetyo,Wahyu. 2013. “*Perencanaan Ulang Jembatan Sungai Brantas pada Jalan Tol Kertosono – Mojokerto dengan Metode cable Stayed*”. Skripsi. Jurusan Teknik Sipil FTSP-ITS, Surabaya.
- [22] Karoumi R., ‘*Dynamic Response of Cable-Stayed Bridges Subjected to Moving Vehicles*’, IABSE 15th Congress, Denmark, pp. 87-92, 1996.
- [23] Kanok-Nukulchai W., Yiu P.K.A., Brotton D.M., ‘*Mathamatical Modelling of Cable-Stayed Bridges*’, Struct. Eng. Int., 2, pp. 108-113, 1992.
- [24] Wilson J. C. and Gravelle W., ‘*Modelling Of A Cable-Stayed Bridge For Dynamic Analysis*’ *Earthquake Engineering And Structural Dynamics, Volume 20, Issue 1*, pp 707-72. 1991.

- [25] Siddharth G. Shah¹, Desai.J.A², Solanki.C.H³., 'Effect of Pylon Shape on seismic response of Cable stayed bridge with soil structure interaction', *International Journal Of Civil And Structural Engineering Volume 1*, No 3, 2010.

APPENDIX