

## DAFTAR PUSTAKA

- Beheshtnejad, A. H., Hashemian, H. and Kermanshahani, A. M. (2015) ‘Evaluation of Tear Osmolarity Changes After’, 34(12), pp. 1541–1544.
- Bower, K. S. *et al.* (2015) ‘Chronic dry eye in photorefractive keratectomy and laser in situ keratomileusis: Manifestations, incidence, and predictive factors’, *Journal of Cataract and Refractive Surgery*. ASCRS and ESCRS, 41(12), pp. 2624–2634. doi: 10.1016/j.jcrs.2015.06.037.
- Boyd; Samuel; Benjamin F (2013) *new trends in ophthalmology.pdf*. Edited by S. M. Boyd. india: P Medical Ltd.
- Bron, A. J. (2015) ‘The Definition and Classification of Dry Eye Disease’, (April), pp. 1–19. doi: 10.1007/978-3-662-44106-0\_1.
- Chuck, R. S. *et al.* (2018) ‘Refractive Errors & Refractive Surgery Preferred Practice Pattern®’, *Ophthalmology*, 125(1), pp. P1–P104. doi: 10.1016/j.ophtha.2017.10.003.
- Dana, M. R. (2003) ‘Prevalence of Dry Eye Syndrome Among’, 9394(03). doi: 10.1016/S0002-9394(03)00218-6.
- Eye, I. D. (2007) *Ocular Surface*. Edited by G. N. dkk Foulks.
- Foulks, G. N. (2007) ‘The Correlation Between the Tear Film Lipid Layer and Dry Eye Disease’, *Survey of Ophthalmology*. doi: 10.1016/j.survophthal.2007.04.009.
- Gazieva, L. *et al.* (2011) ‘A retrospective comparison of efficacy and safety of 680 consecutive lasik treatments for high myopia performed with two generations of flying-spot excimer lasers’, *Acta Ophthalmologica*, 89(8), pp. 729–733. doi: 10.1111/j.1755-3768.2009.01830.x.
- Gil, J. Q. *et al.* (2015) ‘Guidelines for excimer laser refractive surgery on cornea’, *Oftalmologia*, 39, pp. 1–16.
- Hirsch, J. D. *et al.* (2009) ‘Reliability and Validity of the Ocular Surface Disease Index’, 118(May).
- Hirsch, J. D. and Reis, B. L. (2000) ‘Reliability and Validity of the Ocular Surface Disease Index’, *Arch Ophthalmol*, 118(May), pp. 615–621.
- Ilhan, N. *et al.* (2014) ‘Is There a Relationship Between Pathologic’, 33(2), pp. 169–171.
- Ilyas, S. and Yulianti, S. R. (2017) *Ilmu Penyakit Mata*. Badan Penerbit Fakultas Kedokteran Universitas Indonesia.

- Jackson, W. B. (2004) '12 Photorefractive Keratectomy: Indications , Surgical Techniques , Complications , and Results'.
- Javadi, M.-A. and Feizi, S. (2011) 'Dry Eye Syndrome Preferred Practice Pattern', *American Academy of Ophthalmology PPP*, 6(3), pp. 192–8. doi: 10.1016/j.ophtha.2018.10.023.
- Kanski, J. and Bowling, B. (2016) 'Kanski Clinical Ophthalmology', in *Kanski Clinical Ophthalmology*. doi: 10.1007/BF00263406.
- Katz, M. and Kruger, P. (2006) *Duane's Ophthalmology, The Human Eye as an Optical System*.
- Lee, A. J. et al. (2002) 'Prevalence and risk factors associated with dry eye symptoms: a population based study in Indonesia', (June 2001), pp. 1347–1351.
- Lee, J. B. et al. (2000) 'Comparison of tear secretion and tear film instability after photorefractive keratectomy and laser in situ keratomileusis', *Journal of Cataract and Refractive Surgery*, 26(9), pp. 1326–1331. doi: 10.1016/S0886-3350(00)00566-6.
- Matsui, H. et al. (2009) 'Corneal sensation after correction of myopia by photorefractive keratectomy and laser in situ keratomileusis', *Journal of Cataract and Refractive Surgery*, 27(3), pp. 370–373. doi: 10.1016/S0886-3350(00)00756-2.
- McCarty, C. A. et al. (no date) 'The Epidemiology of Dry Eye in', pp. 1114–1119.
- Mimouni, M. et al. (2017) 'Correlation between central corneal thickness and myopia', *International Ophthalmology*. Springer Netherlands, pp. 1–5. doi: 10.1007/s10792-017-0766-1.
- Notoadmojo, S. (2018) *Metodelogi Penelitian Kesehaan, Indonesian Journal On Medical Science*. doi: S0887899401003605 [pii].
- Pérez-Santonja, J. J.; Sakla, H. F.; Cardona, C.; Chipont, E.; Alió, J. L. (1999) 'Corneal sensitivity after photorefractive keratectomy and laser in situ keratomileusis for low myopia. Am J Ophthalmol, v.127, n.5, p.497-504, 1999.', pp. 497–504.
- Pili, K. et al. (2014) 'Dry eye in contact lens wearers as a growing public health problem', *Psychiatria Danubina*, 26(Walt 2004), pp. 528–532.
- Sharma, A. and Hindman, H. B. (2014) 'Aging : A Predisposition to Dry Eyes', 2014.
- Suharjo, SU., S. M. and Dr.Hartono, S. (2007) 'Buku Ilmu Kesehatan Mata', pp. 1–345. doi: 24 September 2012.

- Sopiyudin Dahlan, M. (2013) *Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan*, Salemba Medika. doi: 10.1002/per.
- Torricelli, A. A. M. et al. (2011) *Dews, Arquivos Brasileiros de Oftalmologia*. doi: 10.1590/S0004-27492011000500016.
- Tsubota, K. et al. (2017) ‘New Perspectives on Dry Eye Definition and Diagnosis: A Consensus Report by the Asia Dry Eye Society’, *Ocular Surface*, 15(1), pp. 65–76. doi: 10.1016/j.jtos.2016.09.003.
- Torres, R.L.A., Machado, P., Guzman, V.A.E., Zambrano, M.J.A., (2010) ‘Original article Analysis of incidence of ocular surface disease index with objective tests and treatment for dry eye’, *Archivos de la Sociedad Española de Oftalmología (English Edition)*. Elsevier, 85(2), pp. 70–75. doi: 10.1016/S2173-5794(10)70015-3.
- Vaughan, D., Asbury, T. and Riordan-Eva, P. (2000) ‘Oftalmologi Umum’, *Edisi*.
- Agung Widodo, P. T. (2017) ‘Miopia Patologi’, *Jurnal Oftalmologi Indonesia*. doi: ISSN.1693-2587.
- Yanoff, M. and Duker, J. S. (2014) *Ophthalmology*. Elsevier Saunders.