

DAFTAR PUSTAKA

- AHA (2017) '2017 Guideline for the Prevention, Detection, Evaluation and Management of High Blood Pressure in Adults', *Journal of American Heart Association and American Stroke Association*.
- Angesti, A. N., Triyanti and Sartika, R. A. D. (2018) 'Riwayat Hipertensi Keluarga Sebagai Faktor Dominan Hipertensi Pada Remaja Kelas XI SMA Sejahtera 1 Depok Tahun 2017', *Buletin Penelitian Kesehatan*, 46(1), pp. 1–10.
- Atteia, B. M. R., El-Kak, A. E.-A. A., Lucchesi, P. A. and Delafontane, P. (2009) 'Antioxidant activity of folic acid: From mechanism of action to clinical application', *The FASEB Journal*, 23(1_supplement), p. 103.7-103.7. doi: 10.1096/fasebj.23.1_supplement.103.7.
- Baradaran, A., Nasri, H. and Rafieian-Kopaei, M. (2014) 'Oxidative stress and hypertension: Possibility of hypertension therapy with antioxidants.', *Journal of research in medical sciences: the official journal of Isfahan University of Medical Sciences*, 19(4), pp. 358–367.
- Beevers, G., Lip, G. Y. H., Brien, E. O. and No, A. (2001) 'The pathophysiology of hypertension Gerardo Gamba Cardiac output and peripheral resistance Renin-angiotensin system Autonomic nervous system', 322(April), pp. 912–916.
- Brzenzinski, W. (1990) 'Blood Pressure; Clinical Methods - The History, Physical and Laboratory Examinations', *Clinical Methods*, 3rd edition, pp. 95–97. Available at: http://www.ncbi.nlm.nih.gov/books/NBK201/#_ncbi_dlg_citbx_NBK201.
- Bursa, B. N., Vasiljevi, A. D., Nestorovi, M., Veli, A., Vojnovi, D. D., Mati, G. M. and Djordjevic, A. D. (2014) 'High-fructose diet leads to visceral adiposity and hypothalamic leptin resistance in male rats — do glucocorticoids play a role? ☆', 25, pp. 446–455. doi: 10.1016/j.jnutbio.2013.12.005.
- Coşar, A., Ipçioğlu, O. M., Özcan, Ö. and Gültepe, M. (2014) 'Folate and homocysteine metabolisms and their roles in the biochemical basis of neuropsychiatry', *Turkish Journal of Medical Sciences*, 44(1), pp. 1–9. doi: 10.3906/sag-1211-39.
- Essouma, M. and Noubiap, J. J. N. (2015) 'Therapeutic potential of folic acid supplementation for cardiovascular disease prevention through homocysteine lowering and blockade in rheumatoid arthritis patients', *Biomarker Research*. Biomarker Research, 3(1), p. 24. doi: 10.1186/s40364-015-0049-9.

- Fernandez, S. M., Rinom, M. G., Vera, G., Astier, J., Landrier, J. F. and Miguel, M. (2018) 'High Fat / High Glucose Diet Induces Metabolic Syndrome in an Experimental Rat Model', *Nutrients*, 10, pp. 1–15. doi: 10.3390/nu10101502.
- Franc, C. F. and Vianna, L. M. (2010) 'Effectiveness of B Vitamins on the Control of Hypertension and Stroke Events of SHRSP Rats', 7(1). doi: 10.3109/19390210903535035.
- Guo, X., Cui, H., Zhang, H., Guan, X., Zhang, Z., Jia, C. and Wu, J. (2015) 'Protective Effect of Folic Acid on Oxidative DNA Damage', *Medicine*, 94(45), pp. 1–10. doi: 10.1097/MD.0000000000001872.
- Guyton, A. C. and Hall, J. E. (2014) *Guyton dan Hall Buku Ajar Fisiologi Kedokteran*. 12th edn. Jakarta: EGC: Elsevier.
- Hall, J. E., Granger, J. P., do Carmo, J. M., da Silva, A. A., Dubinion, J., George, E., Hamza, S., Speed, J. and Hall, M. E. (2012) 'Hypertension: Physiology and pathophysiology', *Comprehensive Physiology*, 2(4), pp. 2393–2442. doi: 10.1002/cphy.c110058.
- Ho, E. and Domain, F. (2014) *Nutrition and Epigenetics*. Boca Raton, FL: Taylor & Francis Group.
- Hoffman, M. (2011) 'Hypothesis: Hyperhomocysteinemia is an indicator of oxidant stress', *Medical Hypotheses*. Elsevier Ltd, 77(6), pp. 1088–1093. doi: 10.1016/j.mehy.2011.09.009.
- Kemenkes.RI (2014) 'Pusdatin Hipertensi', *Infodatin*, (Hipertensi), pp. 1–7. doi: 10.1177/109019817400200403.
- Khitan, Z. and Kim, D. H. (2013) 'Fructose: a key factor in the development of metabolic syndrome and hypertension', *J Nutr Metab*, 2013, p. 682673. doi: 10.1155/2013/682673.
- Khitan, Z. and Kim, D. H. (2013) 'Fructose: A key factor in the development of metabolic syndrome and hypertension', *Journal of Nutrition and Metabolism*, 2013. doi: 10.1155/2013/682673.
- Klein, A. V. and Kiat, H. (2015) 'The mechanisms underlying fructose-induced hypertension: A review', *Journal of Hypertension*, 33(5), pp. 912–920. doi: 10.1097/HJH.0000000000000551.
- McRae, M. P. (2009) 'High-dose folic acid supplementation effects on endothelial function and blood pressure in hypertensive patients: a meta-analysis of randomized controlled clinical trials', *Journal of Chiropractic Medicine*. National University of Health Sciences, 8(1), pp. 15–24. doi: 10.1016/j.jcm.2008.09.001.

- Mesallamy, H. O. El, El-Demerdash, E., Hammad, L. N. and El Magdoub, H. M. (2010) 'Effect of taurine supplementation on hyperhomocysteinemia and markers of oxidative stress in high fructose diet induced insulin resistance', *Diabetology & Metabolic Syndrome*, 2(1), p. 46. doi: 10.1186/1758-5996-2-46.
- Milman, N. (2012) 'Intestinal absorption of folic acid - new physiologic & molecular aspects.', *The Indian journal of medical research*, 136(5), pp. 725–8. Available at: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=3573592&tool=pmcentrez&rendertype=abstract>.
- Moens, A. L., Claeys, M. J., Wuyts, F. L., Goovaerts, I., Van Hertbruggen, E., Wendelen, L. C., Van Hoof, V. O. and Vrints, C. J. (2007) 'Effect of Folic Acid on Endothelial Function Following Acute Myocardial Infarction', *American Journal of Cardiology*, 99(4), pp. 476–481. doi: 10.1016/j.amjcard.2006.08.057.
- Murray, R. K., Bender, D. A., Botham, K. M., Kennelly, P. J., Rodwell, V. W. and Weil, P. A. (2012) *BIOKIMIA HARPER*. 29th edn. EGC.
- Owoyele, B. V., Yakubu, M. T., Alonge, F., Olatunju, L. . and Soladoye, A. . (2005) 'Effects of Folic Acid Intake on Serum Lipid Profiles of Apparently Healthy Young Adult Male Nigerians', *African Journal of Biomedical Research*, 8, pp. 139–142.
- RISKESDAS (2013) 'RISET KESEHATAN DASAR'.
- Scheepers, L. E. J. M. (2017) 'Folic acid: The solution for treating asymptomatic hyperuricemia?', *American Journal of Clinical Nutrition*, 105(4), pp. 775–776. doi: 10.3945/ajcn.117.154294.
- Sharifi, F., Fakhrzadeh, H., Mirarefin, M., Pourebrahim, R., Nouri, M., Forouzanfar, M. H., Ghotbi, S., Ghaderpanahi, M. and Larijani, B. (2010) 'The effects of high-dose folic acid on blood pressure of hypertensive adults with hyperhomocysteinemia: A randomized double- blind placebo controlled clinical trial (Tehran homocysteine survey)3088', *Iranian Journal of Diabetes and Lipid Disorders*, 9(21), pp. 13–20. Available at: <http://www.embase.com/search/results?subaction=viewrecord&from=export&id=L361076812>.
- Sherwood, L. (2013) *Fisiologi Manusia: Dari Sel ke Sistem*, Ed. 8. Edited by H. O. Ong, A. A. Mahode, and D. Ramadhani. Penerbit Buku Kedokteran EGC.
- SJNC (2004) 'Prevention , Detection , Evaluation , and Treatment of', *Blood Pressure*, 289(19), pp. 1206–52. doi: 10.1161/01.HYP.0000107251.49515.c2.

- Tang, L.-L., Tang, X.-H., Li, X., Yu, H.-B., Xie, Z.-G., Liu, X.-Y. and Zhou, Z.-G. (2014) 'Effect of High-fat or High-glucose Diet on Obesity and Visceral Adipose Tissue in Mice.', *Zhongguo yi xue ke xue yuan xue bao. Acta Academiae Medicinae Sinicae*, 36, pp. 614–619. doi: 10.3881/j.issn.1000-503X.2014.06.010.
- Tousoulis, D., Kampoli, A., Tentolouris, C. and Papageorgiou, N. (2012) 'The Role of Nitric Oxide on Endothelial Function', pp. 4–18.
- World Health Organization (2012) 'Guideline: Daily iron and folic acid supplementation in pregnant women', *Geneva, World Health Organization*. doi: 10.1055/s-0028-1104741.
- Zagrodzki, P. Ł., Joniec, A., Gawlik, M., Gawlik, M. A. Ł. G., Aw, M. Ł., Niak, K. R. O. Ś., Ta, M. F. O. Ł., Ń, H. B., Ko, P. Ł. P. A. Ś., Opicka, J. C. H. Ł. and Zachwieja, Z. (2007) 'HIGH FRUCTOSE MODEL OF OXIDATIVE STRESS AND METABOLIC DISTURBANCES IN RATS . PART I . ANTIOXIDANT STATUS OF RATS ' TISSUES', (3), pp. 407–412.
- Zhang, D. M., Jiao, R. Q. and Kong, L. D. (2017) 'High dietary fructose: Direct or indirect dangerous factors disturbing tissue and organ functions', *Nutrients*, 9(4). doi: 10.3390/nu9040335.
- Zhang, M. I. N., Wen, J., Wang, X. and Xiao, C. (2014) 'High - dose folic acid improves endothelial function by increasing tetrahydrobiopterin and decreasing homocysteine levels', pp. 1609–1613. doi: 10.3892/mmr.2014.2332.