LIST OF CONTENTS

COVER	• • • • • • • • • • • • • • • • • • • •		•
THE LEG	GALIC	CY OF FINAL ASSIGEMENT	i
ABSTRA	ΛK	i	ii
ABSTRA	ACT	i	V
PREFAC	E		V
AUTHEN	NTICA	TIONv	ï
THE RE	PORT	OF FINAL ASSIGMENT GUIDANCE	X
MOTTO			K.
ACKNO	WLED	GEMENTS x	i
LIST OF	CON	ΓENTSxi	ii
LIST OF	TABI	LESx	V
LIST OF	PICT	URESxv	i
LIST OF	NOT	ATIONSxxi	į
LIST OF	APPE	NDIXESxxv	V.
BAB I	INTR	ODUCTION	
Di ib i	1.1	Background	1
	1.2	Formulation of the Problems	
	1.3	Scope and Limitations	
	1.4	Authenticity	
	1.5	Objectives of the study	
	1.6	Significance of Study	
BAB II	REVI	EW OF LITERATURE	
	2.1	Theoritical Framework	5
	2.2	The Soil Problems	5
		2.2.1 Stability of Soil ϵ	5
		2.2.2 Deformation	5
		2.2.3 The Moisture Content of Soil	7

2.3	Identification of Soil	7
2.4	Characteristics of the Soils	8
	2.4.1 Permeability	8
	2.4.2 Consolidation	8
	2.4.3 Shear Strength	9
	2.4.4 Other Characteristics of Soil	9
	2.4.5 Consistency and Plasticity	9
2.5	Parameter of Soil	11
	2.5.1 Soil Classification of Cone Penetration Test (CPT)	11
	2.5.2 Soil Classification based on Standard Penetration Test.	13
	2.5.3 Permeability	15
	2.5.4 Modulus Young (Elasticity) and Poisson Ratio (v)	16
	2.5.5 Inner Natural Angle of Repose	16
	2.5.6 Cohesion	17
	2.5.7 Compression Index (C _c)	18
	2.5.8 Swelling Index (C _s)	19
2.6	Soft Soil	20
	2.6.1 Description of Soft Soil	20
	2.6.2 Characteristics of Soft Soil	21
	2.6.3 The Problem will be shown on Soft Soil	22
	2.6.4 Solving the Soft Soil Problems	22
2.7	Oprit of Bridge	23
	2.7.1 Description Oprit of the Bridge	23
	2.7.2 The Landfill of Oprit	23
	2.7.2.1 Standard Landfill	23
	2.7.2.2 Chosen Landfill	24
	2.7.3 The Impact of Unstable Oprit	25
2.8	Settlement	25
	2.8.1 Immediate Settlement	26
	2.8.2 Consolidation	27

	2.9	Soil Compaction	30
	2.10	Reinforcement Soil	31
		2.10.1 Prefebricated Vertical Drain and (PVD) and Prefabr	icated
		Horizontal Drain (PHD)	31
		2.10.2 Geotextile	34
		2.10.3 Limestone	36
	2.11	Slab on Pile	38
		2.11.1 Slab	38
		2.11.2 Pile Head	39
		2.11.3 Pile	39
	2.12	Aggregate CBR 60%	40
	2.13	Rigid Pavement	41
BAB III	MET	HODOLOGY OF STUDY	
	3.1	Introduction of Methodlogy	42
	3.2	Identification of Problems	44
		3.2.1 Collecting Data	44
		3.2.2 Data Sources	44
	3.3	Literature of Study	44
	3.4	Modelling with Plaxis 8.2	45
		3.4.1 Processing Data	45
		3.4.2 Inputting Data	61
		3.4.3 The Calculation	69
		3.4.4 The Results of Analysis Model on Plaxis 8.2	70
	3.5	Conclusion and Suggestion	71
	3.6	Arranging the Report	71
BAB IV	RESU	ULTS AND DISCUSSION	
	4.1 I	Location of Research Project	71
		4.1.1 Location as Cross Section	71
		4.1.2 Location as Long Section	71
	4.2	Parameter Design	72

		4.2.1 Soil Parameter	72
		4.2.2 Aggregate with CBR 60%	75
		4.2.3 Pavement	75
		4.2.4 The Geotextile	76
		4.2.5 The Concrete	76
		4.2.6 The Spun Pile	76
	4.3	The Loading	77
	4.4	The Stages of Inputting the Components of Soil	78
		4.4.1 Inputting the Soil Parameters	78
		4.4.2 Inputting the Landfill and Limestone	80
	4.5	Calculation Stages	80
		4.5.1 Cross Section stages with PVD, PHD, Limestone	and
		Geotextile	80
		4.5.2 Cross Section stages without PVD, PHD, Limestone	and
		Geotextile	. 122
		4.5.3 The Long Section stages	. 133
BAB V	CLO	SING	
	5.1	Conlusion	. 157
	5.2 \$	Suggestion	. 158
DAFTAF	R PUS	TAKA	
LAMPIR	AN		

LIST OF TABLES

Table 2.1	Relarionship Plasticity Index with Type of Soil
Table 2.2	Determine types of soils with CPT
Table 2.3	Relationship between SPT, consistency and comprehensive strength
	(Clay)1:
Table 2.4	Relationship between weight of soil density, N-SPT, qc and Angle o
	Repose/ φ (Sand)
Table 2.5	Relationship betweem M-SPT, qc and γsat10
Table 2.6	Relationship between typical of weight value and γsat10
Table 2.7	Permeability coefficient
Table 2.8	Modulus Young (Elasticity) and Poisson Ratio
Table 2.9	Plasticity level, angle of repose and types of soil
Table 2.10	N-SPT, Angle of Repose
Table 2.11	Cohesion, Friction Angle
Table 2.12	Compression Index
Table 2.13	Swelling Index
Table 2.14	Properties of PET Woven Geotextiles
Table 2.15	Properties of Limestone Types
Table 2.16	Slab and Pile Head Properties
Table 2.17	Spun Pile Properties
Table 2.18	Characteristics of the Aggregate Foundation Layer
Table 2.19	Aggregate with CBR 60%
Table 2.20	Properties of rigid pavement 30 cm
Table 3.1	Description of Soil Data (Cross Section S1)
Table 3.2	Description of Soil Data (Cross Section S2)
Table 3.3	Description of Soil Data (Cross Section S3)
Table 3.4	Description of Soil Data (Long Section STA 291+100)5
Table 3.5	Description of Soil Data (Long Section STA 291+200)
Table 3.6	Soil Parameter
Table 4.1	Table of Inperpolation (a)

Table 4.2	Table of Interpolation (b)	72
Table 4.3	Soil Parameter on S1 (cross section)	73
Table 4.4	Soil Parameter on S2 (cross section)	73
Table 4.5	Soil Parameter on S3 (cross section)	74
Table 4.6	Soil Parameter on STA 291+000 (long section SPT)	74
Table 4.7	Soil Parameter on STA 291+100 (long section CPT)	74
Table 4.8	Soil Parameter on STA 291+200 (long section CPT)	75
Table 4.9	Aggregate with CBR 60%	75
Table 4.10	Pavement with Rigid 30 cm	75
Table 4.11	Geotextile with PET Woven 100	76
Table 4.12	The Concrete K350 Properties	77
Table 4.13	The Spun Pile Properties (Plate)	77
Table 4.14	Comparison Parameter between Landfill and Limestone	80
Table 4.15	Total Displacements (Cross Section)	116
Table 4.16	Water of Pore Pressure (Cross Section)	118
Table 4.17	Safety Factor (Cross Section)	120
Table 4.18	Calculation Stages without Soil Improvement	122
Table 4.19	Total Displacements (Long Section)	150
Table 4.20	Water of Pore Pressure (Long Section)	152
Table 4.21	Safety Factor (Long Section)	154

LIST OF PICTURES

Picture 2.1	The Relations between Cone Resistane (qc), Friction Ratio (I	Fr)
	and Soil Types	13
Picture 2.2	The Soil Settlement Stage: Nen-Bjerrum	29
Picture 2.3	The Principle of Soil Compaction	30
Picture 2.4	Installation PVD and PHD	32
Picture 2.5	Effects of PVD	33
Picture 2.6	Effects of Smear Zone	34
Picture 2.7	Geotextile Methods	35
Picture 2.8	Effects the Soil Improvement with Limestone	37
Picture 2.9	Slab on Pile concepts	38
Picture 3.1	The Methodology Flow	43
Picture 3.2	Toolbar of New Page Dialog Box	55
Picture 3.3	General Settings on Dialog Box (Tab Project)	56
Picture 3.4	General Settings on Dialog Box (Tab Dimensions)	56
Picture 3.5	Cross Section of Standard Geometry Model (Standard Fixities	S
	with Soil Improvement)	58
Picture 3.6	Cross Section of Standard Geometry Model (Standard Fixities	S
	without Soil Improvement)	59
Picture 3.7	Long Section of Standard Geometry Model (Standard Fixities	
	with Soil Improvement)	60
Picture 3.8	Material Sets	62
Picture 3.9	Properties on Soil Layers (General Tab)	62
Picture 3.10	Properties on Soil Layers (Parameter Tab)	63
Picture 3.11	Properties on Soil Layers (Interface Tab)	63
Picture 3.12	Generate Mesh (Interface Tab on Cross Section)	64
Picture 3.13	Generate Mesh (Interface Tab on Long Section)	64
Picture 3.14	The height of Phreatic Level (Cross Section)	65
Picture 3.15	The height of Phreatic Level (Long Section)	65
Picture 3.16	Determine the Phreatic Level to Pore Water Pressure	66

Picture 3.17	Activate Pore Water Pressure (Cross Section)	66
Picture 3.18	Activate Pore Water Pressure (Long Section)	67
Picture 3.19	Activate the Geometry Configuration (Cross Section)	67
Picture 3.20	Activate the Geometry Configuration (Long Section)	68
Picture 3.21	K_0 – Procedure	68
Picture 3.22	Generate Initial Stress (Cross Section)	69
Picture 3.23	Generate Initial Stress (Long Section)	69
Picture 4.1	Top View	71
Picture 4.2	Façade View	71
Picture 4.3	The Loads of Truck	77
Picture 4.4	The Loading of Truck's Wheels	77
Picture 4.5	Inputting on Material Sets	78
Picture 4.6	Inserting General Components of Soil (ex. Hard Clay)	79
Picture 4.7	Inserting General Components of Soil (ex. Hard Clay)	79
Picture 4.8	Inserting General Components of Soil (ex. Hard Clay)	79
Picture 4.9	Calculation Stages.	81
Picture 4.10	Input Phase Landfill 1 into General Phase and Parameters	82
Picture 4.11	Define Phase on Landfill 1	82
Picture 4.12	Input Phase PVD and PHD into General Phase and Parameter	ers
		83
Picture 4.13	Define Phase on PVD and PHD	84
Picture 4.14	Input Phase Landfill 2 into General Phase and Parameters	84
Picture 4.15	Define Phase on Landfill 2	85
Picture 4.16	Input Phase Landfill 3 Geotextile into General Phase a	and
	Parameters	85
Picture 4.17	Define Phase on Landfill 3 Geotextile	86
Picture 4.18	Input Phase Landfill 4 into General Phase and Parameters	87
Picture 4.19	Define Phase on Landfill 4	87
Picture 4.20	Input Phase Consolidation 1 General Phase and Parameter	88
Picture 4.21	Define Phase on Consolidation 1 (No Action)	88
Picture 4.22	Input Phase Landfill 5 into General Phase and Parameters	89

Picture 4.23	Define Phase on Landfill 5	39
Picture 4.24	Input Phase Landfill 6 into General Phase and Parameters 9	90
Picture 4.25	Define Phase on Landfill 6	90
Picture 4.26	Input Phase Loads 1 into General Phase and Parameters 9	1
Picture 4.27	Define Phase on Loads 1	91
Picture 4.28	Input Phase Landfill 7 into General Phase and Parameters 9	92
Picture 4.29	Define Phase on Landfill 7)2
Picture 4.30	Input Phase Landfill 8 into General Phase and Parameters 9	93
Picture 4.31	Define Phase on Landfill 8	93
Picture 4.32	Input Phase Consolidation 2 General Phase and Parameters 9)4
Picture 4.33	Define Phase on Consolidation 2	94
Picture 4.34	Input Phase Landfill 9 with Geotextile into General Phase an	ıd
	Parameters 9	95
Picture 4.35	Define Phase on Landfill 9 with Geotextile	95
Picture 4.36	Input Phase Landfill 10 into General Phase and Parameters 9	96
Picture 4.37	Define Phase on Landfill 10	96
Picture 4.38	Input Phase Landfill 11 into General Phase and Parameters 9	7
Picture 4.39	Define Phase on Landfill 11	7
Picture 4.40	Input Phase Landfill 12 into General Phase and Parameters 9	98
Picture 4.41	Define Phase on Landfill 12	98
Picture 4.42	Input Phase Consolidation 3 General Phase and Parameters 9	9
Picture 4.43	Define Phase on Consolidation 3	9
Picture 4.44	Input Phase Landfill 13 into General Phase and Parameters 10)()
Picture 4.45	Define Phase on Landfill 13)()
Picture 4.46	Input Phase Landfill 14 into General Phase and Parameters 10)1
Picture 4.47	Define Phase on Landfill 14)1
Picture 4.48	Input Phase Landfill 15 into General Phase and Parameters 10)2
Picture 4.49	Define Phase on Landfill 15)2
Picture 4.50	Input Phase Consolidation 4 General Phase and Parameters 10)3
Picture 4 51	Define Phase on Consolidation 4)3

Picture 4.52	Input Phase Pre-Load Landfill 1 into General Phase and
	Parameters
Picture 4.53	Define Phase on Pre-Load Landfill 1
Picture 4.54	Input Phase Consolidation 5 General Phase and Parameters 105
Picture 4.55	Define Phase on Consolidation 5
Picture 4.56	Input Phase Pre-Load Landfill 2 into General Phase and
	Parameters
Picture 4.57	Define Phase on Pre-Load Landfill 2
Picture 4.58	Input Phase Consolidation 6 General Phase and Parameters 107
Picture 4.59	Define Phase on Consolidation 6
Picture 4.60	Input Phase Unloading Landfill into General Phase and
	Parameters
Picture 4.61	Define Phase on Unloading Landfill
Picture 4.62	Input Phase of Installation Pavement into General Phase and
	Parameters
Picture 4.63	Define Phase on Unloading Landfill
Picture 4.64	Input Phase the Loads 2 General Phase and Parameters 110
Picture 4.65	Define Phase on the Loads 2
Picture 4.66	Input Phase Consolidation 1-year into General Phase and
	Parameters
Picture 4.67	Input Phase Consolidation 3 years into General Phase and
	Parameters
Picture 4.68	Input Phase Consolidation 10 years into General Phase and
	Parameters
Picture 4.69	Input Phase Consolidation 50 years into General Phase and
	Parameters
Picture 4.70	Define Phase on Conslidation 1, 3, 10 and 50 years 113
Picture 4.71	Input Phase Safety Factor General Phase for several stages. 114
Picture 4.72	Selecting the Points of Curves Button (Red Button) 114
Picture 4.73	Determining the Center Point of Curves
Picture 4.74	Calculate Button for Calculating Simulation

Picture 4.75	Finalizing the Calculation
Picture 4.76	Output of Displacement
Picture 4.77	Total Displacement
Picture 4.78	Deformation on 1-year Consolidation
Picture 4.79	Excess Pore Pressure
Picture 4.80	Height of Landfill (Cumulative)
Picture 4.81	Graph of Excess Pore Pressure (A Points)
Picture 4.82	Graph of Excess Pore Pressure (B Points)
Picture 4.83	Graph of Excess Pore Pressure (C Points)
Picture 4.84	Graph of Safety Factor
Picture 4.85	Graph of t90 (Cross Section)
Picture 4.86	Input Phase Landfill into General Phase and Parameters 123
Picture 4.87	Define Phase on Landfill
Picture 4.88	Input Phase the Consolidation 1 into General Phase and
	Parameters 124
Picture 4.89	Define Phase on Consolidation 1
Picture 4.90	Input Phase Loads 1 into General Phase and Parameters 125
Picture 4.91	Define Phase on Loads 1
Picture 4.92	Input Phase Pre-Loads Landfill 1 into General Phase and
	Parameters 126
Picture 4.93	Define Phase on Pre-Loads Landfill 1
Picture 4.94	Input Phase of Pavement Installation into General Phase and
	Parameters 127
Picture 4.95	Define Phase on Pavement Installation
Picture 4.96	Input Phase the Loads 2 into General Phase and Parameters 128
Picture 4.97	Define Phase on the Loads 2
Picture 4.98	Input Phase the Safety Factor into General Phase and
	Parameters 129
Picture 4.99	Selecting the Points of Curves Button (Red Button)
Picture 4.100	Determining the Center Point of Curves
Picture 4.101	Calculation Button for Calculating Simulation

Picture 4.102	Calculation Stages of Cross Section without Soil Improvement
	(Unmodified)
Picture 4.103	Deformation Mesh of Unmodified Simulation
Picture 4.104	Excess Water Pressure of Unmodified Simulation
Picture 4.105	Inputting the Stage of Calculations
Picture 4.106	Input Staking Spun Pile into General Phase and Parameters 134
Picture 4.107	Define Phase on Staking Spun Pile
Picture 4.108	Input Slab on Pile into General Phase and Parameters 135
Picture 4.109	Define Phase on Slab on Pile
Picture 4.110	Input Abutment into General Phase and Parameters 136
Picture 4.111	Define Phase on Abutment
Picture 4.112	Input Slab on Abutment into General Phase and Parameters 137
Picture 4.113	Define Phase on the Slab on Abutment
Picture 4.114	Input Box Pedestran into General Phase and Parameters 138
Picture 4.115	Define Phase on Box Pedestrian
Picture 4.116	Input Consolidation 1 into General Phase and Parameters 139
Picture 4.117	Define Phase on Consolidation 1
Picture 4.118	Input Landfill 1 into General Phase and Parameters
Picture 4.119	Define Phase on Landfill 1
Picture 4.120	Input Landfill 6-15 into General Phase and Parameters 141
Picture 4.121	Define Phase on Landfill 6-15
Picture 4.122	Input Phase PVD into General Phase and Parameters 142
Picture 4.123	Define Phase on PVD on Water Pressure (Above) and on
	Geometry Configuration (Below)
Picture 4.124	Input Phase Loads 1 into General Phase and Parameters 143
Picture 4.125	Define Phase on Loads 1
Picture 4.126	Input Phase Consolidation 2 General Phase and Parameters 145
Picture 4.127	Define Phase on Consolidation 2
Picture 4.128	Input Phase of Pavement Installation General Phase and
	Parameters
Picture 4.129	Define Phase on Pavement Installation

Picture 4.130	Input Phase Loads 2 into General Phase and Parameters 147
Picture 4.131	Define Phase on Loads 2
Picture 4.132	Input Safety Factor into General Phase and Parameters 148
Picture 4.133	Selecting the Points of Curves Button (Red Button) 148
Picture 4.134	Determining the Center Points of Curves
Picture 4.135	Calculate Button for Calculating Simulation
Picture 4.136	Finalizing Calculation
Picture 4.137	Output of Displacement
Picture 4.138	Total Displacement
Picture 4.139	Excess Pore Pressure
Picture 4.140	The Height of Landfill (Cumulative)
Picture 4.141	Graph of Excess Pore Pressure (A Points)
Picture 4.142	Graph of Excess Pore Pressure (B Points)
Picture 4.143	Graph of Excess Pore Pressure (C Points)
Picture 4.144	Graph of Safety Factors
Picture 4.145	Graph of t90 (Long Section)

LIST OF NOTATIONS

PI = Index plasticity

LL = Plasticity limit

Qc = Cone resistance

Fs = Adhessive resistance (kg/cm)

Fr = Shear resistance

Cu = UnDrain shear strength (kN/m)

Cc = Index compressibility

 \emptyset = Angle of Repose (°)

qu = Shear strength of press freely (kg/cm²)

 γ sat = The weight of water staturated (kN/m³)

 γ dry = The weight of dry (kN/m³)

k = Coefficient permeability (m/s)

E = Modulus elasticity (Mpa)

v = Poisson ration

c = Cohession (kN/m^2)

c' = Effective cohession (kN/m^2)

Si = Direct settlement (m)

B = Wide or diameter of landfill (m)

H = Thickness of soil layer (m)

Ip = non - dimensional influence factor

S = Total settlement

Sc = Primary consolidation (m)

 S_S = Secondary consolidation (m)

 $\Delta \sigma$ = Changes of total stresses (kN/m²)

 $\Delta u = \text{Changes of pore pressure } (kN/m^2)$

 $\Delta \sigma'$ = Changes of effective stresses (kN/m²)

usoil = Vertical movement

 δ soil = Soil settlement (m)

```
SF = Safety Factor
```

 k_X = Coefficient peremeability in horizontal (m/day)

ky = Coefficient peremeability in vertikal (m/day)

 ψ = Dilantation angle (°)

t = Times (day)

 μ = Pore stresses (kN/m²)

w = Moisture content (%)

LIST OF APPENDIXES

Lampiran 1 : CPT Data
Lampiran 2 : SPT Data

Lampiran 3 : Shop Drawing

Lampiran 4 : Documentation on site