

DAFTAR PUSTAKA

- Baratawijdjaja G. K., Rengganis I., 2014, *Imunologi Dasar*, Edisi ke-11, Badan Penerbit FKUI, Jakarta, 217-85.
- Bayat, E., Dastgheib, S., Egdar, S., Mokarram, P. 2017. Effect of the Aquatic Extract of Stevia on the Serum Level of Interleukin-6 in Streptozotocin-Nicotinamide Induced Diabetic Rats, *Shiraz E-Med J.*; 18(2):e45015.doi: 10.17795/semj45015.
- Debmandal M., Mandal S., 2011, Coconut (*Cocos nucifera* L. : *Arecaceae*): In health promotion and disease prevention, *Asian Pacific Journal of Tropical Medicine*. Hainan Medical College, 4(3), pp. 241–247.
- Eleazu C.O., Eleazu K.C., Chukwuma S., Essien U.N., 2013, Review of the mechanism of cell death resulting from streptozotocin challenge in experimental animals, its practical use and potential risk to humans, *J Diabetes Metab Disord*. 12(1):60
- Fatimah R.N., 2015, Diabetes Melitus Tipe 2, *Fakultas Kedokteran Universitas Lampung* 4:93–101.
- Fengyang L, Yunhe F, Bo L, Zhicheng L, Depeng L, Dejie L, *et al*. Stevioside suppressed inflammatory cytokine secretion by downregulation of NF-kappaB and MAPK signaling pathways in LPS-stimulated RAW264.7 cells.*Inflammation*. 2012; 35(5): 1669-75[DOI][PubMed].
- Haidari, F., Zakerkish, M., Karandish, M., Saki, A., Pooraziz, S. 2016. Association between Serum Vitamin D Level and Glycemic and Inflammatory Markers in Non-obese Patients with Type 2 Diabetes. *Iran J Med Sci.*; 41(5): 367-73[PubMed]
- Kannangara, A.C., Chandrajith, V.G.G., Ranawera, K.K.D.S. 2018. Comparative analysis of coconut water in four different maturity stages. *Journal of Pharmacognosy and Phytochemistry*; 7(3): 1814-1817.
- Kementerian Kesehatan Republik Indonesia, 2016, *Profil Kesehatan Indonesia 2016*, Kementerian Kesehatan Republik Indonesia.
- Mirza, S., Hossain, M., Mathews, C., Martinez, P., Pino, P., Gay, J.L., *et al*. 2012. Type 2-diabetes is associated with elevated levels of TNF-alpha, IL-6 and adiponectin and low levels of leptin in a population of Mexican Americans: a cross-sectional study. *Cytokine*; 57(1): 136-42[DOI][PubMed].

- Mohamad N.E. Yeap S.K., Ky H., Ho W.Y., Boo S.Y., Chua J, Beh B.K., Sharifuddin S.A., Long K., Alitheen N.B., 2017, Dietary coconut water vinegar for improvement of obesity-associated inflammation in high-fat-diet- treated mice, *Food Nutr Res.* 61(1): 1368322.
- Mohd-Radzman, N.H., Ismail, W.I., Adam, Z., Jaapar, S.S., Adam, A. 2013. Potential Roles of Stevia rebaudiana Bertoni in Abrogating Insulin Resistance and Diabetes: A Review. *Evid Based Complement Alternat Med.*; 2013: 718049[DOI][PubMed]
- Mutia E., 2017, Penderita Diabetes Mellitus Tipe II Nanggalo Padang Tahun 2017.
- Nwangwa, E.K., dan Aloamaka, C.P. 2011. Regenerative Effects of Coconut Water and Coconut Milk on the Pancreatic β -Cells and Cyto Architecture in Alloxan Induced Diabetic Wistar Albino Rats. *American Journal of Tropical Medicine & Public Health.* 1(3): 137-146.
- Prathapan, A. dan Rajamohan, T. 2010. Antioxidant and Antithrombotic Activity of Tender Coconut Water in Experimental Myocardial Infarction. *Journal of Food Biochemistry.* <https://doi.org/10.1111/j.1745-4514.2010.00471.x>
- Preetha, P. P., Girija Devi, V., & Rajamohan, T.. (2013). Comparative effects of mature coconut water (*Cocos nucifera*) and glibenclamide on some biochemical parameters in alloxan induced diabetic rats. *Revista Brasileira de Farmacognosia*, 23(3), 481-487. <https://dx.doi.org/10.1590/S0102-695X2013005000027>.
- Preetha, P.P., Devi, V.G., Rajamohan, T. 2012. Hypoglycemic and antioxidant potential of coconut water in experimental diabetes. *Food Funct* 3: 753-757.
- Satapathy, S. dan Bandyopadhyay, D. 2015. Hypoglycemic Potential of Tender Coconut Water in Euglycemic Human Subjects. *IJHSR.*; 5(1): 283-287.
- Shu CJ, Benoist C, Mathis D. The immune system's involvement in obesity-driven type 2 diabetes. *Semin Immunol.* 2012; 24(6): 436-42[DOI][PubMed]
- Suarsana I. N., 2010, Profil glukosa darah dan ultrastruktur sel beta pankreas tikus yang diinduksi senyawa aloksan, *JITV* 15(2):118–123.
- Szkudelski, T. 2012. Streptozotocin-nicotinamide-induced diabetes in the rat. Characteristics of the experimental model. *Exp Biol Med (Maywood).*; 237(5): 481-90[DOI][PubMed].
- Szkudelski T., 2001, The mechanism of alloxan and streptozotocin action in β cells of the rat pancreas, *Physiol Res.* 50(6):537-46.

- Widowati W., 2008, Potensi antioksidan sebagai antidiabetes, *JKM*. 7(2): 1–11.
- Winarsi H., Purwanto D.A., 2010, Efek suplementasi ekstrak protein kecambah kedelai terhadap kadar il-1beta penderita diabetes tipe-2 *J.Teknol. dan Industri Pangan XXI*(1):6–10.
- Wu Z., Han M., Chen T., Yan W., Ning Q., 2010, Acute liver failure: mechanisms of immune-mediated liver injury, *Liver Int.* 30(6):782-94.
- Yong J.W., Ge L., Ng Y.F., Tan S.N., 2009, The chemical composition and biological properties of coconut (*Cocos nucifera* L.) water, *Molecules* 14(12):5144-64.
- Zhou G., Myers R., Li Y., Chen Y., Shen X., Fenyk-Melody J., Wu M., Ventre J., Doebber T., Fujii N., Musi N., Hirshman M.F., Goodyear L.J., Moller D.E., 2001, Role of AMP-activated protein kinase in mechanism of metformin action, *J Clin Invest.* 108(8):1167-74.
- Zulaikhah S.T., Pertiwi D., Bagus S.A., Nuri S., Brillian J.E.M ,Alfiza N.S, 2017, Effect of tender coconut water on blood lipid levels in high fat diet fed male rats, *JKIMSU* 6(2):63-68.