

**PROGRAM STUDI ILMU KEPERAWATAN
FAKULTAS ILMU KEPERAWATAN
UNIVERSITAS ISLAM SULTAN AGUNG SEMARANG
Skripsi, Januari 2019**

ABSTRAK

Imrucha Yulia Setia Pratiwi

**PENGARUH TERAPI DZIKIR TERHADAP KEMAMPUAN
MENGONTROL PERILAKU KEKERASAN PADA GANGGUAN JIWA DI
RUMAH SAKIT JIWA DAERAH Dr. AMINO GONDOHUTOMO
PROVINSI JAWA TENGAH**

65 halaman + 16 tabel + 4 gambar + 14 Lampiran + xiv

Latar Belakang: Gangguan jiwa ketika seseorang yang beresiko tinggi melakukan tindakan kekerasan baik pada diri sendiri, orang lain, maupun lingkungan nya. Terapi spiritual suatu terapi zikir yang bisa membuat hati menjadi tenang, terapi zikir dapat diterapkan pada pasien dengan perilaku kekerasan, jika terapi dapat dilakukan dengan baik dan sempurna, maka pasien yang sedang mengalami perilaku kekerasan dapat menghilangkan suara yang tidak nyata, karena lebih menyibukkan diri dengan berdzikir. Tujuan penelitian ini untuk mengetahui apakah terdapat pengaruh dzikir terhadap kemampuan mengontrol perilaku kekerasan pada gangguan jiwa di rumah sakit jiwa daerah Dr. Amino Gondohutomo Provinsi Jawa Tengah.

Metode: Penelitian ini menggunakan metode penelitian *Quasi eksperimen* dengan rancangan penelitian *pre-post tes with control grup*, yaitu sampel ini dibagi menjadi dua kelompok, kelompok yang diberi perlakuan (intervensi) dan kelompok pembanding yaitu (control). Kedua kelompok dipilih secara acak kemudian diberikan *pre-test* untuk mencari perbandingan dengan kelompok kontrol terhadap eksperimen yang akan digunakan.

Hasil: Berdasarkan analisa diperoleh dari 40 responden penelitian, sebagian besar memiliki karakteristik jenis kelamin laki-laki sebanyak 46 dengan persentase 57,5%, umur < 30 tahun sebanyak 46 responden dengan persentase 57,5%, respon perilaku responden adalah kriteria sedang yaitu sebanyak 25 responden dengan persentase sebesar 62,5%, kriteria sedang yaitu sebanyak 29 responden dengan persentase sebesar 72,5%, kriteria respon kognitif responden terbanyak adalah kriteria sedang yaitu sebanyak 23 responden dengan persentase sebesar 57,5%, kriteria respon fisik responden terbanyak adalah kriteria tinggi yaitu sebanyak 28 responden dengan persentase sebesar 70%.

Kesimpulan: Terdapat pengaruh terapi dzikir terhadap kemampuan mengontrol perilaku kekerasan pada gangguan jiwa di Rumah Sakit Jiwa Daerah Dr. Amino Gondo Hutomo Semarang Jawa Tengah, dengan nilai *sign.(2-tailed)* atau *p-value* sebesar $0,000 < 0,05$ dan penurunan rata-rata perilaku kekerasan sebanyak 40 responden dengan rata-rata penurunan; 20,5.

Kata kunci : Terapi dzikir, perilaku kekerasan dan gangguan jiwa..

Daftar pustaka : 2013 – 2018

**PROGRAM STUDI ILMU KEPERAWATAN
FAKULTAS ILMU KEPERAWATAN
UNIVERSITAS ISLAM SULTAN AGUNG SEMARANG
Skripsi, Januari 2019**

ABSTRACT

Imrucha Yulia Setia Pratiwi

**THE EFFECT OF DZIKIR THERAPY ON CONTROL ABILITY OF
VIOLENCE BEHAVIOR IN LIFE DISORDERS IN REGIONAL LIVING
HOSPITALS Dr. AMINO GONDOHUTOMO CENTRAL JAVA
PROVINCE**

65 pages + 16 tables + 4 pictures + 14 Attachments + xiv

Background: Mental disorder when someone who is at high risk of committing acts of violence both on themselves, others, and their environment. Spiritual therapy is a remembrance therapy that can make the heart calm, remembrance therapy can be applied to patients with violent behavior, if therapy can be done well and perfectly, then patients who are experiencing violent behavior can eliminate sounds that are not real, because they are more concerned with dhikr. The purpose of this study is to determine whether there is an effect of dhikr on the ability to control violent behavior in mental disorders in the mental hospital area Dr. Amino Gondohutomo, Central Java Province.

Method: This study used the research method Quasi experiment with pre-post test with control group design, ie this sample was divided into two groups, the group given treatment (intervention) and the comparison group namely (control). The two groups were randomly selected and then given a pre-test to find a comparison with the control group on the experiments to be used.

Results: Based on the analysis obtained from 40 research respondents, most had male sex characteristics as many as 46 with a percentage of 57.5%, age <30 years as many as 46 respondents with a percentage of 57.5%, respondent's behavioral response was the criteria being as many as 25 respondents with a percentage of 62.5%, the criteria being as many as 29 respondents with a percentage of 72.5%, the criteria for the cognitive response of the most respondents were medium criteria, namely as many as 23 respondents with a percentage of 57.5%, the criteria for most respondents' physical responses were high criteria as many as 28 respondents with a percentage of 70%.

Conclusion: There is an effect of dhikr therapy on the ability to control violent behavior in mental disorders in the Regional Mental Hospital Dr. Amino Gondohutomo Semarang Central Java, with a sign value (2-tailed) or p-value of 0,000 <0,05 and a decrease in the average violent behavior by 40 respondents with an average decline; 20.5.

Keywords: Dhikr therapy, violent behavior and mental disorders ..

Bibliography: 2013 – 2018