

**PROGRAM STUDI ILMU KEPERAWATAN  
FAKULTAS ILMU KEPERAWATAN  
UNIVERSITAS ISLAM SULTAN AGUNG SEMARANG  
Skripsi, April 2019**

**ABSTRAK**

Iqomatul Azizah

**PENGARUH TERAPI RELAKSASI OTOT PROGRESIF TERHADAP PENURUNAN  
TINGKAT KECEMASAN KLIEN DIABETES MELLITUS DI SEMARANG**

55 halaman + 14 tabel + 2 gambar + xiii

**Latar belakang** : kecemasan merupakan sikap negatif yang mengganggu, dalam hal ini kecemasan dapat diatas dengan terapi relaksasi otot progresif , penelitian sebelumnya juga menyatakan terapi relaksasi otot progresif yang baik dapat menurunkan tingkat kecemasan

**Tujuan** : tujuan penelitian ini diketahui pengaruh terapi relaksasi otot progresif terhadap penurunan tingkat kecemasan klien diabetes melitus di Semarang.

**Metode** : penelitian ini merupakan jenis penulisan dengan metode *Quasi Experimental* dengan model *nonequivalent control group design*. Pengumpulan data dengan menggunakan kuesioner intrumen (*HRS-A*) dan SOP terapi relaksasi otot progresif. Jumlah responden 40 dengan teknik sampling sistematis (20 klien kelompok intervensi dan 20 klien kelompok kontrol) uji normalitas menggunakan uji *Shapiro Wilk* dilanjut uji independent t test untuk mengetahui pengaruh terapi relaksasi otot progresif pada kelompok intervensi dengan kelompok kontrol terhadap kecemasan

**Hasil** : berdasarkan hasil penelitian diperoleh dari 40 responden penelitian.

Responden lebih banyak yang berusia pada lansia awal dan responden paling banyak adalah perempuan . Penelitian juga menunjukkan tingkat kecemasan ringan 59,75 % pada kelompok intervensi sedangkan pada kelompok kontrol rerata sebesar 72,25 % dengan tingkat kecemasan sedang. Hasil analisa uji  $-t$  menunjukan bahwa nilai  $p$  sebesar  $0,013 < 0,05$ , ini berarti ada perbedaan yang signifikan pada terapi relaksasi otot progresif antara kelompok intervensi dengan kelompok kontrol terhadap tingkat kecemasan klien diabetes melitus.

**Simpulan** : penelitian ini disimpulkan bahwa adanya pengaruh terapi relaksasi otot progresif terhadap penurunan tingkat kecemasan klien diabetes melitus

**Keyword** : terapi relaksasi otot progresif, tingkat kecemasan klien diabetes melitus

**Daftar pustaka** : 32 (2007- 2018)

**NURSING UNDERGRADUATE PROGRAM  
FACULTY OF NURSING  
SULTAN AGUNG ISLAMIC UNIVERSITY OF SEMARANG  
Mini Thesis, February 2019**

**ABSTRACT**

Iqomatul Azizah

## **THE EFFECT OF PROGRESSIVE MUSCLE RELAXATION THERAPY ON DECREASING LEVEL OF ANXIETY OF DIABETES MELLITUS CLIENTS IN SEMARANG**

55 pages + 14 tables + 10 pictures + xiii

**Background :** anxiety is a disturbing negative attitude, in this case anxiety can be above with progressive muscle relaxation therapy, previous research also states that good progressive muscle relaxation therapy can reduce anxiety levels

**Purpose :** The purpose of this study is to know the effect of progressive muscle relaxation therapy on the decrease in anxiety levels of diabetes mellitus clients in Semarang

**Method:** this study is a type of writing using Quasi Experimental method with nonequivalent control group design model. Data collection using instrument questionnaire (HRS-A) and progressive SOP muscle relaxation therapy. The number of respondents was 40 with a systematic sampling technique (20 intervention group clients and 20 control group clients) using normality tests using the Shapiro Wilk test followed by an independent t test to determine the effect of progressive muscle relaxation therapy in the intervention group with the control group on anxiety

**Result :** based on the results of the study obtained from 40 research respondents.

More respondents were aged in the early elderly and the most respondents were women. The study also showed a level of mild anxiety of 59.75% in the intervention group while in the mean control group it was 72.25% with moderate anxiety levels. The results of the t-test analysis show that the p value is  $0.013 < 0.05$ , this means that there is a significant difference in progressive muscle relaxation therapy between the intervention group and the control group on the anxiety level of diabetes mellitus clients.

**Conclusion :** this study concluded that there was an effect of progressive muscle relaxation therapy on the decrease in anxiety levels of diabetes mellitus clients

**Keyword :** progressive muscle relaxation therapy, the anxiety level of diabetes mellitus clients

**Bibliographies :** 32 (2007- 2018)