

LAMPIRAN

Lampiran 1. Perusahaan Sampel Penelitian

No	Jenis Industri	Kode Perusahaan	Nama Perusahaan
1	Cement	INTP	Indocement Tunggal Prakasa Tbk
2		SMBR	Semen Baturaja Persero Tbk
3		SMCB	Holcim Indonesia Tbk
4		SMGR	Semen Gresik Tbk
5	Ceramics, Glass, and Porcelain	AMFG	Asahimas Flat Glass Tbk
6		ARNA	Arwana Citra Mulia Tbk
7		IKAI	Inti Keramik Alam Asri Industri Tbk
8		KIAS	Keramika Indonesia Assosiasi Tbk
9		TOTO	Surya Toto Indonesia Tbk
10	Metal and Allied Products	ALKA	Alaska Industrindo Tbk
11		ALMI	Alumindo Light Metal Industry Tbk
12		BTON	Beton Jaya Manunggal Tbk
13		GDST	Gunawan Dianjaya Steel Tbk
14		INAI	Indal Aluminium Industry Tbk
15		JKSW	Jakarta Kyoei Steel Work LTD Tbk
16		JPRS	Jaya Pari Steel Tbk
17		LION	Lion Metal Works Tbk
18	LMSH	Lionmesh Prima Tbk	
19	Chemicals	BUDI	Budi Acid Jaya Tbk
20		DPNS	Duta Pertiwi Nusantara
21		EKAD	Ekadharna International Tbk
22		INCI	Intan Wijaya International Tbk
23		SRSN	Indo Acitama Tbk
24	Plastics and Packaging	AKPI	Argha Karya Prima Industry Tbk
25		APLI	Asiaplast Industries Tbk
26		BRNA	Berlina Tbk
27		IGAR	Champion Pasific Indonesia Tbk
28		IMPC	Impack Pratama Industri Tbk

No	Jenis Industri	Kode Perusahaan	Nama Perusahaan
29		SIMA	Siwani Makmur Tbk
30		TRST	Trias Sentosa Tbk
31		YPAS	Yana Prima Hasta Persada Tbk
32	Animal Feed	CPIN	Charoen Pokphand Indonesia Tbk
33		JPFA	Japfa Comfeed Indonesia Tbk
34		MAIN	Malindo Feedmill Tbk
35		SIPD	Siearad Produce Tbk
36	Wood Industries	TIRT	Tirta Mahakam Resources Tbk
37	Pulp & Paper	ALDO	Alkindo Naratama Tbk
38		FASW	Fajar Surya Wisesa Tbk
39		KBRI	Kertas Basuki Rachmat Indonesia Tbk
40		SPMA	Suparma Tbk
41	Automotive and Components	ASII	Astra International Tbk
42		AUTO	Astra Otoparts Tbk
43		GJTL	Gajah Tunggal Tbk
44		IMAS	Indomobil Sukses International Tbk
45		INDS	Indospring Tbk
46		NIPS	Nippres Tbk
47		PRAS	Prima alloy steel Universal Tbk
48		SMSM	Selamat Sempurna Tbk
49	Textile & Garment	HDTX	Pan Asia Indosyntec Tbk
50		MYTX	Apac Citra Centertex Tbk
51		RICY	Ricky Putra Globalindo Tbk
52		SSTM	Sunson Textile Manufacturer Tbk
53		TRIS	Trisula International Tbk
54		UNIT	Nusantara Inti Corpora Tbk
55	Footwear	BIMA	Primarindo Asia Infrastructure Tbk
56	Cable	JECC	Jembo Cable Company Tbk
57		KBLI	KMI Wire and Cable Tbk
58		KBLM	Kabelindo Murni Tbk
59		SCCO	Supreme Cable Manufacturing and Commerce Tbk
60		VOKS	Voksel Electric Tbk

No	Jenis Industri	Kode Perusahaan	Nama Perusahaan
61	Food & Beverages	ALTO	Tri Banyan Tirta Tbk
62		CEKA	Cahaya Kalbar Tbk
63		DLTA	Delta Djakarta Tbk
64		ICBP	Indofood CBP Sukses Makmur Tbk
65		INDF	Indofood Sukses Makmur Tbk
66		MLBI	Multi Bintang Indonesia Tbk
67		MYOR	Mayora Indah Tbk
68		ROTI	Nippon Indosari Corporindo Tbk
69		SKBM	Sekar Bumi Tbk
70		SKLT	Sekar Laut Tbk
71		STTP	Siantar Top Tbk
72		ULTJ	Ultrajaya Milk Industry and Trading Company Tbk
73	Tobacco Manufactures	GGRM	Gudang Garam Tbk
74		HMSP	Hanjaya Mandala Sampoerna Tbk
75		WIIM	Wismilak Inti Makmur Tbk
76	Pharmaceuticals	DVLA	Darya Varia Laboratoria Tbk
77		KAEF	Kimia Farma Tbk
78		KLBF	Kalbe Farma Tbk
79		MERK	Merck Tbk
80		PYFA	Pyridam Farma Tbk
81		TSPC	Tempo Scan Pasific Tbk
82	Cosmetics and Household	MBTO	Martina Berto Tbk
83		MRAT	Mustika Ratu Tbk
84		TCID	Mandom Indonesia Tbk
85	Houseware	CINT	Chitose Internasional Tbk
86		KICI	Kedaung Indag Can Tbk
87		LMPI	Langgeng Makmur Industry Tbk

Lampiran 2. Tabulasi Data

2014										
No	Kode	SIZE	Δ REV	KOP	PPE	Intasset	PTBI _{t+1}	PTBI _t	BTD	
1	INTP	30.9943	0.0452	-	0.7423	0.0005	0.1954	0.2351	0.0010	
2	SMBR	28.7048	0.0158	-	0.4109	0.0011	0.1515	0.1349	0.0003	
3	SMCB	30.4757	0.0490	-	1.2681	0.0070	0.0204	0.0586	0.0012	
4	SMGR	31.1666	0.0724	-	0.8841	0.0322	0.1705	0.2066	- 0.0028	
5	AMFG	28.9967	0.1163	-	0.9504	-	0.1185	0.1526	0.0001	
6	ARNA	27.8615	0.1526	-	0.9488	-	0.0759	0.2767	- 0.0008	
7	IKAI	26.9743	0.0980	0.0394	1.7887	-	0.2104	0.0516	- 0.0005	
8	KIAS	28.4865	- 0.0050	-	0.9632	-	0.0884	0.0505	0.0015	
9	TOTO	28.3377	0.1689	-	0.7055	-	0.1882	0.1884	0.0049	
10	ALKA	26.2240	0.5339	0.0217	0.0936	-	0.0017	0.0161	- 0.0056	
11	ALMI	28.7981	0.1447	0.0328	0.6265	-	0.0230	0.0005	- 0.0001	
12	BTON	25.8832	- 0.1007	-	0.2473	-	0.0448	0.0550	- 0.0001	
13	GDST	27.9345	- 0.1436	-	0.8451	-	0.0541	0.0140	- 0.0036	
14	INAI	27.5226	0.3263	0.0318	0.3089	0.0006	0.0637	0.0365	0.0021	
15	JKSW	26.4368	- 0.0173	-	0.2148	-	0.0762	0.0318	-	
16	JPRS	26.6394	0.3191	-	0.2048	-	0.0720	0.0219	- 0.0030	
17	LION	27.1204	0.0732	-	0.2734	-	0.0974	0.1047	0.0015	
18	LMSH	25.6643	- 0.0510	-	0.3968	-	0.0272	0.0787	0.0002	
19	BUDI	28.5381	- 0.1150	0.0462	1.0656	-	0.0210	0.0176	- 0.0057	
20	DPNS	26.3175	0.0054	-	0.1991	-	0.0440	0.0639	0.0049	
21	EKAD	26.7427	0.2623	-	0.3963	-	0.1612	0.1428	- 0.0081	
22	INCI	25.7204	0.1945	0.0912	1.0842	-	0.1299	0.0768	- 0.0029	

2014									
No	Kode	SIZE	Δ REV	KOP	PPE	Intasset	PTBI _{t+1}	PTBI _t	BTD
23	SRSN	26.8617	0.1738	-	0.7058	0.0007	0.0447	0.0644	- 0.0063
24	AKPI	28.4317	0.1266	-	1.2482	0.0002	0.0230	0.0275	- 0.0041
25	APLI	26.3332	0.0459	-	1.2706	-	0.0085	0.0609	0.0051
26	BRNA	27.9193	0.2233	-	0.9098	0.0208	- 0.0018	0.0557	- 0.0069
27	IGAR	26.5809	0.2700	0.0375	0.5368	-	0.1807	0.2167	- 0.0036
28	IMPC	28.1830	0.0988	-	0.3265	0.0506	0.0848	0.2046	0.0003
29	SIMA	24.8602	0.2153	0.5019	0.7830	-	- 0.0251	0.0180	0.0041
30	TRST	28.8131	0.1456	-	1.3662	-	0.0157	0.0193	- 0.0036
31	YPAS	26.4931	- 0.0567	-	0.8330	-	- 0.0314	- 0.0295	0.0016
32	CPIN	30.6690	0.1672	-	0.5460	-	0.1094	0.1010	- 0.0131
33	JPFA	30.3866	0.1937	-	0.5851	0.0045	0.0444	0.0345	0.0004
34	MAIN	28.8927	0.0875	-	0.6218	-	- 0.0204	- 0.0307	0.0089
35	SIPD	28.6610	- 0.4815	-	0.6152	0.0189	- 0.1584	0.0088	- 0.0024
36	TIRT	27.2937	0.1033	0.2505	0.6422	-	0.0012	0.0335	- 0.0057
37	ALDO	26.6005	0.2649	-	0.4782	-	0.0910	0.0790	- 0.0001
38	FASW	29.3504	0.0889	0.0751	1.1247	0.0026	- 0.0722	0.0227	- 0.0074
39	KBRI	27.8929	0.0176	0.0814	0.9136	-	- 0.1018	- 0.0137	- 0.0000
40	SPMA	28.3691	0.0741	-	1.1290	-	- 0.0272	0.0312	- 0.0009
41	ASII	33.0950	0.0331	-	0.3173	0.0148	0.0832	0.1159	0.0041
42	AUTO	30.2969	0.1080	-	0.3281	0.0138	0.0302	0.0771	0.0030
43	GJTL	30.4063	0.0447	-	0.8173	-	- 0.0207	0.0246	0.0002
44	IMAS	30.7868	- 0.0271	0.0209	0.2630	-	0.0078	0.0008	0.0013
45	INDS	28.4564	0.0721	-	0.5866	-	0.0018	0.0734	0.0026
46	NIPS	27.8190	0.0868	-	0.5210	-	0.0346	0.0558	0.0015
47	PRAS	27.8832	0.1006	0.0175	0.6043	-	0.0066	0.0117	- 0.0029

2014										
No	Kode	SIZE	ΔREV	KOP	PPE	Intasset	PTBI _{t+1}	PTBI _t	BTD	
48	SMSM	28.1903	0.1435	-	0.9649	-	0.3337	0.3093	0.0046	
49	HDTX	29.0713	0.0280	0.1177	1.0240	-	0.0854	-	0.0260	0.0008
50	MYTX	28.3446	0.1121	0.0030	1.7504	-	0.1632	-	0.0931	0.0154
51	RICY	27.7887	0.1719	-	0.4814	0.0006	0.0191	0.0193	0.0009	
52	SSTM	27.3744	-	0.0697	-	1.2033	-	0.0175	-	0.0216
53	TRIS	26.9846	0.0704	-	0.4253	-	0.0958	0.0910	0.0052	
54	UNIT	26.8117	0.0013	-	1.1071	-	0.0038	0.0128	0.0004	
55	BIMA	25.3682	0.0724	0.0912	1.3575	-	0.0038	0.1274	-	0.0316
56	JECC	27.6916	0.0028	-	0.3099	-	0.0080	0.0312	0.0021	
57	KBLI	27.9217	-	0.1408	-	0.6389	-	0.1122	0.0705	0.0016
58	KBLM	27.1967	-	0.1748	-	0.7695	-	0.0332	0.0423	0.0005
59	SCCO	28.1354	-	0.0288	-	0.4000	-	0.1244	0.1101	0.0001
60	VOKS	28.0718	-	0.3266	-	0.4586	-	0.0015	-	0.0727
61	ALTO	27.8454	-	0.1249	-	0.4938	-	0.0316	-	0.0082
62	CEKA	27.8811	0.9111	-	0.2959	-	0.1108	0.0444	-	0.0009
63	DLTA	27.6229	0.1112	-	0.4392	-	0.2522	0.3826	0.0018	
64	ICBP	30.8463	0.1978	-	0.3698	0.1680	0.1610	0.1360	0.0048	
65	INDF	32.0847	0.0927	-	0.3839	0.0784	0.0577	0.0725	0.0037	
66	MLBI	28.4335	-	0.2570	-	0.9260	-	0.3028	0.4833	-
67	MYOR	29.9623	0.2090	-	0.4862	-	0.1594	0.0515	0.0003	
68	ROTI	28.3932	0.1749	-	0.9265	0.0032	0.1765	0.1180	-	0.0074
69	SKBM	27.1995	0.2835	-	0.5064	-	0.0826	0.1690	0.0049	
70	SKLT	26.5271	0.3449	-	0.6577	-	0.0826	0.0710	0.0055	
71	STTP	28.1618	0.2797	-	0.7849	-	0.1365	0.0987	0.0017	
72	ULTJ	28.7016	0.1565	-	0.6913	0.0048	0.2402	0.1287	0.0072	

2014									
No	Kode	SIZE	Δ REV	KOP	PPE	Intasset	PTBI _{t+1}	PTBI _t	BTD
73	GGRM	31.6953	0.1674	-	0.4968	-	0.1483	0.1238	- 0.0016
74	HMSP	30.9767	0.1996	-	0.3370	0.0021	0.4909	0.4834	0.0005
75	WIIM	27.9184	0.0552	-	0.3928	-	0.1335	0.1122	- 0.0011
76	DVLA	27.8431	0.0017	-	0.3832	0.0083	0.1168	0.0856	0.0075
77	KAEF	28.7190	0.0583	-	0.3417	0.0011	0.1139	0.1063	- 0.0014
78	KLBF	30.1507	0.1100	-	0.4249	0.0339	0.2190	0.2224	0.0005
79	MERK	27.2978	0.0802	-	0.2173	0.0041	0.2706	0.2862	- 0.0059
80	PYFA	25.8750	0.1722	-	0.8929	0.0006	0.0264	0.0244	0.0019
81	TSPC	29.3525	0.1175	-	0.4226	-	0.1264	0.1328	0.0001
82	MBTO	27.1520	0.0486	-	0.4391	-	0.0272	0.0092	0.0020
83	MRAT	26.9354	0.1536	-	0.3682	-	0.0045	0.0201	0.0007
84	TCID	28.2480	0.1513	-	0.8255	-	0.3147	0.1292	0.0016
85	CINT	26.6234	- 0.0128	-	0.4534	0.0046	0.1116	0.0982	0.0001
86	KICI	25.2954	0.0407	-	0.5675	-	0.0280	0.0654	- 0.0083
87	LMPI	27.4189	- 0.2010	0.0147	0.7201	-	0.0085	0.0037	- 0.0016

2015									
No	Kode	SIZE	Δ REV	KOP	PPE	Intasset	PTBI _{t+1}	PTBI _t	BTD
1	INTP	30.9502	- 0.0795	-	0.8671	0.0026	0.1500	0.2042	- 0.0013
2	SMBR	28.8154	0.0754	-	0.4658	0.0010	0.1069	0.1357	- 0.0009
3	SMCB	30.4830	- 0.0745	-	1.2818	0.0013	- 0.0099	0.0202	0.0004
4	SMGR	31.2726	- 0.0010	-	0.9606	0.0297	0.1333	0.1534	- 0.0007
5	AMFG	29.0827	- 0.0015	-	0.9871	0.0014	0.0816	0.1087	- 0.0025
6	ARNA	27.9892	- 0.2221	-	0.9910	-	0.0866	0.0668	0.0005

2015										
No	Kode	SIZE	Δ REV	KOP	PPE	Intasset	$PTBI_{t+1}$	$PTBI_t$	BTD	
7	IKAI	26.6895	- 0.3105	0.2290	1.8177	-	- 0.3740	- 0.2798	0.0006	
8	KIAS	28.3845	- 0.0464	-	1.1047	0.0005	- 0.0781	- 0.0979	0.0209	
9	TOTO	28.5228	0.0922	-	0.6411	-	0.1030	0.1564	0.0056	
10	ALKA	25.6974	- 3.3273	0.0340	0.1805	-	0.0019	0.0029	- 0.0110	
11	ALMI	28.4145	- 0.0013	0.0766	1.0196	-	0.0416	- 0.0337	0.0093	
12	BTON	25.9334	- 0.1547	-	0.2363	-	- 0.0449	0.0426	0.0010	
13	GDST	27.7999	- 0.2549	-	1.0073	-	0.0384	- 0.0620	0.0153	
14	INAI	27.9164	0.3392	0.0119	0.3252	0.0003	0.0437	0.0429	- 0.0025	
15	JKSW	26.3041	0.2146	0.0793	0.2479	-	- 0.0109	- 0.0871	-	
16	JPRS	26.6184	- 0.4688	0.0433	0.2093	-	- 0.0463	- 0.0735	0.0130	
17	LION	27.1837	0.0182	-	0.2936	-	0.0855	0.0914	0.0022	
18	LMSH	25.6195	- 0.5567	-	0.4196	-	0.0704	0.0285	- 0.0039	
19	BUDI	28.8146	0.0290	0.0015	0.6455	-	0.0162	0.0160	- 0.0094	
20	DPNS	26.3382	- 0.0521	-	0.2006	-	0.0448	0.0431	0.0019	
21	EKAD	26.6886	0.0127	-	0.4189	-	0.3040	0.1702	- 0.0028	
22	INCI	25.8564	0.1572	0.0239	0.9682	-	0.0784	0.1134	- 0.0073	
23	SRSN	27.0760	0.1023	-	0.5898	0.0003	0.0029	0.0361	0.0020	
24	AKPI	28.6899	0.0250	-	1.2323	0.0001	0.0263	0.0177	- 0.0065	
25	APLI	26.4554	- 0.1083	-	1.1898	-	0.1086	0.0075	2.2951	
26	BRNA	28.2303	0.0107	0.0230	0.7395	0.0143	0.0112	- 0.0013	0.0018	
27	IGAR	26.6737	- 0.1577	0.0030	0.5693	-	0.2495	0.1647	0.0157	
28	IMPC	28.1470	- 0.1584	-	0.4007	0.0701	0.0984	0.0879	0.0024	
29	SIMA	24.4142	- 0.2033	-	1.2232	-	- 0.0175	- 0.0392	0.0022	
30	TRST	28.8422	- 0.0151	-	1.4966	-	0.0069	0.0152	- 0.0025	
31	YPAS	26.3552	- 0.5162	-	0.9573	-	- 0.0401	- 0.0360	0.0006	

2015									
No	Kode	SIZE	Δ REV	KOP	PPE	Intasset	$PTBI_{t+1}$	$PTBI_t$	BTD
32	CPIN	30.8372	0.0388	-	0.5719	0.0119	0.1614	0.0924	0.0044
33	JPFA	30.4736	0.0329	-	0.5942	0.0041	0.1612	0.0407	- 0.0003
34	MAIN	29.0078	0.0689	-	0.6562	-	0.0761	-	0.0182
35	SIPD	28.4405	- 0.1747	-	0.7863	0.0133	0.0038	-	0.1974
36	TIRT	27.3607	0.0501	0.2240	0.6437	-	0.0487	0.0011	- 0.0022
37	ALDO	26.6259	0.1215	-	0.5113	-	0.0925	0.0887	0.0001
38	FASW	29.5760	- 0.0711	0.1080	1.1025	0.0013	0.1182	-	0.0576
39	KBRI	28.0067	0.1418	0.0769	0.8241	-	0.0573	-	0.0909
40	SPMA	28.4128	0.0324	-	1.1443	-	0.0510	-	0.0260
41	ASII	33.1341	- 0.0713	-	0.3289	0.0164	0.0907	0.0800	0.0053
42	AUTO	30.2940	- 0.0371	-	0.3847	0.0151	0.0453	0.0302	0.0011
43	GJTL	30.4938	- 0.0057	-	0.8495	-	0.0472	-	0.0190
44	IMAS	30.8443	- 0.0546	0.0038	0.2648	-	0.0100	0.0074	- 0.0028
45	INDS	28.5687	- 0.0812	-	0.5762	-	0.0235	0.0016	0.0053
46	NIPS	28.0678	- 0.0181	-	0.4063	-	0.0572	0.0270	0.0019
47	PRAS	28.0574	0.0157	-	0.6337	-	0.0026	0.0055	- 0.0013
48	SMSM	28.4286	0.0766	-	0.9038	-	0.2965	0.2629	0.0044
49	HDTX	29.2158	0.0463	0.0743	1.0524	-	0.1040	-	0.0739
50	MYTX	28.2959	- 0.1223	0.0060	2.0390	-	0.2046	-	0.1713
51	RICY	27.8118	- 0.0621	-	0.5178	0.0006	0.0195	0.0187	- 0.0001
52	SSTM	27.3051	- 0.0189	-	1.2952	-	0.0259	-	0.0187
53	TRIS	27.0765	0.1966	0.0250	0.4268	-	0.0835	0.0874	0.0055
54	UNIT	26.8557	0.0343	-	1.0599	-	0.0042	0.0036	0.0002
55	BIMA	25.3240	- 0.6461	0.0365	1.4258	-	0.3000	0.0040	- 0.0117
56	JECC	27.9374	0.1254	-	0.3473	-	0.1291	0.0063	0.0001

2015									
No	Kode	SIZE	Δ REV	KOP	PPE	Intasset	PTBI _{t+1}	PTBI _t	BTD
57	KBLI	28.0704	0.1791	-	0.6544	-	0.2488	0.0967	0.0007
58	KBLM	27.2070	0.0736	-	0.7926	-	0.0528	0.0328	0.0017
59	SCCO	28.2038	- 0.0960	-	0.4001	-	0.2479	0.1162	0.0008
60	VOKS	28.0604	- 0.2640	0.0782	0.4754	-	0.1460	0.0016	0.0006
61	ALTO	27.7967	- 0.0259	-	0.6117	-	0.0124	- 0.0331	0.0125
62	CEKA	28.0270	- 0.1455	-	0.2689	-	0.1924	0.0958	0.0005
63	DLTA	27.6686	- 0.5186	-	0.4292	-	0.3150	0.2410	0.0047
64	ICBP	30.9105	0.0647	-	0.3916	0.1526	0.1878	0.1510	0.0062
65	INDF	32.1510	0.0051	-	0.4224	0.0719	0.0543	0.0540	0.0031
66	MLBI	28.3734	- 0.1391	-	0.9681	-	0.6284	0.3216	- 0.0117
67	MYOR	30.0596	0.0573	-	0.5751	-	0.1627	0.1446	- 0.0003
68	ROTI	28.6266	0.1087	-	0.8254	0.0028	0.1365	0.1398	- 0.0045
69	SKBM	27.3625	- 0.1550	-	0.6318	-	0.0403	0.0702	0.0032
70	SKLT	26.6558	0.1689	-	0.6549	-	0.0667	0.0726	0.0035
71	STTP	28.2831	0.1947	-	0.7937	-	0.1134	0.1209	0.0016
72	ULTJ	28.8951	0.1348	-	0.6548	0.0039	0.2634	0.1979	0.0048
73	GGRM	31.7821	0.0816	-	0.5003	-	0.1406	0.1360	- 0.0004
74	HMSP	31.2689	0.2204	-	0.2721	0.0016	0.4475	0.3665	0.0006
75	WIIM	27.9257	0.1325	-	0.4352	-	0.1018	0.1325	- 0.0015
76	DVLA	27.9504	0.1470	-	0.3577	0.0109	0.1558	0.1049	0.0008
77	KAEF	28.8054	0.1049	-	0.3627	0.0017	0.1184	0.1045	- 0.0023
78	KLBF	30.2482	0.0379	-	0.4453	0.0303	0.2257	0.1987	0.0013
79	MERK	27.1873	0.1874	-	0.2982	0.0017	0.3349	0.3023	0.0068
80	PYFA	25.7981	- 0.0279	-	0.9738	0.0006	0.0441	0.0285	0.0040
81	TSPC	29.4691	0.1065	-	0.4020	-	0.1144	0.1125	- 0.0005

2015										
No	Kode	SIZE	Δ REV	KOP	PPE	Intasset	PTBI _{t+1}	PTBI _t	BTD	
82	MBTO	27.1985	0.0360	-	0.4486	-	0.0182	-	0.0259	0.0043
83	MRAT	26.9320	- 0.0134	-	0.3535	-	0.0082	-	0.0045	0.0056
84	TCID	28.3644	0.0032	-	0.7316	-	0.1064	-	0.2801	- 0.0001
85	CINT	26.6708	0.0830	-	0.4804	0.0040	0.0736	-	0.1065	0.0020
86	KICI	25.6199	- 0.0840	-	2.1868	-	0.0043	-	0.0203	- 0.1095
87	LMPI	27.3992	- 0.0767	0.0055	0.7454	-	0.0141	-	0.0087	- 0.0037

2016										
No	Kode	SIZE	Δ REV	KOP	PPE	Intasset	PTBI _{t+1}	PTBI _t	BTD	
1	INTP	31.0372	- 0.0808	-	0.8529	0.0037	0.0759	-	0.1375	0.0194
2	SMBR	29.1055	0.0141	-	0.7853	0.0008	0.0478	-	0.0799	0.0016
3	SMCB	30.6148	0.0111	0.0155	1.3193	0.0203	- 0.0349	-	0.0087	- 0.0039
4	SMGR	31.4204	- 0.0184	-	1.0048	0.0306	0.0621	-	0.1150	0.0189
5	AMFG	29.3367	0.0106	-	1.1106	0.0010	0.0116	-	0.0633	0.0015
6	ARNA	28.0649	0.1426	-	0.9646	-	0.1077	-	0.0802	0.0017
7	IKAI	26.3031	- 0.2167	0.1418	2.5022	-	- 0.0002	-	0.5505	0.0020
8	KIAS	28.2514	0.0341	-	1.3018	0.0006	- 0.0509	-	0.0892	- 0.0304
9	TOTO	28.5794	- 0.0812	-	0.6424	-	0.1463	-	0.0974	0.0075
10	ALKA	25.6405	2.9459	0.0155	0.2622	-	0.1176	-	0.0020	0.0030
11	ALMI	28.3979	- 0.4048	0.0573	1.0109	-	0.0022	-	0.0423	- 0.0041
12	BTON	25.9011	- 0.0277	-	0.2442	-	0.0831	-	0.0463	0.0128
13	GDST	27.8602	- 0.1245	0.0146	0.9925	-	0.0174	-	0.0362	- 0.0110
14	INAI	27.9230	- 0.0748	-	0.3396	0.0003	0.0391	-	0.0434	0.0020
15	JKSW	26.3334	0.4130	1.6923	0.2485	-	- 0.0144	-	0.0106	-

2016										
No	Kode	SIZE	Δ REV	KOP	PPE	Intasset	$PTBI_{t+1}$	$PTBI_t$	BTD	
16	JPRS	26.5850	- 0.0644	0.1150	0.2164	-	- 0.0379	- 0.0479	- 0.0069	
17	LION	27.2539	- 0.0147	-	0.3011	-	0.0294	0.0797	0.0030	
18	LMSH	25.8160	- 0.1028	-	0.5676	-	0.1074	0.0579	- 0.0014	
19	BUDI	28.7066	0.0303	-	0.7785	-	0.0208	0.0180	- 0.0037	
20	DPNS	26.4141	- 0.0086	-	0.1860	-	0.0256	0.0415	0.0027	
21	EKAD	27.2779	0.0528	-	0.6051	-	0.1461	0.1686	0.0007	
22	INCI	26.3193	0.1463	-	0.9372	-	0.0820	0.0494	- 0.0017	
23	SRSN	27.2986	- 0.0433	-	0.6183	0.0001	0.0265	0.0024	0.0151	
24	AKPI	28.5926	0.0114	-	1.3419	0.0001	0.0122	0.0290	0.0021	
25	APLI	26.4742	0.1878	-	1.4090	-	0.0124	0.1066	1.6040	
26	BRNA	28.3676	0.0414	-	0.7062	0.0413	- 0.1073	0.0098	- 0.0004	
27	IGAR	26.8088	0.2627	-	0.5253	-	0.2179	0.2179	- 0.0012	
28	IMPC	28.4535	- 0.0055	-	0.4176	0.0496	0.0490	0.0724	0.0030	
29	SIMA	24.4170	- 0.1170	-	1.2197	-	- 0.0072	- 0.0174	-	
30	TRST	28.8221	- 0.0632	-	1.5342	-	0.0038	0.0070	0.0111	
31	YPAS	26.3590	0.0033	0.0824	0.9556	-	- 0.0532	- 0.0400	0.0010	
32	CPIN	30.8176	0.3367	-	0.6223	0.0226	0.1345	0.1646	- 0.0187	
33	JPFA	30.5886	0.1060	-	0.4740	0.0036	0.0904	0.1437	0.0012	
34	MAIN	28.9971	0.1202	-	0.7461	-	0.0011	0.0769	0.0177	
35	SIPD	28.5738	0.1223	0.1098	0.6999	0.0103	- 0.0925	0.0033	0.0018	
36	TIRT	27.4277	- 0.0113	0.1532	0.6770	-	0.0029	0.0455	- 0.0100	
37	ALDO	26.7402	0.3121	-	0.4706	-	0.0941	0.0825	0.0007	
38	FASW	29.7808	0.1066	-	1.0813	0.0006	0.0961	0.0963	0.0010	
39	KBRI	27.8651	- 0.0632	0.0247	0.9520	-	- 0.0831	- 0.0660	- 0.0153	
40	SPMA	28.4006	0.1440	0.0305	1.1952	-	0.0562	0.0516	- 0.0140	

2016									
No	Kode	SIZE	Δ REV	KOP	PPE	Intasset	$PTBI_{t+1}$	$PTBI_t$	BTD
41	ASII	33.1988	- 0.0119	-	0.3275	0.0155	0.1115	0.0850	0.0041
42	AUTO	30.3129	0.0741	-	0.4124	0.0150	0.0487	0.0444	0.0033
43	GJTL	30.5594	0.0355	-	0.8536	-	0.0057	0.0442	0.0038
44	IMAS	30.8749	- 0.1190	0.0078	0.2213	-	0.0058	- 0.0097	0.0017
45	INDS	28.5382	- 0.0091	-	0.5993	-	0.0647	0.0243	- 0.0029
46	NIPS	28.2065	0.0291	-	0.4191	-	0.0336	0.0498	- 0.0020
47	PRAS	28.0988	- 0.0645	-	0.6546	-	0.0025	0.0025	- 0.0042
48	SMSM	28.4441	0.0341	-	0.9057	-	0.3196	0.2919	0.0003
49	HDTX	29.1878	0.0518	0.1000	1.0868	- -	0.1478	- 0.1070	0.0240
50	MYTX	28.1133	- 0.3670	0.0047	2.3839	- -	0.1913	- 0.2456	0.0255
51	RICY	27.8846	0.0857	-	0.5062	0.0019	0.0200	0.0181	- 0.0006
52	SSTM	27.2320	- 0.1036	-	1.4060	- -	0.0463	- 0.0279	0.0065
53	TRIS	27.1843	0.0659	-	0.4027	-	0.0341	0.0750	- 0.0063
54	UNIT	26.7938	- 0.0327	-	1.1275	-	0.0036	0.0044	0.0001
55	BIMA	25.2455	- 0.5460	-	1.5362	-	0.1184	0.3245	- 0.0732
56	JECC	28.0930	0.2359	-	0.3203	-	0.0703	0.1105	0.0018
57	KBLI	28.2577	0.0802	-	0.5564	-	0.2292	0.2063	0.0170
58	KBLM	27.1833	0.0308	-	0.7337	-	0.0697	0.0540	- 0.0003
59	SCCO	28.5271	0.0855	-	0.3031	-	0.1409	0.1794	0.0006
60	VOKS	28.1428	0.2545	-	0.4643	-	0.1380	0.1345	- 0.0176
61	ALTO	27.7838	- 0.0046	-	0.6643	- -	0.0598	- 0.0125	- 0.0102
62	CEKA	27.9859	0.4417	-	0.2912	-	0.1004	0.2004	0.0271
63	DLTA	27.8115	0.0714	-	0.3822	-	0.3081	0.2730	0.0109
64	ICBP	30.9949	0.0943	-	0.3969	0.1299	0.1801	0.1726	0.0040
65	INDF	30.9949	- 1.0240	-	0.3969	0.1299	0.2650	0.1726	0.0040

2016									
No	Kode	SIZE	AREV	KOP	PPE	Intasset	PTBI _{t+1}	PTBI _t	BTD
66	MLBI	28.4530	0.2492	-	0.9762	-	0.7824	0.5803	- 0.0019
67	MYOR	30.1900	0.2733	-	0.5509	-	0.1692	0.1428	0.0014
68	ROTI	28.7025	0.1190	-	0.8048	0.0213	0.0638	0.1265	- 0.0101
69	SKBM	27.6327	0.1386	-	0.5445	0.0028	0.0317	0.0308	0.0082
70	SKLT	27.0658	0.1562	-	0.7292	-	0.0482	0.0443	0.0033
71	STTP	28.4796	0.0363	-	0.7300	-	0.1235	0.0932	0.0006
72	ULTJ	29.0754	0.0689	-	0.5542	0.0020	0.2421	0.2200	0.0040
73	GGRM	31.7734	0.0939	-	0.5437	-	0.1658	0.1419	- 0.0003
74	HMSP	31.3807	0.1505	-	0.2718	0.0014	0.3974	0.4002	- 0.0012
75	WIIM	27.9338	- 0.1135	-	0.4568	-	0.0403	0.1010	- 0.0009
76	DVLA	28.0572	0.0949	-	0.4299	0.0098	0.1477	0.1400	- 0.0074
77	KAEF	29.1598	0.2062	-	0.3356	0.0012	0.0975	0.0830	- 0.0014
78	KLBF	30.3540	0.0976	-	0.4607	0.0263	0.2129	0.2030	0.0035
79	MERK	27.3352	0.0690	-	0.2999	0.0003	0.2766	0.2889	0.0087
80	PYFA	25.8416	- 0.0053	-	0.9481	0.0006	0.0575	0.0422	0.0040
81	TSPC	29.5159	0.1453	-	0.4193	-	0.1130	0.1092	0.0001
82	MBTO	27.2885	- 0.0132	0.0107	0.4170	-	- 0.0446	0.0166	- 0.0009
83	MRAT	26.9034	- 0.1733	-	0.3635	-	- 0.0028	- 0.0085	0.0003
84	TCID	28.4127	0.0970	-	0.7589	-	0.1112	0.1014	- 0.0022
85	CINT	26.7131	0.0305	-	0.5394	0.0034	0.0960	0.0705	0.0042
86	KICI	25.6635	0.0547	-	2.0957	-	0.0761	0.0041	0.0042
87	LMPI	27.4208	- 0.0503	-	0.7462	-	- 0.0427	0.0138	- 0.0046

Lampiran 3. Statistik Deskriptif

Descriptive Statistics					
	N	Minimum	Maximum	Mean	Std. Deviation
SIZE	261	24.4142	33.1988	2.818238E1	1.6439930
ΔREV	261	-3.3273	2.9459	.028416	.3318864
KOP	261	.0000	1.6923	.019977	.1138051
PPE	261	.0936	2.5022	.703270	.4036612
Intasset	261	.0000	.1680	.005713	.0205741
BTD	261	-.1095	2.2951	.015432	.1733282
PRST	261	-.3037	.6099	.073397	.1180924
Valid N (listwise)	261				

BTD					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	LNBTD	52	19.9	19.9	19.9
	LPBTD	52	19.9	19.9	39.8
	SBTD	157	60.2	60.2	100.0
	Total	261	100.0	100.0	

Lampiran 4. Uji Normalitas

Model 1 (awal)


One-Sample Kolmogorov-Smirnov Test		Unstandardized Residual
N		261
Normal Parameters ^a	Mean	.0000000
	Std. Deviation	.17169203
Most Extreme Differences	Absolute	.403
	Positive	.403
	Negative	-.329
Kolmogorov-Smirnov Z		6.512
Asymp. Sig. (2-tailed)		.000
a. Test distribution is Normal.		

Model 1 (akhir)

One-Sample Kolmogorov-Smirnov Test		Unstandardized Residual
N		211
Normal Parameters ^a	Mean	.0000000
	Std. Deviation	.00321866
Most Extreme Differences	Absolute	.088
	Positive	.088
	Negative	-.069
Kolmogorov-Smirnov Z		1.280
Asymp. Sig. (2-tailed)		.075
a. Test distribution is Normal.		

Normal P-P Plot of Regression Standardized Residual

Dependent Variable: BTD



Model 3 (awal)


One-Sample Kolmogorov-Smirnov Test		
		Unstandardized Residual
N		261
Normal Parameters ^a	Mean	.0000000
	Std. Deviation	.06127695
Most Extreme Differences	Absolute	.091
	Positive	.089
	Negative	-.091
Kolmogorov-Smirnov Z		1.462
Asymp. Sig. (2-tailed)		.028
a. Test distribution is Normal.		

Model 3 (akhir)

One-Sample Kolmogorov-Smirnov Test		
		Unstandardized Residual
N		251
Normal Parameters ^a	Mean	.0000000
	Std. Deviation	.04432322
Most Extreme Differences	Absolute	.058
	Positive	.058
	Negative	-.036
Kolmogorov-Smirnov Z		.925
Asymp. Sig. (2-tailed)		.359
a. Test distribution is Normal.		

Normal P-P Plot of Regression Standardized Residual

Dependent Variable: PRST



Lampiran 5. *Outlier*

Model 1

Extreme Values					
Reduksi				Case Number	Value
Reduksi 1	Unstandardized Residual	Highest	1	112	2.24396
			2	199	1.53978
			3	189	0.05829
			4	128	0.04718
			5	215	0.04619
		Lowest	1	173	-0.21474
			2	229	-0.14647
			3	181	-0.10496
			4	260	-0.09778
			5	55	-0.09775
Reduksi 2	Unstandardized Residual	Highest	1	120	0.03448
			2	134	0.03111
			3	227	0.02659
			4	215	0.02269
			5	216	0.02026
		Lowest	1	177	-0.03323
			2	199	-0.02069
			3	225	-0.01846
			4	124	-0.01697
			5	206	-0.01695
Reduksi 3	Unstandardized Residual	Highest	1	94	0.01968
			2	59	0.01846
			3	168	0.01792
			4	171	0.01673
			5	196	0.01636
		Lowest	1	201	-0.01514
			2	32	-0.01462
			3	147	-0.01278
			4	178	-0.01192
			5	223	-0.01185
Reduksi 4	Unstandardized Residual	Highest	1	205	0.01596
			2	109	0.01495
			3	96	0.01457
			4	180	0.01417

Extreme Values											
Reduksi				Case Number	Value						
				5	49	0.01400					
				Lowest	1	133	-0.01182				
					2	208	-0.01118				
					3	102	-0.01034				
					4	190	-0.00978				
					5	21	-0.00940				
				Reduksi 5	Unstandardized Residual			Highest	1	114	0.01317
									2	96	0.01278
									3	165	0.01184
									4	133	0.01171
5	179	0.01064									
Lowest	1	81	-0.00929								
	2	211	-0.00862								
	3	25	-0.00844								
	4	63	-0.00843								
	5	101	-0.00825								

Model 3

Extreme Values							
Reduksi				Case Number	Value		
Reduksi 1	Unstandardized Residual			Highest	1	171	0.38039
					2	12	0.26048
					3	11	0.19233
					4	34	0.16547
					5	259	0.16001
				Lowest	1	121	- 0.25801
					2	78	- 0.17597
					3	55	- 0.14969
					4	151	- 0.14586
					5	166	- 0.14145

Lampiran 6. Uji Multikolonieritas

Model 1

Coefficients^a			
Model		Collinearity Statistics	
		Tolerance	VIF
1	SIZE	.828	1.208
	ΔREV	.988	1.012
	KOP	.940	1.064
	PPE	.950	1.053
	Intasset	.835	1.198

a. Dependent Variable: BTD

Model 3

Coefficients^a			
Model		Collinearity Statistics	
		Tolerance	VIF
1	PTBI	.732	1.365
	LNBTD	.694	1.441
	LPBTD	.643	1.554
	PTBI _t x LNBTD	.579	1.727
	PTBI _t x LPBTD	.615	1.626

a. Dependent Variable: PRST

Lampiran 7. Uji Heteroskedastisitas

Model 1

Coefficients^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.006	.003		2.093	.038
	SIZE	.000	.000	-.098	-1.306	.193
	ΔREV	-9.481E-5	.000	-.016	-.228	.820
	KOP	.005	.003	.116	1.647	.101
	PPE	.000	.000	.038	.541	.589
	Intasset	-.007	.007	-.077	-1.033	.303

a. Dependent Variable: AbsUt

Model 3

Coefficients^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.031	.003		12.229	.000
	PTBI	.038	.020	.139	1.872	.062
	LNBTD	8.737	7.698	.086	1.135	.258
	LPBTD	-.033	.247	-.011	-.135	.893
	PTBI _t x LNBTD	-65.258	61.633	-.088	-1.059	.291
	PTBI _t x LPBTD	1.107	1.480	.060	.748	.455

a. Dependent Variable: AbsUt

Lampiran 8. Uji Autokorelasi

Model 1

Model Summary^b	
Model	Durbin-Watson
1	2.175
a. Predictors: (Constant), Intasset, KOP, Δ REV, PPE, SIZE	
b. Dependent Variable: BTD	

Model 3

Model Summary^b	
Model	Durbin-Watson
1	1.931
a. Predictors: (Constant), PTBI _t x LPBTD, PTBI _t x LNBTD, PTBI _t , LNBTD, LPBTD	
b. Dependent Variable: PRST	

Lampiran 9. Regresi Linear Berganda

Model 1

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.005	.004		1.066	.288
	SIZE	.000	.000	-.065	-.889	.375
	Δ REV	.002	.001	.204	3.026	.003
	KOP	-.007	.005	-.097	-1.411	.160
	PPE	-9.325E-5	.001	-.009	-.131	.896
	Intasset	.030	.011	.204	2.783	.006
a. Dependent Variable: BTD						

Model 3

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.007	.004		1.713	.088
	PTBI _t	.953	.032	.925	29.961	.000
	LNBTD	-.886	11.965	-.002	-.074	.941
	LPBTD	-.038	.384	-.003	-.098	.922
	PTBI _t x LNBTD	31.246	95.800	.011	.326	.745
	PTBI _t x LPBTD	10.681	2.300	.156	4.644	.000
a. Dependent Variable: PRST						

Lampiran 10. Uji F

Model 1

ANOVA ^b						
Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	.000	5	.000	3.675	.003 ^a
	Residual	.002	205	.000		
	Total	.002	210			
a. Predictors: (Constant), Intasset, KOP, Δ REV, PPE, SIZE						
b. Dependent Variable: BTD						

Model 3

ANOVA ^b						
Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	2.382	5	.476	237.692	.000 ^a
	Residual	.491	245	.002		
	Total	2.874	250			
a. Predictors: (Constant), $PTBI_t \times LPBTD$, $PTBI_t \times LNBTD$, $PTBI_t$, $LNBTD$, $LPBTD$						
b. Dependent Variable: PRST						

Lampiran 11. Uji Koefisien Determinasi (*Adjusted R²*)**Model 1**

Model Summary ^b				
Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.287 ^a	.082	.060	.0032577
a. Predictors: (Constant), Intasset, KOP, ΔREV , PPE, SIZE				
b. Dependent Variable: BTD				

Model 3

Model Summary ^b				
Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.911 ^a	.829	.826	.0447732
a. Predictors: (Constant), $PTBI_t \times LPBTD$, $PTBI_t \times LNBTD$, $PTBI_t$, $LNBTD$, $LPBTD$				
b. Dependent Variable: PRST				

Lampiran 12. Uji t

Model 1

Coefficients ^a				
Model		t	Sig.	Keterangan
1	(Constant)	1.066	.288	Tidak Signifikan
	SIZE	-.889	.375	Tidak Signifikan
	Δ REV	3.026	.003	Signifikan
	KOP	-1.411	.160	Tidak Signifikan
	PPE	-.131	.896	Tidak Signifikan
	Intasset	2.783	.006	Signifikan
a. Dependent Variable: BTD				

Model 3

Coefficients ^a				
Model		t	Sig.	Keterangan
1	(Constant)	1.713	.088	Tidak Signifikan
	$PTBI_t$	29.961	.000	Signifikan
	LNBTD	-.074	.941	Tidak Signifikan
	LPBTD	-.098	.922	Tidak Signifikan
	$PTBI_t \times LNBTD$.326	.745	Tidak Signifikan
	$PTBI_t \times LPBTD$	4.644	.000	Signifikan
a. Dependent Variable: PRST				

Lampiran 13. Hasil pengujian model 2 untuk memperoleh persistensi laba

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.043	.020		2.216	.270
	$PTBI_t$	-.920	.773	-.765	-1.190	.445
a. Dependent Variable: $PTBI_{t+1}$						
b. Kode: AKPI						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.073	.067		1.084	.474
	PTBI _t	-4.657	7.075	-.550	-.658	.629
a. Dependent Variable: PTBI _{t+1}						
b. Kode: ALKA						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.008	.022		.378	.770
	PTBI _t	-.477	.710	-.558	-.673	.623
a. Dependent Variable: PTBI _{t+1}						
b. Kode: ALMI						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.057	.027		-2.129	.280
	PTBI _t	-1.254	1.279	-.700	-.981	.506
a. Dependent Variable: PTBI _{t+1}						
b. Kode: ALTO						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.084	.025		3.373	.184
	PTBI _t	.107	.297	.339	.360	.780
a. Dependent Variable: PTBI _{t+1}						
b. Kode: ALDO						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.059	.023		-2.561	.237
	PTBI _t	1.199	.202	.986	5.925	.106
a. Dependent Variable: PTBI _{t+1}						
b. Kode: AMFG						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.101	.040		2.541	.239
	PTBI _t	-.996	.561	-.871	-1.775	.327
a. Dependent Variable: PTBI _{t+1}						
b. Kode: APLI						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.104	.016		6.376	.099
	PTBI _t	-.099	.096	-.720	-1.037	.488
a. Dependent Variable: PTBI _{t+1}						
b. Kode: ARNA						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.138	.057		2.428	.249
	PTBI _t	-.458	.599	-.608	-.765	.584
a. Dependent Variable: PTBI _{t+1}						
b. Kode: ASII						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		

1	(Constant)	.060	.010		5.911	.107
	PTBI _t	-.364	.187	-.890	-1.953	.301
a. Dependent Variable: PTBI _{t+1} b. Kode: AUTO						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.211	.161		1.306	.416
	PTBI _t	-.460	.801	-.498	-.575	.668
a. Dependent Variable: PTBI _{t+1} b. Kode: BIMA						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.044	.068		-.638	.639
	PTBI _t	.509	2.090	.236	.243	.848
a. Dependent Variable: PTBI _{t+1} b. Kode: BRNA						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.041	.044		.937	.521
	PTBI _t	-.772	.904	-.650	-.854	.550
a. Dependent Variable: PTBI _{t+1} b. Kode: BTON						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.024	.010		-2.380	.253
	PTBI _t	2.500	.577	.974	4.330	.144
a. Dependent Variable: PTBI _{t+1}						
b. Kode: BUDI						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.156	.079		1.964	.300
	PTBI _t	-.186	.606	-.293	-.307	.810
a. Dependent Variable: PTBI _{t+1}						
b. Kode: CEKA						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.123	.089		1.382	.399
	PTBI _t	-.323	.960	-.319	-.337	.793
a. Dependent Variable: PTBI _{t+1}						
b. Kode: CINT						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.145	.081		1.797	.323
	PTBI _t	-.085	.654	-.129	-.130	.918
a. Dependent Variable: PTBI _{t+1}						
b. Kode: CPIN						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.429	.016		26.051	.024
	PTBI _t	-.461	.054	-.993	-8.521	.074
a. Dependent Variable: PTBI _{t+1}						
b. Kode: DLTA						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.016	.037		.417	.748
	PTBI _t	.455	.741	.523	.614	.649
a. Dependent Variable: PTBI _{t+1}						
b. Kode: DPNS						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.088	.065		1.355	.405
	PTBI _t	.471	.579	.631	.814	.565
a. Dependent Variable: PTBI _{t+1}						
b. Kode: DVLA						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.223	.805		-.277	.828
	PTBI _t	2.661	5.002	.470	.532	.689
a. Dependent Variable: PTBI _{t+1}						
b. Kode: EKAD						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.051	.089		.575	.668
	PTBI _t	-.177	1.341	-.131	-.132	.916
a. Dependent Variable: PTBI _{t+1}						
b. Kode: FASW						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.002	.041		-.052	.967
	PTBI _t	-.201	.967	-.204	-.208	.869
a. Dependent Variable: PTBI _{t+1}						
b. Kode: GDST						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.054	.160		.339	.792
	PTBI _t	.727	1.195	.519	.608	.652
a. Dependent Variable: PTBI _{t+1}						
b. Kode: GGRM						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.024	.021		1.130	.461
	PTBI _t	-.807	.685	-.762	-1.178	.448
a. Dependent Variable: PTBI _{t+1}						
b. Kode: GJTL						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.061	.020		-3.095	.199
	PTBI _t	.743	.258	.945	2.880	.213
a. Dependent Variable: PTBI _{t+1}						
b. Kode: HDTX						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.231	.245		.944	.518
	PTBI _t	.514	.584	.661	.881	.540
a. Dependent Variable: PTBI _{t+1}						
b. Kode: HMSP						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.106	.091		1.161	.453
	PTBI _t	.460	.592	.614	.777	.579
a. Dependent Variable: PTBI _{t+1}						
b. Kode: ICBP						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.404	.127		3.182	.194
	PTBI _t	-.942	.631	-.831	-1.493	.376
a. Dependent Variable: PTBI _{t+1}						
b. Kode: IGAR						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.327	.215		-1.526	.369
	PTBI _t	-.451	.600	-.601	-.752	.590
a. Dependent Variable: PTBI _{t+1}						
b. Kode: IKAI						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.001	.005		.144	.909
	PTBI _t	-.822	.777	-.727	-1.058	.482
a. Dependent Variable: PTBI _{t+1}						
b. Kode: IMAS						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.062	.045		1.393	.396
	PTBI _t	.125	.330	.353	.378	.770
a. Dependent Variable: PTBI _{t+1}						
b. Kode: IMPC						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.187	.016		12.023	.053
	PTBI _t	-3.378	.379	-.994	-8.911	.071
a. Dependent Variable: PTBI _{t+1}						
b. Kode: INAI						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.107	.074		1.439	.387
	PTBI _t	-.130	.886	-.145	-.146	.907
a. Dependent Variable: PTBI _{t+1}						
b. Kode: INCI						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.061	.028		-2.198	.272
	PTBI _t	1.875	.248	.991	7.567	.084
a. Dependent Variable: PTBI _{t+1}						
b. Kode: INDF						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.045	.033		1.369	.402
	PTBI _t	-.459	.740	-.528	-.621	.646
a. Dependent Variable: PTBI _{t+1}						
b. Kode: INDS						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.091	.017		-5.433	.116
	PTBI _t	1.206	.086	.997	14.079	.045
a. Dependent Variable: PTBI _{t+1}						
b. Kode: INTP						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.081	.072		1.119	.464
	PTBI _t	-.237	1.087	-.213	-.217	.864
a. Dependent Variable: PTBI _{t+1}						
b. Kode: JECC						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.046	.048		-.954	.515
	PTBI _t	-.274	.889	-.295	-.309	.809
a. Dependent Variable: PTBI _{t+1}						
b. Kode: JKSW						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.104	.085		1.224	.436
	PTBI _t	-.068	.957	-.071	-.072	.955
a. Dependent Variable: PTBI _{t+1}						
b. Kode: JPFA						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.076	.025		-3.074	.200
	PTBI _t	-.500	.473	-.726	-1.057	.482
a. Dependent Variable: PTBI _{t+1}						
b. Kode: JPRS						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.030	.023		1.318	.413
	PTBI _t	.817	.231	.962	3.538	.175
a. Dependent Variable: PTBI _{t+1}						
b. KAEF						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.127	.119		1.075	.477
	PTBI _t	.556	.861	.542	.646	.635
a. Dependent Variable: PTBI _{t+1}						
b. Kode: KBLI						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.014	.065		.213	.866
	PTBI _t	.886	1.475	.515	.600	.656
a. Dependent Variable: PTBI _{t+1}						
b. Kode: KBLM						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.112	.011		-10.395	.061
	PTBI _t	-.543	.164	-.957	-3.303	.187
a. Dependent Variable: PTBI _{t+1}						
b. Kode: KBRI						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.080	.014		-5.665	.111
	PTBI _t	-.157	.172	-.675	-.914	.529
a. Dependent Variable: PTBI _{t+1}						
b. Kode: KIAS						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.051	.041		1.247	.430
	PTBI _t	-.503	1.036	-.436	-.485	.713
a. Dependent Variable: PTBI _{t+1}						
b. Kode: KICI						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.240	.104		2.317	.259
	PTBI _t	-.100	.497	-.197	-.201	.874
a. Dependent Variable: PTBI _{t+1}						
b. Kode: KLBF						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.175	.104		-1.694	.339
	PTBI _t	2.679	1.120	.923	2.392	.252
a. Dependent Variable: PTBI _{t+1}						
b. Kode: LION						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.038	.034		1.105	.468
	PTBI _t	-5.090	3.538	-.821	-1.439	.387
a. Dependent Variable: PTBI _{t+1}						
b. Kode: LMPI						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.108	.083		1.295	.419
	PTBI _t	-.720	1.419	-.453	-.507	.701
a. Dependent Variable: PTBI _{t+1}						
b. Kode: LMSH						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.018	.003		-6.280	.101
	PTBI _t	-1.420	.154	-.994	-9.227	.069
a. Dependent Variable: PTBI _{t+1}						
b. Kode: MBTO						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.908	.087		-10.374	.061
	PTBI _t	4.109	.299	.997	13.740	.046
a. Dependent Variable: PTBI _{t+1}						
b. Kode: MERK						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.419	.874		.480	.715
	PTBI _t	.329	1.844	.176	.178	.888
a. Dependent Variable: PTBI _{t+1}						
b. Kode: MLBI						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.004	.005		-.805	.569
	PTBI _t	.274	.351	.615	.780	.578
a. Dependent Variable: PTBI _{t+1}						
b. Kode: MRAT						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.156	.008		20.690	.031
	PTBI _t	.070	.062	.747	1.125	.463
a. Dependent Variable: PTBI _{t+1}						
b. Kode: MYOR						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.155	.037		-4.177	.150
	PTBI _t	.187	.204	.676	.917	.528
a. Dependent Variable: PTBI _{t+1}						
b. Kode: MYTX						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.080	.009		8.429	.075
	PTBI _t	-.854	.206	-.972	-4.154	.150
a. Dependent Variable: PTBI _{t+1}						
b. Kode: NIPS						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.001	.001		.685	.618
	PTBI _t	.476	.149	.954	3.187	.194
a. Dependent Variable: PTBI _{t+1}						
b. Kode: PRAS						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.007	.020		-.323	.801
	PTBI _t	1.553	.623	.928	2.493	.243
a. Dependent Variable: PTBI _{t+1}						
b. Kode: PYFA						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.034	.001		37.287	.017
	PTBI _t	-.750	.048	-.998	-15.588	.041
a. Dependent Variable: PTBI _{t+1}						
b. Kode: RICY						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.278	.650		.428	.743
	PTBI _t	-1.191	5.062	-.229	-.235	.853
a. Dependent Variable: PTBI _{t+1}						
b. Kode: ROTI						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.246	.230		1.067	.479
	PTBI _t	-.551	1.658	-.315	-.332	.796
a. Dependent Variable: PTBI _{t+1}						
b. Kode: SCCO						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.019	.007		-2.673	.228
	PTBI _t	-.169	.261	-.542	-.645	.635
a. Dependent Variable: PTBI _{t+1}						
b. Kode: SIMA						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.122	.030		-4.027	.155
	PTBI _t	-.642	.265	-.924	-2.416	.250
a. Dependent Variable: PTBI _{t+1}						
b. Kode: SIPD						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.017	.005		3.480	.178
	PTBI _t	.380	.047	.993	8.164	.078
a. Dependent Variable: PTBI _{t+1}						
b. Kode: SKBM						
Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.007	.035		.209	.869
	PTBI _t	.934	.548	.863	1.705	.338
a. Dependent Variable: PTBI _{t+1}						
b. Kode: SKLT						
Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.069	.086		-.800	.570
	PTBI _t	1.460	.715	.898	2.041	.290
a. Dependent Variable: PTBI _{t+1}						
b. Kode: SMBR						
Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.027	.001		-35.363	.018
	PTBI _t	.820	.021	1.000	38.392	.017
a. Dependent Variable: PTBI _{t+1}						
b. Kode: SMCB						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.061	.052		-1.158	.453
	PTBI _t	1.153	.322	.963	3.583	.173
a. Dependent Variable: PTBI _{t+1}						
b. Kode: SMGR						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.086	.001		81.310	.008
	PTBI _t	.801	.004	1.000	219.104	.003
a. Dependent Variable: PTBI _{t+1}						
b. Kode: SMSM						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.031	.043		.727	.600
	PTBI _t	-.244	1.136	-.210	-.215	.865
a. Dependent Variable: PTBI _{t+1}						
b. Kode: SPMA						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.016	.027		.592	.660
	PTBI _t	.262	.622	.388	.422	.746
a. Dependent Variable: PTBI _{t+1}						
b. Kode: SRSN						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.029	.041		.710	.607
	PTBI _t	2.597	1.780	.825	1.459	.383
a. Dependent Variable: PTBI _{t+1}						
b. Kode: SSTM						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.183	.059		3.121	.197
	PTBI _t	-.559	.558	-.708	-1.002	.499
a. Dependent Variable: PTBI _{t+1}						
b. Kode: STTP						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.259	.214		1.213	.439
	PTBI _t	-.480	1.140	-.388	-.421	.746
a. Dependent Variable: PTBI _{t+1}						
b. Kode: TCID						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.048	.011		4.262	.147
	PTBI _t	-1.122	.342	-.957	-3.281	.188
a. Dependent Variable: PTBI _{t+1}						
b. Kode: TIRT						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error			
1	(Constant)	.100	.132		.756	.588
	PTBI _t	.312	.869	.338	.359	.781
a. Dependent Variable: PTBI _{t+1}						
b. Kode: TOTO						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error			
1	(Constant)	-.257	.009		-29.274	.022
	PTBI _t	3.889	.104	1.000	37.488	.017
a. Dependent Variable: PTBI _{t+1}						
b. Kode: TRIS						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error			
1	(Constant)	-.003	.006		-.530	.690
	PTBI _t	.883	.438	.896	2.019	.293
a. Dependent Variable: PTBI _{t+1}						
b. Kode: TRST						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error			
1	(Constant)	.050	.002		21.273	.030
	PTBI _t	.576	.020	.999	29.149	.022
a. Dependent Variable: PTBI _{t+1}						
b. Kode: TSPC						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.231	.047		4.906	.128
	PTBI _t	.096	.253	.355	.380	.769
a. Dependent Variable: PTBI _{t+1}						
b. Kode: ULTJ						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.004	.000		8.510	.074
	PTBI _t	-.016	.058	-.265	-.275	.829
a. Dependent Variable: PTBI _{t+1}						
b. Kode: UNIT						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.083	.046		1.814	.321
	PTBI _t	.574	.519	.742	1.107	.468
a. Dependent Variable: PTBI _{t+1}						
b. Kode: VOKS						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.084	.295		-.285	.823
	PTBI _t	1.528	2.544	.515	.601	.656
a. Dependent Variable: PTBI _{t+1}						
b. Kode: WIIM						

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.029	.018		1.578	.360
	PTBI _t	2.005	.518	.968	3.874	.161
a. Dependent Variable: PTBI _{t+1}						
b. Kode: YPAS						

Lampiran 14. Hasil Persistensi Laba

No	Kode	Tahun	Konstanta	Koefisien	PTBI	PRST
1	AKPI	2014	0.043	- 0.920	0.0275	0.0177
2	AKPI	2015	0.043	- 0.920	0.0177	0.0267
3	AKPI	2016	0.043	- 0.920	0.0290	0.0163
4	ALDO	2014	0.084	0.107	0.0790	0.0925
5	ALDO	2015	0.084	0.107	0.0887	0.0935
6	ALDO	2016	0.084	0.107	0.0825	0.0928
7	ALKA	2014	0.073	- 4.657	0.0161	- 0.0020
8	ALKA	2015	0.073	- 4.657	0.0029	0.0595
9	ALKA	2016	0.073	- 4.657	0.0020	0.0637
10	ALMI	2014	0.008	- 0.477	0.0005	0.0078
11	ALMI	2015	0.008	- 0.477	- 0.0337	0.0241
12	ALMI	2016	0.008	- 0.477	0.0423	- 0.0122
13	ALTO	2014	- 0.057	- 1.254	- 0.0082	- 0.0467
14	ALTO	2015	- 0.057	- 1.254	- 0.0331	- 0.0155
15	ALTO	2016	- 0.057	- 1.254	- 0.0125	- 0.0413
16	AMFG	2014	- 0.059	1.199	0.1526	0.1240
17	AMFG	2015	- 0.059	1.199	0.1087	0.0713
18	AMFG	2016	- 0.059	1.199	0.0633	0.0169
19	APLI	2014	0.101	- 0.996	0.0609	0.0403
20	APLI	2015	0.101	- 0.996	0.0075	0.0935
21	APLI	2016	0.101	- 0.996	0.1066	- 0.0052
22	ARNA	2014	0.104	- 0.099	0.2767	0.0766
23	ARNA	2015	0.104	- 0.099	0.0668	0.0974
24	ARNA	2016	0.104	- 0.099	0.0802	0.0961
25	ASII	2014	0.138	- 0.458	0.1159	0.0849
26	ASII	2015	0.138	- 0.458	0.0800	0.1014
27	ASII	2016	0.138	- 0.458	0.0850	0.0991

No	Kode	Tahun	Konstanta	Koefisien	PTBI	PRST
28	AUTO	2014	0.060	- 0.364	0.0771	0.0319
29	AUTO	2015	0.060	- 0.364	0.0302	0.0490
30	AUTO	2016	0.060	- 0.364	0.0444	0.0438
31	BIMA	2014	0.211	- 0.460	0.1274	0.1524
32	BIMA	2015	0.211	- 0.460	0.0040	0.2092
33	BIMA	2016	0.211	- 0.460	0.3245	0.0617
34	BRNA	2014	- 0.044	0.509	0.0557	- 0.0156
35	BRNA	2015	- 0.044	0.509	- 0.0013	- 0.0447
36	BRNA	2016	- 0.044	0.509	0.0098	- 0.0390
37	BTON	2014	0.041	- 0.772	0.0550	- 0.0015
38	BTON	2015	0.041	- 0.772	0.0426	0.0081
39	BTON	2016	0.041	- 0.772	- 0.0463	0.0767
40	BUDI	2014	- 0.024	2.500	0.0176	0.0200
41	BUDI	2015	- 0.024	2.500	0.0160	0.0160
42	BUDI	2016	- 0.024	2.500	0.0180	0.0210
43	CEKA	2014	0.156	- 0.186	0.0444	0.1477
44	CEKA	2015	0.156	- 0.186	0.0958	0.1382
45	CEKA	2016	0.156	- 0.186	0.2004	0.1187
46	CINT	2014	0.123	- 0.323	0.0982	0.0913
47	CINT	2015	0.123	- 0.323	0.1065	0.0886
48	CINT	2016	0.123	- 0.323	0.0705	0.1002
49	CPIN	2014	0.145	- 0.825	0.1010	0.0617
50	CPIN	2015	0.145	- 0.825	0.0924	0.0688
51	CPIN	2016	0.145	- 0.825	0.1646	0.0092
52	DLTA	2014	0.429	- 0.461	0.3826	0.2526
53	DLTA	2015	0.429	- 0.461	0.2410	0.3179
54	DLTA	2016	0.429	- 0.461	0.2730	0.3031
55	DPNS	2014	0.016	0.455	0.0639	0.0451
56	DPNS	2015	0.016	0.455	0.0431	0.0356
57	DPNS	2016	0.016	0.455	0.0415	0.0349
58	DVLA	2014	0.088	0.471	0.0856	0.1283
59	DVLA	2015	0.088	0.471	0.1049	0.1374
60	DVLA	2016	0.088	0.471	0.1400	0.1539
61	EKAD	2014	- 0.223	2.661	0.1428	0.1570
62	EKAD	2015	- 0.223	2.661	0.1702	0.2299
63	EKAD	2016	- 0.223	2.661	0.1686	0.2256
64	FASW	2014	0.051	- 0.177	0.0227	0.0470
65	FASW	2015	0.051	- 0.177	- 0.0576	0.0612

No	Kode	Tahun	Konstanta	Koefisien	PTBI	PRST
66	FASW	2016	0.051	- 0.177	0.0963	0.0340
67	GDST	2014	- 0.002	- 0.201	- 0.0140	0.0008
68	GDST	2015	- 0.002	- 0.201	- 0.0620	0.0105
69	GDST	2016	- 0.002	- 0.201	0.0362	- 0.0093
70	GGRM	2014	0.054	0.727	0.1238	0.1440
71	GGRM	2015	0.054	0.727	0.1360	0.1529
72	GGRM	2016	0.054	0.727	0.1419	0.1572
73	GJTL	2014	0.024	- 0.807	0.0246	0.0041
74	GJTL	2015	0.024	- 0.807	- 0.0190	0.0393
75	GJTL	2016	0.024	- 0.807	0.0442	- 0.0117
76	HDTX	2014	- 0.061	0.743	- 0.0260	- 0.0803
77	HDTX	2015	- 0.061	0.743	- 0.0739	- 0.1159
78	HDTX	2016	- 0.061	0.743	- 0.1070	- 0.1405
79	HMSP	2014	0.231	0.514	0.4834	0.4795
80	HMSP	2015	0.231	0.514	0.3665	0.4194
81	HMSP	2016	0.231	0.514	0.4002	0.4367
82	ICBP	2014	0.106	0.460	0.1360	0.1686
83	ICBP	2015	0.106	0.460	0.1510	0.1755
84	ICBP	2016	0.106	0.460	0.1726	0.1854
85	IGAR	2014	0.404	- 0.942	0.2167	0.1999
86	IGAR	2015	0.404	- 0.942	0.1647	0.2489
87	IGAR	2016	0.404	- 0.942	0.2179	0.1987
88	IKAI	2014	- 0.327	- 0.451	- 0.0516	- 0.3037
89	IKAI	2015	- 0.327	- 0.451	- 0.2798	- 0.2008
90	IKAI	2016	- 0.327	- 0.451	- 0.5505	- 0.0787
91	IMAS	2014	0.001	- 0.822	0.0008	0.0003
92	IMAS	2015	0.001	- 0.822	0.0074	- 0.0051
93	IMAS	2016	0.001	- 0.822	- 0.0097	0.0090
94	IMPC	2014	0.062	0.125	0.2046	0.0876
95	IMPC	2015	0.062	0.125	0.0879	0.0730
96	IMPC	2016	0.062	0.125	0.0724	0.0711
97	INAI	2014	0.187	- 3.378	0.0365	0.0637
98	INAI	2015	0.187	- 3.378	0.0429	0.0421
99	INAI	2016	0.187	- 3.378	0.0434	0.0404
100	INCI	2014	0.107	- 0.130	0.0768	0.0970
101	INCI	2015	0.107	- 0.130	0.1134	0.0923
102	INCI	2016	0.107	- 0.130	0.0494	0.1006
103	INDF	2014	- 0.061	1.875	0.0725	0.0749

No	Kode	Tahun	Konstanta	Koefisien	PTBI	PRST
104	INDF	2015	- 0.061	1.875	0.0540	0.0403
105	INDF	2016	- 0.061	1.875	0.1726	0.2626
106	INDS	2014	0.045	- 0.459	0.0734	0.0113
107	INDS	2015	0.045	- 0.459	0.0016	0.0443
108	INDS	2016	0.045	- 0.459	0.0243	0.0338
109	INTP	2014	- 0.091	1.206	0.2351	0.1925
110	INTP	2015	- 0.091	1.206	0.2042	0.1553
111	INTP	2016	- 0.091	1.206	0.1375	0.0748
112	JECC	2014	0.081	- 0.237	0.0312	0.0736
113	JECC	2015	0.081	- 0.237	0.0063	0.0795
114	JECC	2016	0.081	- 0.237	0.1105	0.0548
115	JKSW	2014	- 0.046	- 0.274	- 0.0318	- 0.0373
116	JKSW	2015	- 0.046	- 0.274	- 0.0871	- 0.0221
117	JKSW	2016	- 0.046	- 0.274	- 0.0106	- 0.0431
118	JPFA	2014	0.104	- 0.068	0.0345	0.1017
119	JPFA	2015	0.104	- 0.068	0.0407	0.1012
120	JPFA	2016	0.104	- 0.068	0.1437	0.0942
121	JPRS	2014	- 0.076	- 0.500	- 0.0219	- 0.0651
122	JPRS	2015	- 0.076	- 0.500	- 0.0735	- 0.0393
123	JPRS	2016	- 0.076	- 0.500	- 0.0479	- 0.0521
124	KAEF	2014	0.030	0.817	0.1063	0.1168
125	KAEF	2015	0.030	0.817	0.1045	0.1154
126	KAEF	2016	0.030	0.817	0.0830	0.0978
127	KBLI	2014	0.127	0.556	0.0705	0.1662
128	KBLI	2015	0.127	0.556	0.0967	0.1808
129	KBLI	2016	0.127	0.556	0.2063	0.2417
130	KBLM	2014	0.014	0.886	0.0423	0.0515
131	KBLM	2015	0.014	0.886	0.0328	0.0431
132	KBLM	2016	0.014	0.886	0.0540	0.0618
133	KBRI	2014	- 0.112	- 0.543	- 0.0137	- 0.1046
134	KBRI	2015	- 0.112	- 0.543	- 0.0909	- 0.0626
135	KBRI	2016	- 0.112	- 0.543	- 0.0660	- 0.0762
136	KIAS	2014	- 0.080	- 0.157	0.0505	- 0.0879
137	KIAS	2015	- 0.080	- 0.157	- 0.0979	- 0.0646
138	KIAS	2016	- 0.080	- 0.157	- 0.0892	- 0.0660
139	KICI	2014	0.051	- 0.503	0.0654	0.0181
140	KICI	2015	0.051	- 0.503	0.0203	0.0408
141	KICI	2016	0.051	- 0.503	0.0041	0.0489

No	Kode	Tahun	Konstanta	Koefisien	PTBI	PRST
142	KLBF	2014	0.240	- 0.100	0.2224	0.2178
143	KLBF	2015	0.240	- 0.100	0.1987	0.2201
144	KLBF	2016	0.240	- 0.100	0.2030	0.2197
145	LION	2014	- 0.175	2.679	0.1047	0.1055
146	LION	2015	- 0.175	2.679	0.0914	0.0699
147	LION	2016	- 0.175	2.679	0.0797	0.0385
148	LMPI	2014	0.038	- 5.090	0.0037	0.0192
149	LMPI	2015	0.038	- 5.090	0.0087	- 0.0063
150	LMPI	2016	0.038	- 5.090	0.0138	- 0.0322
151	LMSH	2014	0.108	- 0.720	0.0787	0.0513
152	LMSH	2015	0.108	- 0.720	0.0285	0.0875
153	LMSH	2016	0.108	- 0.720	0.0579	0.0663
154	MAIN	2014	0.021	- 0.174	- 0.0307	0.0263
155	MAIN	2015	0.021	- 0.174	- 0.0182	0.0242
156	MAIN	2016	0.021	- 0.174	0.0769	0.0076
157	MBTO	2014	- 0.018	- 1.420	0.0092	- 0.0311
158	MBTO	2015	- 0.018	- 1.420	- 0.0259	0.0188
159	MBTO	2016	- 0.018	- 1.420	0.0166	- 0.0416
160	MERK	2014	- 0.908	4.109	0.2862	0.2680
161	MERK	2015	- 0.908	4.109	0.3023	0.3342
162	MERK	2016	- 0.908	4.109	0.2889	0.2791
163	MLBI	2014	0.419	0.329	0.4833	0.5780
164	MLBI	2015	0.419	0.329	0.3216	0.5248
165	MLBI	2016	0.419	0.329	0.5803	0.6099
166	MRAT	2014	- 0.004	0.274	0.0201	0.0015
167	MRAT	2015	- 0.004	0.274	0.0045	- 0.0028
168	MRAT	2016	- 0.004	0.274	- 0.0085	- 0.0063
169	MYOR	2014	0.156	0.070	0.0515	0.1596
170	MYOR	2015	0.156	0.070	0.1446	0.1661
171	MYOR	2016	0.156	0.070	0.1428	0.1660
172	MYTX	2014	- 0.155	0.187	- 0.0931	- 0.1724
173	MYTX	2015	- 0.155	0.187	- 0.1713	- 0.1870
174	MYTX	2016	- 0.155	0.187	- 0.2456	- 0.2009
175	NIPS	2014	0.080	- 0.854	0.0558	0.0323
176	NIPS	2015	0.080	- 0.854	0.0270	0.0569
177	NIPS	2016	0.080	- 0.854	0.0498	0.0375
178	PRAS	2014	0.001	0.476	0.0117	0.0066
179	PRAS	2015	0.001	0.476	0.0055	0.0036

No	Kode	Tahun	Konstanta	Koefisien	PTBI	PRST
180	PRAS	2016	0.001	0.476	0.0025	0.0022
181	PYFA	2014	- 0.007	1.553	0.0244	0.0309
182	PYFA	2015	- 0.007	1.553	0.0285	0.0373
183	PYFA	2016	- 0.007	1.553	0.0422	0.0585
184	RICY	2014	0.034	- 0.750	0.0193	0.0195
185	RICY	2015	0.034	- 0.750	0.0187	0.0200
186	RICY	2016	0.034	- 0.750	0.0181	0.0204
187	ROTI	2014	0.278	- 1.191	0.1180	0.1375
188	ROTI	2015	0.278	- 1.191	0.1398	0.1115
189	ROTI	2016	0.278	- 1.191	0.1265	0.1273
190	SCCO	2014	0.246	- 0.551	0.1101	0.1853
191	SCCO	2015	0.246	- 0.551	0.1162	0.1820
192	SCCO	2016	0.246	- 0.551	0.1794	0.1472
193	SIMA	2014	- 0.019	- 0.169	0.0180	- 0.0220
194	SIMA	2015	- 0.019	- 0.169	- 0.0392	- 0.0124
195	SIMA	2016	- 0.019	- 0.169	- 0.0174	- 0.0161
196	SIPD	2014	- 0.122	- 0.642	0.0088	- 0.1276
197	SIPD	2015	- 0.122	- 0.642	- 0.1974	0.0047
198	SIPD	2016	- 0.122	- 0.642	0.0033	- 0.1241
199	SKBM	2014	0.017	0.380	0.1690	0.0812
200	SKBM	2015	0.017	0.380	0.0702	0.0437
201	SKBM	2016	0.017	0.380	0.0308	0.0287
202	SKLT	2014	0.007	0.934	0.0710	0.0733
203	SKLT	2015	0.007	0.934	0.0726	0.0748
204	SKLT	2016	0.007	0.934	0.0443	0.0484
205	SMBR	2014	- 0.069	1.460	0.1349	0.1280
206	SMBR	2015	- 0.069	1.460	0.1357	0.1291
207	SMBR	2016	- 0.069	1.460	0.0799	0.0477
208	SMCB	2014	- 0.027	0.820	0.0586	0.0211
209	SMCB	2015	- 0.027	0.820	0.0202	- 0.0104
210	SMCB	2016	- 0.027	0.820	- 0.0087	- 0.0341
211	SMGR	2014	- 0.061	1.153	0.2066	0.1772
212	SMGR	2015	- 0.061	1.153	0.1534	0.1159
213	SMGR	2016	- 0.061	1.153	0.1150	0.0716
214	SMSM	2014	0.086	0.801	0.3093	0.3337
215	SMSM	2015	0.086	0.801	0.2629	0.2966
216	SMSM	2016	0.086	0.801	0.2919	0.3198
217	SPMA	2014	0.031	- 0.244	0.0312	0.0234

No	Kode	Tahun	Konstanta	Koefisien	PTBI	PRST
218	SPMA	2015	0.031	- 0.244	- 0.0260	0.0373
219	SPMA	2016	0.031	- 0.244	0.0516	0.0184
220	SRSN	2014	0.016	0.262	0.0644	0.0329
221	SRSN	2015	0.016	0.262	0.0361	0.0255
222	SRSN	2016	0.016	0.262	0.0024	0.0166
223	SSTM	2014	0.029	2.597	- 0.0216	- 0.0271
224	SSTM	2015	0.029	2.597	- 0.0187	- 0.0196
225	SSTM	2016	0.029	2.597	- 0.0279	- 0.0435
226	STTP	2014	0.183	- 0.559	0.0987	0.1278
227	STTP	2015	0.183	- 0.559	0.1209	0.1154
228	STTP	2016	0.183	- 0.559	0.0932	0.1309
229	TCID	2014	0.259	- 0.480	0.1292	0.1970
230	TCID	2015	0.259	- 0.480	0.2801	0.1246
231	TCID	2016	0.259	- 0.480	0.1014	0.2103
232	TIRT	2014	0.048	- 1.122	0.0335	0.0104
233	TIRT	2015	0.048	- 1.122	0.0011	0.0468
234	TIRT	2016	0.048	- 1.122	0.0455	- 0.0031
235	TOTO	2014	0.100	0.312	0.1884	0.1588
236	TOTO	2015	0.100	0.312	0.1564	0.1488
237	TOTO	2016	0.100	0.312	0.0974	0.1304
238	TRIS	2014	- 0.257	3.889	0.0910	0.0969
239	TRIS	2015	- 0.257	3.889	0.0874	0.0829
240	TRIS	2016	- 0.257	3.889	0.0750	0.0347
241	TRST	2014	- 0.003	0.883	0.0193	0.0140
242	TRST	2015	- 0.003	0.883	0.0152	0.0104
243	TRST	2016	- 0.003	0.883	0.0070	0.0032
244	TSPC	2014	0.050	0.576	0.1328	0.1265
245	TSPC	2015	0.050	0.576	0.1125	0.1148
246	TSPC	2016	0.050	0.576	0.1092	0.1129
247	ULTJ	2014	0.231	0.096	0.1287	0.2434
248	ULTJ	2015	0.231	0.096	0.1979	0.2500
249	ULTJ	2016	0.231	0.096	0.2200	0.2521
250	UNIT	2014	0.004	- 0.016	0.0128	0.0038
251	UNIT	2015	0.004	- 0.016	0.0036	0.0039
252	UNIT	2016	0.004	- 0.016	0.0044	0.0039
253	VOKS	2014	0.083	0.574	- 0.0727	0.0413
254	VOKS	2015	0.083	0.574	0.0016	0.0839
255	VOKS	2016	0.083	0.574	0.1345	0.1602

No	Kode	Tahun	Konstanta	Koefisien	PTBI	PRST
256	WIIM	2014	- 0.084	1.528	0.1122	0.0874
257	WIIM	2015	- 0.084	1.528	0.1325	0.1185
258	WIIM	2016	- 0.084	1.528	0.1010	0.0703
259	YPAS	2014	0.029	2.005	- 0.0295	- 0.0301
260	YPAS	2015	0.029	2.005	- 0.0360	- 0.0432
261	YPAS	2016	0.029	2.005	- 0.0400	- 0.0512

Lampiran 15. Hasil Akhir Manfaat (Beban) Pajak Tangguhan

No	Kode Perusahaan	Manfaat (Beban) Pajak Tangguhan		
		2014	2015	2016
1	INTP	0.0010	- 0.0013	0.0194
2	SMBR	0.0003	- 0.0009	0.0016
3	SMCB	0.0012	0.0004	- 0.0039
4	SMGR	- 0.0028	- 0.0007	0.0189
5	AMFG	0.0001	- 0.0025	0.0015
6	ARNA	- 0.0008	0.0005	0.0017
7	IKAI	0.0005	0.0006	0.0020
8	KIAS	0.0015	0.0209	- 0.0304
9	TOTO	0.0049	0.0056	0.0075
10	ALKA	- 0.0056	- 0.0110	0.0030
11	ALMI	- 0.0001	0.0093	- 0.0041
12	BTON	- 0.0001	0.0010	0.0128
13	GDST	0.0036	0.0153	- 0.0110
14	INAI	0.0021	- 0.0025	0.0020
15	JKSW	-	-	-
16	JPRS	0.0030	0.0130	- 0.0069
17	LION	0.0015	0.0022	0.0030
18	LMSH	0.0002	- 0.0039	- 0.0014
19	BUDI	- 0.0057	- 0.0094	- 0.0037
20	DPNS	0.0049	0.0019	0.0027
21	EKAD	- 0.0081	- 0.0028	0.0007
22	INCI	- 0.0029	- 0.0073	- 0.0017
23	SRSN	- 0.0063	0.0020	0.0151
24	AKPI	- 0.0041	- 0.0065	0.0021
25	APLI	0.0051	2.2951	1.6040
26	BRNA	- 0.0069	0.0018	- 0.0004

No	Kode Perusahaan	Manfaat (Beban) Pajak Tangguhan		
		2014	2015	2016
27	IGAR	- 0.0036	0.0157	- 0.0012
28	IMPC	0.0003	0.0024	0.0030
29	SIMA	0.0041	0.0022	-
30	TRST	- 0.0036	- 0.0025	0.0111
31	YPAS	0.0016	0.0006	0.0010
32	CPIN	- 0.0131	0.0044	- 0.0187
33	JPFA	0.0004	- 0.0003	0.0012
34	MAIN	0.0089	0.0085	0.0177
35	SIPD	- 0.0024	0.0363	0.0018
36	TIRT	- 0.0057	- 0.0022	- 0.0100
37	ALDO	- 0.0001	0.0001	0.0007
38	FASW	- 0.0074	0.0134	0.0010
39	KBRI	- 0.0000	- 0.0161	- 0.0153
40	SPMA	- 0.0009	0.0065	- 0.0140
41	ASII	0.0041	0.0053	0.0041
42	AUTO	0.0030	0.0011	0.0033
43	GJTL	0.0002	0.0013	0.0038
44	IMAS	0.0013	- 0.0028	0.0017
45	INDS	0.0026	0.0053	- 0.0029
46	NIPS	0.0015	0.0019	- 0.0020
47	PRAS	- 0.0029	- 0.0013	- 0.0042
48	SMSM	0.0046	0.0044	0.0003
49	HDTX	0.0008	0.0010	0.0240
50	MYTX	0.0154	0.0356	0.0255
51	RICY	0.0009	- 0.0001	- 0.0006
52	SSTM	0.0055	0.0042	0.0065
53	TRIS	0.0052	0.0055	- 0.0063
54	UNIT	0.0004	0.0002	0.0001
55	BIMA	- 0.0316	- 0.0117	- 0.0732
56	JECC	0.0021	0.0001	0.0018
57	KBLI	0.0016	0.0007	0.0170
58	KBLM	0.0005	0.0017	- 0.0003
59	SCCO	0.0001	0.0008	0.0006
60	VOKS	0.0192	0.0006	- 0.0176
61	ALTO	0.0004	0.0125	- 0.0102
62	CEKA	- 0.0009	0.0005	0.0271
63	DLTA	0.0018	0.0047	0.0109

No	Kode Perusahaan	Manfaat (Beban) Pajak Tangguhan		
		2014	2015	2016
64	ICBP	0.0048	0.0062	0.0040
65	INDF	0.0037	0.0031	0.0040
66	MLBI	- 0.0052	- 0.0117	- 0.0019
67	MYOR	0.0003	- 0.0003	0.0014
68	ROTI	- 0.0074	- 0.0045	- 0.0101
69	SKBM	0.0049	0.0032	0.0082
70	SKLT	0.0055	0.0035	0.0033
71	STTP	0.0017	0.0016	0.0006
72	ULTJ	0.0072	0.0048	0.0040
73	GGRM	- 0.0016	- 0.0004	- 0.0003
74	HMSP	0.0005	0.0006	- 0.0012
75	WIIM	- 0.0011	- 0.0015	- 0.0009
76	DVLA	0.0075	0.0008	- 0.0074
77	KAEF	- 0.0014	- 0.0023	- 0.0014
78	KLBF	0.0005	0.0013	0.0035
79	MERK	- 0.0059	0.0068	0.0087
80	PYFA	0.0019	0.0040	0.0040
81	TSPC	0.0001	- 0.0005	0.0001
82	MBTO	0.0020	0.0043	- 0.0009
83	MRAT	0.0007	0.0056	0.0003
84	TCID	0.0016	- 0.0001	- 0.0022
85	CINT	0.0001	0.0020	0.0042
86	KICI	- 0.0083	- 0.1095	0.0042
87	LMPI	- 0.0016	- 0.0037	- 0.0046
Manfaat Pajak Tangguhan	Min	0.0001	0.0001	0.0001
	Max	0.0192	2.2951	1.6040
Beban Pajak Tangguhan	Min	- 0.0001	- 0.0001	- 0.0003
	Max	- 0.0316	- 0.1095	- 0.0732

Lampiran 16. Data Large Negative (Positive) Book Tax Differences

No	Kode Perusahaan	BTD		
		2014	2015	2016
1	INTP	LNBTD	SBTD	SBTD
2	SMBR	LNBTD	SBTD	SBTD
3	SMCB	LNBTD	LNBTD	LPBTD
4	SMGR	LPBTD	SBTD	SBTD
5	AMFG	LNBTD	LPBTD	SBTD
6	ARNA	SBTD	LNBTD	SBTD
7	IKAI	LNBTD	LNBTD	SBTD
8	KIAS	SBTD	SBTD	LPBTD
9	TOTO	SBTD	SBTD	SBTD
10	ALKA	LPBTD	LPBTD	SBTD
11	ALMI	SBTD	SBTD	LPBTD
12	BTON	SBTD	LNBTD	SBTD
13	GDST	SBTD	SBTD	LPBTD
14	INAI	SBTD	SBTD	SBTD
15	JKSW	SBTD	SBTD	SBTD
16	JPRS	SBTD	SBTD	LPBTD
17	LION	SBTD	SBTD	SBTD
18	LMSH	LNBTD	LPBTD	SBTD
19	BUDI	LPBTD	LPBTD	LPBTD
20	DPNS	SBTD	SBTD	SBTD
21	EKAD	LPBTD	LPBTD	LNBTD
22	INCI	LPBTD	LPBTD	SBTD
23	SRSN	LPBTD	SBTD	SBTD
24	AKPI	LPBTD	LPBTD	SBTD
25	APLI	SBTD	SBTD	SBTD
26	BRNA	LPBTD	SBTD	SBTD
27	IGAR	LPBTD	SBTD	SBTD
28	IMPC	LNBTD	SBTD	SBTD
29	SIMA	SBTD	SBTD	SBTD
30	TRST	LPBTD	SBTD	SBTD
31	YPAS	SBTD	LNBTD	LNBTD
32	CPIN	LPBTD	SBTD	LPBTD
33	JPFA	LNBTD	SBTD	LNBTD
34	MAIN	SBTD	SBTD	SBTD
35	SIPD	SBTD	SBTD	SBTD

No	Kode Perusahaan	BTD		
		2014	2015	2016
36	TIRT	LPBTD	SBTD	LPBTD
37	ALDO	SBTD	LNBTD	LNBTD
38	FASW	LPBTD	SBTD	LNBTD
39	KBRI	SBTD	LPBTD	LPBTD
40	SPMA	SBTD	SBTD	LPBTD
41	ASII	SBTD	SBTD	SBTD
42	AUTO	SBTD	LNBTD	SBTD
43	GJTL	LNBTD	LNBTD	SBTD
44	IMAS	LNBTD	LPBTD	SBTD
45	INDS	SBTD	SBTD	LPBTD
46	NIPS	SBTD	SBTD	SBTD
47	PRAS	LPBTD	SBTD	LPBTD
48	SMSM	SBTD	SBTD	LNBTD
49	HDTX	LNBTD	LNBTD	SBTD
50	MYTX	SBTD	SBTD	SBTD
51	RICY	LNBTD	SBTD	SBTD
52	SSTM	SBTD	SBTD	SBTD
53	TRIS	SBTD	SBTD	LPBTD
54	UNIT	LNBTD	LNBTD	LNBTD
55	BIMA	LPBTD	LPBTD	LPBTD
56	JECC	SBTD	LNBTD	SBTD
57	KBLI	SBTD	LNBTD	SBTD
58	KBLM	LNBTD	SBTD	SBTD
59	SCCO	LNBTD	LNBTD	LNBTD
60	VOKS	SBTD	LNBTD	LPBTD
61	ALTO	LNBTD	SBTD	LPBTD
62	CEKA	SBTD	LNBTD	SBTD
63	DLTA	SBTD	SBTD	SBTD
64	ICBP	SBTD	SBTD	SBTD
65	INDF	SBTD	SBTD	SBTD
66	MLBI	LPBTD	LPBTD	SBTD
67	MYOR	LNBTD	SBTD	LNBTD
68	ROTI	LPBTD	LPBTD	LPBTD
69	SKBM	SBTD	SBTD	SBTD
70	SKLT	SBTD	SBTD	SBTD
71	STTP	SBTD	SBTD	LNBTD
72	ULTJ	SBTD	SBTD	SBTD

No	Kode Perusahaan	BTD		
		2014	2015	2016
73	GGRM	SBTD	SBTD	SBTD
74	HMSP	LNBTD	LNBTD	SBTD
75	WIIM	SBTD	SBTD	SBTD
76	DVLA	SBTD	LNBTD	LPBTD
77	KAEF	SBTD	SBTD	SBTD
78	KLBF	LNBTD	LNBTD	SBTD
79	MERK	LPBTD	SBTD	SBTD
80	PYFA	SBTD	SBTD	SBTD
81	TSPC	LNBTD	SBTD	LNBTD
82	MBTO	SBTD	SBTD	SBTD
83	MRAT	LNBTD	SBTD	LNBTD
84	TCID	SBTD	SBTD	SBTD
85	CINT	LNBTD	SBTD	SBTD
86	KICI	LPBTD	LPBTD	SBTD
87	LMPI	SBTD	LPBTD	LPBTD