

LAMPIRAN

Descriptives

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
X1	84	185351.00	33747850.00	3.3942E6	3.71549E6
X2	84	1.03E9	8.91E10	4.3805E10	1.44568E10
X3	84	2.25E10	6.00E13	1.1240E12	6.27754E12
Y	84	2.00E10	1.35E12	1.5588E11	1.86584E11
Valid N (listwise)	84				

Regression

Variables Entered/Removed

Model	Variables Entered	Variables Removed	Method
1	X3, X1, X2 ^a	.	Enter

a. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.448 ^a	.261	.629	1.83887E11	1.616

a. Predictors: (Constant), X3, X1, X2

b. Dependent Variable: Y

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1.904E23	2	6.345E22	1.877	.004 ^a
	Residual	2.908E24	83	3.381E22		
	Total	3.098E24	84			

a. Predictors: (Constant), X3, X1, X2

b. Dependent Variable: Y

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
		1	(Constant)	4.018E10			6.281E10	
	X1	5778.608	5363.139	.115	1.077	.004	.957	1.045
	X2	3.109	1.381	.241	2.252	.003	.954	1.049
	X3	.000	.003	.027	.255	.000	.996	1.004

a. Dependent Variable: Y

Collinearity Diagnostics^a

Model	Dimensi on	Eigenvalue	Condition Index	Variance Proportions			
				(Constant)	X1	X2	X3
1	1	2.596	1.000	.01	.05	.01	.01
	2	.956	1.647	.00	.01	.00	.98
	3	.398	2.553	.04	.94	.03	.00
	4	.049	7.261	.95	.00	.96	.01

a. Dependent Variable: Y

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	3.0197E10	3.0108E11	1.5588E11	4.6248E10	90
Std. Predicted Value	-2.717	3.140	.000	1.000	90
Standard Error of Predicted Value	1.968E10	1.838E11	3.089E10	2.355E10	90
Adjusted Predicted Value	-8.1720E10	3.0427E11	1.5417E11	5.25120E10	90
Residual	-1.71609E11	1.11144E12	.00000	1.80761E11	90
Std. Residual	-.933	6.044	.000	.983	90
Stud. Residual	-.985	6.190	.003	.999	90
Deleted Residual	-1.91096E11	1.16565E12	1.70106E9	1.87161E11	90
Stud. Deleted Residual	-.985	8.264	.048	1.276	90
Mahal. Distance	.031	87.966	2.967	11.573	90
Cook's Distance	.000	.467	.010	.054	90
Centered Leverage Value	.000	.988	.033	.130	90

a. Dependent Variable: Y

NPar Tests

One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		90
Normal Parameters ^{a,b}	Mean	-.0000078
	Std. Deviation	1.80761213E11
Most Extreme Differences	Absolute	.340
	Positive	.340
	Negative	-.241
Kolmogorov-Smirnov Z		3.228
Asymp. Sig. (2-tailed)		.342

a. Test distribution is Normal.

b. Calculated from data.

Scatterplot

