

## Lampiran 1

### **Lampiran 1:**

### **KUESIONER PENELITIAN**

Responden yang terhormat,

Bersama ini saya mengharapkan kesediaan bapak/ibu/sdra/sdri untuk mengisi daftar pernyataan dalam kuesioner ini dengan tujuan sebagai data untuk penyusunan skripsi. Atas kesediaan menjawab dengan sejujurnya dan sebaiknya, saya mengucapkan terima kasih.

### **BAGIAN I**

#### Identitas Responden

1. Nomer urut kuesioner : ..... ( di isi oleh peneliti )
2. Nama : .....
3. Jenis Kelamin : Laki-laki / Perempuan
4. Umur : ..... Tahun
5. Pendidikan Terakhir : .....
6. Lama kerja : .....

### **BAGIAN II**

#### Petunjuk Pengisian Kuesioner

- 1) Berilah tanda silang (X) pada jawaban yang paling sesuai dengan pendapat Bapak/Ibu/Saudara atas pernyataan yang dinyatakan dalam skala 1 s/d 5 dan memiliki makna sebagai berikut :

Sangat Tidak Setuju	= 1
Tidak Setuju	= 2
Netral	= 3
Setuju	= 4
Sangat Setuju	= 5

### A. Knowledge Sharing

No	Pernyataan	STS	TS	N	S	SS
		1	2	3	4	5
1	Saya bersedia berbagi informasi dengan rekan kerja.  Informasi yang seperti apa ? Tolong jelaskan.....					
2	Rekan kerja bersedia berbagi informasi dengan saya.  Informasi seperti apa ? Tolong jelaskan.....					
3	Dalam perusahaan semua orang berbagi informasi secara terbuka.  Keterbukaan yang seperti apa? Tolong jelaskan.....					
4	Saya bersedia membantu orang lain.  Membantu yang seperti apa? Tolong jelaskan.....					

### B. Budaya Organisasi

No	Pernyataan	STS	TS	N	S	SS
		1	2	3	4	5
1	Saya bekerja dengan profesional.  Profesional yang seperti apa? Tolong jelaskan.....					
2	Saya mempercayai rekan kerja saya.  Kepercayaan yang seperti apa? Tolong jelaskan.....					
3	Saya memiliki cara bekerja yang teratur di setiap harinya. Teratur yang seperti apa? Tolong jelaskan.....					

4	Saya memiliki pemahaman serta tanggung jawab yang baik terhadap tugas-tugas yang diberikan pimpinan.  Pemahaman dan tanggung jawab seperti apa? Tolong jelaskan.....					
---	---	--	--	--	--	--

### C. Kepercayaan

No	Pernyataan	STS	TS	N	S	SS
		1	2	3	4	5
1	Saya bersikap terbuka dengan rekan kerja.  Keterbukaan seperti apa? Tolong jelaskan.....					
2	Saya selalu optimis dalam melakukan setiap pekerjaan yang saya kerjakan.  Optimis seperti apa? Tolong jelaskan.....					
3	Saya berteman dan saling menyapa dengan orang-orang di perusahaan. Pertemanan seperti apa? Tolong jelaskan.....					
4	Saya tidak suka menunda pekerjaan. Menunda yang seperti apa? Tolong jelaskan.....					

### D. Keprabadian

No	Pernyataan	STS	TS	N	S	SS
		1	2	3	4	5
1	Saya sering mengetahui apa yang sedang terjadi disekitar saya.  Mengetahui seperti apa? Tolong jelaskan.....					

2	Saya memecahkan masalah pekerjaan dengan berdiskusi dengan rekan kerja.  Masalah yang seperti apa? Tolong jelaskan.....					
3	Saya menerima masukan dari rekan kerja dengan senang hati.  Masukan yang seperti apa? Tolong jelaskan.....					
4	Saya memiliki rasa kepercayaan diri yang tinggi.  Kepercayaan diri yang seperti apa ? Tolong jelaskan.....					

#### E. Kesadaran

No	Pernyataan	STS	TS	N	S	SS
		1	2	3	4	5
1	Saya mengerti dengan baik setiap hal yang saya lakukan dan ucapkan.  Melakukan hal yang seperti apa? Tolong jelaskan.....					
2	Saya selalu bertanggung jawab dengan hal yang telah saya perbuat.  Bertanggung jawab yang seperti apa ? Tolong jelaskan.....					
3	Saya pasti melakukan atau menyampaikan amanah yang telah diberikan kepada saya.  Amanah yang seperti apa? Tolong jelaskan.....					

4	Saya mengetahui bahwa setiap keputusan yang saya ambil memiliki resiko.  Resiko yang seperti apa? Tolong jelaskan.....					
---	---	--	--	--	--	--

Lampiran 2

TABULASI DATA PENELITIAN

No.	VARIABEL PENELITIAN																								
	Kesadaran					Kepribadian					Kepercayaan				Budaya Organisasi				Knowledge Sharing						
	X1.1	X1.2	X1.3	X1.4	TX1	X2.1	X2.2	X2.3	X2.4	TX2	X3.1	X3.2	X3.3	X3.4	TX3	X4.1	X4.2	X4.3	X4.4	TY	Y1	Y2	Y3	Y4	TY
1	4	3	4	3	14	3	4	4	4	15	5	4	4	5	18	3	4	4	4	15	4	3	3	4	14
2	2	4	3	3	12	3	4	3	2	12	2	3	3	3	11	2	3	3	3	11	3	4	3	2	12
3	2	3	4	3	12	3	5	4	5	17	4	3	3	3	13	4	5	4	5	18	4	4	3	4	15
4	4	4	4	3	15	4	4	3	3	14	3	3	4	4	14	4	4	4	3	15	4	4	3	4	15
5	5	3	4	3	15	4	5	3	3	15	5	3	5	3	16	4	4	5	4	17	4	5	5	3	17
6	3	3	4	3	13	5	5	4	4	18	4	3	4	4	15	4	5	5	5	19	4	3	4	4	15
7	4	4	4	3	15	4	4	4	4	16	5	5	4	4	18	4	5	4	4	17	4	4	5	4	17
8	4	3	2	3	12	3	2	3	3	11	3	3	3	2	11	3	2	4	2	11	3	3	3	2	11
9	3	3	3	4	13	4	4	4	3	15	4	4	4	3	15	4	4	4	3	15	4	3	3	4	14
10	4	4	3	3	14	3	3	3	3	12	4	4	4	4	16	4	4	5	4	17	3	3	3	4	13
11	4	4	4	4	16	4	5	4	5	18	5	5	4	4	18	5	5	5	5	20	5	4	4	5	18
12	4	3	2	3	12	2	3	3	2	10	4	3	2	3	12	2	4	4	3	13	4	3	3	3	13
13	4	4	3	3	14	3	3	3	4	13	3	3	4	4	14	3	4	4	4	15	3	4	3	3	13
14	4	5	5	4	18	4	4	5	5	18	5	5	4	4	18	4	4	5	5	18	5	5	5	4	19
15	3	3	2	4	12	3	2	3	2	10	4	3	4	2	13	2	3	4	3	12	4	3	3	2	12
16	3	3	5	4	15	4	5	4	4	17	5	4	4	3	16	4	5	4	4	17	4	4	4	3	15
17	3	4	3	4	14	4	4	4	3	15	3	4	5	4	16	4	4	5	4	17	3	3	4	4	14
18	3	3	3	3	12	3	4	4	4	15	4	3	4	3	14	4	4	4	4	16	4	4	3	3	14
19	5	4	5	3	17	5	4	4	4	17	4	5	4	4	17	5	4	4	4	17	4	5	4	4	17
20	4	4	4	4	16	4	4	5	3	16	4	5	4	4	17	4	4	5	4	17	5	4	3	4	16
21	4	3	3	4	14	4	4	3	4	15	4	4	4	3	15	4	4	4	5	17	4	3	4	4	15
22	3	4	3	4	14	3	4	3	3	13	4	4	3	3	14	4	3	4	3	14	4	3	4	3	14
23	4	3	4	3	14	4	5	4	4	17	4	4	4	4	16	4	5	4	4	17	4	3	3	4	14
24	4	4	4	3	15	4	4	4	4	16	4	4	4	4	16	4	4	4	4	16	4	3	3	4	14
25	4	3	3	3	13	4	4	4	3	15	4	4	3	3	14	4	4	4	3	15	4	3	3	3	13
26	4	3	3	2	12	3	3	3	2	11	3	4	2	4	13	3	3	4	4	14	4	3	3	4	14
27	4	4	4	3	15	3	4	5	3	15	5	3	5	3	16	3	4	3	3	13	4	5	5	3	17

28	4	4	4	3	15	4	4	4	4	16	4	4	4	4	16	4	4	4	4	4	16	4	3	3	4	14
29	2	3	3	3	11	3	3	4	2	12	2	3	3	3	11	3	3	4	2	12	3	4	3	3	13	
30	4	4	4	4	16	4	4	4	4	16	4	4	4	3	15	4	4	4	4	4	16	4	3	4	3	14
31	2	3	2	3	10	3	4	3	2	12	4	2	4	3	13	4	4	4	4	4	16	4	3	3	3	13
32	3	3	3	3	12	3	3	3	3	12	4	3	3	4	14	5	4	5	5	19	3	3	3	4	13	
33	4	3	4	4	15	4	3	4	3	14	4	4	4	3	15	3	4	4	3	14	4	4	3	3	14	
34	3	3	4	2	12	3	3	2	4	12	3	3	5	4	15	4	3	4	3	14	3	2	3	4	12	
35	4	2	4	3	13	2	4	4	3	13	4	2	3	3	12	3	2	4	2	11	2	4	4	3	13	
36	4	3	4	3	14	4	4	3	3	14	4	4	4	3	15	3	4	3	4	14	4	3	4	3	14	
37	4	4	4	3	15	3	4	4	4	15	5	3	4	4	16	4	4	4	4	16	4	4	4	4	16	
38	2	3	3	3	11	2	3	3	3	11	2	3	3	3	11	4	3	3	2	12	3	3	4	2	12	
39	4	4	5	5	18	4	5	5	4	18	5	5	4	5	19	5	5	5	4	19	5	5	4	5	19	
40	4	4	4	4	16	4	4	4	5	17	5	4	4	5	18	5	5	4	4	18	5	4	4	5	18	
41	3	3	4	4	14	3	4	3	4	14	4	3	3	3	13	4	3	3	3	13	4	3	4	4	15	
42	4	4	5	4	17	4	4	4	5	17	5	4	3	5	17	5	4	4	4	17	4	4	4	5	17	
43	4	4	4	5	17	4	4	5	5	18	5	5	5	5	20	5	5	5	4	19	5	5	4	5	19	
44	4	4	4	4	16	4	4	4	5	17	5	4	4	5	18	5	5	4	4	18	5	4	4	5	18	
45	4	4	3	3	14	4	3	4	4	15	3	3	3	3	12	3	3	4	3	13	3	3	3	3	12	
46	4	4	5	4	17	3	4	4	4	15	5	4	3	5	17	3	4	4	4	15	4	4	4	5	17	
47	4	3	4	4	15	3	4	4	4	15	4	4	4	3	15	4	4	3	3	14	3	3	3	3	12	
48	4	4	4	4	16	5	5	4	3	17	5	4	5	3	17	5	5	4	5	19	5	5	4	3	17	
49	4	3	4	3	14	3	5	4	4	16	3	3	4	3	13	5	5	4	4	18	4	3	4	4	15	
50	4	3	3	4	14	3	3	3	3	12	3	4	4	3	14	4	4	4	4	16	3	4	3	3	13	
51	4	3	4	4	15	3	4	3	3	13	4	4	5	3	16	3	4	3	3	13	4	4	4	3	15	
52	2	3	4	3	12	4	2	3	3	12	4	3	4	2	13	4	5	5	4	18	3	4	2	3	12	
53	4	4	4	5	17	4	5	4	4	17	5	5	5	5	20	5	4	5	4	18	5	5	4	5	19	
54	4	4	4	4	16	4	4	4	5	17	5	4	4	5	18	4	5	4	5	18	5	4	4	5	18	
55	4	4	3	3	14	3	4	4	4	15	3	4	4	3	14	3	4	4	4	15	3	3	3	3	12	
56	4	4	5	4	17	4	4	4	4	16	5	4	3	5	17	4	5	4	4	17	4	4	4	5	17	
57	4	3	4	4	15	3	4	4	4	15	4	4	4	3	15	4	4	4	4	16	3	3	3	3	12	
58	4	4	4	4	16	4	5	4	3	16	5	4	5	3	17	4	4	5	4	17	5	5	4	3	17	
59	4	3	4	3	14	4	3	3	3	13	3	3	4	3	13	4	3	3	3	13	4	3	3	3	13	
60	4	3	3	4	14	4	4	3	4	15	3	4	4	3	14	4	4	4	4	16	3	4	3	3	13	
61	4	3	4	4	15	3	4	4	4	15	4	4	5	3	16	4	4	4	5	17	4	4	4	3	15	
62	4	4	5	4	17	4	5	4	4	17	5	5	4	4	18	4	5	4	4	17	5	5	5	4	19	
63	4	3	2	3	12	3	2	3	4	12	4	3	4	2	13	4	5	2	4	15	4	3	3	2	12	
64	3	3	5	4	15	4	3	4	3	14	5	4	4	3	16	4	3	3	4	14	4	4	4	3	15	

65	3	4	3	4	14	5	4	5	4	18	3	4	5	4	16	5	4	5	4	18	5	4	4	5	18
66	3	3	3	3	12	4	4	3	4	15	4	3	4	3	14	4	4	4	4	16	4	3	3	3	13
67	5	4	3	3	15	3	4	4	4	15	4	5	4	4	17	5	4	5	4	18	4	5	4	4	17
68	3	4	3	4	14	4	4	4	3	15	4	3	3	3	13	4	4	4	3	15	4	3	3	3	13
69	3	3	4	3	13	3	4	4	4	15	3	3	4	4	14	4	4	4	4	16	4	4	3	4	15
70	3	3	5	3	14	3	4	4	4	15	5	3	5	3	16	3	4	4	4	15	4	5	5	3	17
71	3	3	4	3	13	4	5	4	4	17	4	3	4	4	15	4	5	4	4	17	4	3	3	4	14
72	4	4	4	3	15	4	4	5	4	17	5	5	4	4	18	4	4	5	4	17	4	4	5	4	17
73	4	2	4	3	13	3	3	2	2	10	3	3	3	2	11	2	5	4	4	15	3	3	5	2	13
74	3	3	3	4	13	4	4	3	4	15	3	4	4	3	14	3	4	4	4	15	4	3	4	3	14
75	4	4	3	3	14	4	4	3	3	14	4	4	4	4	16	5	4	4	4	17	3	3	3	4	13
76	4	4	4	4	16	3	4	3	4	14	5	5	4	4	18	4	4	5	4	17	5	4	4	4	17
77	4	3	4	3	14	4	4	3	3	14	4	3	3	3	13	5	4	4	4	17	4	4	3	4	15
78	4	3	3	3	13	3	4	3	3	13	4	3	3	3	13	4	5	4	4	17	4	3	4	3	14
79	4	4	4	3	15	3	4	4	4	15	4	4	4	3	15	4	5	4	4	17	4	4	4	3	15
80	2	3	4	3	12	4	4	3	2	13	4	2	4	3	13	4	4	4	4	16	4	3	4	4	15
81	4	3	3	3	13	4	3	4	3	14	4	3	3	3	13	4	3	4	4	15	3	4	4	4	15
82	3	4	3	4	14	4	3	4	4	15	3	3	3	3	12	4	4	4	3	15	3	4	4	3	14
83	4	3	3	3	13	3	4	3	4	14	4	3	4	4	15	5	5	5	5	20	4	3	4	4	15
84	4	4	5	4	17	4	4	4	3	15	5	5	5	5	20	5	5	4	5	19	4	4	4	5	17
85	4	3	4	3	14	4	4	3	3	14	5	3	4	4	16	4	4	4	4	16	5	3	3	4	15
86	4	3	4	4	15	3	4	4	3	14	4	4	4	3	15	4	4	4	4	16	4	4	3	3	14
87	2	3	3	3	11	3	3	2	3	11	3	3	5	4	15	3	4	4	2	13	3	2	3	4	12
88	4	3	4	2	13	3	3	4	2	12	4	3	2	3	12	5	4	4	4	17	2	4	4	3	13
89	4	3	4	3	14	4	4	4	3	15	4	4	4	3	15	4	4	4	4	16	4	3	4	4	15
90	4	3	4	3	14	4	3	3	4	14	5	3	4	4	16	4	5	5	3	17	4	4	4	4	16
91	4	5	4	4	17	4	4	4	3	15	4	5	4	4	17	4	4	4	4	16	5	4	3	4	16
92	4	3	3	4	14	4	5	4	5	18	4	4	4	3	15	5	5	5	5	20	4	4	4	5	17
93	4	4	4	3	15	4	3	4	4	15	3	4	4	3	14	4	5	4	4	17	4	3	4	4	15
94	4	3	4	4	15	3	4	4	3	14	4	4	4	4	16	4	4	4	4	16	4	5	3	4	16
95	4	4	4	3	15	4	4	4	3	15	4	4	4	4	16	4	4	4	3	15	4	3	3	4	14
96	4	3	3	3	13	3	4	3	4	14	4	4	5	3	16	4	4	5	3	16	4	4	3	5	16
97	4	3	3	3	13	3	4	4	3	14	3	4	4	4	15	4	4	3	3	14	4	3	4	4	15
98	3	4	4	3	14	4	4	3	3	14	4	3	5	3	15	3	4	5	5	17	4	5	5	3	17
99	4	4	5	4	17	5	4	4	5	18	4	5	4	5	18	5	4	4	4	17	4	4	4	5	17
100	4	3	4	3	14	3	4	3	4	14	5	3	4	4	16	4	5	3	3	15	5	3	3	4	15

### Lampiran 3

FREQUENCIES VARIABLES=X1.1 X1.2 X1.3 X1.4 X2.1 X2.2 X2.3 X2.4 X3.1 X3.2 X3.3 X3.4 X4.1  
X4.2 X4.3 X4.4 Y1 Y2 Y3 Y4

/ORDER=ANALYSIS.

### Frequencies

#### Notes

Output Created		28-Jul-2018 07:31:32
Comments		
Input	Data Active Dataset Filter Weight Split File	D:\Mega\Statistik\Database kues.sav DataSet1 <none> <none> <none>
Missing Value Handling	N of Rows in Working Data File Definition of Missing	100 User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax	FREQUENCIES VARIABLES=X1.1 X1.2 X1.3 X1.4 X2.1 X2.2 X2.3 X2.4 X3.1 X3.2 X3.3 X3.4 X4.1 X4.2 X4.3 X4.4 Y1 Y2 Y3 Y4 /ORDER=ANALYSIS.	
Resources	Processor Time	00:00:00.016
	Elapsed Time	00:00:00.020

[DataSet1] D:\Mega\Statistik\Database kues.sav

#### Statistics

	X1.1	X1.2	X1.3	X1.4	X2.1	X2.2	X2.3	X2.4
N	Valid	100	100	100	100	100	100	100
	Missing	0	0	0	0	0	0	0

#### Statistics

	X3.1	X3.2	X3.3	X3.4	X4.1	X4.2	X4.3	X4.4
N	Valid	100	100	100	100	100	100	100
	Missing	0	0	0	0	0	0	0

#### Statistics

	Y1	Y2	Y3	Y4
N	Valid	100	100	100
	Missing	0	0	0

## Frequency Table

X1.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	8	8.0	8.0	8.0
	3.00	20	20.0	20.0	28.0
	4.00	69	69.0	69.0	97.0
	5.00	3	3.0	3.0	100.0
	Total	100	100.0	100.0	

X1.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	2	2.0	2.0	2.0
	3.00	54	54.0	54.0	56.0
	4.00	42	42.0	42.0	98.0
	5.00	2	2.0	2.0	100.0
	Total	100	100.0	100.0	

X1.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	5	5.0	5.0	5.0
	3.00	31	31.0	31.0	36.0
	4.00	52	52.0	52.0	88.0
	5.00	12	12.0	12.0	100.0
	Total	100	100.0	100.0	

X1.4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	3	3.0	3.0	3.0
	3.00	55	55.0	55.0	58.0
	4.00	39	39.0	39.0	97.0
	5.00	3	3.0	3.0	100.0
	Total	100	100.0	100.0	

X2.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	3	3.0	3.0	3.0
	3.00	41	41.0	41.0	44.0
	4.00	51	51.0	51.0	95.0
	5.00	5	5.0	5.0	100.0
	Total	100	100.0	100.0	

**X2.2**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	4	4.0	4.0	4.0
	3.00	20	20.0	20.0	24.0
	4.00	62	62.0	62.0	86.0
	5.00	14	14.0	14.0	100.0
	Total	100	100.0	100.0	

**X2.3**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	3	3.0	3.0	3.0
	3.00	35	35.0	35.0	38.0
	4.00	55	55.0	55.0	93.0
	5.00	7	7.0	7.0	100.0
	Total	100	100.0	100.0	

**X2.4**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	9	9.0	9.0	9.0
	3.00	37	37.0	37.0	46.0
	4.00	44	44.0	44.0	90.0
	5.00	10	10.0	10.0	100.0
	Total	100	100.0	100.0	

**X3.1**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	3	3.0	3.0	3.0
	3.00	20	20.0	20.0	23.0
	4.00	49	49.0	49.0	72.0
	5.00	28	28.0	28.0	100.0
	Total	100	100.0	100.0	

**X3.2**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	3	3.0	3.0	3.0
	3.00	39	39.0	39.0	42.0
	4.00	43	43.0	43.0	85.0
	5.00	15	15.0	15.0	100.0
	Total	100	100.0	100.0	

**X3.3**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	3	3.0	3.0	3.0
	3.00	20	20.0	20.0	23.0
	4.00	61	61.0	61.0	84.0
	5.00	16	16.0	16.0	100.0
	Total	100	100.0	100.0	

**X3.4**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	5	5.0	5.0	5.0
	3.00	49	49.0	49.0	54.0
	4.00	34	34.0	34.0	88.0
	5.00	12	12.0	12.0	100.0
	Total	100	100.0	100.0	

**X4.1**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	4	4.0	4.0	4.0
	3.00	17	17.0	17.0	21.0
	4.00	59	59.0	59.0	80.0
	5.00	20	20.0	20.0	100.0
	Total	100	100.0	100.0	

**X4.2**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	2	2.0	2.0	2.0
	3.00	12	12.0	12.0	14.0
	4.00	59	59.0	59.0	73.0
	5.00	27	27.0	27.0	100.0
	Total	100	100.0	100.0	

**X4.3**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	1	1.0	1.0	1.0
	3.00	11	11.0	11.0	12.0
	4.00	66	66.0	66.0	78.0
	5.00	22	22.0	22.0	100.0
	Total	100	100.0	100.0	

**X4.4**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	5	5.0	5.0	5.0
	3.00	22	22.0	22.0	27.0
	4.00	60	60.0	60.0	87.0
	5.00	13	13.0	13.0	100.0
	Total	100	100.0	100.0	

**Y1**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	2	2.0	2.0	2.0
	3.00	21	21.0	21.0	23.0
	4.00	60	60.0	60.0	83.0
	5.00	17	17.0	17.0	100.0
	Total	100	100.0	100.0	

**Y2**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	2	2.0	2.0	2.0
	3.00	43	43.0	43.0	45.0
	4.00	41	41.0	41.0	86.0
	5.00	14	14.0	14.0	100.0
	Total	100	100.0	100.0	

**Y3**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	1	1.0	1.0	1.0
	3.00	44	44.0	44.0	45.0
	4.00	46	46.0	46.0	91.0
	5.00	9	9.0	9.0	100.0
	Total	100	100.0	100.0	

**Y4**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2.00	6	6.0	6.0	6.0
	3.00	37	37.0	37.0	43.0
	4.00	42	42.0	42.0	85.0
	5.00	15	15.0	15.0	100.0
	Total	100	100.0	100.0	

```
DESCRIPTIVES VARIABLES=X1.1 X1.2 X1.3 X1.4 TOTKSD X2.1 X2.2 X2.3 X2.4 TOTKPR X3.1 X3.2
X3.3 X3.4 TOTKPC X4.1 X4.2 X4.3 X4.4 TOTBDO Y1 Y2 Y3 Y4 TOTKS
/STATISTICS=MEAN STDDEV MIN MAX.
```

## Descriptives

Notes		
Output Created		28-Jul-2018 07:32:03
Comments		
Input	Data Active Dataset Filter Weight Split File N of Rows in Working Data File Definition of Missing Cases Used	D:\Mega\Statistik\Database kues.sav DataSet1 <none> <none> <none> 100 User defined missing values are treated as missing. All non-missing data are used. DESCRIPTIVES VARIABLES=X1.1 X1.2 X1.3 X1.4 TOTKSD X2.1 X2.2 X2.3 X2.4 TOTKPR X3.1 X3.2 X3.3 X3.4 TOTKPC X4.1 X4.2 X4.3 X4.4 TOTBDO Y1 Y2 Y3 Y4 TOTKS /STATISTICS=MEAN STDDEV MIN MAX.
Syntax		
Resources	Processor Time Elapsed Time	00:00:00.000 00:00:00.007

[DataSet1] D:\Mega\Statistik\Database kues.sav

GET

FILE='D:\Mega\Statistik\Database kues.sav'.

DATASET NAME DataSet1 WINDOW=FRONT.

CORRELATIONS

/VARIABLES=X1.1 X1.2 X1.3 X1.4 TOTKSD

/PRINT=TWOTAIL NOSIG

/MISSING=PAIRWISE.

## Correlations

		Notes
Output Created		28-Jul-2018 08:09:58
Comments		
Input	Data Active Dataset Filter Weight Split File N of Rows in Working Data File Definition of Missing Cases Used	D:\Mega\Statistik\Database kues.sav DataSet1 <none> <none> <none> 100 User-defined missing values are treated as missing. Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=X1.1 X1.2 X1.3 X1.4 TOTKSD /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time Elapsed Time	00:00:00.015 00:00:00.014

[DataSet1] D:\Mega\Statistik\Database kues.sav

Correlations

		X1.1	X1.2	X1.3	X1.4	TOTKSD
X1.1	Pearson Correlation	1	.225	.233	.096	.609
	Sig. (2-tailed)		.025	.020	.340	.000
	N	100	100	100	100	100
X1.2	Pearson Correlation	.225	1	.255	.334	.661
	Sig. (2-tailed)	.025		.010	.001	.000
	N	100	100	100	100	100
X1.3	Pearson Correlation	.233	.255	1	.251	.709
	Sig. (2-tailed)	.020	.010		.012	.000
	N	100	100	100	100	100
X1.4	Pearson Correlation	.096	.334	.251	1	.621
	Sig. (2-tailed)	.340	.001	.012		.000
	N	100	100	100	100	100
TOTKSD	Pearson Correlation	.609	.661	.709	.621	1
	Sig. (2-tailed)	.000	.000	.000	.000	
	N	100	100	100	100	100

\*. Correlation is significant at the 0.05 level (2-tailed).

\*\*. Correlation is significant at the 0.01 level (2-tailed).

## CORRELATIONS

```
/VARIABLES=X2.1 X2.2 X2.3 X2.4 TOTKPR
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.
```

## Correlations

		Notes
Output Created		28-Jul-2018 08:10:26
Comments		
Input	Data Active Dataset Filter Weight Split File	D:\Mega\Statistik\Database kues.sav DataSet1 <none> <none> <none>
Missing Value Handling	N of Rows in Working Data File Definition of Missing  Cases Used	100 User-defined missing values are treated as missing. Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=X2.1 X2.2 X2.3 X2.4 TOTKPR /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time Elapsed Time	00:00:00.016 00:00:00.013

[DataSet1] D:\Mega\Statistik\Database kues.sav

**Correlations**

		X2.1	X2.2	X2.3	X2.4	TOTKPR
X2.1	Pearson Correlation	1	.321**	.332**	.280*	.652**
	Sig. (2-tailed)		.001	.001	.005	.000
	N	100	100	100	100	100
X2.2	Pearson Correlation	.321**	1	.404**	.377**	.734**
	Sig. (2-tailed)	.001		.000	.000	.000
	N	100	100	100	100	100
X2.3	Pearson Correlation	.332**	.404**	1	.382**	.727**
	Sig. (2-tailed)	.001	.000		.000	.000
	N	100	100	100	100	100
X2.4	Pearson Correlation	.280*	.377**	.382**	1	.745**
	Sig. (2-tailed)	.005	.000	.000		.000
	N	100	100	100	100	100
TOTKPR	Pearson Correlation	.652**	.734**	.727**	.745**	1
	Sig. (2-tailed)	.000	.000	.000	.000	
	N	100	100	100	100	100

\*\*. Correlation is significant at the 0.01 level (2-tailed).

## CORRELATIONS

```
/VARIABLES=X3.1 X3.2 X3.3 X3.4 TOTKPC
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.
```

## Correlations

		Notes
Output Created		28-Jul-2018 08:10:52
Comments		
Input	Data Active Dataset Filter Weight Split File	D:\Mega\Statistik\Database kues.sav DataSet1 <none> <none> <none>
Missing Value Handling	N of Rows in Working Data File Definition of Missing  Cases Used	100 User-defined missing values are treated as missing. Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=X3.1 X3.2 X3.3 X3.4 TOTKPC /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time Elapsed Time	00:00:00.016 00:00:00.010

[DataSet1] D:\Mega\Statistik\Database kues.sav

**Correlations**

		X3.1	X3.2	X3.3	X3.4	TOTKPC
X3.1	Pearson Correlation	1	.352**	.249	.403	.726
	Sig. (2-tailed)		.000	.013	.000	.000
	N	100	100	100	100	100
X3.2	Pearson Correlation	.352**	1	.270**	.481*	.756
	Sig. (2-tailed)	.000		.006	.000	.000
	N	100	100	100	100	100
X3.3	Pearson Correlation	.249	.270**	1	.158	.575*
	Sig. (2-tailed)	.013	.006		.117	.000
	N	100	100	100	100	100
X3.4	Pearson Correlation	.403	.481	.158	1	.741
	Sig. (2-tailed)	.000	.000	.117		.000
	N	100	100	100	100	100
TOTKPC	Pearson Correlation	.726	.756	.575	.741	1
	Sig. (2-tailed)	.000	.000	.000	.000	
	N	100	100	100	100	100

\*\*. Correlation is significant at the 0.01 level (2-tailed).

\*. Correlation is significant at the 0.05 level (2-tailed).

## CORRELATIONS

```
/VARIABLES=X4.1 X4.2 X4.3 X4.4 TOTBDO
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.
```

## Correlations

		Notes
Output Created		28-Jul-2018 08:11:04
Comments		
Input	Data Active Dataset Filter Weight Split File N of Rows in Working Data File Definition of Missing	D:\Mega\Statistik\Database kues.sav DataSet1 <none> <none> <none> 100 User-defined missing values are treated as missing.
Missing Value Handling	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=X4.1 X4.2 X4.3 X4.4 TOTBDO /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time Elapsed Time	00:00:00.000 00:00:00.009

[DataSet1] D:\Mega\Statistik\Database kues.sav

Correlations

		X4.1	X4.2	X4.3	X4.4	TOTBDO
X4.1	Pearson Correlation Sig. (2-tailed)	1 100	.398 .000 100	.308 .002 100	.424 .000 100	.740 .000 100
X4.2	Pearson Correlation Sig. (2-tailed)	.398 .000 100	1 .027 100	.221 .027 100	.558 .000 100	.748 .000 100
X4.3	Pearson Correlation Sig. (2-tailed)	.308 .002 100	.221 .027 100	1 .000 100	.387 .000 100	.625 .000 100
X4.4	Pearson Correlation Sig. (2-tailed)	.424 .000 100	.558 .000 100	.387 .000 100	1 .000 100	.816 .000 100
TOTBDO	Pearson Correlation Sig. (2-tailed)	.740 .000 100	.748 .000 100	.625 .000 100	.816 .000 100	1 100

\*\*. Correlation is significant at the 0.01 level (2-tailed).

\*. Correlation is significant at the 0.05 level (2-tailed).

## CORRELATIONS

```
/VARIABLES=Y1 Y2 Y3 Y4 TOTKS
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.
```

## Correlations

### Notes

Output Created		28-Jul-2018 08:11:20
Comments		
Input	Data Active Dataset Filter Weight Split File N of Rows in Working Data File Definition of Missing Cases Used	D:\Mega\Statistik\Database kues.sav DataSet1 <none> <none> <none> 100 User-defined missing values are treated as missing. Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	CORRELATIONS /VARIABLES=Y1 Y2 Y3 Y4 TOTKS /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.	
Resources	Processor Time Elapsed Time	00:00:00.015 00:00:00.016

[DataSet1] D:\Mega\Statistik\Database kues.sav

### Correlations

		Y1	Y2	Y3	Y4	TOTKS
Y1	Pearson Correlation Sig. (2-tailed)	1	.350 .000	.249 .012	.468 .000	.740 .000
	N	100	100	100	100	100
Y2	Pearson Correlation Sig. (2-tailed)	.350 .000	1	.450 .000	.183 .069	.712 .000
	N	100	100	100	100	100
Y3	Pearson Correlation Sig. (2-tailed)	.249 .012	.450 .000	1	.140 .163	.639 .000
	N	100	100	100	100	100
Y4	Pearson Correlation Sig. (2-tailed)	.468 .000	.183 .069	.140 .163	1	.677 .000
	N	100	100	100	100	100
TOTKS	Pearson Correlation Sig. (2-tailed)	.740 .000	.712 .000	.639 .000	.677 .000	1
	N	100	100	100	100	100

\*\*. Correlation is significant at the 0.01 level (2-tailed).

\*. Correlation is significant at the 0.05 level (2-tailed).

**RELIABILITY**

```
/VARIABLES=TOTKSD TOTKPR TOTKPC TOTBDO TOTKS
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA
/SUMMARY=TOTAL.
```

**Reliability**

<b>Notes</b>		
Output Created		28-Jul-2018 07:32:59
Comments		
Input	Data Active Dataset Filter Weight Split File N of Rows in Working Data File Matrix Input	D:\Mega\Statistik\Database kues.sav DataSet1 <none> <none> <none>
Missing Value Handling	Definition of Missing  Cases Used	100  User-defined missing values are treated as missing. Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=TOTKSD TOTKPR TOTKPC TOTBDO TOTKS /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA /SUMMARY=TOTAL.
Resources	Processor Time Elapsed Time	00:00:00.000 00:00:00.009

[DataSet1] D:\Mega\Statistik\Database kues.sav

**Scale: ALL VARIABLES****Case Processing Summary**

		N	%
Cases	Valid	100	100.0
	Excluded <sup>a</sup>	0	.0
Total		100	100.0

**Case Processing Summary**

		N	%
Cases	Valid	100	100.0
	Excluded <sup>a</sup>	0	.0
	Total	100	100.0

a. Listwise deletion based on all variables in the procedure.

**Reliability Statistics**

Cronbach's Alpha	N of Items
.905	5

**Item-Total Statistics**

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
TOTKSD	60.6400	49.081	.764	.886
TOTKPR	60.2300	45.128	.779	.880
TOTKPC	59.7300	42.906	.822	.871
TOTBDO	58.9200	48.074	.640	.910
TOTKS	60.0000	44.141	.825	.870

**REGRESSION**

```
/MISSING LISTWISE
/STATISTICS COEFF OUTS R ANOVA COLLIN TOL CHANGE ZPP
/CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN
/DEPENDENT TOTKS
/METHOD=ENTER TOTKSD TOTKPR TOTKPC TOTBDO
/SCATTERPLOT=(*SRESID ,*ZPRED)
/RESIDUALS DURBIN HISTOGRAM(ZRESID) NORMPROB(ZRESID).
```

## Regression

Notes		
Output Created		28-Jul-2018 07:34:57
Comments		
Input	Data Active Dataset Filter Weight Split File N of Rows in Working Data File Definition of Missing Cases Used	D:\Mega\Statistik\Database kues.sav DataSet1 <none> <none> <none> 100 User-defined missing values are treated as missing. Statistics are based on cases with no missing values for any variable used.
Syntax	REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA COLLIN TOL CHANGE ZPP /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT TOTKS /METHOD=ENTER TOTKSD TOTKPR TOTKPC TOTBDO /SCATTERPLOT=(*SRESID ,*ZPRED) /RESIDUALS DURBIN HISTOGRAM(ZRESID) NORMPROB(ZRESID).	
Resources	Processor Time Elapsed Time Memory Required Additional Memory Required for Residual Plots	00:00:01.734 00:00:02.134 2788 bytes 888 bytes

[DataSet1] D:\Mega\Statistik\Database kues.sav

### Variables Entered/Removed<sup>b</sup>

Model	Variables Entered	Variables Removed	Method
1	TOTBDO, TOTKSD, TOTKPR, TOTKPC <sup>a</sup>	.	Enter

a. All requested variables entered.

b. Dependent Variable: TOTKS

**Model Summary<sup>b</sup>**

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics			
					R Square Change	F Change	df1	df2
1	.831 <sup>a</sup>	.691	.678	1.13263	.691	53.142	4	95

a. Predictors: (Constant), TOTBDO, TOTKSD, TOTKPR, TOTKPC

b. Dependent Variable: TOTKS

**Model Summary<sup>b</sup>**

Model	Change Statistics		Durbin-Watson
	Sig.	F Change	
1	.000	2.256	

b. Dependent Variable: TOTKS

**ANOVA<sup>b</sup>**

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	272.690	4	68.172	53.142	.000 <sup>a</sup>
	Residual	121.870	95	1.283		
	Total	394.560	99			

a. Predictors: (Constant), TOTBDO, TOTKSD, TOTKPR, TOTKPC

b. Dependent Variable: TOTKS

**Coefficients<sup>a</sup>**

Model		Unstandardized Coefficients		Beta	t	Sig.
		B	Std. Error			
1	(Constant)	.179	1.111		.161	.872
	TOTKSD	.295	.117	.250	2.523	.013
	TOTKPR	.189	.090	.189	2.087	.040
	TOTKPC	.340	.097	.358	3.503	.001
	TOTBDO	.162	.077	.164	2.101	.038

a. Dependent Variable: TOTKS

**Coefficients<sup>a</sup>**

Model		Correlations			Collinearity Statistics	
		Zero-order	Partial	Part	Tolerance	VIF
1	(Constant)					
	TOTKSD	.731	.251	.144	.332	3.015
	TOTKPR	.701	.209	.119	.398	2.512
	TOTKPC	.776	.338	.200	.311	3.215
	TOTBDO	.602	.211	.120	.536	1.866

a. Dependent Variable: TOTKS

**Collinearity Diagnostics<sup>a</sup>**


Model	Dimension	Eigenvalue	Condition Index	Variance Proportions				
				(Constant)	TOTKSD	TOTKPR	TOTKPC	TOTBDO
1	1	4.972	1.000	.00	.00	.00	.00	.00
	2	.011	21.602	.56	.03	.05	.12	.05
-	3	.009	23.780	.18	.11	.08	.02	.48
	4	.006	29.567	.01	.00	.73	.28	.22
	5	.003	42.476	.24	.86	.15	.58	.26



a. Dependent Variable: TOTKS

**Residuals Statistics<sup>a</sup>**

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	11.1833	18.4670	14.8800	1.65965	100
Std. Predicted Value	-2.227	2.161	.000	1.000	100
Standard Error of Predicted Value	.122	.426	.243	.073	100
Adjusted Predicted Value	11.1279	18.4297	14.8781	1.66234	100
Residual	-3.12595	2.19571	.00000	1.10951	100
Std. Residual	-2.760	1.939	.000	.980	100
Stud. Residual	-2.784	1.958	.001	1.002	100
Deleted Residual	-3.17969	2.24088	.00187	1.16109	100
Stud. Deleted Residual	-2.889	1.989	-.001	1.012	100
Mahal. Distance	.168	13.045	3.960	2.972	100
Cook's Distance	.000	.051	.009	.012	100
Centered Leverage Value	.002	.132	.040	.030	100

a. Dependent Variable: TOTKS

**Charts**



```

REGRESSION
/MISSING LISTWISE
/STATISTICS COEFF OUTS R ANOVA COLLIN TOL CHANGE ZPP
/CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN
/DEPENDENT TOTKS
/METHOD=ENTER TOTKSD TOTKPR TOTKPC TOTBDO Moderator
/SCATTERPLOT>(*SRESID ,*ZPRED)
/RESIDUALS DURBIN HISTOGRAM(ZRESID) NORMPROB(ZRESID)
/SAVE RESID.

```

## Regression

Notes		
Output Created		28-Jul-2018 07:35:47
Comments		
Input	Data Active Dataset Filter Weight Split File N of Rows in Working Data File Definition of Missing Cases Used	D:\Mega\Statistik\Database kues.sav DataSet1 <none> <none> <none> 100 User-defined missing values are treated as missing. Statistics are based on cases with no missing values for any variable used.
Missing Value Handling		
Syntax	REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA COLLIN TOL CHANGE ZPP /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT TOTKS /METHOD=ENTER TOTKSD TOTKPR TOTKPC TOTBDO Moderator /SCATTERPLOT>(*SRESID ,*ZPRED) /RESIDUALS DURBIN HISTOGRAM(ZRESID) NORMPROB(ZRESID) /SAVE RESID.	
Resources	Processor Time Elapsed Time Memory Required Additional Memory Required for Residual Plots	00:00:00.688 00:00:00.642 3148 bytes 880 bytes
Variables Created or Modified	RES_2	Unstandardized Residual

[DataSet1] D:\Mega\Statistik\Database kues.sav

**Variables Entered/Removed<sup>b</sup>**

Model	Variables Entered	Variables Removed	Method
1	Moderator, TOTKSD, TOTKPR, TOTBDO, TOTKPC <sup>a</sup>	.	Enter

- a. All requested variables entered.  
 b. Dependent Variable: TOTKS

**Model Summary<sup>b</sup>**

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics			
					R Square Change	F Change	df1	df2
1	.839 <sup>a</sup>	.704	.689	1.11412	.704	44.774	5	94

- a. Predictors: (Constant), Moderator, TOTKSD, TOTKPR, TOTBDO, TOTKPC  
 b. Dependent Variable: TOTKS

**Model Summary<sup>b</sup>**

Model	Change Statistics		Durbin-Watson
	Sig.	F Change	
1		.000	2.221

- b. Dependent Variable: TOTKS

**ANOVA<sup>b</sup>**

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	277.881	5	55.576	44.774	.000 <sup>a</sup>
	Residual	116.679	94	1.241		
	Total	394.560	99			

- a. Predictors: (Constant), Moderator, TOTKSD, TOTKPR, TOTBDO, TOTKPC  
 b. Dependent Variable: TOTKS

**Coefficients<sup>a</sup>**

Model	Unstandardized Coefficients			Standardized Coefficients	t	Sig.
	B	Std. Error	Beta			
1 (Constant)	11.214	5.506			2.037	.044
TOTKSD	.270	.116	.229		2.335	.022
TOTKPR	.186	.089	.186		2.094	.039
TOTKPC	-.421	.384	-.444		-1.097	.276
TOTBDO	-.510	.337	-.514		-1.511	.134
Moderator	.048	.023	1.339		2.045	.044

a. Dependent Variable: TOTKS

**Coefficients<sup>a</sup>**

Model	Correlations			Collinearity Statistics	
	Zero-order	Partial	Part	Tolerance	VIF
1 (Constant)					
TOTKSD	.731	.234	.131	.328	3.048
TOTKPR	.701	.211	.117	.398	2.513
TOTKPC	.776	-.112	-.062	.019	52.159
TOTBDO	.602	-.154	-.085	.027	36.794
Moderator	.792	.206	.115	.007	136.213

a. Dependent Variable: TOTKS

**Collinearity Diagnostics<sup>a</sup>**

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions			
				(Constant)	TOTKSD	TOTKPR	TOTKPC
1	1	5.955	1.000	.00	.00	.00	.00
	2	.026	15.010	.01	.00	.00	.00
	3	.010	25.032	.00	.13	.00	.01
	4	.007	30.259	.01	.00	.85	.01
	5	.003	46.484	.01	.85	.14	.04
	6	9.977E-5	244.306	.98	.01	.00	.95

a. Dependent Variable: TOTKS

**Collinearity Diagnostics<sup>a</sup>**


Model	Dimension	Variance Proportions	
		TOTBDO	Moderator
1	1	.00	.00
	2	.00	.01
	3	.02	.00
	4	.00	.00
	5	.01	.00
	6	.96	.99



a. Dependent Variable: TOTKS

**Residuals Statistics<sup>a</sup>**

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	11.7587	19.1079	14.8800	1.67537	100
Std. Predicted Value	-1.863	2.524	.000	1.000	100
Standard Error of Predicted Value	.132	.490	.259	.087	100
Adjusted Predicted Value	11.7235	19.1262	14.8813	1.68248	100
Residual	-2.99249	2.42047	.00000	1.08562	100
Std. Residual	-2.686	2.173	.000	.974	100
Stud. Residual	-2.714	2.281	.000	1.002	100
Deleted Residual	-3.05460	2.66875	-.00129	1.14802	100
Stud. Deleted Residual	-2.812	2.335	-.002	1.012	100
Mahal. Distance	.392	18.124	4.950	4.026	100
Cook's Distance	.000	.096	.010	.016	100
Centered Leverage Value	.004	.183	.050	.041	100

a. Dependent Variable: TOTKS

**Charts**



**NPAR TESTS**

```
/K-S(NORMAL)=RES_1 RES_2
/MISSING ANALYSIS.
```

**NPar Tests**

Notes		
Output Created		28-Jul-2018 07:37:58
Comments		
Input	Data Active Dataset Filter Weight Split File	D:\Mega\Statistik\Database kues.sav DataSet1 <none> <none> <none>
Missing Value Handling	N of Rows in Working Data File Definition of Missing  Cases Used	100 User-defined missing values are treated as missing. Statistics for each test are based on all cases with valid data for the variable(s) used in that test.
Syntax		NPAR TESTS /K-S(NORMAL)=RES_1 RES_2 /MISSING ANALYSIS.
Resources	Processor Time Elapsed Time Number of Cases Allowed <sup>a</sup>	00:00:00.015 00:00:00.009 157286

a. Based on availability of workspace memory.

[DataSet1] D:\Mega\Statistik\Database kues.sav

**One-Sample Kolmogorov-Smirnov Test**

		Unstandardized Residual	Unstandardized Residual
N		100	100
Normal Parameters <sup>a,b</sup>	Mean	.0000000	.0000000
	Std. Deviation	1.20365425	1.08562296
Most Extreme Differences	Absolute	.072	.066
	Positive	.039	.041
	Negative	-.072	-.066
Kolmogorov-Smirnov Z		.721	.657
Asymp. Sig. (2-tailed)		.675	.781

a. Test distribution is Normal.

b. Calculated from data.

## REGRESSION

```
/MISSING LISTWISE
/STATISTICS COEFF OUTS R ANOVA
/CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN
/DEPENDENT abresid
/METHOD=ENTER TOTKSD TOTKPR TOTKPC TOTBDO.
```

## Regression

Notes		
Output Created Comments		28-Jul-2018 07:40:13
Input	Data Active Dataset Filter Weight Split File N of Rows in Working Data File Definition of Missing Cases Used	D:\Mega\Statistik\Database kues.sav DataSet1 <none> <none> <none> 100 User-defined missing values are treated as missing. Statistics are based on cases with no missing values for any variable used.
Syntax	REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT abresid /METHOD=ENTER TOTKSD TOTKPR TOTKPC TOTBDO.	
Resources	Processor Time Elapsed Time Memory Required Additional Memory Required for Residual Plots	00:00:00.016 00:00:00.019 2788 bytes 0 bytes

[DataSet1] D:\Mega\Statistik\Database kues.sav

**Variables Entered/Removed<sup>b</sup>**

Model	Variables Entered	Variables Removed	Method
1	TOTBDO, TOTKSD, TOTKPR, TOTKPC <sup>a</sup>	.	Enter

a. All requested variables entered.

b. Dependent Variable: abresid

**Model Summary**

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.148 <sup>a</sup>	.022	-.019	.71331

a. Predictors: (Constant), TOTBDO, TOTKSD, TOTKPR, TOTKPC

**ANOVA<sup>b</sup>**

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1.077	4	.269	.529	.714 <sup>a</sup>
	Residual	48.337	95	.509		
	Total	49.414	99			

a. Predictors: (Constant), TOTBDO, TOTKSD, TOTKPR, TOTKPC

b. Dependent Variable: abresid

**Coefficients<sup>a</sup>**

Model		Unstandardized Coefficients		Beta	t	Sig.
		B	Std. Error			
1	(Constant)	1.419	.700		2.029	.045
	TOTKSD	-.093	.074	-.222	-1.262	.210
	TOTKPR	-.012	.057	-.033	-.206	.837
	TOTKPC	.069	.061	.206	1.132	.260
	TOTBDO	-7.381E-5	.049	.000	-.002	.999

a. Dependent Variable: abresid