

DAFTAR PUSTAKA

- American Psychiatric Association. (2013). *DSM 5. Arlington.* <https://doi.org/10.1017/CBO9781107415324.004>
- Beck, A. T., Steer, R. A., & Brown, G. K. (1996). Manual for the Beck Depression Inventory-II. *San Antonio, TX: Psychological Corporation.* [https://doi.org/10.1002/\(SICI\)1097-0142\(19991215\)86:123.3.CO;2-I](https://doi.org/10.1002/(SICI)1097-0142(19991215)86:123.3.CO;2-I)
- Berg, J., & Hadjimichael, O. (2004). Costs and Quality of Life in, 24(December), 1–35. <https://doi.org/10.1002/ddrr.96>
- Berman, D. H., & Garcia, C. A. (1989). Diabetic Retinopathy: A Review. *Seminars in Dialysis,* 2(4), 226–237. <https://doi.org/10.1111/j.1525-139X.1989.tb00618.x>
- Bril, V., Breiner, A., Perkins, B. A., & Zochodne, D. (2018). Neuropathy Diabetes Canada Clinical Practice Guidelines Expert Committee, 42, 217–221.
- Ch Salim, O., Sudharma, N. I., Kusumaratna, R. K., & Hidayat, A. (2007). Validity and reliability of World Health Organization Quality of Life-BREF to assess the quality of life in the elderly. *Universa Medicina,* 26(1), 27–38. <https://doi.org/http://dx.doi.org/10.18051/UnivMed.2007.v26.27-38>
- Di, D., Jalan, R., & Mata, R. S. (2019). Hubungan dukungan keluarga dengan tingkat kecemasan pasien retinopati diabetik di rawat jalan rs mata “dr yap” yogyakarta.
- Diabetes.co.uk. (2015). Diabetes and Anxiety, 1–5. Retrieved from <http://www.diabetes.co.uk/emotions/diabetes-and-anxiety.html>
- Do, D. V., Wang, X., Vedula, S. S., Marrone, M., Sleilati, G., Hawkins, B. S., & Frank, R. N. (2015). Blood pressure control for diabetic retinopathy. *Sao Paulo Medical Journal,* 133(3), 278–279. <https://doi.org/10.1590/1516-3180.20151333T1>
- Han Cho., Kirigia J., Claude, J., Ogurstova K. *International Diabetes Federation Atlas Eighth edition 2017.* (2017). (7), 10-13.
- EuroQol Research Foundation. (2019). EQ-5D-5L – EQ-5D. Retrieved from <https://euroqol.org/eq-5d-instruments/eq-5d-5l-about/>
- Ganasegeran, K., Renganathan, P., & Manaf, R. A. (2014). Factors associated with anxiety and depression among type 2 diabetes outpatients in Malaysia : a descriptive cross-sectional single-centre study, 1–7. <https://doi.org/10.1136/bmjopen-2014-004794>
- Harper, A., Power, M., Orley, J., Herrman, H., Schofield, H., Murphy, B., ... Sartorius, N. (1998). Development of the World Health Organization WHOQOL-BREF Quality of Life Assessment. *Psychological Medicine.*

<https://doi.org/10.1017/S0033291798006667>

- Haryati Zainudin, Maria Lupita Nena Meo, N. T. (2016). Faktor-faktor yang mempengaruhi kualitas hidup orang dengan HIV/AIDS (ODHA) di LSM Perjuangan Kupang, 3. Retrieved from jurnalpenyakitdalam.com
- Hawari, D. (2011). *Manajemen Stres Cemas dan Depresi*. Balai Penerbit FKUI.
- Headey, B. (2015). Stiglitz Report. In *Encyclopedia of Quality of Life and Well-Being Research* (pp. 6335–6336). https://doi.org/10.1007/978-94-007-0753-5_2870
- Jani, C. T., Desai, T. H., Parikh, S., & Shah, A. S. (2018). Correlation of types of diabetic retinopathy and its psychosocial impact, 6(10), 3220–3225.
- Julian, L. J. (2011). Measures of Anxiety. *Arthritis Care Res (Hoboken)*, 63(0 11), 1–11. <https://doi.org/10.1002/acr.20561>.Measures
- Klatte, K. M., & Deardorff, P. A. (2011). Nail-Biting and Manifest Anxiety of Adults. *Psychological Reports*, 48(1), 82–82. <https://doi.org/10.2466/pr0.1981.48.1.82>
- Kristofferzon, M. L., Lindqvist, R., & Nilsson, A. (2011). Relationships between coping, coping resources and quality of life in patients with chronic illness: A pilot study. *Scandinavian Journal of Caring Sciences*, 25(3), 476–483. <https://doi.org/10.1111/j.1471-6712.2010.00851.x>
- Kübler-Ross, E. (2005) *On Grief and Grieving: Finding the Meaning of Grief Through the Five Stages of Loss*, Simon & Schuster Ltd, ISBN 0-7432-6344-8
- Lewko, J., & Misiak, B. (2015). Relationships between Quality of Life , Anxiety , Depression and Diabetes, 2(1), 1–2.
- Lhuillier, Y., Thabet, F., Andriamisaina, C., Chehida, K. Ben, Ojail, M., David, R., ... Guerre, A. (2014). HARS. *ACM Transactions on Embedded Computing Systems*, 13(3s), 1–25. <https://doi.org/10.1145/2517311>
- Lv, Y., Dai, W., Ge, A., Fan, Y., Hu, G., & Zeng, Y. (2018). Aquaporin-4 knockout mice exhibit increased hypnotic susceptibility to ketamine. *Brain and Behavior*, 8(6). <https://doi.org/10.1002/brb3.990>
- Manual, P. T. (2010). Anxiety and Panic Disorder.
- Name, L., Name, F., Training, O., Training, P., Darin, C., Training, R. O., ... Co-investigator, N. (2014). DASS. *Igarss 2014*, (1), 1–5. <https://doi.org/10.1007/s13398-014-0173-7.2>
- Nentwich, M. M. (2015). Diabetic retinopathy - ocular complications of diabetes mellitus. *World Journal of Diabetes*, 6(3), 489. <https://doi.org/10.4239/wjd.v6.i3.489>
- Nordwall, M., Abrahamsson, M., Dhir, M., Fredrikson, M., Ludvigsson, J., & Arnqvist, H. J. (2015). Impact of HbA1c, followed from onset of type 1

- diabetes, on the development of severe retinopathy and nephropathy: The viss study (vascular diabetic complications in Southeast Sweden). *Diabetes Care*, 38(2), 308–315. <https://doi.org/10.2337/dc14-1203>
- Nursalam. (2008). *Konsep dan Penerapan Metodologi Penelitian Ilmu Kependidikan: pedoman Skripsi dan Tesis dan Instrumen Penelitian Kependidikan*. Salemba Medika. https://doi.org/10.1007/0-387-36274-6_24
- Nuss, P. (2015). Anxiety disorders and GABA neurotransmission: A disturbance of modulation. *Neuropsychiatric Disease and Treatment*, 11, 165–175. <https://doi.org/10.2147/NDT.S58841>
- Pengetahuan, H., Tingkat, D., Masyarakat, M., & Manado, B. (2014). PADA KLIEN PRE operasi katarak di balai kesehatan Rolly Rondonuwu , Lucia Moningka dan Ramandha Patani, 3(September).
- Perbedaan Kualitas Hidup Yang Berhubungan Dengan Gangguan Penglihatan Pada Penderita Non Proliferative Diabetic Retinopathy Dan Proliferative Diabetic Retinopathy Guntur Susetyo. (2013), 2013.
- Pettifor, J. L. (2017). *Canadian Code of Ethics for Psychologists. Canadian Psychology/Psychologie canadienne*. <https://doi.org/10.1037/h0086812>
- Richter, P. M. A., & Ramos, R. T. (2018). Obsessive-Compulsive Disorder. *CONTINUUM Lifelong Learning in Neurology*, 24(3, BEHAVIORAL NEUROLOGY AND PSYCHIATRY), 828–844. <https://doi.org/10.1212/CON.0000000000000603>
- Saddock, K. and. (2009). Kaplan & Sadock's Comprehensive Textbook of Psychiatry. Volume2. <https://doi.org/10.1176/appi.ajp.159.2.327>
- Salim, S., Yamin, M., Alwi, I., & Setiati, S. (2017). Validity and Reliability of the Indonesian Version of SF-36 Quality of Life Questionnaire on Patients with Permanent Pacemakers. *Acta Medica Indonesiana*, 49(1), 10–16. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/28450649>
- Setiyorini, E., & Wulandari, N. A. (2017). Hubungan Lama Menderita dan Kejadian Komplikasi Dengan Kualitas Hidup Lansia Penderita Diabetes Mellitus, (2013). 76-80.
- Soewondo, P., Soegondo, S., Suastika, K., Pranoto, A., & Soeatmadji, D. W. (2008). Nffield Review of 14-19 Education and Traing ,England and Wales, Apprenticeship I: Prospects for growth, 19(4), 235–244.
- Soodan, S., & Arya, A. (2015). Understanding the Pathophysiology and Management of the Anxiety Disorders. *Human Journals Review Article October*, 4(43), 251–278. Retrieved from <http://ijppr.humanjournals.com/wp-content/uploads/2015/11/20.Shivani-Soodan-and-Ashwani-Arya.pdf>
- Šurkienė, G. (2014). Prevalence and determinants of anxiety and depression symptoms in patients with type 2 diabetes in Lithuania. *Medical Science Monitor*, 20, 182–190. <https://doi.org/10.12659/MSM.890019>

- Susetyo G. (2013). Perbedaan Kualitas Hidup yang Berhubungan Dengan Gangguan Penglihatan Pada Penderita Non Proliferative Diabetic Retinopathy dan Proliferative Diabetic Retinopathy. Universitas Gajah Mada, 50-54
- The National Institute of Mental Health. (2017). NIMH » Major Depression.
- Utami, D. T., Karim, D., Studi, P., Keperawatan, I., & Riau, U. (2012). Diabetes melitus dengan ulkus diabetikum, 1–7.
- Wadden, T. A. (2014). Impact of intensive lifestyle intervention on depression and health-related quality of life in type 2diabetes: The lookahead trial. *Diabetes Care*, 37(6), 1544–1553. <https://doi.org/10.2337/dc13-1928>
- WHO. (2004). The world health organization quality of life (WHOQOL)-bref. *World Health Organization*. <https://doi.org/10.5205/reuol.4767-42136-1-ED.0712esp201313>
- Wiedemann, K. (2015). *Anxiety and Anxiety Disorders. International Encyclopedia of the Social & Behavioral Sciences: Second Edition* (Second Edi, Vol. 1). Elsevier. <https://doi.org/10.1016/B978-0-08-097086-8.27006-2>
- Wu, L. (2013). Classification of diabetic retinopathy and diabetic macular edema. *World Journal of Diabetes*, 4(6), 290. <https://doi.org/10.4239/wjd.v4.i6.290>
- Yu, Y., Feng, L., Shao, Y., Tu, P., Wu, H.-P., Ding, X., & Xiao, W.-H. (2013). Quality of life and emotional change for middle-aged and elderly patients with diabetic retinopathy. *International Journal of Ophthalmology*, 6(1), 71–74. <https://doi.org/10.3980/j.issn.2222-3959.2013.01.15>
- Zoungas, S., Woodward, M., Li, Q., Cooper, M. E., Hamet, P., Harrap, S., ... Chalmers, J. (2014). Impact of age, age at diagnosis and duration of diabetes on the risk of macrovascular and microvascular complications and death in type 2 diabetes. *Diabetologia*, 57(12), 2465–2474. <https://doi.org/10.1007/s00125-014-3369-7>