

**PROGAM STUDI DIII ILMU KEPERAWATAN
FAKULTAS ILMU KEPERAWATAN
UNIVERSITAS ISLAM SULTAN AGUNG SEMARANG
KTI MEI 2019**

ABSTRAK

Atika Nadya Falkha

Penerapan terapi bermain untuk mengatasi ansietas dengan hospitalisasi pada febris vomitus di Ruang Baitunnisa 1 Rumah Sakit Islam Sultan Agung Semarang.

Latar belakang: Hospitalisasi pada anak, terutama anak usia pra sekolah juga akan berdampak pada usia perkembangan anak dan akan mengakibatkan terganggunya proses pengobatan. Perawatan ber kualitas tinggi dapat mengurangi kecemasan dan ketakutan pada anak. Hal yang dapat dilakukan untuk mengurangi kecemasan pada anak adalah dengan membuat anak merasa nyaman dengan melakukan pendekatan, pendekatan yang dapat kita lakukan salah satunya dengan mengajak anak bermain atau yang lebih dikenal dengan terapi bermain.

Tujuan: Menerapkan asuhan keperawatan dengan pemberian terapi bermain untuk mengatasi kecemasan dengan hospitalisasi.

Metode: metode yang digunakan adalah *descriptive study* dengan desain *case study*. Pengumpulan data dilakukan dengan anamnesa dan penilaian *vedham picture test* (VPT). Dan penyajian data secara tekstular/narasi yang disertai dengan cuplikan ungkapan verbal dari subjek studi kasus yang merupakan data pendukungnya.

Hasil: hasil laporan studi kasus ini dilihat dari skor nilai mengalami penurunan dari yang semula 5 turun menjadi 2

Kesimpulan: penerapan terapi bermain dengan mewarnai gambar dapat mengatasi masalah ansietas pada anak akibat hospitalisasi.

Saran: saat dilakukan terapi bermain menggunakan mewarnai gambar sebaiknya pasien melakukan dengan temannya agar merasa lebih senang.

Kata kunci: hospitalisasi, kecemasan, terapi bermain.

**PROGRAM STUDY DIII NURSING SCIENCE
FACULTY OF NURSING SCIENCE
SULTAN AGUNG SEMARANG ISLAMIC UNIVERSITY
KTI MEI 2019**

ABSTRACT

Atika Nadya Falkha

Application of play therapy to overcome anxiety by hospitalization in febrile vomitus in Baitunnisa 1 Room, Sultan Agung Islamic Hospital, Semarang.

Background: Hospitality in children, especially pre-school age children will also have an impact on the child's developmental age and will result in disruption of the treatment process. High-quality treatment can reduce anxiety and fear in children. The thing that can be done to reduce anxiety in children is to make children feel comfortable by making approaches, approaches that we can do one of them by inviting children to play or better known as play therapy.

Purpose: to apply nursing care by providing play therapy to overcome impertinence with hospitalization.

Method: the method used is descriptive study with case study design. Data collection was done with anamnesa and assessmen of and Vedham picture test (VPT). And textual / narrative data presentation is accompanied by snippets of verbal expressions from case study subjects which are supporting data.

Results: the results of this case study report that play therapy perfomed by the author by playing coloring pictures can be successful and can reduce impurity in children and seen from the score scores also decreased.

Conclusion: the application of play therapy with coloring images can overcome anxiety problems in children due to hospitalization.

Suggestion: when doing playing therapy by using coloring pictures the patient should do with his friend to feel more happy.

Keywords: hospitalization, immunity, play therapy.