

DAFTAR PUSTAKA

- Anera, R. G. (2009). Effect of LASIK and Contact Lens Corneal, 25(March).
- Ang, R. E. T., Rachele, M., Solis, K. C., C, M. L. P., Cruz, E. M., Cruz, A. G. Dela, & Reyes, R. M. M. (2013). Refractive and Visual Outcomes of Surgical Treatments for High Myopia, 21–28.
- Chan, C., Franzco, M., Lawless, M., Fracs, M. F., Sutton, G., Franzco, M. M., ... Hodge, C. (2016). OPTOMETRY, 204–213. <https://doi.org/10.1111/cxo.12380>
- Dong, Z., Zhou, X., Wu, J., Zhang, Z., Li, T., Zhou, Z., ... Li, G. (2014). Small incision lenticule extraction (SMILE) and femtosecond laser LASIK: Comparison of corneal wound healing and inflammation. *British Journal of Ophthalmology*, 98(2), 263–269. <https://doi.org/10.1136/bjophthalmol-2013-303415>
- Feder, R. S., & Rapuano, C. J. (2007). *The LASIK Handbook: a case-based approach*. 530 Walnut Street: LIPPINCOTT WILLIAMS & WILKINS, a WOLTERS KLUWER business.
- Ganesh, S., & Batra, A. (2015). Comparative Study of Visual Outcome between Femtosecond Lasik with Excimer Laser and All Femtosecond Relex Small Incision Lenticule Extraction (Smile), 14(11), 44–53. <https://doi.org/10.9790/0853-141194453>
- Ganesh, S., Brar, S., Gupta, R., & Sinha, N. (2017). A comparative study of patients undergoing ReLEX{circledR} smile with one eye interface wash and the contralateral eye without interface wash. *EC Ophthalmol*, 5, 3–10.
- Ganesh, S., & Gupta, R. (2014). Comparison of Visual and Refractive Outcomes Following Femtosecond Laser- Assisted LASIK With SMILE in Patients With Myopia or Myopic Astigmatism. <https://doi.org/10.3928/1081597X-20140814-02>
- Good-Lite. (2004). Lea Contrast Sensitivity. 1155 Jansen Farm Drive Elgin, IL 60123.
- Gräf, M. H., Becker, R., & Kaufmann, H. (2000). Lea symbols: Visual acuity assessment and detection of amblyopia. *Graefe's Archive for Clinical and Experimental Ophthalmology*, 238(1), 53–58. <https://doi.org/10.1007/s004170050009>
- Gunasekaran, S. (2001). Femtosecond LASIK – Technology and Machines. *DOS Times*, 200.

- Haymes SA, Roberts KF, Cruess AF, Nicolela MT, LeBlanc RP, Ramsey MS. The Letter Contrast Sensitivity Test: Clinical Evaluation of a New Design. *Investigative Ophthalmology & Visual Science*. 2006;Vol.47 No.6:2739-45.
- Kamiya, K., Shimizu, K., Iijima, A., & Kobashi, H. (2014). Factors influencing contrast sensitivity function in myopic eyes. *PLoS ONE*, 9(11), 1–6. <https://doi.org/10.1371/journal.pone.0113562>
- K Pesudovs, C A Hazel, R M L Doran, D. B. E. (2004). The usefulness of Vistech and FACT contrast sensitivity. *Br J Ophthalmol*, 88, 11–16. <https://doi.org/10.1136/bjo.88.1.11>
- Liu, T. X., Chen, Y. T., Dan, T. T., Shi, R., Linghu, S. R., & Li, H. X. (2015). Four-year follow-up of corneal aberrations and visual functions of myopic patients after laser in situ keratomileusis. *Pakistan Journal of Medical Sciences*, 31(6), 1453–1456. <https://doi.org/10.12669/pjms.316.8338>
- Majid Moshirfar, Jeffrey P. Gardiner, Joshua A. Schliesser, Ladan Espandar, Vahid Feiz, Mark D. Mifflin, J. C. C. (2010). Laser in situ keratomileusis flap complications using mechanical microkeratome versus femtosecond laser: Retrospective comparison. *Journal of Cataract and Refractive Surgery*, 36(11), 1925–1933.
- Montés-micó, R., Rodríguez-galietero, A., Alió, J. L., & Cerviño, A. (2007). Creation With a Femtosecond Laser and, 188–193.
- Nguda, H., Sulistya, T. B., & Prayitnaningsih, S. (2014). Perbandingan Sensitivitas Kontras antara Lensa Tanam Asferik dan Sferik Post Fakoemulsifikasi Comparison of Aspheric and Spherical Intra Ocular Lenses Contrast Sensitivity Post Phacoemulsification. *Kedokteran Brawijaya*, 28(1), 44–48.
- Pelli, D. G., & Robson, J. G. (1988). the Design of a New Letter Chart for Measuring Contrast Sensitivity. *Clinical Vision Science*, 2(3), 187–199. <https://doi.org/10.1016/j.parkreldis.2012.11.013>
- Pelli, D. G., & Bex, P. (2013). Measuring contrast sensitivity. *Vision Research*, 90, 10–14. <https://doi.org/10.1016/j.visres.2013.04.015>
- Perdami. (2014). *Gangguan, Situasi Global, Penglihatan. Departemen Kesehatan RI*.
- Plainis, S., & Murray, I. J. (2005). Magnocellular channel subserves the human contrast-sensitivity function. *Perception*, 34(8), 933–940. <https://doi.org/10.1068/p5451>

- Plaza-puche, A. B., Alio, J. L., Sala, E., & Mojzis, P. (2016). different types of modern multifocal intraocular lenses, 26(6), 612–617. <https://doi.org/10.5301/ejo.5000777>
- Shah, D. N., & Melki, S. (2014). Complications of Femtosecond-Assisted Laser In-Situ Keratomileusis Flaps, 29(September), 363–375. <https://doi.org/10.3109/08820538.2014.959194>
- Shidik, A., & Rahayu, T. (2015). Evaluation of Laser in Situ Keratomileusis Outcomes in Cipto Mangunkusumo Hospital, 64–69.
- Sia, D. I. T., Martin, S., Wittert, G., & Casson, R. J. (2013). Age-related change in contrast sensitivity among Australian male adults: Florey Adult Male Ageing Study. *Acta Ophthalmologica*, 91(4), 312–317. <https://doi.org/10.1111/j.1755-3768.2011.02379.x>
- Suzuki H, Takahashi H, Hori J, Hiraoka M, Igarashi T, Shiwa T. Phacoemulsification Associated Corneal Damage Evaluated by Corneal Volume. *American Journal of Ophthalmology*. 2006; Vol. 142 No. 3: 525-8.
- Turu, L., Alexandrescu, C., Stana, D., & Tudosescu, R. (2012). Dry eye disease after LASIK. *J Med Life*, 5(1), 82–4.
- Vaughan Asbury. (2007). *Vaughan&Asbury Oftalmologi Umum*. <https://doi.org/10.1017/CBO9781107415324.004>
- Vestergaard, A. H., Grauslund, J., Ivarsen, A. R., & Hjortdal, J. Ø. (2013). Efficacy , safety , predictability , contrast sensitivity , and aberrations after femtosecond laser lenticule extraction. *Journal of Cartaract & Refractive Surgery*, 40(3), 403–411. <https://doi.org/10.1016/j.jcrs.2013.07.053>
- Wang, J., Ren, Y., Liang, K., Jiang, Z., & Tao, L. (2018). Changes of corneal high-order aberrations after femtosecond laser-assisted in situ keratomileusis. *Medicine (United States)*, 97(18), 2–8. <https://doi.org/10.1097/MD.00000000000010618>
- Wang, J., Xie, H., Jia, Y., & Zhang, M. (2017). Small-incision lenticule extraction versus femtosecond lenticule extraction for myopic: a systematic review and Meta-analysis. *International Journal of Ophthalmology*, 10(1), 115–121. <https://doi.org/10.18240/ijo.2017.01.19>
- Yan, H., Gong, L., Huang, W., & Peng, Y. (2017). Clinical outcomes of small incision lenticule extraction versus femtosecond laser-assisted LASIK for myopia: a Meta-analysis, 14–16. <https://doi.org/10.18240/ijo.2017.09.17>

- Yang, R., Ma, L., Chen, S., Wu, S., & Wang, C. (2018). Hematocrit and the incidence of stroke : a prospective , population-based cohort study, 2081–2088.
- Yıldırım, Y., Alagöz, C., Demir, A., Ölçücü, O., Özveren, M., Ağca, A., ... Demirok, A. (2016). Long-term Results of Small-incision Lenticule Extraction in High Myopia. *Türk Oftalmoloji Dergisi*, 46(5), 200–204. <https://doi.org/10.4274/tjo.22605>
- Zhao, P., Li, S., Lu, J., Song, H., Zhang, J., Zhou, Y., & Wang, N. (2017). Effects of higher-order aberrations on contrast sensitivity in normal eyes of a large myopic population. *International Journal of Ophthalmology*, 10(9), 1407–1411. <https://doi.org/10.18240/ijo.2017.09.13>