

Program Studi DIII keperawatan Fakultas Ilmu Keperawatan Universitas Islam Sultan Agung Semarang Mei 2019

ABSTRAK

Jamaludin Fredi Setiawan (2019)

PENERAPAN TERAPI SPIRITAL UNTUK MENURUNKAN RESIKO PERILAKU KEKERASAN PADA PASIEN SKIZOFRENIA

Latar belakang : Perilaku kekerasan merupakan perilaku melukai diri sendiri, orang lain dan lingkungan sekitar. Salah satu terapi untuk pasien dengan resiko perilaku kekerasan yaitu Terapi Spiritual. Perilaku kekerasan di Rumah Sakit Jiwa Daerah Dr. Amino Gondohutomo yang masih tinggi jika tidak segera ditangani, akan membahayakan dan sangat mempengaruhi pasien lainnya. Oleh karena itu, penelitian ini bertujuan untuk mengetahui pengaruh terapi spiritual untuk menurunkan resiko perilaku kekerasan pada pasien skizofrenia di Rumah Sakit Jiwa Daerah Dr. Amino Gondohutomo, Semarang, Jawa Tengah.

Metode : Penulisan ini merupakan jenis penulisan deskriptif. Dengan wawancara langsung kepada pasien dan Pengumpulan data dengan menggunakan kuisioner .

Hasil : Penerapan prosedur terapi spiritual pada pasien skizofrenia dengan resiko perilaku kekerasan telah terbukti mengurangi tingkat kemarahan dengan menggunakan skala penilaian kuisioner yang ditandai dengan penurunan kemarahan , pasien dapat mengendalikan perilaku kekerasanya, dan kondisi pasien menjadi lebih tenang dan nyaman di akhir intervensi

Simpulan : Penanganan perilaku kekerasan yang tepat dapat mencegah perilaku kekerasan berulang. Prosedur terapi spiritual yaitu dengan cara mendekatkan diri kepada Tuhan melalui berdzikir dan shalat dapat mempengaruhi dalam penurunan resiko perilaku kekerasan sehingga pasien dapat melakukan kontrol perilaku kekerasan secara mandiri.

Kata kunci : Terapi Spiritual, Perilaku Kekerasan, Skizofrenia

Study Program Of Nursing DIII Faculty Of Nursing University Of Islam
Sultan Agung Semarang May 2019

ABSTRACT

Jamaludin Fredi Setiawan (2019)

**THE APPLICATION OF SPIRITUAL THERAPY TO REDUCE THE RISK
OF VIOLENCE BEHAVIOR IN SCHIZOPHRENIA PATIENTS**

Background: Violence behavior is the behavior of injuring oneself, others and the surrounding environment. One of the therapies for patients with a risk of violence behavior is Spiritual Therapy. Violence behavior at the Regional Mental Hospital Dr. Amino Gondohutomo which is still high, if it is not immediately addressed, it will endanger and greatly affect other patients. Therefore, this study aims to determine the effect of spiritual therapy to reduce the risk of violence abehavior in schizophrenia patients at the Regional Mental Hospital Dr. Amino Gondohutomo, Semarang,Central Java.

Method: This writing is a type of descriptive writing. With direct interviews to patients and Data collection using an questionnaire.

Results: The application of spiritual therapy procedures to schizophrenia patients with a risk of violence behavior has been shown to reduce anger levels by using a scale assessment of the questionnaire marked by a decrease in anger, patients can control their violence behavior, and the patiens condition more calm and comfortable at the and of the intervention.

results: The proper handling of violence behavior can prevent recurring violence behavior. The procedure of spiritual therapy that is namely by bringing closer to God through dhikr and prayer can affect the reduction in the risk of violent behavior so that patients can control violent behavior independently.

Keywords: spiritual therapy, violence behavior, schizophrenia