

## TABLE OF CONTENT

Chapter Number	Description	Page
	<b>TITLE PAGE.....</b>	<b>i</b>
	<b>APPROVAL PAGE.....</b>	<b>ii</b>
	<b>PROCESS VERBAUX (BERITA ACARA) .....</b>	<b>iii</b>
	<b>PERNYATAAN .....</b>	<b>iv</b>
	<b>MOTTO AND DEDICATION .....</b>	<b>v</b>
	<b>ACKNOWLEDGEMENT .....</b>	<b>vii</b>
	<b>ABSTRACT .....</b>	<b>xi</b>
	<b>ABSTRAK.....</b>	<b>xii</b>
	<b>TABLE OF CONTENT .....</b>	<b>xiii</b>
	<b>LIST OF TABLE.....</b>	<b>xvi</b>
	<b>LIST OF FIGURE .....</b>	<b>xvii</b>
	<b>LIST OF ABBREVIATIONS.....</b>	<b>xviii</b>
 <b>I INTRODUCTION</b>		
1.1	Background.....	1
1.2	Problem Limitation.....	3
1.3	Objectives of the Study .....	3
1.4	Scope of the Study.....	3
 <b>II LITERATURE REVIEW</b>		
2.1	Introduction .....	4
2.2	Hot Mix Asphalt .....	4
2.3	Warm Mix Asphalt .....	5
2.3.1	Advantage of WMA .....	7
2.4	Material for WMA.....	8
2.4.1	Zeolite.....	8
2.4.2	Sasobit .....	11

2.5	Dense Graded Asphalt Mixtures .....	13
2.6	Summary of the Literature Review .....	14

### **III RESEARCH DESIGN AND METHODOLOGY**

3.1	Introduction .....	15
3.2	Investigation of Warm Mix Asphalt.....	15
3.3	Bitument Test .....	17
3.3.1	Penetration Test .....	17
3.3.2	Softening Point .....	19
3.4	Mix Design for Dense Graded Wearing Coarse (DG-WC).....	21
3.5	Material Aggregate .....	22
3.6	Additives.....	25
3.7	Design and Properties of WMA Mixtures.....	26
3.8	Marshall Test .....	27
3.8.1	Marshall Method of Mix Design .....	28
3.8.2	Steps of Design.....	28
3.8.3	Apparatus.....	29
3.8.4	Procedure.....	30
3.8.5	Preparation of Test Specimens .....	30
3.9	Analysis Data.....	31
3.9.1	Equation and Sample Calculation Marshall Test	31

### **IV DESIGN AND CALCULATION**

4.1	Introduction .....	36
4.2	Make the Specimen .....	36
4.2.1	Asphalt Characterization .....	36
4.2.2	Aggregate Compotition by Sieve Analysis .....	37
4.2.3	Marshall Specimen .....	40
4.2.3.1	Bulk Specific Gravity Mixtures.....	40
4.2.3.2	Maximum Specific Gravity Mixtures.....	42
4.2.3.3	Percent Voids in Mineral Aggregate (VMA) .....	42
4.2.3.4	Void in the Mix (VIM) .....	43

4.2.3.5	Void Filled with Asphalt (VFA).....	45
4.2.3.6	Stability.....	46
4.2.3.7	Flow .....	47
4.2.3.8	Stiffness/ Marshall Quotient.....	48
4.3	Comparison Result between HMA and WMA.....	49

## **V CONCLUSION AND RECOMMENDATIONS**

5.1	Conclusions .....	50
5.2	Recommendations .....	50

**Referencess.....** ..... **xix**

**Appendices .....** ..... **xxi**

## LIST OF TABLE

Table Number	Description	Page
Table 2.1	Gradation Limits for Dense Graded Wearing Coarse.....	13
Table 3.1	Grading Limits for DG-WC.....	22
Table 4.1	Base Asphalt Properties .....	36
Table 4.2	Sieve Analysis Dense Grade Wearing Coarse HMA.....	37
Table 4.3	Sieve Analysis Dense Grade Wearing Coarse WMA.....	37
Table 4.4	Marshall Specimen Measurement for DG-WC HMA .....	40
Table 4.5	Marshall Specimen Measurement for DG-WC WMA .....	40
Table 4.6	Bulk Specific Gravity of HMA.....	41
Table 4.7	Bulk Specific Gravity of WMA.....	41
Table 4.8	Result of VMA from HMA .....	43
Table 4.9	Result of VMA from WMA.....	43
Table 4.10	Result of VIM from HMA .....	44
Table 4.11	Result of VIM from WMA .....	44
Table 4.12	Result of VFA from HMA .....	45
Table 4.13	Result of VFA from WMA .....	45
Table 4.14	Result of Stability from HMA .....	46
Table 4.15	Result of Stability from WMA .....	47
Table 4.16	Result of Flow from HMA.....	47
Table 4.17	Result of Flow from WMA.....	48
Table 4.18	Result of Marshall Quotient from HMA.....	49
Table 4.19	Result of Marshall Quotient from WMA.....	49
Table 4.20	Marshall Test Results of HMA and WMA Mixtures .....	49

## LIST OF FIGURES

Figure Number	Description	Page
Figure 1.1	Flexible Pavement Structure .....	1
Figure 2.1	Chemistry Structure of Zeolite.....	9
Figure 2.2	Particles of Zeolite .....	10
Figure 2.3	Sasobit.....	12
Figure 3.1	Flowchart and Design of Methodology .....	16
Figure 3.2	Penetration Test Apparatus.....	17
Figure 3.3	Softening Point .....	19
Figure 3.4	Zeolite After Heating .....	26
Figure 3.5	Test Specimen Preparation .....	29
Figure 3.6	Specification of Marshall Equipment .....	30
Figure 3.7	Sample Test Result from a Marshall Mix Design.....	35
Figure 4.1	Aggregate Gradation for Dense Grade Wearing Coarse HMA ....	38
Figure 4.2	Aggregate Gradation for Dense Grade Wearing Coarse WMA ....	39

## **LIST OF ABREVIATIONS**

HMA	: Hot Mix Asphalt
WMA	: Warm Mix Asphalt
DG-WC	: Dense Graded Wearing Coarse
Gmb	: Bulk Spesific Gravity Mixtures
Gmm	: Maximum Spesific Grvity
Wd	: Weight in Dry
Ww	: Weight in Water
SSD	: Saturated Weight
Gse	: Effective Spesific Gravity
Gsb	: Bulk Spesific Gravity Aggregate
VMA	: Voids in Mineral
VIM	: Voids in Mix
VFA	: Voids Filled with Asphalt
MQ	: Marshall Quotient