

REFERENCES

1. American Standard for Testing and Materials (ASTM) (1987). *ASTM D3625– 96 (Reapproved 2005): Standard Practice for Effect of Water on Bituminous-Coated Aggregate Using Boiling Water*. Philadelphia U.S.: ASTM International.
2. American Standard for Testing and Materials (ASTM) (1987). *ASTM D4123 – 82 (Reapproved 1987): Standard Test for Indirect Tension Test for Resilient Modulus of Bituminous Mixtures*. Philadelphia U.S.: ASTM International.
3. American Standard for Testing and Materials (ASTM) (2004). *ASTM D2872 – 2004: Standard Test Method for Effect and Heat and Air on a Moving Film of Asphalt (Rolling Thin-Film Oven Test)*. Philadelphia U.S.: ASTM International
4. American Standard for Testing and Materials (ASTM) (2006). *ASTM D4402– 2006: Standard Test Method for Viscosity Determination of Asphalt at Elevated Temperatures Using a Rotational Viscometer*. Philadelphia U.S.: ASTM International.
5. American Standard for Testing and Materials (ASTM) (2009). *ASTM D36 – 2009: Standard Test Method for Softening Point of Bitumen (Ring-and-Ball Apparatus)*. Philadelphia U.S.: ASTM International.
6. American Standard for Testing and Materials (ASTM) (2009). *ASTM D5 – 2006: Standard Test for Penetration of Bituminous Materials*. Philadelphia U.S.: ASTM International.
7. American Standard for Testing and Materials (ASTM) (2009). *ASTM D70 – 2009: Standard Test Method for Density of Semi Bituminous Materials (Pycnometer Method)*. Philadelphia U.S.: ASTM International.
8. Bahia, H.U., and Anderson, D.A. (1995). The SHRP Binder Rheological Parameters: Why Are They Required and How Do They Compare to Conventional Properties. *Transportation*
9. Chen, J.S., Liao, M.C., and Shiah, M.S. (2002). Asphalt Modified by Styrene-butadiene-styrene Triblock Copolymer: Morphology and Model. *Journal of Materials in Civil Engineer*. Vol. 14. pp 224 – 229.
10. Chen, J.S., Liao, M.C., and Shiah, M.S. (2002). Asphalt Modified by Styrene-butadiene-styrene Triblock Copolymer: Morphology and Model. *Journal of Materials in Civil Engineer*. Vol. 14. pp 224 – 229.

11. Dirjen Bina Marga, Bipran. 1990. *Spesifikasi Standar untuk Perencanaan Geometrik Jalan Luar Kota, Jakarta*
12. Drakos, C. (2009). *Flexible Pavement Distress*. University of Florida. www.pdf-finder.com/Dr.-Christos-Drako
13. Epps, J.A. (1986). Asphalt Pavement Modifiers. *The Magazine of Civil Engineering*, April 1986.
14. <http://binamarga.pu.go.id/nspm.asp?nspm=standar> : accessed on Mei 2014
15. <http://finance.detik.com/read/2014/02/11/183630/2493789/4/hanya-20-jalan-di-pantura-yang-sudah-dibeton> accessed on April 2014
16. http://statistik.ptkpt.net/_a.php?_a=area&info1=4 , accessed on April 2014
17. Huang, Y.H. University of Kentucky (2004). 2nd Edition. *Pavement Analysis and Design*. Published by Pearson Prentice Hall. pp 1.
18. Hwang, S. D., Park, H. M., and Rhee, S. K. (2008). A study on engineering characteristics of asphalt concrete using filler with recycled waste lime. *Journal of Waste Management*, Volume 28, 2008, pp 191 – 199.
19. Isacsson, U., and Xiaohu, L. Laboratory Investigation of Polymer Modified Bitumen. *Journal of Association of Asphalt Paving Technologists (AAPT)*, volume 68.
20. Isacsson, U., and Xiaohu, L. Laboratory Investigation of Polymer Modified Bitumen. *Journal of Association of Asphalt Paving Technologists (AAPT)*, volume 68.
21. Jabatan Kerja Raya Malaysia. *Standard Specification for Road Works, Section 4: Flexible Pavement*. No. JKR/SPJ/2008-54, pp S4-58 – S4-69.
22. Kementerian Pekerjaan Umum dan Dinas Pekerjaan Umum Pemerintah Prov/Kab/Kota (tidak termasuk timor-timor sejak 1999), http://www.bps.go.id/tab_sub/view.php?tabel=1&daftar=1&id_subyek=17¬ab=11, accessed on April 2014
23. King, G., King, H., Pavlovich, R.D., Epps, A.L., and Kandhal, P.S. (1999). Additives in Asphalt. *Journal of Association of Asphalt Paving Technology*. Vol. 68, pp 32-69.
24. Lavin, P.G. (2003). *Asphalt Pavements A Practical Guide to Design, Production, and Maintenance for Engineers and Architects*. First Edition Spon Press, 11 New Fetter Lane, London EC4P 4EE,. pp 1.
25. Little, D.N., and Claine, J.P.. (2005) Unique Effects of Hydrated Lime Filler on the Performance-Related Properties of Asphalt Cement: Physical and Chemical Interactions Revisited. *Journal of Materials in Civil Engineering*. Volume 17, No. 2, April 2005.

26. McGennis, R.B., Shuler, S., and Bahia, H.U. (1994). Background of Superpave Asphalt Binder Test Methods. *FHWA, Report No. FHWA-SA-94-069*, July 1994.
27. Partl, M.N. and Newman, J.K. U.S. Army Corps of Engineer (2003). Flexural beam fatigue properties of airfield asphalt mixtures containing styrene-butadiene based polymer modifiers. *The Sixth International Rilem Symposium*. Zurich, Switzerland. pp 357-63.
28. Read, J and Whiteoak, D. (2003) *The Shell Bitumen Handbook*. Fifth Edition. Thomas Telford Publishing, Thomas Telford Ltd, 1 Heron Quay, London E14 4JD. pp 62 – 66, 136
29. Robert, F.L., Kandhal, P.S., Brown, E.R., Dah, Y. L., and Kennedy, T.W. (1996). *Hot Mix Asphalt – Materials, Mixture Design and Construction*. 2nd edition. NAPA Education Foundation, Lanham, Maryland. pp 448-463.
30. Yildirim, Y. (2007). Polymer Modified Asphalt Binders. *Journal of Construction and Building Materials*, Volume 21. pp 66-72.