

DAFTAR PUSTAKA

- Antebi, B., Rodriguez, L., Walker, K., Asher, A., Kamucheka, R., Alvarado, L., Mohammadipoor, A., & Cancio, L. (2018) 'Short-term physiological hypoxia potentiates the therapeutic function of mesenchymal stem cells', *Stem Cell Research & Therapy*, 9(1), pp. 1–15. doi: 10.1186/s13287-018-1007-x.
- Apte, R. S., Chen, D. S. & Ferrara, N. (2019) 'Review VEGF in Signaling and Disease: Beyond Discovery and Development', *Cell*. Elsevier Inc., 176(6), pp. 1248–1264. doi: 10.1016/j.cell.2019.01.021.
- Balaji, S., King, A., Keswani, S.G., & Crombleholme, T.M. (2014) 'The Role of Stem Cells in Wound Angiogenesis', *Advances in Wound Care*, 3(10), pp. 614–625. doi: 10.1089/wound.2013.0497.
- Bartaula-Brevik, S., Bostald, A.I., Mustafa, K., & Pedersen, T.O. (2017) 'Secretome of Mesenchymal Stem Cells Grown in Hypoxia Accelerates Wound Healing and Vessel Formation In Vitro', *International Journal of Stem Cell Research and Therapy*, 4(1), pp. 1–9. doi: 10.23937/2469-570x/1410045.
- Berendsen, A. D., & Olsen, B. R. (2014) 'How Vascular Endothelial Growth Factor-A (VEGF) Regulates Differentiation of Mesenchymal Stem Cells', *Journal of Histochemistry and Cytochemistry*, 62(2), pp. 103–108. doi: 10.1369/0022155413516347.
- Cuomo, F., Coppola, A., Botti, C., Maione, C., Forte, A., Scisciola, L., Liguori, G., Caiafa, I., Ursini, M.V., Galderisi, U., Cipollaro, M., Altucci, L., & Cobellis, G. (2018) 'Pro-inflammatory cytokines activate hypoxia-inducible factor 3 α via epigenetic changes in mesenchymal stromal / stem cells', *Scientific Reports*. Springer US, (February 2017), pp. 1–12. doi: 10.1038/s41598-018-24221-5.
- Das, R., Jahr, H., van Osch, G. J. V. M., & Farrell, E. (2010) 'The Role of Hypoxia in Bone Marrow – Derived Mesenchymal Stem Cells: Considerations for Regenerative Medicine Approaches', *Tissue Engineering Part B : Reviews*, 16(2), pp. 159–168. doi: 10.1089/ten.TEB.2009.0296.
- Ejtehadifar, M., Shamsasenjan, K., Movassaghpour, A., Akbarzadehlaleh, P., Dehdilani, N., Abbasi, P., Molaeipour, Z., & Saleh, M. (2015) 'The Effect of Hypoxia on Mesenchymal Stem Cell Biology', *Advanced Pharmaceutical Bulletin*, 5(2), pp. 141–149. doi: 10.15171/apb.2015.021.

- Fernandez, T. de S., & Fernandez, C. de S. (2016) 'Mesenchymal Stem Cells: Biological Characteristics and Potential Clinical Applications for Haematopoietic Stem Cell Transplantation', *Pluripotent Stem Cells - From the Bench to the Clinic*, (November 2015), pp. 495–519. doi: 10.5772/63772.
- Gilany, K., & Vafakhah, M. (2010) 'Hypoxia : a Review', *Journal of Paramedical Sciences*, 1(2), pp. 43–60.
- Haque, N., Rahman, M.T., Abu Kasim, N.H., & Alabsi, A.M. (2013) 'Hypoxic Culture Conditions as a Solution for Mesenchymal Stem Cell Based Regenerative Therapy', *The Scientific World Journal*, (July 2013), pp. 1-12. doi: 10.1155/2013/632972.
- Haque, N., Abu Kasim, N.H., & Rahman, M.T. (2015) 'Optimization of Pre-transplantation Conditions to Enhance the Efficacy of Mesenchymal Stem Cells', *International Journal of Biological Sciences*, 11(3), pp. 324-334. doi: 10.7150/ijbs.10567.
- Hartono, B. (2016) 'Sel Punca : Karakteristik , Potensi dan Aplikasinya', *Jurnal Kedokteran Meditek*, 22(60), pp. 72-75.
- Hashimoto, T. & Shibasaki, F. (2015) 'Hypoxia-Inducible Factor as an Angiogenic Master Switch', *Frontiers in Pediatrics Journal*, 3(April), pp. 1–15. doi: 10.3389/fped.2015.00033.
- Kibschull, M., Lye, S.J., Okino, S.T., & Sarras, H. (2016) 'Quantitative large scale gene expression profiling from human stem cell culture micro samples using multiplex pre-amplification', *Systems Biology in Reproductive Medicine*, 62(1), pp. 84-91. doi: 10.3109/19396368.2015.1062578.
- Krock, B.L., Skuli, N., & Simon, M.C. (2011) 'Hypoxia-Induced Angiogenesis : Good and Evil', *Genes & Cancer*, 2(12), pp. 1117–1133. doi: 10.1177/1947601911423654.
- Lavrentieva, A., Majore, I., Kasper, C., & Hass, R. (2010) 'Effects of hypoxic culture conditions on umbilical cord-derived human mesenchymal stem cells', *Cell Communication and Signaling*, 8(18), pp. 1–9. doi: 10.1186/1478-811X-8-18.
- Liu, Y., Tsai, A., Yuan, X., Li, Y., & Ma, T. (2017) 'Hypoxia Regulation of Stem Cell: Mechanisms Biological Properties , and Applications', *Biology and Engineering of Stem Cell Niches*. Elsevier Inc. pp. 273-291. doi: 10.1016/B978-0-12-802734-9.00018-4.
- Moghaddam, S. M., Amini, A., Morris, D.L., & Pourgholami, M.H. (2012)

- ‘Significance of vascular endothelial growth factor in growth and peritoneal dissemination of ovarian cancer’, *Cancer and Metastasis Reviews*, 31(1-2), pp. 143–162. doi: 10.1007/s10555-011-9337-5.
- Mohyeldin, A., Garzon-Muvdi, T., & Quinones-Hinojosa, A. (2010) ‘Review Oxygen in Stem Cell Biology : A Critical Component of the Stem Cell Niche’, *Cell Stem Cell*. Elsevier Inc. 7(2), pp. 150–161. doi: 10.1016/j.stem.2010.07.007.
- Najar, M., Krayem, M., Meuleman, N., Bron, D., Helene, B., & Lagneaux, L. (2017) ‘Immunohematology Mesenchymal Stromal Cell-based Therapy : From Research to Clinic’, *Applied Immunohistochemistry & Molecular Morphology*, 00(00), pp. 1–18. doi: 10.1097/PAI.0000000000000629.
- Panchalingam, K.M., Jung, S., Rosenberg, L., & Behie, L.A. (2015) ‘Bioprocessing strategies for the large-scale production of human mesenchymal stem cells : a review’, *Stem Cell Research & Therapy*, 6(225), pp. 1–10. doi: 10.1186/s13287-015-0228-5.
- Putra, A., Hutagalung A., Hanasal, I., Trisnadi, S., Djannah, D., Cahyono, E., & Intan, Y. (2018) ‘Peran Induksi TNF- α Serial Doses dalam Peningkatan VEGF dan PDGF Mesenchymal Stem Cells’, *Majalah Kedokteran Bandung*, 50(2), pp. 67-73. doi: 10.15395/mkb.v50n2.1278.
- Putra, A. (2019) *BASIC MOLECULAR STEM CELL*. I. Edited by A. Soebandrio and Y. Kusnadi. Semarang: Unissula Pres.
- S. Ramakrishnan, Anand, V., & Roy, Sabita. (2015) ‘Vascular Endothelial growth factor signaling in hypoxia and Inflammation’, *Journal of Neuroimmune Pharmacology*, 9(2), pp. 142–160. doi: 10.1007/s11481-014-9531-7.
- Semenza, G. L. (2014) ‘Oxygen Sensing , Hypoxia-Inducible Factors , and Disease Pathophysiology’, *Annual Review of Pathology: Mechanisms of Disease*, 9(1), pp. 47-71. doi: 10.1146/annurev-pathol-012513-104720.
- Sidharta, V.M., Herningtyas, E.H., Lagonda, C.A., Fauza, D., Kusnadi, Y., susilowati, R., & Partadireja, G. (2018) ‘High VEGF Level is Produced by Human Umbilical Cord- Mesenchymal Stem Cells (hUC-MSCs) in Amino Acid-Rich Medium and Under Hypoxia Condition’, *The Indonesian Biomedical Journal*, 10(3), pp. 222–230. doi: 10.18585/inabj.v10i3.457.
- Wagner, E.M. (2013) ‘Monitoring Gene Expression : Quantitative Real-Time RT-

PCR', *Methods in Molecular Biology*, 1027, pp. 19–45. doi: 10.1007/978-1-60327-369-5_2.

Widowati, W., Wijaya, L., Bachtiar, I., Gunanegara, R.F., Sugeng, S.U., Irawan, Y.A., Sumitro, S.B., & Widdo, M.A. (2014) 'Science Direct Effect of oxygen tension on proliferation and characteristics of Wharton ' s jelly-derived mesenchymal stem cells', *Biomarkers and Genomic Medicine*. Elsevier Taiwan LLC, 6(1), pp. 43–48. doi: 10.1016/j.bgm.2014.02.001.

William, M., Curtis, M. & Mullane, K. (2018) *Research in The Biomedical Science: Transparent and Reproducible*. 1st edn. United States: Academic Pres.

Zakrzewski, W., Dobrzynski, M., Szymonowicz, M., & Rybak, Z. (2019) 'Stem cells: past , present , and future', *Stem Cell Research & Therapy*, 10(68), pp. 1–22. doi: 10.1186/s13287-019-1165-5.