

DAFTAR PUSTAKA

- Aganga, A. ., Tshwenyane, S., 2004, Potentials of Guinea Grass (*Panicum maximum*) as forage crop in livestock production, *J Nutr*, 3, 1–4.
- Allanz, S. A., Bernier, U. R., Kline, D. R., 2005, Ketertarikan Nyamuk pada Volatile (Bahan Mudah Menguap) yang Terkait dengan Darah, *Agricultural and Veterinary Entomology*, 23rd(Center for Medical), 150–155.
- Ameen, S. M., Caruso, G., 2017, Chemistry of Lactic Acid, In *Chemistry of Foods*, 7–17, DOI 10.1007/978-3-319-58146-0_2.
- Astari, S., Ahmad, I., 2005, Insecticide Resistance and Effect of Piperonyl Butoxide as a Synergist in Three Strain of *Aedes aegypti* Linn (Diptera: Culicidae) on Insecticide Permethrin, Cypermethrin and d-Allethrin, *Buletin Penelitian Kesehatan*, 33 (2), 73–39.
- Astuti, E. P., 2008, *Efektivitas Minyak Biji Kamandrah (Croton tiglium) dan Jarak Pagar (Jatropha curcas) sebagai Larvasida, Anti posisi, dan Ovosida Nyamuk Aedes aegypti dan Aedes albopictus*. Tesis. Bogor: Institut Pertanian Bogor.
- Bernier, U., Kline, D., Barnard, D., Schreck, C., Yost, R., 2000, Analysis of human skin emanations by gas chromatography/mass spectrometry Identification of volatile compounds that are candidate attractants for yellow fever mosquito (*Aedes aegypti*). *Anal Chem*, 72, 747–756.
- Bosch, J., Geier, M., Boeckh, J., 2000, Contribution of fatty acids to olfactory host finding of female *Aedes aegypti*, *Chem Senses*, 25, 323–330.
- CDC, 2007, Chikungunya fever fact sheet, Dalam: https://www.cdc.gov/chikungunya/pdfs/CHIKV_FACT%20SHEET_CFC_General%20Public_cleared. Dikutip tanggal 18 September 2019
- CDC. 2010. Epidemiology Dengue Homepage. Dalam: <https://www.cdc.gov/dengue/epidemiology/index>. Dikutip tanggal 23 Agustus 2019
- CDC. 2019. Mosquito life cycle. <https://www.cdc.gov/dengue/resources/factSheets/MosquitoLifeFINAL>. Dikutip tanggal 21 Agustus 2019
- Costa, E. A. P. de A., Santos, E. M. de M., Correia, J. C., Albuquerque, C. M. R. de, 010, Impact of small variations in temperature and humidity on the reproductive activity and survival of *Aedes aegypti* (Diptera, Culicidae).

Revista Brasileira de Entomologia, 54(3), 488–493. DOI 10.1590/s0085-56262010000300021

- Cutwa-Francis, M., O'Meara, G., 2007, An Identification Guide to the Common Mosquitoes of Florida.
- Day, J. F., 2016, Mosquito oviposition behavior and vector control. *Insects*, 7(4). DOI 10.3390/insects7040065
- Dekker, T., Geier, M., Cardé, R., 2005, Carbon dioxide instantly sensitizes female yellow fever mosquitoes to human skin odours, *J Exp Biol*, 208, 2963–2972.
- Fiorenzano, J. M., Koehler, P. G. and Xue, R. De, 2017, Attractive toxic sugar bait (ATSB) for control of mosquitoes and its impact on non-target organisms: A review, *International Journal of Environmental Research and Public Health*, 14(4), p. 398. doi: 10.3390/ijerph14040398.
- Forest, Starr, K., 2003, *Panicum maximum*, Dalam: <https://www.feedipedia.org/content/guinea-grass-maui>. Dikutip tanggal 26 Agustus 2019.
- Gandra, J., de Oliveira, E., de Goes, R. H., de Oliveira, K., Takiya, C., et al., 2017, Microbial inoculant and an extract of *Trichoderma longibrachiatum* with xylanase activity effect on chemical composition, fermentative profile and aerobic stability of guinea grass (*Panicum maximum* Jacq.) silage, *Journal of Animal and Feed Sciences*, 26(4), 339–347, DOI 10.22358/jafs/80776/2017
- Geier, M., Boeckh, J., 1999, A new Y-tube olfactometer for mosquitoes to measure the attractiveness of host odours, *Entomol Exp Appl*, 92, 9–19.
- Gopalakrishnan, R., Das, M., Baruah, I., Veer, V., Dutta P., 2012, Studies on the ovitraps baited with hay and leaf infusions for the surveillance of dengue vector, *Aedes albopictus* in northeastern India. *Tropical Biomedicine*, 29(4), 598–604.
- Hao, H., Sun, J., Dai, J., 2012, Preliminary Analysis of Several Attractants and Spatial Repellents for the Mosquito, *Aedes albopictus* using an Olfactometer, *Journal of Insect Science*, 12(76), pp. 1–10. doi: 10.1673/031.012.7601.
- Hasan, M. I., 2002, *Metodologi Penelitian Klinis* (3rd ed.). Jakarta: Ghalia Indonesia.
- Hasyimi, M., Harmany, N., Pengestu, 2009, Tempat-Tempat Terkini yang Disenangi untuk Perkembangbiakan Vektor Demam Berdarah *Aedes* sp. *Media Litbang Kesehatan*, XIX Nomor, 71–76.

- Hayne, K., 1950, De nuttige plante van Indonesi. (Tumbuhan Berguna Indonesia). In *Badan Litbang Kehutanan* (1st ed., Vol. 1). Jakarta: Yayasan Sarana wana Jaya.
- Hidajati, S., 2016, *Atlas Parasitologi Kedokteran*. Jakarta: Penerbit Buku Kedokteran EGC.
- Hobir, S., Syahid, I., Mariska, 1998, Pengaruh pupuk dan jarak tanam terhadap pertumbuhan dan produksi jahe asal kultur jaringan. *J Penelitian Tanaman Industri*, 4, 129–133.
- Kemenkes, 2010, Demam Berdarah Dengue. *Buletin Jendela Epidemiologi*.
- Lima, E. P., Paiva, M. H. S., De Arúajo, A. P., Da Silva, É. V. G., Da Silva, U. M., *et al.*, 2011, Insecticide resistance in *Aedes aegypti* populations from Cear e, Brazil, *Parasites and Vectors*, 4(1), 5. DOI 10.1186/1756-3305-4-5
- Lu, T., Qiu, Y. T., Wang, G., Kwon, J. Y., Rutzler, M., *et al.*, 2007, Odor coding in the maxillary palp of the malaria vector mosquito *Anopheles gambiae*, *Current Biology*, 17(18), 1533–1544.
- Meijerink, J., Braks, M., Brack, A., Adam, W., Dekker, T., *et al.*, 2000, Identification of olfactory stimulants for *Anopheles gambiae* from human sweat samples, *J Chem Ecol*, 26, 1367–1382.
- Murrell, E. G., Juliano, S. A., 2008, Detritus Type Alters the Outcome of Interspecific Competition Between *Aedes aegypti* and *Aedes albopictus* (Diptera: Culicidae). *Journal of Medical Entomology*, 45(3), 375–383, DOI 10.1603/0022-2585.
- Natadisastra, D., 2014, *Parasitologi Kedokteran : Ditinjau dari Organ Tubuh yang Diserang*, Jakarta: Penerbit Buku Kedokteran EGC.
- Ningsih, P. R., 2016, Pengaruh Dua Jenis Atraktan Pada Ovitrap Nyamuk Di Tiga Lokasi Laboratorium Lapang Terpadu Fakultas Pertanian Universitas Lampung. Universitas Lampung.
- Notoatmojo, S., 2012, *Metode Penelitian Kesehatan*. Jakarta: Rineka Cipta.
- Nurjana, M. A., Kurniawan, A., 2017, *Preferensi Aedes aegypti Meletakkan Telur pada Berbagai Warna Ovitrap di Laboratorium Preferences of Aedes aegypti Lay Eggs in Various Colors Ovitrap in The Laboratory*, 37–42.
- Prasetyowati, H., Hendri, J., Wahono, T., 2016, Status Resistensi *Aedes aegypti* (Linn.) terhadap Organofosfat di Tiga Kotamadya DKI Jakarta, *Balaba: Jurnal Litbang Pengendalian Penyakit Bersumber Binatang Banjarnegara*, 12(1), DOI 10.22435/blb.v12i1.4454.23-30

- Purbajanti, E. D., Sutrisno, R. D., Hanudin, E., Sasmito Budhi, S. P., 2016, produksi, kualitas, dan pencernaan in vitro tanaman rumput benggala (*Panicum maximum*) pada lahan salin. *Buletin Peternakan*, 35(1), 30. DOI 10.21059/buletinpeternak.v35i1.588
- Purbajanti, E., 2005, *Kandungan Protein dan Serat Kasar Rumput Benggala (Panicum Maximum) dan Rumput Gajah (Pennisetum Purpureum) pada Cekaman Stres Kering (Crude)*. 11(2), 109–115.
- Raji, J. I., Melo, N., Castillo, J. S., Gonzalez, S., Saldana, V., *et al.*, 2019, *Aedes aegypti* Mosquitoes Detect Acidic Volatiles Found in Human Odor Using the IR8a Pathway, *Current Biology*, 29(8), 1253-1262.e7. DOI 10.1016/j.cub.2019.02.045
- Reksohadiprodjo, S., 1994, *Produksi Tanaman Hijauan Makanan Ternak Tropik*. Bagian Penerbitan Fakultas Ekonomi, Universitas Gajah Mada.
- Rozendaal, J., 1997, Vector Control. Methods for Use by Individual and Communities. *Geneva: World Health Organization*, 7–177.
- Sajimin, Sutedi, E., Purwantari, N., Prawiradiputra, B., 2012, Agronomi Rumput Benggala (*Panicum maximum* Jacq) dan Pemanfaatannya sebagai Rumput Potong. *Prosiding Lokakarya Nasional Tanaman Pakan Ternak*, 122–129.
- Sant'ana, A. L., Roque, R. A., Eiras, A., 2006, Characteristics of Grass Infusions as Oviposition Attractants to Characteristics of Grass Infusions as Oviposition Attractants to *Aedes (Stegomyia)* (Diptera: *Culicidae*), *JMed Entomol*, 43(May 2014), 214–220. DOI 10.1603/0022-2585(2006)043
- Santos, E., Correia, J., Muniz, L., Meiado, M., Albuquerque, C., 2010, Oviposition activity of *Aedes aegypti* L. (Diptera: *Culicidae*) in responseto different organic infusions. *Neotropical Entomology*, 39(2), 299–302. DOI 10.1590/s1519-566x2010000200023
- Sayono, 2008, Pengaruh modifikasi ovitrap terhadap jumlah nyamuk *Aedes* sp. yang terperangkap. *Tesis. Program Pascasarjana Universitas Diponegoro*. Semarang, (15), 11–17.
- Sayono, Nurullita, U., 2016, Situasi Terkini Vektor Dengue (*Aedes aegypti*) di Jawa Tengah, *Jurnal Kesehatan Masyarakat*, 11(2), pp. 96–105.
- Setiawati, M. D., 2017, *The Influence of Climate Variables on Dengue in Medan, Indonesia*. *The Influence of Climate Variables on Dengue in Medan, Indonesia*.

- Soedarto, 2011, *Buku ajar Parasitologi Kedokteran* (Edisi Kedua), Jakarta: Sagung Seto.
- Soedarto, 2012, *Demam Berdarah Dengue Haemoohagic fever*, Jakarta: Sagung Seto.
- Supartha, I. W., 2008, *Pengendalian Terpadu Vektor Virus Demam Berdarah Dengue, Aedes aegypti (Linn.) dan Aedes Albopictus (Skuse)(Diptera:Culicidae)*. Dalam: <http://www.unud.ac.id/wp%0Acontent/upload/makalah-supartha-baru>.
- Sutanto, I., Ismid, I. S., Sjarifuddin, K., P., Sungkar, Saleha, 2008, *Buku Ajar Parasitologi Kedokteran* (Keempat), Jakarta: Balai Penerbit FKUI.
- Syafruddin, D., Sumanto, D., 2012, *Distribusi Resistensi Nyamuk Aedes aegypti terhadap Insektisida Sipermetrin di Semarang*. 8–13.
- Syauqi, R.M., 2018, Pengaruh Konsentrasi Rendaman Air Sekam Padi terhadap Daya Atraktan Nyamuk *Aedes aegypti*. Karya Tulis Ilmiah. Semarang: Universitas Islam Sultan Agung.
- Vezzani, D., Rubio, A., Velazquez, S., Scheigmann, N., Wiegand, T., 2005, Detailed Assessment of Microhabitat Suitability for *Aedes aegypti* (Diptera: *Culicidae*) in Buenos Aires, Argentina, *Acta Tropica*, 95, 123–131.
- Vyas, Jatin, M., 2013, Dengue Fever. Dikutip tanggal August 23, 2019, Dalam: <https://medlineplus.gov/ency/article/001374.htm>
- Weinzierl, R., 2005, Insect attractants and traps. *Insect Attractants and Traps* /, 1–9. DOI 10.5962/bhl.title.53475.
- Wahid, D.J.N, 2019, Pengaruh Konsentrasi Rendaman Air Sekam Padi terhadap Daya Atraktan Nyamuk *Culex sp.*. Karya Tulis Ilmiah. Semarang: Universitas Islam Sultan Agung.
- WHO, 2005, *Pencegahan dan Pengendalian Dengue dan Demam Berdarah Dengue* (1st ed.). Jakarta: EGC.
- WHO, 2008, Acute pesticide poisoning: a proposed classification tool.). Dikutip tanggal 6 Maret 2020, Dalam: <https://www.who.int/bulletin/volumes/86/3/07-041814.pdf?ua=1>
- WHO, 2016, Monitoring and managing insecticide resistance in *Aedes* mosquito populations. *WHO*, 16(10665), 7. Dikutip tanggal 20 Juli 2019, Dalam: http://apps.who.int/iris/bitstream/10665/204588/2/WHO_ZIKV_VC_16_1_eng.

- WHO. 2018. Efficacy-Testing Of Traps For Control Of *Aedes* Spp. Mosquito Vectors:23.
- Widiarti, 2011, Identifikasi Mutasi Noktah Pada” Gen Voltage Gated Sodium Channel” *Aedes Aegypti* Resisten Terhadap Insektisida Pyrethroid Di Semarang Jawa Tengah, *Buletin Penelitian Kesehatan*, 40(1), 6–7.
- Xie, L. *et al.*, 2019, Enhancing attraction of the vector mosquito *Aedes albopictus* by using a novel synthetic odorant blend, *Parasites and Vectors*, 12(382). doi: 10.1186/s13071-019-3646-x.
- Zettel, C., Kaufman, P., 2013, Common Name: Yellow Fever Mosquito Scientific Name: *Aedes aegypti* (Linnaeus) (Insecta: Diptera: Culicidae). Dikutip tanggal 20 Juli 2019, Dalam : http://entnemdept.ufl.edu/creatures/aquatic/aedes_aegypti.html.