

## DAFTAR PUSTAKA

- Abdullah, K. G., Attiah, M. A., Olsen, A. S., Richardson, A., & Lucas, T. H. (2015). Reducing surgical site infections following craniotomy: examination of the use of topical vancomycin. *Journal of Neurosurgery*, *123*(6), 1600–1604. <https://doi.org/10.3171/2014.12.JNS142092>
- Agustina, E. (2017). INFEKSI PADA PASIEN OPERASI BERSIH TERKONTAMINASI, (August), 351–360. <https://doi.org/10.20473/jbe.v5i3.2017>.
- ASHP Therapeutic Guidelines. (2013). Clinical Practice Guidelines for Antimicrobial Prophylaxis in Surgery.
- Bekelis, K., Coy, S., & Simmons, N. (2016). Operative duration and risk of surgical site infection in neurosurgery. *World Neurosurgery*. <https://doi.org/10.1016/j.wneu.2016.07.077>
- Comitte, N. A. G. (2017). Neurosurgery Antibiotic Prophylaxis Guideline, (June 2017), 1–6.
- Dasenbrock, H. H., Liu, K. X., Devine, C. A., Chavakula, V., Smith, T. R., Gormley, W. B., & Dunn, I. F. (2015). Length of hospital stay after craniotomy for tumor: a National Surgical Quality Improvement Program analysis, *39*(December), 1–17. <https://doi.org/10.3171/2015.10.FOCUS15386>.
- Donald E. Fry, M. (2013). Surgical Site Infection: Pathogenesis and Prevention. Retrieved March 10, 2019, from [https://www.medscape.org/viewarticle/448981\\_2](https://www.medscape.org/viewarticle/448981_2)
- Ebimieowei, E., & Ibemologi, A. (2016). Antibiotics: Classification and Mechanisms of Action with Emphasis on Molecular Perspectives. *International Journal of Applied Microbiology and Biotechnologi Research*, *4*(2), 535–541. <https://doi.org/10.1161/01.CIR.96.2.535>
- Enzler, M. J., Berbari, E., & Osmon, D. R. (2011). Antimicrobial prophylaxis in adults. *Mayo Clinic Proceedings*, *86*(7), 686–701. <https://doi.org/10.4065/mcp.2011.0012>
- Gontcharova, V., Zischakau, A., Dowd, S. E., Wolcott, R. D., & Sun, Y. (2014). Bacterial diversity in surgical site infections: not just aerobic cocci any more. *Journal of Wound Care*, *18*(8), 317–323. <https://doi.org/10.12968/jowc.2009.18.8.43630>
- Hsiu-Yin CHiang, Aparna s.Kamath, Jean M. Pottinger, Jeremy D. W. greenlee,

- Matthew a. Howard Joseph e. Cavanaugh, loreen a. H. (2014). Risk factors and outcomes associated with surgical site infections after craniotomy or craniectomy, *120*(February), 509–521.
- Jasa, Z. K., Jamal, F., & Hidayat, I. (2012). Luaran Pasien Cedera Kepala Berat yang Dilakukan Operasi Kraniotomi Evakuasi Hematoma atau Kraniektomi Dekompresi di RSUD Dr. Zainoel Abidin Banda Aceh Postoperative Outcome of Patients with Severe Traumatic Brain Injury Undergoing Craniotomy to Evacuate , *3*(1), 8–14.
- Jiménez-martínez, E., Cuervo, G., Hornero, A., Ciercoles, P., & Gabarrós, A. (2019). Risk factors for surgical site infection after craniotomy : a prospective cohort study, (December). <https://doi.org/10.1186/s13756-019-0525-3>
- Kementerian Kesehatan. (2015). Permenkes 8 2015, *3*(2), 54–67.
- Kementerian Kesehatan Republik. (2011). Pedoman Umum Penggunaan Antibiotik. <https://doi.org/10.1111/j.1524-4725.2011.01938.x>
- Kementerian Kesehatan Republik Indonesia. (2017). BERITA NEGARA, (857).
- Liu, W., Ni, M., Zhang, Y., & Groen, R. J. M. (2014). Antibiotic prophylaxis in craniotomy: A review. *Neurosurgical Review*, *37*(3), 407–414. <https://doi.org/10.1007/s10143-014-0524-z>
- López Pereira, P., Díaz-Agero Pérez, C., López Fresneña, N., Las Heras Mosteiro, J., Palancar Cabrera, A., Rincón Carlavilla, Á. L., & Aranaz Andrés, J. M. (2017). ‘Epidemiology of surgical site infection in a neurosurgery department.’ *British Journal of Neurosurgery*, *31*(1), 10–15. <https://doi.org/10.1080/02688697.2016.1260687>
- Negara, S. K. (2014). Analysis The Implementation Policy of Rational Use of Antibiotics to Prevent Antibiotic Resistance In Sanglah Hospital Denpasar: Case Study of Methicillin Resistant Staphylococcus Aureus Infections]. *Arsi*, *1ev*(1), 42–50. Retrieved from <http://journal.ui.ac.id/index.php/arsi/article/viewFile/5211/3496>
- Nugraheni, R., Suhartono, & Winarni, S. (2012). Infeksi Nosokomial di RSUD Setjonegoro Kabupaten Wonosobo. *Media Kesehatan Masyarakat Indonesia*, *11*(1), 94–100. Retrieved from <http://ejournal.undip.ac.id/index.php/mkmi/article/view/6169>
- Protocol for surgical site infection surveillance with a focus on settings with limited resources.* (n.d.).
- RSUD Dr. SAIFUL ANWAR MALANG. (2016). Panduan Umun Penggunaan Antimikroba.

Ryan, T. P. (2013). Methods of Determining Sample Sizes. In *Sample Size Determination and Power* (1st ed., pp. 17–55). John Wiley & Sons, Inc.

Stanford Antimicrobial Safety and Sustainability Program. (2017). SHC Surgical Antimicrobial Prophylaxis Guidelines Table I . Preferred Empiric Agent by Surgical Type . ( 1 ).

Tanriono, C., & Lalenoh, D. C. (2017). Profil Pasien Pasca Kraniotomi di ICU RSUP Prof . Dr . R . D . Kandou.

WHO. (2018). WHO Surgical Site Infection Prevention Guidelines, (14).