

LAMPIRAN

Lampiran 1.1 Hasil Output ETABS V16 Gaya Yang Bekerja Pada Kolom

Column Forces													
Story	Column	Unique Name	Load Case/Combo	Station	P	V2	V3	T	M2	M3	Element	Element Station	Location
				m	kN	kN	kN	kN-m	kN-m	kN-m		m	
Story7	C31	635	Comb Max	0	-105.872	-26.924	-15.355	1.6072	-16.936	-43.061	635	0	
Story7	C31	635	Comb Max	1.85	-86.6479	-26.924	-15.355	1.6072	17.8191	10.4642	635	1.85	
Story7	C31	635	Comb Max	3.7	-67.4239	-26.924	-15.355	1.6072	62.0291	87.9625	635	3.7	
Story7	C32	642	Comb Max	0	-68.1145	33.679	-7.7596	0.1279	-14.758	53.6584	642	0	
Story7	C32	642	Comb Max	1.85	-59.8757	33.679	-7.7596	0.1279	-0.4006	-5.5482	642	1.85	
Story7	C32	642	Comb Max	3.7	-51.6368	33.679	-7.7596	0.1279	21.7331	-45.594	642	3.7	
Story7	C35	660	Comb Max	0	-103.912	-0.4381	-16.022	0.6324	-26.394	-3.5978	660	0	
Story7	C35	660	Comb Max	2	-95.0055	-0.4381	-16.022	0.6324	8.7898	-2.703	660	2	
Story7	C35	660	Comb Max	4	-86.0987	-0.4381	-16.022	0.6324	58.6651	-1.7072	660	4	
Story7	C36	667	Comb Max	0	-114.332	12.634	-17.502	0.1726	-30.23	24.6439	667	0	
Story7	C36	667	Comb Max	2	-105.425	12.634	-17.502	0.1726	7.432	-0.3924	667	2	
Story7	C36	667	Comb Max	4	-96.5181	12.634	-17.502	0.1726	61.9068	-16.576	667	4	
Story7	C37	675	Comb Max	0	-188.136	-18.693	-68.859	2.1241	-106.04	-32.376	675	0	
Story7	C37	675	Comb Max	1.775	-173.65	-18.693	-68.859	2.1241	25.1773	1.2453	675	1.775	
Story7	C37	675	Comb Max	3.55	-159.164	-18.693	-68.859	2.1241	215.387	52.9124	675	3.55	
Story7	C38	682	Comb Max	0	-320.244	-29.083	-84.322	0.929	-137.82	-49.537	682	0	
Story7	C38	682	Comb Max	1.775	-305.757	-29.083	-84.322	0.929	18.4531	3.2542	682	1.775	
Story7	C38	682	Comb Max	3.55	-291.271	-29.083	-84.322	0.929	251.401	83.7132	682	3.55	
Story7	C39	689	Comb Max	0	-320.573	61.965	-79.259	0.7535	-130.28	108.105	689	0	
Story7	C39	689	Comb Max	1.775	-306.087	61.965	-79.259	0.7535	16.2046	-0.3835	689	1.775	
Story7	C39	689	Comb Max	3.55	-291.6	61.965	-79.259	0.7535	235.18	-71.815	689	3.55	
Story7	C40	696	Comb Max	0	-199.232	18.669	-76.433	0.981	-122.75	30.9134	696	0	
Story7	C40	696	Comb Max	1.775	-184.746	18.669	-76.433	0.981	20.1164	-1.4179	696	1.775	
Story7	C40	696	Comb Max	3.55	-170.26	18.669	-76.433	0.981	231.262	-22.706	696	3.55	
Story7	C41	703	Comb Max	0	-292.733	-61.594	132.26	1.1668	225.021	-103.61	703	0	
Story7	C41	703	Comb Max	1.775	-278.246	-61.594	132.26	1.1668	-5.6071	8.9117	703	1.775	
Story7	C41	703	Comb Max	3.55	-263.76	-61.594	132.26	1.1668	-157.11	179.053	703	3.55	
Story7	C42	710	Comb Max	0	-402.813	9.1589	151.29	0.9491	257.641	15.1889	710	0	
Story7	C42	710	Comb Max	1.775	-388.326	9.1589	151.29	0.9491	-6.2849	-0.6052	710	1.775	
Story7	C42	710	Comb Max	3.55	-373.84	9.1589	151.29	0.9491	-179.56	-11.028	710	3.55	
Story7	C43	717	Comb Max	0	-400.846	-3.6103	150.56	0.8503	254.772	-4.2191	717	0	
Story7	C43	717	Comb Max	1.775	-386.36	-3.6103	150.56	0.8503	-7.6715	3.4159	717	1.775	
Story7	C43	717	Comb Max	3.55	-371.874	-3.6103	150.56	0.8503	-179.73	13.5435	717	3.55	
Story7	C44	724	Comb Max	0	-304.875	82.511	134.77	0.8064	223.947	143	724	0	
Story7	C44	724	Comb Max	1.775	-290.388	82.511	134.77	0.8064	-9.7983	-2.2082	724	1.775	
Story7	C44	724	Comb Max	3.55	-275.902	82.511	134.77	0.8064	-163.51	-96.315	724	3.55	
Story6	C7	486	Comb Max	0	-480.226	-35.814	-35.333	1.2205	-68.267	-58.407	486	0	
Story6	C7	486	Comb Max	1.775	-465.74	-35.814	-35.333	1.2205	-5.5379	8.0463	486	1.775	
Story6	C7	486	Comb Max	3.55	-451.253	-35.814	-35.333	1.2205	89.0494	107.027	486	3.55	
Story6	C8	492	Comb Max	0	-371.272	75.198	-22.69	1.323	-35.197	127.949	492	0	
Story6	C8	492	Comb Max	1.775	-356.786	75.198	-22.69	1.323	7.9107	-3.2526	492	1.775	
Story6	C8	492	Comb Max	3.55	-342.299	75.198	-22.69	1.323	70.6644	-89.287	492	3.55	
Story6	C9	498	Comb Max	0	-531.726	19.074	-27.973	1.0859	-53.87	31.3445	498	0	
Story6	C9	498	Comb Max	1.775	-517.24	19.074	-27.973	1.0859	-4.2026	-1.5939	498	1.775	
Story6	C9	498	Comb Max	3.55	-502.754	19.074	-27.973	1.0859	70.8048	-23.253	498	3.55	
Story6	C10	504	Comb Max	0	-529.57	-20.421	-24.835	1.0624	-46.289	-34.768	504	0	
Story6	C10	504	Comb Max	1.775	-515.084	-20.421	-24.835	1.0624	-2.1899	2.3088	504	1.775	
Story6	C10	504	Comb Max	3.55	-500.597	-20.421	-24.835	1.0624	65.2735	58.8823	504	3.55	
Story6	C11	510	Comb Max	0	-537.41	14.341	-22.147	1.2395	-37.996	23.6484	510	0	
Story6	C11	510	Comb Max	1.775	-522.924	14.341	-22.147	1.2395	2.0547	-1.1538	510	1.775	
Story6	C11	510	Comb Max	3.55	-508.438	14.341	-22.147	1.2395	63.3406	-17.41	510	3.55	
Story6	C12	516	Comb Max	0	-508.271	-0.5486	-14.064	1.2795	-21.866	2.0123	516	0	
Story6	C12	516	Comb Max	1.775	-493.785	-0.5486	-14.064	1.2795	4.8289	3.7055	516	1.775	
Story6	C12	516	Comb Max	3.55	-479.298	-0.5486	-14.064	1.2795	43.7863	5.3987	516	3.55	
Story6	C13	522	Comb Max	0	-172.847	11.266	35.605	3.8499	24.3288	-0.1392	522	0	
Story6	C13	522	Comb Max	1.85	-157.749	11.266	35.605	3.8499	-26.688	-13.554	522	1.85	
Story6	C13	522	Comb Max	3.7	-142.65	11.266	35.605	3.8499	-69.027	-26.959	522	3.7	
Story6	C14	528	Comb Max	0	-291.448	-49.614	40.21	1.0055	52.7855	-84.494	528	0	
Story6	C14	528	Comb Max	1.775	-276.962	-49.614	40.21	1.0055	-11.938	5.576	528	1.775	
Story6	C14	528	Comb Max	3.55	-262.475	-49.614	40.21	1.0055	-57.761	142.638	528	3.55	
Story6	C15	534	Comb Max	0	-296.874	64.862	36.168	0.5889	49.468	105.518	534	0	
Story6	C15	534	Comb Max	1.775	-282.387	64.862	36.168	0.5889	-9.457	-6.1622	534	1.775	
Story6	C15	534	Comb Max	3.55	-267.901	64.862	36.168	0.5889	-50.676	-80.125	534	3.55	

Story6	C16	540	Comb Max	0	-293.39	-64.736	49.889	2.1724	74.6176	-102.7	540	0
Story6	C16	540	Comb Max	1.775	-278.904	-64.736	49.889	2.1724	-8.9451	19.0219	540	1.775
Story6	C16	540	Comb Max	3.55	-264.417	-64.736	49.889	2.1724	-65.823	197.863	540	3.55
Story6	C17	546	Comb Max	0	-447.672	-3.9463	69.818	1.2944	118.461	-8.2478	546	0
Story6	C17	546	Comb Max	1.775	-433.186	-3.9463	69.818	1.2944	-3.1215	-1.2336	546	1.775
Story6	C17	546	Comb Max	3.55	-418.699	-3.9463	69.818	1.2944	-83.07	9.1562	546	3.55
Story6	C18	552	Comb Max	0	-269.251	98.599	79.973	1.1595	137.7	166.367	552	0
Story6	C18	552	Comb Max	1.775	-254.765	98.599	79.973	1.1595	-2.2638	-5.5453	552	1.775
Story6	C18	552	Comb Max	3.55	-240.278	98.599	79.973	1.1595	-93.896	-118	552	3.55
Story6	C19	558	Comb Max	0	-89.8157	-2.8494	15.141	0.5918	18.5749	-6.4933	558	0
Story6	C19	558	Comb Max	2	-80.9089	-2.8494	15.141	0.5918	-7.5222	-0.7882	558	2
Story6	C19	558	Comb Max	4	-72.002	-2.8494	15.141	0.5918	-26.979	7.6344	558	4
Story6	C20	564	Comb Max	0	-88.8022	-2.8421	16.005	0.4537	21.7609	-11.622	564	0
Story6	C20	564	Comb Max	2	-79.8953	-2.8421	16.005	0.4537	-6.5852	-5.9283	564	2
Story6	C20	564	Comb Max	4	-70.9885	-2.8421	16.005	0.4537	-27.15	-0.2216	564	4
Story6	C21	570	Comb Max	0	-94.8965	25.932	4.7096	0.1828	8.4135	37.5007	570	0
Story6	C21	570	Comb Max	1.85	-86.6577	25.932	4.7096	0.1828	-0.1581	-6.7182	570	1.85
Story6	C21	570	Comb Max	3.7	-78.4188	25.932	4.7096	0.1828	-5.7715	-37.548	570	3.7
Story6	C22	582	Comb Max	0	-131.444	-28.826	4.7603	0.5378	-11.54	-49.647	582	0
Story6	C22	582	Comb Max	1.85	-112.22	-28.826	4.7603	0.5378	-17.218	5.681	582	1.85
Story6	C22	582	Comb Max	3.7	-92.9957	-28.826	4.7603	0.5378	-22.85	88.6538	582	3.7
Story6	C23	588	Comb Max	0	-113.392	-18.979	-4.762	0.3118	-7.6678	-34.357	588	0
Story6	C23	588	Comb Max	2	-104.485	-18.979	-4.762	0.3118	2.8862	5.6026	588	2
Story6	C23	588	Comb Max	4	-95.5784	-18.979	-4.762	0.3118	17.7345	64.6641	588	4
Story6	C24	594	Comb Max	0	-204.84	115.62	-33.978	1.7758	-50.999	190.893	594	0
Story6	C24	594	Comb Max	1.775	-190.354	115.62	-33.978	1.7758	14.4832	-9.2031	594	1.775
Story6	C24	594	Comb Max	3.55	-175.868	115.62	-33.978	1.7758	108.335	-141.08	594	3.55
Story6	C25	600	Comb Max	0	-416.549	-3.4281	-51.319	1.3654	-85.667	-6.1789	600	0
Story6	C25	600	Comb Max	1.775	-402.063	-3.4281	-51.319	1.3654	8.4477	-0.0684	600	1.775
Story6	C25	600	Comb Max	3.55	-387.577	-3.4281	-51.319	1.3654	150.223	9.4911	600	3.55
Story6	C30	628	Comb Max	0	-112.338	-40.752	17.038	1.634	34.2652	-68.788	628	0
Story6	C30	628	Comb Max	1.85	-97.2392	-40.752	17.038	1.634	3.2025	10.2505	628	1.85
Story6	C30	628	Comb Max	3.7	-82.1407	-40.752	17.038	1.634	-18.48	127.556	628	3.7
Story6	C31	634	Comb Max	0	-223.291	-14.096	-18.86	2.3556	-31.286	-31.013	634	0
Story6	C31	634	Comb Max	1.85	-204.067	-14.096	-18.86	2.3556	5.6436	-4.8964	634	1.85
Story6	C31	634	Comb Max	3.7	-184.843	-14.096	-18.86	2.3556	59.9943	32.9504	634	3.7
Story6	C32	641	Comb Max	0	-147.631	21.388	-7.7032	0.4349	-14.866	45.3668	641	0
Story6	C32	641	Comb Max	1.85	-139.392	21.388	-7.7032	0.4349	-0.6148	5.7999	641	1.85
Story6	C32	641	Comb Max	3.7	-131.154	21.388	-7.7032	0.4349	21.2508	-21.676	641	3.7
Story6	C35	659	Comb Max	0	-325.336	-4.2837	-11.386	0.0586	-22.937	-7.3564	659	0
Story6	C35	659	Comb Max	1.8039	-317.303	-4.2837	-11.386	0.0586	-2.3981	0.5707	659	1.8039
Story6	C35	659	Comb Max	3.6078	-309.27	-4.2837	-11.386	0.0586	28.2593	12.7351	659	3.6078
Story6	C36	666	Comb Max	0	-232.31	11.105	-12.767	0.4092	-26.159	21.4851	666	0
Story6	C36	666	Comb Max	2	-223.403	11.105	-12.767	0.4092	-0.6193	-0.4589	666	2
Story6	C36	666	Comb Max	4	-214.496	11.105	-12.767	0.4092	38.7863	-14.64	666	4
Story6	C37	674	Comb Max	0	-477.736	-14.258	-49.934	1.4465	-101.85	-28.297	674	0
Story6	C37	674	Comb Max	1.775	-463.25	-14.258	-49.934	1.4465	-13.21	-2.9739	674	1.775
Story6	C37	674	Comb Max	3.55	-448.763	-14.258	-49.934	1.4465	117.497	34.8166	674	3.55
Story6	C38	681	Comb Max	0	-625.531	-20.071	-62.856	2.2025	-127.62	-41.409	681	0
Story6	C38	681	Comb Max	1.775	-611.045	-20.071	-62.856	2.2025	-16.051	-5.782	681	1.775
Story6	C38	681	Comb Max	3.55	-596.558	-20.071	-62.856	2.2025	148.758	46.6076	681	3.55
Story6	C39	688	Comb Max	0	-622.446	43.161	-56.363	2.1246	-115.21	88.6809	688	0
Story6	C39	688	Comb Max	1.775	-607.96	43.161	-56.363	2.1246	-15.156	12.0697	688	1.775
Story6	C39	688	Comb Max	3.55	-593.474	43.161	-56.363	2.1246	132.233	-41.375	688	3.55
Story6	C40	695	Comb Max	0	-401.93	11.089	-46.457	2.0663	-96.334	22.7478	695	0
Story6	C40	695	Comb Max	1.775	-387.444	11.089	-46.457	2.0663	-13.85	3.0645	695	1.775
Story6	C40	695	Comb Max	3.55	-372.957	11.089	-46.457	2.0663	106.86	-10.632	695	3.55
Story6	C41	702	Comb Max	0	-588.568	-44.09	63.968	1.7515	142.81	-90.628	702	0
Story6	C41	702	Comb Max	1.775	-574.081	-44.09	63.968	1.7515	29.2662	-12.354	702	1.775
Story6	C41	702	Comb Max	3.55	-559.595	-44.09	63.968	1.7515	-54.094	102.627	702	3.55
Story6	C42	709	Comb Max	0	-799.206	-1.3344	81.867	2.0779	178.871	-1.1802	709	0
Story6	C42	709	Comb Max	1.775	-784.72	-1.3344	81.867	2.0779	33.558	1.406	709	1.775
Story6	C42	709	Comb Max	3.55	-770.234	-1.3344	81.867	2.0779	-71.746	5.313	709	3.55
Story6	C43	716	Comb Max	0	-798.422	-5.4995	87.19	2.1307	188.768	-11.303	716	0
Story6	C43	716	Comb Max	1.775	-783.936	-5.4995	87.19	2.1307	34.0064	-1.5401	716	1.775
Story6	C43	716	Comb Max	3.55	-769.449	-5.4995	87.19	2.1307	-77.518	13.0008	716	3.55

Story6	C44	723	Comb Max	0	-613.59	50.922	80.297	2.1255	173.83	106.697	723	0
Story6	C44	723	Comb Max	1.775	-599.104	50.922	80.297	2.1255	31.303	16.3104	723	1.775
Story6	C44	723	Comb Max	3.55	-584.617	50.922	80.297	2.1255	-71.384	-47.537	723	3.55
Story6	C1	726	Comb Max	0	-88.7451	-3.2126	-4.4755	-0.2702	2.0027	0.7667	726	0
Story6	C1	726	Comb Max	0.8706	-81.6402	-3.2126	-4.4755	-0.2702	8.159	5.1384	726	0.8706
Story6	C1	726	Comb Max	1.7411	-74.5354	-3.2126	-4.4755	-0.2702	14.3153	9.5102	726	1.7411
Story6	C3	751	Comb Max	0	-78.7638	-1.5525	-1.1552	-0.1234	0.0798	0.2892	751	0
Story6	C3	751	Comb Max	0.8706	-74.8868	-1.5525	-1.1552	-0.1234	1.6673	2.4219	751	0.8706
Story6	C3	751	Comb Max	1.7411	-71.0099	-1.5525	-1.1552	-0.1234	3.2548	4.5546	751	1.7411
Story5	C7	485	Comb Max	0	-957.399	-24.244	1.6821	-1.1208	-9.4341	-50.054	485	0
Story5	C7	485	Comb Max	1.775	-942.912	-24.244	1.6821	-1.1208	-11.397	-7.0063	485	1.775
Story5	C7	485	Comb Max	3.55	-928.426	-24.244	1.6821	-1.1208	-13.269	56.163	485	3.55
Story5	C8	491	Comb Max	0	-746.279	46.856	-17.432	-0.6427	-36.115	97.952	491	0
Story5	C8	491	Comb Max	1.775	-731.792	46.856	-17.432	-0.6427	-5.1531	14.782	491	1.775
Story5	C8	491	Comb Max	3.55	-717.306	46.856	-17.432	-0.6427	40.2276	-43.867	491	3.55
Story5	C9	497	Comb Max	0	-1057.64	6.0219	-2.3786	-0.9936	-13.708	14.2016	497	0
Story5	C9	497	Comb Max	1.775	-1043.16	6.0219	-2.3786	-0.9936	-9.4763	3.5127	497	1.775
Story5	C9	497	Comb Max	3.55	-1028.67	6.0219	-2.3786	-0.9936	-4.5652	-4.4613	497	3.55
Story5	C10	503	Comb Max	0	-1057.1	-16.474	-4.8371	-0.8027	-16.613	-33.562	503	0
Story5	C10	503	Comb Max	1.775	-1042.62	-16.474	-4.8371	-0.8027	-8.0166	-4.3189	503	1.775
Story5	C10	503	Comb Max	3.55	-1028.13	-16.474	-4.8371	-0.8027	3.5464	38.9995	503	3.55
Story5	C11	509	Comb Max	0	-1068.69	4.2615	-6.5845	-0.7262	-18.129	9.9898	509	0
Story5	C11	509	Comb Max	1.775	-1054.21	4.2615	-6.5845	-0.7262	-6.4294	2.4257	509	1.775
Story5	C11	509	Comb Max	3.55	-1039.72	4.2615	-6.5845	-0.7262	9.9835	-3.1583	509	3.55
Story5	C12	515	Comb Max	0	-1008.29	-0.5804	-5.8846	-0.6584	-14.358	-1.87	515	0
Story5	C12	515	Comb Max	1.775	-993.802	-0.5804	-5.8846	-0.6584	-3.8988	-0.8373	515	1.775
Story5	C12	515	Comb Max	3.55	-979.316	-0.5804	-5.8846	-0.6584	11.1918	0.7778	515	3.55
Story5	C13	521	Comb Max	0	-453.159	-2.1371	36.491	-1.7597	63.379	-2.8377	521	0
Story5	C13	521	Comb Max	1.8039	-438.437	-2.1371	36.491	-1.7597	-1.5635	1.5999	521	1.8039
Story5	C13	521	Comb Max	3.6078	-423.715	-2.1371	36.491	-1.7597	-43.821	7.6612	521	3.6078
Story5	C14	527	Comb Max	0	-571.985	-29.152	45.127	-0.7728	82.234	-62.962	527	0
Story5	C14	527	Comb Max	1.775	-557.499	-29.152	45.127	-0.7728	2.1333	-11.196	527	1.775
Story5	C14	527	Comb Max	3.55	-543.013	-29.152	45.127	-0.7728	-50.063	63.1628	527	3.55
Story5	C15	533	Comb Max	0	-584.374	44.953	36.223	-0.7824	67.0387	92.3434	533	0
Story5	C15	533	Comb Max	1.775	-569.888	44.953	36.223	-0.7824	2.7428	12.5527	533	1.775
Story5	C15	533	Comb Max	3.55	-555.401	44.953	36.223	-0.7824	-39.51	-43.145	533	3.55
Story5	C16	539	Comb Max	0	-668.697	-26.428	35.565	-0.5298	70.6712	-57.042	539	0
Story5	C16	539	Comb Max	1.775	-654.21	-26.428	35.565	-0.5298	7.544	-10.114	539	1.775
Story5	C16	539	Comb Max	3.55	-639.724	-26.428	35.565	-0.5298	-35.641	57.3238	539	3.55
Story5	C17	545	Comb Max	0	-882.559	1.4671	48.391	-0.6232	99.3119	1.074	545	0
Story5	C17	545	Comb Max	1.775	-868.072	1.4671	48.391	-0.6232	13.4184	-1.104	545	1.775
Story5	C17	545	Comb Max	3.55	-853.586	1.4671	48.391	-0.6232	-46.472	-2.6409	545	3.55
Story5	C18	551	Comb Max	0	-548.745	71.591	45.994	-0.5929	97.6236	145.651	551	0
Story5	C18	551	Comb Max	1.775	-534.259	71.591	45.994	-0.5929	15.9849	18.5768	551	1.775
Story5	C18	551	Comb Max	3.55	-519.772	71.591	45.994	-0.5929	-42.097	-69.66	551	3.55
Story5	C19	557	Comb Max	0	-277.442	1.5998	7.5046	-0.1362	14.8154	2.0438	557	0
Story5	C19	557	Comb Max	1.8039	-269.449	1.5998	7.5046	-0.1362	1.3159	-0.5293	557	1.8039
Story5	C19	557	Comb Max	3.6078	-261.415	1.5998	7.5046	-0.1362	-7.6604	-2.3512	557	3.6078
Story5	C20	563	Comb Max	0	-318.738	-5.289	6.4714	-0.1489	13.1114	-9.7626	563	0
Story5	C20	563	Comb Max	1.8039	-310.705	-5.289	6.4714	-0.1489	1.5229	-0.1993	563	1.8039
Story5	C20	563	Comb Max	3.6078	-302.671	-5.289	6.4714	-0.1489	-6.3664	14.5622	563	3.6078
Story5	C21	569	Comb Max	0	-196.596	18.749	7.6256	-0.1681	14.4565	37.3748	569	0
Story5	C21	569	Comb Max	1.85	-188.357	18.749	7.6256	-0.1681	0.3492	2.6893	569	1.85
Story5	C21	569	Comb Max	3.7	-180.119	18.749	7.6256	-0.1681	-8.8228	-20.529	569	3.7
Story5	C22	581	Comb Max	0	-270.506	-11.156	28.641	-0.8021	36.746	-29.863	581	0
Story5	C22	581	Comb Max	1.85	-251.282	-11.156	28.641	-0.8021	-10.414	-9.1684	581	1.85
Story5	C22	581	Comb Max	3.7	-232.058	-11.156	28.641	-0.8021	-44.445	17.8396	581	3.7
Story5	C23	587	Comb Max	0	-258.376	-18.457	2.9926	-0.2856	0.2867	-29.452	587-1	0
Story5	C23	587	Comb Max	2	-249.469	-18.457	2.9926	-0.2856	-3.88	11.6618	587-1	2
Story5	C23	587	Comb Max	2.9333	-245.312	-18.457	2.9926	-0.2856	-5.5573	38.5084	587-1	2.9333
Story5	C23	587	Comb Max	2.9333	-217.571	-18.21	-10.807	0.831	-1.2578	-11.18	587-2	0
Story5	C23	587	Comb Max	4	-212.821	-18.21	-10.807	0.831	15.9738	12.834	587-2	1.0667
Story5	C24	593	Comb Max	0	-419.009	84.562	-21.662	-0.69	-45.579	171.097	593	0
Story5	C24	593	Comb Max	1.775	-404.522	84.562	-21.662	-0.69	-7.0928	20.9986	593	1.775
Story5	C24	593	Comb Max	3.55	-390.036	84.562	-21.662	-0.69	48.7911	-82.909	593	3.55
Story5	C25	599	Comb Max	0	-820.638	10.863	-31.472	-0.6046	-67.368	17.2926	599	0

Story5	C25	599	Comb Max	1.775	-806.151	10.863	-31.472	-0.6046	-11.482	-1.2711	599	1.775	
Story5	C25	599	Comb Max	3.55	-791.665	10.863	-31.472	-0.6046	69.099	-13.552	599	3.55	
Story5	C30	627	Comb Max	0	-255.357	-36.957	99.762	1.2869	83.009	-50.653	627-1	0	
Story5	C30	627	Comb Max	1.85	-240.258	-36.957	99.762	1.2869	-64.754	27.8151	627-1	1.85	
Story5	C30	627	Comb Max	1.8667	-240.122	-36.957	99.762	1.2869	-65.814	28.7775	627-1	1.8667	
Story5	C30	627	Comb Max	1.8667	-206.232	-21.391	-14.473	1.6774	-28.894	-18.511	627-2	0	
Story5	C30	627	Comb Max	3.7	-191.269	-21.391	-14.473	1.6774	-2.2407	32.2315	627-2	1.8333	
Story5	C31	633	Comb Max	0	-338.763	-16.155	-11.969	1.7236	-19.913	-28.485	633	0	
Story5	C31	633	Comb Max	1.85	-319.539	-16.155	-11.969	1.7236	3.4715	2.1674	633	1.85	
Story5	C31	633	Comb Max	3.7	-300.315	-16.155	-11.969	1.7236	37.9977	48.6799	633	3.7	
Story5	C32	640	Comb Max	0	-225.665	24.031	-7.13	0.215	-13.644	49.5536	640	0	
Story5	C32	640	Comb Max	1.85	-217.426	24.031	-7.13	0.215	-0.4534	5.0963	640	1.85	
Story5	C32	640	Comb Max	3.7	-209.188	24.031	-7.13	0.215	19.8563	-25.274	640	3.7	
Story5	C35	658	Comb Max	0	-512.754	-2.5154	-11.151	0.0082	-21.994	-4.7589	658	0	
Story5	C35	658	Comb Max	1.8039	-504.721	-2.5154	-11.151	0.0082	-1.8794	-0.2208	658	1.8039	
Story5	C35	658	Comb Max	3.6078	-496.687	-2.5154	-11.151	0.0082	28.4152	6.8874	658	3.6078	
Story5	C36	665	Comb Max	0	-347.605	10.167	-12.069	0.3482	-22.195	20.7627	665	0	
Story5	C36	665	Comb Max	2	-338.698	10.167	-12.069	0.3482	3.0159	0.4295	665	2	
Story5	C36	665	Comb Max	4	-329.791	10.167	-12.069	0.3482	40.616	-12.672	665	4	
Story5	C37	673	Comb Max	0	-780.593	-13.384	-50.002	0.3524	-99.02	-26.125	673	0	
Story5	C37	673	Comb Max	1.775	-766.106	-13.384	-50.002	0.3524	-10.264	-2.3593	673	1.775	
Story5	C37	673	Comb Max	3.55	-751.62	-13.384	-50.002	0.3524	122.299	33.3864	673	3.55	
Story5	C38	680	Comb Max	0	-935.596	-22.014	-64.879	1.1361	-126.48	-43.802	680	0	
Story5	C38	680	Comb Max	1.775	-921.11	-22.014	-64.879	1.1361	-11.322	-4.7255	680	1.775	
Story5	C38	680	Comb Max	3.55	-906.623	-22.014	-64.879	1.1361	161.726	53.6462	680	3.55	
Story5	C39	687	Comb Max	0	-931.002	44.389	-59.313	1.2771	-112.59	87.8713	687	0	
Story5	C39	687	Comb Max	1.775	-916.516	44.389	-59.313	1.2771	-7.3114	9.0812	687	1.775	
Story5	C39	687	Comb Max	3.55	-902.029	44.389	-59.313	1.2771	152.592	-44.682	687	3.55	
Story5	C40	694	Comb Max	0	-605.924	17.83	-55.032	1.824	-104.46	40.579	694	0	
Story5	C40	694	Comb Max	1.775	-591.438	17.83	-55.032	1.824	-6.7813	8.9301	694	1.775	
Story5	C40	694	Comb Max	3.55	-576.951	17.83	-55.032	1.824	141.583	-14.555	694	3.55	
Story5	C41	701	Comb Max	0	-880.592	-45.569	81.478	0.8506	159.802	-92.767	701	0	
Story5	C41	701	Comb Max	1.775	-866.105	-45.569	81.478	0.8506	15.1797	-11.874	701	1.775	
Story5	C41	701	Comb Max	3.55	-851.619	-45.569	81.478	0.8506	-83.119	107.475	701	3.55	
Story5	C42	708	Comb Max	0	-1193.82	2.7532	97.662	1.0504	196.201	2.9418	708	0	
Story5	C42	708	Comb Max	1.775	-1179.34	2.7532	97.662	1.0504	22.8508	-1.4568	708	1.775	
Story5	C42	708	Comb Max	3.55	-1164.85	2.7532	97.662	1.0504	-96.645	-4.2954	708	3.55	
Story5	C43	715	Comb Max	0	-1194.59	-4.9411	101.13	1.2931	207.066	-11.786	715	0	
Story5	C43	715	Comb Max	1.775	-1180.1	-4.9411	101.13	1.2931	27.5664	-3.0142	715	1.775	
Story5	C43	715	Comb Max	3.55	-1165.61	-4.9411	101.13	1.2931	-97.559	9.2038	715	3.55	
Story5	C44	722	Comb Max	0	-919.378	55.714	93.434	1.1573	196.623	106.231	722	0	
Story5	C44	722	Comb Max	1.775	-904.892	55.714	93.434	1.1573	30.7767	7.3376	722	1.775	
Story5	C44	722	Comb Max	3.55	-890.405	55.714	93.434	1.1573	-86.717	-58.764	722	3.55	
Story5	C1	668	Comb Max	0	-189.919	-4.1756	-1.2594	-0.4257	-0.3187	0.1713	668	0	
Story5	C1	668	Comb Max	0.8706	-182.814	-4.1756	-1.2594	-0.4257	1.3057	5.8528	668	0.8706	
Story5	C1	668	Comb Max	1.7411	-175.709	-4.1756	-1.2594	-0.4257	3.0899	11.5388	668	1.7411	
Story5	C2	725	Comb Max	0	-103.98	-3.2037	-4.4666	-0.2702	-7.0715	-5.5032	725	0	
Story5	C2	725	Comb Max	0.9333	-96.3624	-3.2037	-4.4666	-0.2702	-2.9025	-2.5081	725	0.9333	
Story5	C2	725	Comb Max	1.8667	-88.7451	-3.2037	-4.4666	-0.2702	2.0027	0.7667	725	1.8667	
Story5	C3	749	Comb Max	0	-163.123	-0.1065	-0.6448	-0.0939	-0.0179	0.4549	749	0	
Story5	C3	749	Comb Max	0.8706	-159.246	-0.1065	-0.6448	-0.0939	0.8732	0.6445	749	0.8706	
Story5	C3	749	Comb Max	1.7411	-155.369	-0.1065	-0.6448	-0.0939	1.7765	0.8342	749	1.7411	
Story5	C4	750	Comb Max	0	-87.0769	-1.5438	-1.1468	-0.1234	-2.0926	-2.7067	750	0	
Story5	C4	750	Comb Max	0.9333	-82.9203	-1.5438	-1.1468	-0.1234	-1.0222	-1.2652	750	0.9333	
Story5	C4	750	Comb Max	1.8667	-78.7638	-1.5438	-1.1468	-0.1234	0.0798	0.2892	750	1.8667	
Story5	C5	575	Comb Max	0	-75.4082	-0.0005	-0.2283	-0.1652	0.0712	0.0075	575	0	
Story5	C5	575	Comb Max	0.7372	-72.1251	-0.0005	-0.2283	-0.1652	0.3579	0.0916	575	0.7372	
Story5	C5	575	Comb Max	1.4744	-68.8419	-0.0005	-0.2283	-0.1652	0.6447	0.1762	575	1.4744	
Story5	C27	75	Comb Max	0	-78.0167	5.2817	-5.1493	-0.0654	8.1599	-4.0368	75	0	
Story5	C27	75	Comb Max	0.3372	-76.515	5.2817	-5.1493	-0.0654	10.8797	-5.1755	75	0.3372	
Story5	C27	75	Comb Max	0.6744	-75.0132	5.2817	-5.1493	-0.0654	13.5995	-6.3142	75	0.6744	
Story4	C7	484	Comb Max	0	-1430.72	-25.049	-9.5165	-0.9402	-17.897	-50.098	484	0	
Story4	C7	484	Comb Max	1.775	-1416.24	-25.049	-9.5165	-0.9402	-0.9931	-5.6286	484	1.775	
Story4	C7	484	Comb Max	3.55	-1401.75	-25.049	-9.5165	-0.9402	24.8394	60.5729	484	3.55	
Story4	C8	490	Comb Max	0	-1121.05	50.657	-19.21	-0.8355	-39.503	99.6134	490	0	
Story4	C8	490	Comb Max	1.775	-1106.57	50.657	-19.21	-0.8355	-5.3913	9.6974	490	1.775	

Story4	C8	490	Comb Max	3.55	-1092.08	50.657	-19.21	-0.8355	44.8225	-51.456	490	3.55	
Story4	C9	496	Comb Max	0	-1581.61	9.7973	-9.4303	-0.949	-18.944	18.9787	496	0	
Story4	C9	496	Comb Max	1.775	-1567.12	9.7973	-9.4303	-0.949	-2.1967	1.5885	496	1.775	
Story4	C9	496	Comb Max	3.55	-1552.63	9.7973	-9.4303	-0.949	22.748	-9.9693	496	3.55	
Story4	C10	502	Comb Max	0	-1582.4	-16.463	-10.344	-0.9389	-21.245	-32.896	502	0	
Story4	C10	502	Comb Max	1.775	-1567.91	-16.463	-10.344	-0.9389	-2.879	-3.6731	502	1.775	
Story4	C10	502	Comb Max	3.55	-1553.42	-16.463	-10.344	-0.9389	24.2202	40.0295	502	3.55	
Story4	C11	508	Comb Max	0	-1599.33	6.1009	-10.464	-0.8681	-21.455	11.3573	508	0	
Story4	C11	508	Comb Max	1.775	-1584.85	6.1009	-10.464	-0.8681	-2.8757	0.5308	508	1.775	
Story4	C11	508	Comb Max	3.55	-1570.36	6.1009	-10.464	-0.8681	24.5778	-6.4432	508	3.55	
Story4	C12	514	Comb Max	0	-1509.82	-1.7004	-7.7931	-0.8388	-16.418	-3.8273	514	0	
Story4	C12	514	Comb Max	1.775	-1495.33	-1.7004	-7.7931	-0.8388	-2.5775	-0.8074	514	1.775	
Story4	C12	514	Comb Max	3.55	-1480.85	-1.7004	-7.7931	-0.8388	17.6849	3.7235	514	3.55	
Story4	C13	520	Comb Max	0	-751.938	0.4872	28.54	-0.9665	57.9928	1.7125	520	0	
Story4	C13	520	Comb Max	1.8039	-737.216	0.4872	28.54	-0.9665	6.5108	0.8336	520	1.8039	
Story4	C13	520	Comb Max	3.6078	-722.494	0.4872	28.54	-0.9665	-28.82	0.5507	520	3.6078	
Story4	C14	526	Comb Max	0	-852.405	-33.352	40.752	-0.9423	80.0773	-66.007	526	0	
Story4	C14	526	Comb Max	1.775	-837.919	-33.352	40.752	-0.9423	7.7427	-6.7944	526	1.775	
Story4	C14	526	Comb Max	3.55	-823.432	-33.352	40.752	-0.9423	-41.446	81.6298	526	3.55	
Story4	C15	532	Comb Max	0	-873.319	49.762	33.31	-0.9582	64.6373	99.0199	532	0	
Story4	C15	532	Comb Max	1.775	-858.832	49.762	33.31	-0.9582	5.5129	10.693	532	1.775	
Story4	C15	532	Comb Max	3.55	-844.346	49.762	33.31	-0.9582	-34.39	-49.818	532	3.55	
Story4	C16	538	Comb Max	0	-1025.01	-28.358	36.466	-0.9601	70.2388	-55.238	538	0	
Story4	C16	538	Comb Max	1.775	-1010.53	-28.358	36.466	-0.9601	5.5121	-4.8908	538	1.775	
Story4	C16	538	Comb Max	3.55	-996.041	-28.358	36.466	-0.9601	-37.942	70.8172	538	3.55	
Story4	C17	544	Comb Max	0	-1320.98	0.3817	52.911	-0.8388	103.395	0.121	544	0	
Story4	C17	544	Comb Max	1.775	-1306.49	0.3817	52.911	-0.8388	9.4788	-0.4008	544	1.775	
Story4	C17	544	Comb Max	3.55	-1292.01	0.3817	52.911	-0.8388	-54.123	-0.4752	544	3.55	
Story4	C18	550	Comb Max	0	-825.675	75.006	51.699	-0.8425	100.464	148.325	550	0	
Story4	C18	550	Comb Max	1.775	-811.189	75.006	51.699	-0.8425	8.6985	15.1888	550	1.775	
Story4	C18	550	Comb Max	3.55	-796.703	75.006	51.699	-0.8425	-53.255	-75.717	550	3.55	
Story4	C19	556	Comb Max	0	-479.16	0.8248	7.3773	-0.1762	14.3645	2.2102	556	0	
Story4	C19	556	Comb Max	1.8039	-471.127	0.8248	7.3773	-0.1762	1.0567	0.7224	556	1.8039	
Story4	C19	556	Comb Max	3.6078	-463.093	0.8248	7.3773	-0.1762	-7.8568	-0.4418	556	3.6078	
Story4	C20	562	Comb Max	0	-533.64	-4.3672	5.7441	-0.0916	10.4777	-9.7438	562	0	
Story4	C20	562	Comb Max	1.8039	-525.607	-4.3672	5.7441	-0.0916	0.116	-1.8645	562	1.8039	
Story4	C20	562	Comb Max	3.6078	-517.573	-4.3672	5.7441	-0.0916	-6.5415	9.4369	562	3.6078	
Story4	C21	568	Comb Max	0	-300.246	20.615	6.9729	-0.1904	13.5887	41.2241	568	0	
Story4	C21	568	Comb Max	1.85	-292.007	20.615	6.9729	-0.1904	0.6888	3.0856	568	1.85	
Story4	C21	568	Comb Max	3.7	-283.768	20.615	6.9729	-0.1904	-7.8221	-22.495	568	3.7	
Story4	C22	580	Comb Max	0	-411.515	-15.693	15.954	-1.3504	31.7917	-29.919	580	0	
Story4	C22	580	Comb Max	1.85	-392.291	-15.693	15.954	-1.3504	2.2765	-0.8474	580	1.85	
Story4	C22	580	Comb Max	3.7	-373.067	-15.693	15.954	-1.3504	-17.44	43.8421	580	3.7	
Story4	C23	586	Comb Max	0	-400.789	-21.007	2.4023	-0.4225	-0.4581	-29.634	586-1	0	
Story4	C23	586	Comb Max	2	-391.882	-21.007	2.4023	-0.4225	-3.5674	19.3248	586-1	2	
Story4	C23	586	Comb Max	2.9333	-387.726	-21.007	2.4023	-0.4225	-4.8675	49.8901	586-1	2.9333	
Story4	C23	586	Comb Max	2.9333	-359.724	-23.109	-12.519	0.8896	0.7173	-13.674	586-2	0	
Story4	C23	586	Comb Max	4	-354.973	-23.109	-12.519	0.8896	21.506	17.0993	586-2	1.0667	
Story4	C24	592	Comb Max	0	-632.06	88.335	-24.368	-0.8051	-49.607	174.7	592	0	
Story4	C24	592	Comb Max	1.775	-617.573	88.335	-24.368	-0.8051	-6.3196	17.9063	592	1.775	
Story4	C24	592	Comb Max	3.55	-603.087	88.335	-24.368	-0.8051	57.4856	-89.183	592	3.55	
Story4	C25	598	Comb Max	0	-1228.28	8.7054	-35.695	-0.8347	-72.177	17.2829	598	0	
Story4	C25	598	Comb Max	1.775	-1213.8	8.7054	-35.695	-0.8347	-8.8008	1.8308	598	1.775	
Story4	C25	598	Comb Max	3.55	-1199.31	8.7054	-35.695	-0.8347	84.9724	-8.6008	598	3.55	
Story4	C30	626	Comb Max	0	-405.668	-38.406	87.033	-0.5341	74.4873	-47.792	626-1	0	
Story4	C30	626	Comb Max	1.85	-390.569	-38.406	87.033	-0.5341	-54.956	36.4601	626-1	1.85	
Story4	C30	626	Comb Max	1.8667	-390.433	-38.406	87.033	-0.5341	-55.878	37.4606	626-1	1.8667	
Story4	C30	626	Comb Max	1.8667	-350.552	-29.485	-24.34	-1.1368	-23.382	-20.695	626-2	0	
Story4	C30	626	Comb Max	3.7	-335.589	-29.485	-24.34	-1.1368	33.4497	52.0175	626-2	1.8333	
Story4	C31	632	Comb Max	0	-452.925	-19.095	-15.503	-1.0659	-25.704	-36.999	632	0	
Story4	C31	632	Comb Max	1.85	-433.701	-19.095	-15.503	-1.0659	4.6468	-1.6312	632	1.85	
Story4	C31	632	Comb Max	3.7	-414.477	-19.095	-15.503	-1.0659	49.3217	52.4297	632	3.7	
Story4	C32	639	Comb Max	0	-304.205	20.917	-8.2368	-0.161	-15.767	42.7965	639	0	
Story4	C32	639	Comb Max	1.85	-295.966	20.917	-8.2368	-0.161	-0.5285	4.1001	639	1.85	
Story4	C32	639	Comb Max	3.7	-287.727	20.917	-8.2368	-0.161	22.9177	-22.199	639	3.7	
Story4	C35	657	Comb Max	0	-694.002	-1.2227	-10.808	-0.1638	-21.316	-2.2109	657	0	

Story4	C35	657	Comb Max	1.8039	-685.969	-1.2227	-10.808	-0.1638	-1.8195	0.0116	657	1.8039
Story4	C35	657	Comb Max	3.6078	-677.935	-1.2227	-10.808	-0.1638	27.5547	3.6314	657	3.6078
Story4	C36	664	Comb Max	0	-543.579	8.7501	-12.695	-0.1289	-24.808	16.4436	664	0
Story4	C36	664	Comb Max	1.8039	-535.545	8.7501	-12.695	-0.1289	-1.9061	0.6594	664	1.8039
Story4	C36	664	Comb Max	3.6078	-527.512	8.7501	-12.695	-0.1289	32.7004	-9.5847	664	3.6078
Story4	C37	672	Comb Max	0	-1094.91	-11.443	-48.022	-0.8312	-95.272	-22.856	672	0
Story4	C37	672	Comb Max	1.775	-1080.42	-11.443	-48.022	-0.8312	-10.031	-2.5399	672	1.775
Story4	C37	672	Comb Max	3.55	-1065.94	-11.443	-48.022	-0.8312	117.244	27.7801	672	3.55
Story4	C38	679	Comb Max	0	-1247.41	-22.202	-67.153	-0.8767	-132.01	-44.863	679	0
Story4	C38	679	Comb Max	1.775	-1232.92	-22.202	-67.153	-0.8767	-12.808	-5.4536	679	1.775
Story4	C38	679	Comb Max	3.55	-1218.43	-22.202	-67.153	-0.8767	165.696	53.0674	679	3.55
Story4	C39	686	Comb Max	0	-1244.62	41.521	-67.933	-0.9517	-132.35	82.4444	686	0
Story4	C39	686	Comb Max	1.775	-1230.13	41.521	-67.933	-0.9517	-11.767	8.7446	686	1.775
Story4	C39	686	Comb Max	3.55	-1215.65	41.521	-67.933	-0.9517	169.424	-41.601	686	3.55
Story4	C40	693	Comb Max	0	-876.565	23.669	-74.68	-0.7004	-143.52	46.9834	693	0
Story4	C40	693	Comb Max	1.775	-862.078	23.669	-74.68	-0.7004	-10.96	4.9714	693	1.775
Story4	C40	693	Comb Max	3.55	-847.592	23.669	-74.68	-0.7004	189.326	-23.736	693	3.55
Story4	C41	700	Comb Max	0	-1171.18	-39.415	79.786	-0.7776	161.482	-80.418	700	0
Story4	C41	700	Comb Max	1.775	-1156.69	-39.415	79.786	-0.7776	19.8607	-10.449	700	1.775
Story4	C41	700	Comb Max	3.55	-1142.21	-39.415	79.786	-0.7776	-78.156	92.6973	700	3.55
Story4	C42	707	Comb Max	0	-1587.94	13.646	89.212	-0.866	182.797	25.6246	707	0
Story4	C42	707	Comb Max	1.775	-1573.45	13.646	89.212	-0.866	24.4457	1.4024	707	1.775
Story4	C42	707	Comb Max	3.55	-1558.97	13.646	89.212	-0.866	-85.974	-14.507	707	3.55
Story4	C43	714	Comb Max	0	-1587.55	2.3075	83.207	-0.9441	173.23	1.8718	714	0
Story4	C43	714	Comb Max	1.775	-1573.06	2.3075	83.207	-0.9441	25.5378	-1.4112	714	1.775
Story4	C43	714	Comb Max	3.55	-1558.57	2.3075	83.207	-0.9441	-78.441	-3.8997	714	3.55
Story4	C44	721	Comb Max	0	-1221.51	61.965	65.599	-0.8413	140.682	120.804	721	0
Story4	C44	721	Comb Max	1.775	-1207.03	61.965	65.599	-0.8413	24.2445	10.8168	721	1.775
Story4	C44	721	Comb Max	3.55	-1192.54	61.965	65.599	-0.8413	-59.203	-63.66	721	3.55
Story4	C1	652	Comb Max	0	-289.456	-4.8875	-2.304	-0.7018	1.745	-0.1329	652	0
Story4	C1	652	Comb Max	0.8706	-282.352	-4.8875	-2.304	-0.7018	4.9817	6.4415	652	0.8706
Story4	C1	652	Comb Max	1.7411	-275.247	-4.8875	-2.304	-0.7018	8.2185	13.1105	652	1.7411
Story4	C2	653	Comb Max	0	-205.153	-4.1696	-1.2539	-0.4257	-2.6703	-7.6878	653	0
Story4	C2	653	Comb Max	0.9333	-197.536	-4.1696	-1.2539	-0.4257	-1.4997	-3.7944	653	0.9333
Story4	C2	653	Comb Max	1.8667	-189.919	-4.1696	-1.2539	-0.4257	-0.3187	0.1713	653	1.8667
Story4	C3	747	Comb Max	0	-245.976	-0.6309	-0.9086	-0.1291	0.0078	0.5423	747	0
Story4	C3	747	Comb Max	0.8706	-242.099	-0.6309	-0.9086	-0.1291	1.2768	1.4605	747	0.8706
Story4	C3	747	Comb Max	1.7411	-238.222	-0.6309	-0.9086	-0.1291	2.5459	2.3787	747	1.7411
Story4	C4	748	Comb Max	0	-171.436	-0.1013	-0.6399	-0.0939	-1.2133	0.195	748	0
Story4	C4	748	Comb Max	0.9333	-167.279	-0.1013	-0.6399	-0.0939	-0.616	0.3061	748	0.9333
Story4	C4	748	Comb Max	1.8667	-163.123	-0.1013	-0.6399	-0.0939	-0.0179	0.4549	748	1.8667
Story4	C5	573	Comb Max	0	-158.241	0.3302	0.7523	-0.1071	0.2613	-0.7901	573	0
Story4	C5	573	Comb Max	0.7372	-154.958	0.3302	0.7523	-0.1071	-0.1652	-0.8886	573	0.7372
Story4	C5	573	Comb Max	1.4744	-151.675	0.3302	0.7523	-0.1071	-0.503	-0.9859	573	1.4744
Story4	C6	574	Comb Max	0	-84.9088	0.0066	-0.2212	-0.1652	-0.4477	-0.0368	574	0
Story4	C6	574	Comb Max	1.0667	-80.1585	0.0066	-0.2212	-0.1652	-0.2117	-0.0414	574	1.0667
Story4	C6	574	Comb Max	2.1333	-75.4082	0.0066	-0.2212	-0.1652	0.0712	0.0075	574	2.1333
Story4	C27	15	Comb Max	0	-162.833	4.8477	-3.864	-0.1802	6.1082	-2.8147	15	0
Story4	C27	15	Comb Max	0.3372	-161.331	4.8477	-3.864	-0.1802	8.1571	-3.8577	15	0.3372
Story4	C27	15	Comb Max	0.6744	-159.829	4.8477	-3.864	-0.1802	10.2061	-4.9006	15	0.6744
Story4	C34	74	Comb Max	0	-91.0801	5.2817	-5.1429	-0.0654	-9.8824	9.1595	74	0
Story4	C34	74	Comb Max	1.4667	-84.5484	5.2817	-5.1429	-0.0654	-2.3395	1.4131	74	1.4667
Story4	C34	74	Comb Max	2.9333	-78.0167	5.2817	-5.1429	-0.0654	8.1599	-4.0368	74	2.9333
Story3	C7	483	Comb Max	0	-1904.92	-23.432	-10.742	-0.4959	-21.209	-46.483	483	0
Story3	C7	483	Comb Max	1.775	-1890.43	-23.432	-10.742	-0.4959	-2.1318	-4.8847	483	1.775
Story3	C7	483	Comb Max	3.55	-1875.95	-23.432	-10.742	-0.4959	26.4742	57.2899	483	3.55
Story3	C8	489	Comb Max	0	-1494.88	48.482	-17.76	-0.6914	-38.082	96.1266	489	0
Story3	C8	489	Comb Max	1.775	-1480.4	48.482	-17.76	-0.6914	-6.5533	10.071	489	1.775
Story3	C8	489	Comb Max	3.55	-1465.91	48.482	-17.76	-0.6914	39.0615	-48.718	489	3.55
Story3	C9	495	Comb Max	0	-2107.13	10.749	-10.322	-0.5248	-21.29	21.6042	495	0
Story3	C9	495	Comb Max	1.775	-2092.65	10.749	-10.322	-0.5248	-2.947	2.5245	495	1.775
Story3	C9	495	Comb Max	3.55	-2078.16	10.749	-10.322	-0.5248	24.0437	-10.425	495	3.55
Story3	C10	501	Comb Max	0	-2108.52	-16.334	-11.449	-0.6198	-25.238	-33.346	501	0
Story3	C10	501	Comb Max	1.775	-2094.04	-16.334	-11.449	-0.6198	-4.8776	-4.3522	501	1.775
Story3	C10	501	Comb Max	3.55	-2079.55	-16.334	-11.449	-0.6198	24.1232	38.6602	501	3.55
Story3	C11	507	Comb Max	0	-2130.64	8.9722	-12.64	-0.7079	-29.463	19.8906	507	0

Story3	C11	507	Comb Max	1.775	-2116.16	8.9722	-12.64	-0.7079	-6.9883	3.9649	507	1.775	
Story3	C11	507	Comb Max	3.55	-2101.67	8.9722	-12.64	-0.7079	24.1357	-7.4788	507	3.55	
Story3	C12	513	Comb Max	0	-2011.61	-1.8976	-6.9835	-0.6854	-16.505	-4.1491	513	0	
Story3	C12	513	Comb Max	1.775	-1997.12	-1.8976	-6.9835	-0.6854	-4.0959	-0.7797	513	1.775	
Story3	C12	513	Comb Max	3.55	-1982.63	-1.8976	-6.9835	-0.6854	13.1095	4.3597	513	3.55	
Story3	C13	519	Comb Max	0	-1044.16	0.6452	24.423	-0.526	48.4093	2.9395	519	0	
Story3	C13	519	Comb Max	1.8039	-1029.43	0.6452	24.423	-0.526	4.3531	1.7756	519	1.8039	
Story3	C13	519	Comb Max	3.6078	-1014.71	0.6452	24.423	-0.526	-25.42	1.0965	519	3.6078	
Story3	C14	525	Comb Max	0	-1134.06	-32.066	36.429	-0.5533	71.152	-62.704	525	0	
Story3	C14	525	Comb Max	1.775	-1119.57	-32.066	36.429	-0.5533	6.4909	-5.7736	525	1.775	
Story3	C14	525	Comb Max	3.55	-1105.09	-32.066	36.429	-0.5533	-37.304	79.6863	525	3.55	
Story3	C15	531	Comb Max	0	-1161.46	47.381	31.423	-0.5142	60.175	95.0372	531	0	
Story3	C15	531	Comb Max	1.775	-1146.97	47.381	31.423	-0.5142	4.3994	10.9357	531	1.775	
Story3	C15	531	Comb Max	3.55	-1132.48	47.381	31.423	-0.5142	-32.944	-46.935	531	3.55	
Story3	C16	537	Comb Max	0	-1384.83	-39.599	33.921	-1.0946	64.4989	-88.581	537	0	
Story3	C16	537	Comb Max	1.775	-1370.34	-39.599	33.921	-1.0946	4.2894	-18.28	537	1.775	
Story3	C16	537	Comb Max	3.55	-1355.85	-39.599	33.921	-1.0946	-35.835	81.0361	537	3.55	
Story3	C17	543	Comb Max	0	-1760.93	1.3208	52.753	-0.6893	101.717	4.1715	543	0	
Story3	C17	543	Comb Max	1.775	-1746.44	1.3208	52.753	-0.6893	8.0806	1.9234	543	1.775	
Story3	C17	543	Comb Max	3.55	-1731.96	1.3208	52.753	-0.6893	-54.813	-0.002	543	3.55	
Story3	C18	549	Comb Max	0	-1101.81	71.2	51.095	-0.6797	97.435	141.485	549	0	
Story3	C18	549	Comb Max	1.775	-1087.32	71.2	51.095	-0.6797	6.7421	15.105	549	1.775	
Story3	C18	549	Comb Max	3.55	-1072.83	71.2	51.095	-0.6797	-53.795	-71.415	549	3.55	
Story3	C19	555	Comb Max	0	-683.682	0.8964	5.8975	-0.1035	11.3945	2.8876	555	0	
Story3	C19	555	Comb Max	1.8039	-675.648	0.8964	5.8975	-0.1035	0.7562	1.2707	555	1.8039	
Story3	C19	555	Comb Max	3.6078	-667.615	0.8964	5.8975	-0.1035	-6.1666	-0.1263	555	3.6078	
Story3	C20	561	Comb Max	0	-754.045	-0.3499	10.248	-0.3851	23.9303	5.1022	561	0	
Story3	C20	561	Comb Max	1.8039	-746.012	-0.3499	10.248	-0.3851	5.4447	6.109	561	1.8039	
Story3	C20	561	Comb Max	3.6078	-737.978	-0.3499	10.248	-0.3851	-8.3619	7.1158	561	3.6078	
Story3	C21	567	Comb Max	0	-403.311	19.6	6.3769	-0.0994	12.2652	40.9131	567	0	
Story3	C21	567	Comb Max	1.85	-395.072	19.6	6.3769	-0.0994	0.4678	4.6537	567	1.85	
Story3	C21	567	Comb Max	3.7	-386.833	19.6	6.3769	-0.0994	-7.2494	-20.271	567	3.7	
Story3	C22	579	Comb Max	0	-549.909	-14.268	13.862	-0.7616	26.3664	-25.042	579	0	
Story3	C22	579	Comb Max	1.85	-530.685	-14.268	13.862	-0.7616	0.7227	2.1027	579	1.85	
Story3	C22	579	Comb Max	3.7	-511.461	-14.268	13.862	-0.7616	-15.941	43.2244	579	3.7	
Story3	C23	585	Comb Max	0	-543.796	-16.787	-0.3239	-0.4222	-4.4954	-22.511	585-1	0	
Story3	C23	585	Comb Max	2	-534.889	-16.787	-0.3239	-0.4222	-3.6469	17.2769	585-1	2	
Story3	C23	585	Comb Max	2.9333	-530.733	-16.787	-0.3239	-0.4222	-3.1939	41.6951	585-1	2.9333	
Story3	C23	585	Comb Max	2.9333	-502.115	-20.547	-13.668	0.693	-0.2491	-11.947	585-2	0	
Story3	C23	585	Comb Max	4	-497.365	-20.547	-13.668	0.693	22.2587	15.5264	585-2	1.0667	
Story3	C24	591	Comb Max	0	-843.766	83.624	-23.213	-0.7003	-49.307	166.556	591	0	
Story3	C24	591	Comb Max	1.775	-829.28	83.624	-23.213	-0.7003	-8.0783	18.1232	591	1.775	
Story3	C24	591	Comb Max	3.55	-814.793	83.624	-23.213	-0.7003	51.5872	-83.654	591	3.55	
Story3	C25	597	Comb Max	0	-1639.02	8.7346	-34.679	-0.6999	-71.727	18.3981	597	0	
Story3	C25	597	Comb Max	1.775	-1624.53	8.7346	-34.679	-0.6999	-10.143	2.8942	597	1.775	
Story3	C25	597	Comb Max	3.55	-1610.04	8.7346	-34.679	-0.6999	80.0819	-7.9273	597	3.55	
Story3	C30	625	Comb Max	0	-552.394	-34.4	64.532	-2.0952	36.5712	-43.88	625-1	0	
Story3	C30	625	Comb Max	1.85	-537.296	-34.4	64.532	-2.0952	-52.431	30.9919	625-1	1.85	
Story3	C30	625	Comb Max	1.8667	-537.16	-34.4	64.532	-2.0952	-53.113	31.8879	625-1	1.8667	
Story3	C30	625	Comb Max	1.8667	-499.485	-29.786	-22.6	-1.2405	-23.681	-20.667	625-2	0	
Story3	C30	625	Comb Max	3.7	-484.523	-29.786	-22.6	-1.2405	28.1419	52.9341	625-2	1.8333	
Story3	C31	631	Comb Max	0	-564.226	-15.636	-12.893	-1.219	-26.094	-32.452	631	0	
Story3	C31	631	Comb Max	1.85	-545.002	-15.636	-12.893	-1.219	-2.2371	-3.506	631	1.85	
Story3	C31	631	Comb Max	3.7	-525.778	-15.636	-12.893	-1.219	33.7376	39.5648	631	3.7	
Story3	C32	638	Comb Max	0	-381.954	22.427	-6.924	-0.156	-13.507	43.2249	638	0	
Story3	C32	638	Comb Max	1.85	-373.715	22.427	-6.924	-0.156	-0.6972	1.7356	638	1.85	
Story3	C32	638	Comb Max	3.7	-365.476	22.427	-6.924	-0.156	18.8882	-25.519	638	3.7	
Story3	C35	656	Comb Max	0	-886.196	0.5658	-10.006	-0.2203	-19.447	1.2741	656	0	
Story3	C35	656	Comb Max	1.8039	-878.163	0.5658	-10.006	-0.2203	-1.398	0.2538	656	1.8039	
Story3	C35	656	Comb Max	3.6078	-870.13	0.5658	-10.006	-0.2203	25.9694	-0.1534	656	3.6078	
Story3	C36	663	Comb Max	0	-758.436	8.0423	-11.07	-0.1614	-21.651	15.0259	663	0	
Story3	C36	663	Comb Max	1.8039	-750.403	8.0423	-11.07	-0.1614	-1.6816	0.5186	663	1.8039	
Story3	C36	663	Comb Max	3.6078	-742.369	8.0423	-11.07	-0.1614	28.5013	-8.8392	663	3.6078	
Story3	C37	671	Comb Max	0	-1404.46	-9.5947	-46.287	-0.9407	-90.031	-18.981	671	0	
Story3	C37	671	Comb Max	1.775	-1389.97	-9.5947	-46.287	-0.9407	-7.8705	-1.9496	671	1.775	
Story3	C37	671	Comb Max	3.55	-1375.49	-9.5947	-46.287	-0.9407	115.858	23.6336	671	3.55	

Story3	C38	678	Comb Max	0	-1562.73	-21.715	-63.76	-0.7718	-125.55	-43.904	678	0
Story3	C38	678	Comb Max	1.775	-1548.24	-21.715	-63.76	-0.7718	-12.378	-5.3584	678	1.775
Story3	C38	678	Comb Max	3.55	-1533.75	-21.715	-63.76	-0.7718	157.043	51.8882	678	3.55
Story3	C39	685	Comb Max	0	-1563.23	41.975	-62.598	-0.7817	-123.82	82.6422	685	0
Story3	C39	685	Comb Max	1.775	-1548.74	41.975	-62.598	-0.7817	-12.707	8.1363	685	1.775
Story3	C39	685	Comb Max	3.55	-1534.26	41.975	-62.598	-0.7817	153.288	-42.495	685	3.55
Story3	C40	692	Comb Max	0	-1163.18	25.287	-63.016	-0.7712	-123.81	49.8271	692	0
Story3	C40	692	Comb Max	1.775	-1148.69	25.287	-63.016	-0.7712	-11.939	4.9432	692	1.775
Story3	C40	692	Comb Max	3.55	-1134.21	25.287	-63.016	-0.7712	155.655	-25.598	692	3.55
Story3	C41	699	Comb Max	0	-1459.04	-39.153	74.936	-0.7882	147.752	-77.509	699	0
Story3	C41	699	Comb Max	1.775	-1444.55	-39.153	74.936	-0.7882	14.7409	-7.999	699	1.775
Story3	C41	699	Comb Max	3.55	-1430.07	-39.153	74.936	-0.7882	-75.899	95.7952	699	3.55
Story3	C42	706	Comb Max	0	-1981.54	12.882	88.252	-0.7761	174.31	25.5699	706	0
Story3	C42	706	Comb Max	1.775	-1967.06	12.882	88.252	-0.7761	17.6626	2.705	706	1.775
Story3	C42	706	Comb Max	3.55	-1952.57	12.882	88.252	-0.7761	-89.214	-12.776	706	3.55
Story3	C43	713	Comb Max	0	-1978.77	-0.3758	86.764	-0.7712	170.854	-1.136	713	0
Story3	C43	713	Comb Max	1.775	-1964.29	-0.3758	86.764	-0.7712	16.8482	-0.4679	713	1.775
Story3	C43	713	Comb Max	3.55	-1949.8	-0.3758	86.764	-0.7712	-88.056	0.6825	713	3.55
Story3	C44	720	Comb Max	0	-1520.33	57.177	73.961	-0.7622	144.427	112.791	720	0
Story3	C44	720	Comb Max	1.775	-1505.85	57.177	73.961	-0.7622	13.1469	11.3027	720	1.775
Story3	C44	720	Comb Max	3.55	-1491.36	57.177	73.961	-0.7622	-75.847	-57.869	720	3.55
Story3	C1	650	Comb Max	0	-385.488	-4.1434	-3.5757	-1.1105	0.4863	-0.6206	650	0
Story3	C1	650	Comb Max	0.8706	-378.383	-4.1434	-3.5757	-1.1105	5.4959	4.6997	650	0.8706
Story3	C1	650	Comb Max	1.7411	-371.278	-4.1434	-3.5757	-1.1105	10.5055	10.386	650	1.7411
Story3	C2	651	Comb Max	0	-304.691	-4.8828	-2.2999	-0.7018	-3.1766	-9.2698	651	0
Story3	C2	651	Comb Max	0.9333	-297.074	-4.8828	-2.2999	-0.7018	-1.0298	-4.7116	651	0.9333
Story3	C2	651	Comb Max	1.8667	-289.456	-4.8828	-2.2999	-0.7018	1.745	-0.1329	651	1.8667
Story3	C3	745	Comb Max	0	-326.145	-0.0878	-1.3654	-0.2089	-0.1759	-0.0416	745	0
Story3	C3	745	Comb Max	0.8706	-322.268	-0.0878	-1.3654	-0.2089	1.6159	0.1312	745	0.8706
Story3	C3	745	Comb Max	1.7411	-318.391	-0.0878	-1.3654	-0.2089	3.5136	0.3394	745	1.7411
Story3	C4	746	Comb Max	0	-254.289	-0.6269	-0.9049	-0.1291	-1.6824	-0.8236	746	0
Story3	C4	746	Comb Max	0.9333	-250.133	-0.6269	-0.9049	-0.1291	-0.8378	-0.2382	746	0.9333
Story3	C4	746	Comb Max	1.8667	-245.976	-0.6269	-0.9049	-0.1291	0.0078	0.5423	746	1.8667
Story3	C5	571	Comb Max	0	-238.957	-0.1277	0.1589	-0.1618	-0.6037	0.8135	571	0
Story3	C5	571	Comb Max	0.7372	-235.674	-0.1277	0.1589	-0.1618	-0.6759	0.9812	571	0.7372
Story3	C5	571	Comb Max	1.4744	-232.391	-0.1277	0.1589	-0.1618	-0.748	1.1489	571	1.4744
Story3	C6	572	Comb Max	0	-167.742	0.3342	0.7523	-0.1071	1.8662	-0.2972	572	0
Story3	C6	572	Comb Max	1.0667	-162.991	0.3342	0.7523	-0.1071	1.0638	-0.5548	572	1.0667
Story3	C6	572	Comb Max	2.1333	-158.241	0.3342	0.7523	-0.1071	0.2613	-0.7901	572	2.1333
Story3	C27	13	Comb Max	0	-234.792	0.3144	-0.3511	-0.2278	2.2954	-0.9687	13	0
Story3	C27	13	Comb Max	0.3372	-233.29	0.3144	-0.3511	-0.2278	2.4835	-1.0309	13	0.3372
Story3	C27	13	Comb Max	0.6744	-231.788	0.3144	-0.3511	-0.2278	2.6716	-1.093	13	0.6744
Story3	C34	14	Comb Max	0	-175.896	4.8477	-3.8595	-0.1802	-7.4373	9.7869	14	0
Story3	C34	14	Comb Max	1.4667	-169.365	4.8477	-3.8595	-0.1802	-1.7767	2.6769	14	1.4667
Story3	C34	14	Comb Max	2.9333	-162.833	4.8477	-3.8595	-0.1802	6.1082	-2.8147	14	2.9333
Story2	C7	482	Comb Max	0	-2380.1	-25.409	-13.648	-0.2064	-26.765	-52.857	482	0
Story2	C7	482	Comb Max	1.775	-2365.61	-25.409	-13.648	-0.2064	-2.5271	-7.756	482	1.775
Story2	C7	482	Comb Max	3.55	-2351.12	-25.409	-13.648	-0.2064	33.8955	58.3288	482	3.55
Story2	C8	488	Comb Max	0	-1866.16	46.433	-15.693	-0.5136	-32.962	93.7586	488	0
Story2	C8	488	Comb Max	1.775	-1851.68	46.433	-15.693	-0.5136	-5.1063	11.3405	488	1.775
Story2	C8	488	Comb Max	3.55	-1837.19	46.433	-15.693	-0.5136	35.5944	-45.543	488	3.55
Story2	C9	494	Comb Max	0	-2633.91	11.501	-12.977	-0.138	-25.876	23.1472	494	0
Story2	C9	494	Comb Max	1.775	-2619.42	11.501	-12.977	-0.138	-2.8411	2.7325	494	1.775
Story2	C9	494	Comb Max	3.55	-2604.93	11.501	-12.977	-0.138	31.6432	-11.119	494	3.55
Story2	C10	500	Comb Max	0	-2637.31	-17.914	-12.201	-0.0778	-23.686	-36.435	500	0
Story2	C10	500	Comb Max	1.775	-2622.82	-17.914	-12.201	-0.0778	-2.03	-4.6362	500	1.775
Story2	C10	500	Comb Max	3.55	-2608.33	-17.914	-12.201	-0.0778	30.8205	42.624	500	3.55
Story2	C11	506	Comb Max	0	-2666.63	7.4943	-9.9216	-0.3133	-18.091	12.4904	506	0
Story2	C11	506	Comb Max	1.775	-2652.15	7.4943	-9.9216	-0.3133	-0.4795	-0.4696	506	1.775
Story2	C11	506	Comb Max	3.55	-2637.66	7.4943	-9.9216	-0.3133	26.962	-8.8395	506	3.55
Story2	C12	512	Comb Max	0	-2512.09	-6.0692	-3.3576	-0.5195	-6.6705	-13.989	512	0
Story2	C12	512	Comb Max	1.775	-2497.61	-6.0692	-3.3576	-0.5195	-0.7104	-3.215	512	1.775
Story2	C12	512	Comb Max	3.55	-2483.12	-6.0692	-3.3576	-0.5195	8.7253	12.1318	512	3.55
Story2	C13	518	Comb Max	0	-1332.91	0.1565	24.344	-0.9268	53.1569	0.1294	518	0
Story2	C13	518	Comb Max	1.8039	-1318.19	0.1565	24.344	-0.9268	9.2426	-0.1514	518	1.8039
Story2	C13	518	Comb Max	3.6078	-1303.47	0.1565	24.344	-0.9268	-22.176	0.0356	518	3.6078

Story2	C14	524	Comb Max	0	-1417.03	-37.583	36.84	-0.0265	78.0774	-78.966	524	0
Story2	C14	524	Comb Max	1.775	-1402.54	-37.583	36.84	-0.0265	12.6871	-12.256	524	1.775
Story2	C14	524	Comb Max	3.55	-1388.06	-37.583	36.84	-0.0265	-33.746	84.8793	524	3.55
Story2	C15	530	Comb Max	0	-1452.62	48.632	35.729	-0.175	75.9365	101.107	530	0
Story2	C15	530	Comb Max	1.775	-1438.2	48.632	35.729	-0.175	12.5177	14.7851	530	1.775
Story2	C15	530	Comb Max	3.55	-1423.71	48.632	35.729	-0.175	-32.566	-45.871	530	3.55
Story2	C16	536	Comb Max	0	-1679.67	-41.123	44.431	2.2435	91.33	-71.64	536	0
Story2	C16	536	Comb Max	1.775	-1665.18	-41.123	44.431	2.2435	12.4654	2.0037	536	1.775
Story2	C16	536	Comb Max	3.55	-1650.7	-41.123	44.431	2.2435	-42.514	115.932	536	3.55
Story2	C17	542	Comb Max	0	-2207.2	-2.9785	64.688	-0.569	133.901	-7.8235	542	0
Story2	C17	542	Comb Max	1.775	-2192.71	-2.9785	64.688	-0.569	19.0801	-2.5366	542	1.775
Story2	C17	542	Comb Max	3.55	-2178.23	-2.9785	64.688	-0.569	-61.317	4.6679	542	3.55
Story2	C18	548	Comb Max	0	-1376.16	69.635	61.773	-0.5483	127.389	142.274	548	0
Story2	C18	548	Comb Max	1.775	-1361.68	69.635	61.773	-0.5483	17.7421	18.6713	548	1.775
Story2	C18	548	Comb Max	3.55	-1347.19	69.635	61.773	-0.5483	-58.92	-67.307	548	3.55
Story2	C19	554	Comb Max	0	-891.596	0.4467	4.2887	-0.1853	8.3595	0.7826	554	0
Story2	C19	554	Comb Max	1.8039	-883.562	0.4467	4.2887	-0.1853	0.6232	0.0084	554	1.8039
Story2	C19	554	Comb Max	3.6078	-875.529	0.4467	4.2887	-0.1853	-4.2111	-0.4574	554	3.6078
Story2	C20	560	Comb Max	0	-845.683	-2.3102	9.6373	-0.1575	14.8913	-8.1347	560	0
Story2	C20	560	Comb Max	2	-836.776	-2.3102	9.6373	-0.1575	-2.8038	-3.514	560	2
Story2	C20	560	Comb Max	4	-827.869	-2.3102	9.6373	-0.1575	-15.172	1.8532	560	4
Story2	C21	566	Comb Max	0	-505.208	18.627	5.8435	-0.0192	11.6392	38.1758	566	0
Story2	C21	566	Comb Max	1.85	-496.97	18.627	5.8435	-0.0192	0.8287	3.7161	566	1.85
Story2	C21	566	Comb Max	3.7	-488.731	18.627	5.8435	-0.0192	-6.3638	-19.712	566	3.7
Story2	C22	578	Comb Max	0	-685.135	-19.868	15.888	-0.1872	38.876	-42.81	578	0
Story2	C22	578	Comb Max	1.85	-665.911	-19.868	15.888	-0.1872	9.4829	-6.0496	578	1.85
Story2	C22	578	Comb Max	3.7	-646.687	-19.868	15.888	-0.1872	-12.665	47.8776	578	3.7
Story2	C23	584	Comb Max	0	-657.929	-8.9222	-3.3812	-0.1099	-6.2151	-18.584	584	0
Story2	C23	584	Comb Max	2	-649.023	-8.9222	-3.3812	-0.1099	0.838	-0.7391	584	2
Story2	C23	584	Comb Max	4	-640.116	-8.9222	-3.3812	-0.1099	11.4334	26.6811	584	4
Story2	C24	590	Comb Max	0	-1053.24	82.807	-21.824	-0.5889	-45.305	169.743	590	0
Story2	C24	590	Comb Max	1.775	-1038.75	82.807	-21.824	-0.5889	-6.5669	22.7601	590	1.775
Story2	C24	590	Comb Max	3.55	-1024.27	82.807	-21.824	-0.5889	50.1143	-79.703	590	3.55
Story2	C25	596	Comb Max	0	-2055.22	3.9914	-33.896	-0.6243	-70.01	7.4542	596	0
Story2	C25	596	Comb Max	1.775	-2040.73	3.9914	-33.896	-0.6243	-9.8448	0.3984	596	1.775
Story2	C25	596	Comb Max	3.55	-2026.24	3.9914	-33.896	-0.6243	78.4841	-4.09	596	3.55
Story2	C29	618	Comb Max	0	-256.771	-0.1257	0.1589	-0.1618	-0.2084	-0.0228	618	0
Story2	C29	618	Comb Max	2	-247.864	-0.1257	0.1589	-0.1618	-0.4124	0.3586	618	2
Story2	C29	618	Comb Max	4	-238.957	-0.1257	0.1589	-0.1618	-0.6037	0.8135	618	4
Story2	C30	624	Comb Max	0	-661.415	-23.551	8.1691	-1.3121	30.8664	-49.05	624	0
Story2	C30	624	Comb Max	1.85	-646.317	-23.551	8.1691	-1.3121	15.7536	-5.4724	624	1.85
Story2	C30	624	Comb Max	3.7	-631.218	-23.551	8.1691	-1.3121	0.9338	59.3267	624	3.7
Story2	C31	630	Comb Max	0	-669.895	-16.442	-7.1653	-1.0673	-14.103	-34.25	630	0
Story2	C31	630	Comb Max	1.85	-650.671	-16.442	-7.1653	-1.0673	-0.8464	-3.8158	630	1.85
Story2	C31	630	Comb Max	3.7	-631.447	-16.442	-7.1653	-1.0673	19.3357	41.4451	630	3.7
Story2	C32	637	Comb Max	0	-456.851	24.11	-5.1335	-0.1673	-9.7211	50.074	637	0
Story2	C32	637	Comb Max	1.85	-448.612	24.11	-5.1335	-0.1673	-0.2241	5.4698	637	1.85
Story2	C32	637	Comb Max	3.7	-440.373	24.11	-5.1335	-0.1673	14.4904	-25.119	637	3.7
Story2	C33	644	Comb Max	0	-252.606	0.3144	-0.3484	-0.2278	0.069	-0.1635	644	0
Story2	C33	644	Comb Max	2	-243.699	0.3144	-0.3484	-0.2278	1.1797	-0.6014	644	2
Story2	C33	644	Comb Max	4	-234.792	0.3144	-0.3484	-0.2278	2.2954	-0.9687	644	4
Story2	C35	655	Comb Max	0	-1083.51	4.9339	-12.348	-0.0324	-27.293	11.1314	655	0
Story2	C35	655	Comb Max	1.8039	-1075.48	4.9339	-12.348	-0.0324	-5.0182	2.2312	655	1.8039
Story2	C35	655	Comb Max	3.6078	-1067.45	4.9339	-12.348	-0.0324	26.8733	-4.1319	655	3.6078
Story2	C36	662	Comb Max	0	-978.709	5.0538	-13.257	-0.276	-28.79	8.344	662	0
Story2	C36	662	Comb Max	1.8039	-970.676	5.0538	-13.257	-0.276	-4.8726	-0.4708	662	1.8039
Story2	C36	662	Comb Max	3.6078	-962.642	5.0538	-13.257	-0.276	29.693	-6.1737	662	3.6078
Story2	C37	670	Comb Max	0	-1710.47	-7.7896	-52.173	-0.6027	-113.03	-16.249	670	0
Story2	C37	670	Comb Max	1.775	-1695.99	-7.7896	-52.173	-0.6027	-20.422	-2.4188	670	1.775
Story2	C37	670	Comb Max	3.55	-1681.5	-7.7896	-52.173	-0.6027	112.364	17.8842	670	3.55
Story2	C38	677	Comb Max	0	-1881.31	-23.503	-63.608	-0.8326	-131.77	-49.091	677	0
Story2	C38	677	Comb Max	1.775	-1866.83	-23.503	-63.608	-0.8326	-18.868	-7.3731	677	1.775
Story2	C38	677	Comb Max	3.55	-1852.34	-23.503	-63.608	-0.8326	146.469	53.6821	677	3.55
Story2	C39	684	Comb Max	0	-1884.44	45.792	-63.734	-0.851	-132.11	94.3139	684	0
Story2	C39	684	Comb Max	1.775	-1869.95	45.792	-63.734	-0.851	-18.982	13.0337	684	1.775
Story2	C39	684	Comb Max	3.55	-1855.46	45.792	-63.734	-0.851	146.759	-43.693	684	3.55

Story2	C40	691	Comb Max	0	-1449.57	16.067	-64.463	-1.4492	-133.69	25.5652	691	0
Story2	C40	691	Comb Max	1.775	-1435.09	16.067	-64.463	-1.4492	-19.227	-1.874	691	1.775
Story2	C40	691	Comb Max	3.55	-1420.6	16.067	-64.463	-1.4492	148.472	-20.119	691	3.55
Story2	C41	698	Comb Max	0	-1745.38	-40.415	87.118	-0.6561	181.876	-83.814	698	0
Story2	C41	698	Comb Max	1.775	-1730.89	-40.415	87.118	-0.6561	27.2419	-12.07	698	1.775
Story2	C41	698	Comb Max	3.55	-1716.41	-40.415	87.118	-0.6561	-81.885	93.0075	698	3.55
Story2	C42	705	Comb Max	0	-2376.95	18.248	102.94	-0.7748	214.723	38.5137	705	0
Story2	C42	705	Comb Max	1.775	-2362.46	18.248	102.94	-0.7748	31.9973	6.1245	705	1.775
Story2	C42	705	Comb Max	3.55	-2347.98	18.248	102.94	-0.7748	-96.806	-16.67	705	3.55
Story2	C43	712	Comb Max	0	-2372.22	-0.7078	100.13	-0.8723	209.196	-2.6182	712	0
Story2	C43	712	Comb Max	1.775	-2357.73	-0.7078	100.13	-0.8723	31.4611	-1.3603	712	1.775
Story2	C43	712	Comb Max	3.55	-2343.24	-0.7078	100.13	-0.8723	-93.863	0.3539	712	3.55
Story2	C44	719	Comb Max	0	-1819.44	61.862	83.481	-0.9103	175.329	126.654	719	0
Story2	C44	719	Comb Max	1.775	-1804.96	61.862	83.481	-0.9103	27.1507	16.8483	719	1.775
Story2	C44	719	Comb Max	3.55	-1790.47	61.862	83.481	-0.9103	-77.575	-59.647	719	3.55
Story2	C1	610	Comb Max	0	-476.124	-0.102	-3.1685	-0.5297	2.4772	1.1647	610	0
Story2	C1	610	Comb Max	0.8706	-469.02	-0.102	-3.1685	-0.5297	6.825	1.3624	610	0.8706
Story2	C1	610	Comb Max	1.7411	-461.915	-0.102	-3.1685	-0.5297	11.1728	1.5601	610	1.7411
Story2	C2	649	Comb Max	0	-400.722	-4.1404	-3.5731	-1.1105	-6.327	-8.3521	649	0
Story2	C2	649	Comb Max	0.9333	-393.105	-4.1404	-3.5731	-1.1105	-2.9917	-4.4874	649	0.9333
Story2	C2	649	Comb Max	1.8667	-385.488	-4.1404	-3.5731	-1.1105	0.4863	-0.6206	649	1.8667
Story2	C3	743	Comb Max	0	-402.521	1.7465	-0.6687	-0.1645	0.9256	-1.3255	743	0
Story2	C3	743	Comb Max	0.8706	-398.644	1.7465	-0.6687	-0.1645	1.8443	-2.2686	743	0.8706
Story2	C3	743	Comb Max	1.7411	-394.767	1.7465	-0.6687	-0.1645	2.763	-3.2107	743	1.7411
Story2	C4	744	Comb Max	0	-334.458	-0.0851	-1.363	-0.2089	-2.7205	-0.2016	744	0
Story2	C4	744	Comb Max	0.9333	-330.302	-0.0851	-1.363	-0.2089	-1.4483	-0.122	744	0.9333
Story2	C4	744	Comb Max	1.8667	-326.145	-0.0851	-1.363	-0.2089	-0.1759	-0.0416	744	1.8667
Story1	C7	7	Comb Max	0	-2855.73	-12.767	-15.544	-0.1563	-27.802	-19.015	7	0
Story1	C7	7	Comb Max	1.775	-2841.25	-12.767	-15.544	-0.1563	-0.0979	5.537	7	1.775
Story1	C7	7	Comb Max	3.55	-2826.76	-12.767	-15.544	-0.1563	42.7758	40.9465	7	3.55
Story1	C8	487	Comb Max	0	-2237.9	29.89	-18.955	-0.0112	-36.54	36.27	487	0
Story1	C8	487	Comb Max	1.775	-2223.41	29.89	-18.955	-0.0112	-2.8504	-10.7	487	1.775
Story1	C8	487	Comb Max	3.55	-2208.92	29.89	-18.955	-0.0112	47.9207	-44.882	487	3.55
Story1	C9	493	Comb Max	0	-3164.89	8.2275	-16.237	-0.2388	-29.72	6.6371	493	0
Story1	C9	493	Comb Max	1.775	-3150.4	8.2275	-16.237	-0.2388	-0.8978	-5.0455	493	1.775
Story1	C9	493	Comb Max	3.55	-3135.92	8.2275	-16.237	-0.2388	43.4676	-14.432	493	3.55
Story1	C10	499	Comb Max	0	-3166.87	-7.6792	-17.664	-0.3245	-33.292	-12.293	499	0
Story1	C10	499	Comb Max	1.775	-3152.38	-7.6792	-17.664	-0.3245	-1.9285	1.9609	499	1.775
Story1	C10	499	Comb Max	3.55	-3137.9	-7.6792	-17.664	-0.3245	45.6807	23.4002	499	3.55
Story1	C11	505	Comb Max	0	-3200.88	6.2201	-17.867	-0.1503	-35.395	4.8759	505	0
Story1	C11	505	Comb Max	1.775	-3186.4	6.2201	-17.867	-0.1503	-3.5701	-3.8851	505	1.775
Story1	C11	505	Comb Max	3.55	-3171.91	6.2201	-17.867	-0.1503	43.7877	-10.99	505	3.55
Story1	C12	511	Comb Max	0	-3018.15	-0.8345	-13.834	-0.0003	-30.075	-2.6452	511	0
Story1	C12	511	Comb Max	1.775	-3003.67	-0.8345	-13.834	-0.0003	-5.4528	-1.1639	511	1.775
Story1	C12	511	Comb Max	3.55	-2989.18	-0.8345	-13.834	-0.0003	29.7258	0.6864	511	3.55
Story1	C13	517	Comb Max	0	-1626.26	2.3746	0.858	-1.0754	-7.5679	0.2668	517	0
Story1	C13	517	Comb Max	1.8039	-1611.54	2.3746	0.858	-1.0754	-8.1096	-2.6172	517	1.8039
Story1	C13	517	Comb Max	3.6078	-1596.81	2.3746	0.858	-1.0754	-8.4037	-5.4284	517	3.6078
Story1	C14	523	Comb Max	0	-1703.07	-18.994	6.7984	-0.3913	-2.837	-25.888	523	0
Story1	C14	523	Comb Max	1.775	-1688.59	-18.994	6.7984	-0.3913	-10.713	12.0207	523	1.775
Story1	C14	523	Comb Max	3.55	-1674.1	-18.994	6.7984	-0.3913	-18.567	64.626	523	3.55
Story1	C15	529	Comb Max	0	-1741	32.011	2.903	-0.239	-7.8919	39.6358	529	0
Story1	C15	529	Comb Max	1.775	-1726.51	32.011	2.903	-0.239	-11.208	-10.951	529	1.775
Story1	C15	529	Comb Max	3.55	-1712.02	32.011	2.903	-0.239	-14.515	-47.538	529	3.55
Story1	C16	535	Comb Max	0	-1973.37	-10.207	0.694	-1.9472	-12.264	-14.28	535	0
Story1	C16	535	Comb Max	1.775	-1958.89	-10.207	0.694	-1.9472	-12.806	5.8546	535	1.775
Story1	C16	535	Comb Max	3.55	-1944.4	-10.207	0.694	-1.9472	-13.284	34.1789	535	3.55
Story1	C17	541	Comb Max	0	-2653.59	-0.4026	16.875	0.0374	2.9217	-1.7969	541	0
Story1	C17	541	Comb Max	1.775	-2639.11	-0.4026	16.875	0.0374	-17.329	-1.0819	541	1.775
Story1	C17	541	Comb Max	3.55	-2624.62	-0.4026	16.875	0.0374	-36.549	-0.2712	541	3.55
Story1	C18	547	Comb Max	0	-1646.52	40.976	18.575	0.0109	5.4254	50.9483	547	0
Story1	C18	547	Comb Max	1.775	-1632.04	40.976	18.575	0.0109	-17.659	-13.919	547	1.775
Story1	C18	547	Comb Max	3.55	-1617.55	40.976	18.575	0.0109	-38.813	-60.745	547	3.55
Story1	C19	553	Comb Max	0	-1101.84	2.0998	0.1368	-0.2845	-1.2893	0.6821	553	0
Story1	C19	553	Comb Max	1.8039	-1093.81	2.0998	0.1368	-0.2845	-1.0483	-1.9896	553	1.8039
Story1	C19	553	Comb Max	3.6078	-1085.78	2.0998	0.1368	-0.2845	-0.7368	-4.4697	553	3.6078

Story1	C20	559	Comb Max	0	-995.79	-1.3398	-1.0841	0.042	-3.083	-2.4265	559	0
Story1	C20	559	Comb Max	2	-986.883	-1.3398	-1.0841	0.042	-0.9088	0.329	559	2
Story1	C20	559	Comb Max	4	-977.976	-1.3398	-1.0841	0.042	1.9602	4.622	559	4
Story1	C21	565	Comb Max	0	-604.181	14.309	0.3531	-0.0579	-1.0827	17.7445	565	0
Story1	C21	565	Comb Max	1.85	-595.943	14.309	0.3531	-0.0579	-1.5011	-5.5346	565	1.85
Story1	C21	565	Comb Max	3.7	-587.704	14.309	0.3531	-0.0579	-1.9086	-22.564	565	3.7
Story1	C22	577	Comb Max	0	-813.491	-6.1918	-7.0988	-0.4847	-23.485	-8.7483	577	0
Story1	C22	577	Comb Max	1.85	-794.267	-6.1918	-7.0988	-0.4847	-10.35	3.9822	577	1.85
Story1	C22	577	Comb Max	3.7	-775.043	-6.1918	-7.0988	-0.4847	4.2445	22.0722	577	3.7
Story1	C23	583	Comb Max	0	-805.105	-13.572	-0.412	-0.5826	-2.6617	-10.126	583-1	0
Story1	C23	583	Comb Max	2	-796.198	-13.572	-0.412	-0.5826	-1.7919	26.5515	583-1	2
Story1	C23	583	Comb Max	2	-763.042	-17.823	-9.3902	0.8172	-5.8684	-17.593	583-2	0
Story1	C23	583	Comb Max	4	-754.136	-17.823	-9.3902	0.8172	20.0776	28.0198	583-2	2
Story1	C24	589	Comb Max	0	-1257.59	46.605	-21.882	0.0438	-40.282	58.2461	589	0
Story1	C24	589	Comb Max	1.775	-1243.1	46.605	-21.882	0.0438	-1.3675	-15.651	589	1.775
Story1	C24	589	Comb Max	3.55	-1228.61	46.605	-21.882	0.0438	58.3176	-68.894	589	3.55
Story1	C25	595	Comb Max	0	-2477.15	3.39	-30.801	0.0862	-52.069	2.1383	595	0
Story1	C25	595	Comb Max	1.775	-2462.66	3.39	-30.801	0.0862	4.0927	-2.4191	595	1.775
Story1	C25	595	Comb Max	3.55	-2448.17	3.39	-30.801	0.0862	89.25	-6.3295	595	3.55
Story1	C26	601	Comb Max	0	-508.77	-0.101	-3.1678	-0.5297	-11.076	0.5495	601	0
Story1	C26	601	Comb Max	2	-492.447	-0.101	-3.1678	-0.5297	-4.7407	0.7921	601	2
Story1	C26	601	Comb Max	4	-476.124	-0.101	-3.1678	-0.5297	2.4772	1.1647	601	4
Story1	C28	611	Comb Max	0	-420.335	1.7465	-0.668	-0.1645	-2.0854	4.9171	611	0
Story1	C28	611	Comb Max	2	-411.428	1.7465	-0.668	-0.1645	-0.7493	1.4242	611	2
Story1	C28	611	Comb Max	4	-402.521	1.7465	-0.668	-0.1645	0.9256	-1.3255	611	4
Story1	C29	617	Comb Max	0	-274.585	-0.1255	0.1589	-0.1618	0.3201	-0.525	617	0
Story1	C29	617	Comb Max	2	-265.678	-0.1255	0.1589	-0.1618	0.0201	-0.274	617	2
Story1	C29	617	Comb Max	4	-256.771	-0.1255	0.1589	-0.1618	-0.2084	-0.0228	617	4
Story1	C30	623	Comb Max	0	-765.838	-13.377	-5.9927	-0.2745	-20.159	-18.872	623	0
Story1	C30	623	Comb Max	1.85	-750.74	-13.377	-5.9927	-0.2745	-8.9563	9.0184	623	1.85
Story1	C30	623	Comb Max	3.7	-735.641	-13.377	-5.9927	-0.2745	3.3393	47.5829	623	3.7
Story1	C31	629	Comb Max	0	-766.772	-8.673	-5.8241	-0.949	-11.707	-8.4163	629	0
Story1	C31	629	Comb Max	1.85	-747.548	-8.673	-5.8241	-0.949	-0.9316	11.576	629	1.85
Story1	C31	629	Comb Max	3.7	-728.324	-8.673	-5.8241	-0.949	15.3052	36.7896	629	3.7
Story1	C32	636	Comb Max	0	-526.073	14.018	-2.5499	-0.1142	-4.0974	19.6447	636	0
Story1	C32	636	Comb Max	1.85	-517.835	14.018	-2.5499	-0.1142	0.946	-3.9646	636	1.85
Story1	C32	636	Comb Max	3.7	-509.596	14.018	-2.5499	-0.1142	8.3449	-20.708	636	3.7
Story1	C33	643	Comb Max	0	-270.419	0.3144	-0.3479	-0.2278	-1.3473	0.9496	643	0
Story1	C33	643	Comb Max	2	-261.512	0.3144	-0.3479	-0.2278	-0.6514	0.3721	643	2
Story1	C33	643	Comb Max	4	-252.606	0.3144	-0.3479	-0.2278	0.069	-0.1635	643	4
Story1	C35	654	Comb Max	0	-1198.41	4.0245	-8.2406	-0.1136	-11.022	8.4145	654	0
Story1	C35	654	Comb Max	2	-1189.5	4.0245	-8.2406	-0.1136	8.4833	0.3656	654	2
Story1	C35	654	Comb Max	4	-1180.6	4.0245	-8.2406	-0.1136	34.1464	-4.803	654	4
Story1	C36	661	Comb Max	0	-1092.17	3.0366	-8.7681	-0.1173	-12.521	7.3654	661	0
Story1	C36	661	Comb Max	2	-1083.27	3.0366	-8.7681	-0.1173	7.7795	1.2922	661	2
Story1	C36	661	Comb Max	4	-1074.36	3.0366	-8.7681	-0.1173	35.1151	-2.946	661	4
Story1	C37	669	Comb Max	0	-1895.79	-3.7797	-31.748	-0.5739	-40.484	-1.86	669	0
Story1	C37	669	Comb Max	1.775	-1881.3	-3.7797	-31.748	-0.5739	24.6113	7.3895	669	1.775
Story1	C37	669	Comb Max	3.55	-1866.82	-3.7797	-31.748	-0.5739	112.345	18.052	669	3.55
Story1	C38	676	Comb Max	0	-2207.64	-12.336	-36.612	-0.6153	-49.882	-12.912	676	0
Story1	C38	676	Comb Max	1.775	-2193.15	-12.336	-36.612	-0.6153	23.3773	13.8397	676	1.775
Story1	C38	676	Comb Max	3.55	-2178.67	-12.336	-36.612	-0.6153	124.699	48.1911	676	3.55
Story1	C39	683	Comb Max	0	-2212.26	26.996	-37.939	-0.5768	-54.467	39.6705	683	0
Story1	C39	683	Comb Max	1.775	-2197.77	26.996	-37.939	-0.5768	19.8521	-5.213	683	1.775
Story1	C39	683	Comb Max	3.55	-2183.28	26.996	-37.939	-0.5768	124.939	-36.011	683	3.55
Story1	C40	690	Comb Max	0	-1655.14	5.9318	-39.437	-0.6085	-59.546	12.5197	690	0
Story1	C40	690	Comb Max	1.775	-1640.65	5.9318	-39.437	-0.6085	16.0107	2.197	690	1.775
Story1	C40	690	Comb Max	3.55	-1626.17	5.9318	-39.437	-0.6085	125.293	-5.4534	690	3.55
Story1	C41	697	Comb Max	0	-2032.08	-20.072	50.163	-0.583	65.941	-19.953	697	0
Story1	C41	697	Comb Max	1.775	-2017.6	-20.072	50.163	-0.583	-14.804	24.21	697	1.775
Story1	C41	697	Comb Max	3.55	-2003.11	-20.072	50.163	-0.583	-72.073	79.8919	697	3.55
Story1	C42	704	Comb Max	0	-2776.28	14.333	56.02	-0.597	68.6079	27.8692	704	0
Story1	C42	704	Comb Max	1.775	-2761.79	14.333	56.02	-0.597	-19.737	2.429	704	1.775
Story1	C42	704	Comb Max	3.55	-2747.3	14.333	56.02	-0.597	-83.687	-14.663	704	3.55
Story1	C43	711	Comb Max	0	-2768.72	1.919	52.795	-0.5928	59.9028	11.9635	711	0
Story1	C43	711	Comb Max	1.775	-2754.24	1.919	52.795	-0.5928	-21.617	8.5572	711	1.775
Story1	C43	711	Comb Max	3.55	-2739.75	1.919	52.795	-0.5928	-81.893	5.151	711	3.55
Story1	C44	718	Comb Max	0	-2118.78	37.284	42.394	-0.5828	41.5028	57.8783	718	0
Story1	C44	718	Comb Max	1.775	-2104.29	37.284	42.394	-0.5828	-21.537	-5.2269	718	1.775
Story1	C44	718	Comb Max	3.55	-2089.8	37.284	42.394	-0.5828	-69.952	-47.816	718	3.55

Lampiran 1.2 Hasil Output ETABS V16 Gaya Yang Bekerja Pada Balok

TABLE: Beam Forces													
Story	Beam	Unique Name	Load Case/Combo	Station	P	V2	V3	T	M2	M3	Element	Element Station	Location
				m	kN	kN	kN	kN-m	kN-m	kN-m		m	
Story7	B61	464	Comb Max	0.35	-14.226	-30.32	1.5696	-9.492	0.7076	-30.444	464-1	0.35	
Story7	B61	464	Comb Max	0.7464	-14.226	-28.68	1.5696	-9.492	0.0854	-18.749	464-1	0.7464	
Story7	B61	464	Comb Max	1.1429	-14.226	-27.04	1.5696	-9.492	-0.345	-7.7038	464-1	1.1429	
Story7	B61	464	Comb Max	1.1429	-8.5333	-17.23	0.2761	-1.136	-0.013	-7.3181	464-2	0	
Story7	B61	464	Comb Max	1.7143	-8.5333	-14.87	0.2761	-1.136	-0.114	2.8708	464-2	0.5714	
Story7	B61	464	Comb Max	2.2857	-8.5333	-12.5	0.2761	-1.136	-0.216	15.038	464-2	1.1429	
Story7	B61	464	Comb Max	2.2857	-5.6664	-9.46	0.2167	1.1189	-0.024	15.466	464-3	0	
Story7	B61	464	Comb Max	2.8571	-5.6664	-7.097	0.2167	1.1189	-0.103	22.827	464-3	0.5714	
Story7	B61	464	Comb Max	3.4286	-5.6664	-4.734	0.2167	1.1189	-0.183	28.087	464-3	1.1429	
Story7	B61	464	Comb Max	3.4286	-4.7048	-2.726	0.0168	0.2555	-0.132	28.228	464-4	0	
Story7	B61	464	Comb Max	4	-4.7048	-0.363	0.0168	0.2555	-0.138	29.603	464-4	0.5714	
Story7	B61	464	Comb Max	4.5714	-4.7048	3.1074	0.0168	0.2555	-0.145	28.878	464-4	1.1429	
Story7	B61	464	Comb Max	4.5714	-5.2477	5.9248	-0.11	-0.906	-0.165	28.753	464-5	0	
Story7	B61	464	Comb Max	5.1429	-5.2477	9.6006	-0.11	-0.906	-0.102	24.317	464-5	0.5714	
Story7	B61	464	Comb Max	5.7143	-5.2477	13.277	-0.11	-0.906	-0.039	17.781	464-5	1.1429	
Story7	B61	464	Comb Max	5.7143	-7.6188	17.073	-0.248	-0.842	-0.189	17.386	464-6	0	
Story7	B61	464	Comb Max	6.2857	-7.6188	20.749	-0.248	-0.842	-0.047	6.5799	464-6	0.5714	
Story7	B61	464	Comb Max	6.8571	-7.6188	24.425	-0.248	-0.842	0.1479	-4.0596	464-6	1.1429	
Story7	B61	464	Comb Max	6.8571	-12.168	37.066	-0.933	4.6933	-0.12	-4.384	464-7	0	
Story7	B61	464	Comb Max	7.2536	-12.168	39.616	-0.933	4.6933	0.3892	-14.153	464-7	0.3964	
Story7	B61	464	Comb Max	7.65	-12.168	42.166	-0.933	4.6933	0.9646	-24.572	464-7	0.7929	
Story7	B62	465	Comb Max	0.15	-2.2463	-12.85	2.3234	-10.6	0.9384	-7.5152	465-1	0.15	
Story7	B62	465	Comb Max	0.575	-2.2463	-11.09	2.3234	-10.6	-0.031	-2.4282	465-1	0.575	
Story7	B62	465	Comb Max	1	-2.2463	-9.333	2.3234	-10.6	-0.666	2.9654	465-1	1	
Story7	B62	465	Comb Max	1	1.6488	-3.434	0.071	-2.535	-0.433	3.3129	465-2	0	
Story7	B62	465	Comb Max	1.5	1.6488	-1.366	0.071	-2.535	-0.455	5.1842	465-2	0.5	
Story7	B62	465	Comb Max	2	1.6488	1.0821	0.071	-2.535	-0.478	5.4472	465-2	1	
Story7	B62	465	Comb Max	2	3.8522	6.8645	0.4837	3.4618	-0.401	5.3062	465-3	0	
Story7	B62	465	Comb Max	2.5	3.8522	10.081	0.4837	3.4618	-0.557	1.2726	465-3	0.5	
Story7	B62	465	Comb Max	3	3.8522	13.297	0.4837	3.4618	-0.712	-3.0626	465-3	1	
Story7	B62	465	Comb Max	3	3.7398	18.185	-2.76	14.2	-0.487	-3.4738	465-4	0	
Story7	B62	465	Comb Max	3.325	3.7398	20.276	-2.76	14.2	0.6385	-7.489	465-4	0.325	
Story7	B62	465	Comb Max	3.65	3.7398	22.367	-2.76	14.2	2.035	-11.941	465-4	0.65	
Story7	B63	466	Comb Max	0.35	-6.8964	-21.5	-2.35	21.495	-0.857	-19.26	466-1	0.35	
Story7	B63	466	Comb Max	0.675	-6.8964	-20.16	-2.35	21.495	-0.093	-12.49	466-1	0.675	
Story7	B63	466	Comb Max	1	-6.8964	-18.81	-2.35	21.495	1.0418	-6.1576	466-1	1	
Story7	B63	466	Comb Max	1	-2.076	-9.503	-0.13	3.9765	0.621	-5.7435	466-2	0	
Story7	B63	466	Comb Max	1.5	-2.076	-7.435	-0.13	3.9765	0.7222	-1.509	466-2	0.5	
Story7	B63	466	Comb Max	2	-2.076	-5.367	-0.13	3.9765	0.8234	2.629	466-2	1	
Story7	B63	466	Comb Max	2	0.6327	-1.126	-0.355	-3.396	0.5376	2.7791	466-3	0	
Story7	B63	466	Comb Max	2.5	0.6327	1.4519	-0.355	-3.396	0.814	2.8874	466-3	0.5	
Story7	B63	466	Comb Max	3	0.6327	4.6683	-0.355	-3.396	1.0904	1.848	466-3	1	
Story7	B63	466	Comb Max	3	1.8998	7.9417	3.6511	-10.03	0.6692	1.5595	466-4	0	
Story7	B63	466	Comb Max	3.325	1.8998	10.032	3.6511	-10.03	-0.332	-0.7506	466-4	0.325	
Story7	B63	466	Comb Max	3.65	1.8998	12.123	3.6511	-10.03	-1.094	-3.5504	466-4	0.65	
Story7	B64	467	Comb Max	0.35	-10.635	-30.37	6.6853	-26.32	3.2891	-17.16	467-1	0.35	
Story7	B64	467	Comb Max	0.725	-10.635	-27.51	6.6853	-26.32	0.7821	-6.3061	467-1	0.725	
Story7	B64	467	Comb Max	1.1	-10.635	-24.65	6.6853	-26.32	-1.108	5.376	467-1	1.1	
Story7	B64	467	Comb Max	1.1	-5.7913	-18.65	0.3765	-18.21	-0.865	6.192	467-2	0	
Story7	B64	467	Comb Max	1.65	-5.7913	-14.45	0.3765	-18.21	-0.998	20.369	467-2	0.55	
Story7	B64	467	Comb Max	2.2	-5.7913	-10.25	0.3765	-18.21	-1.131	30.954	467-2	1.1	
Story7	B64	467	Comb Max	2.2	-3.9095	-0.091	-0.002	-8.331	-0.955	31.145	467-3	0	
Story7	B64	467	Comb Max	2.75	-3.9095	6.3626	-0.002	-8.331	-0.954	29.442	467-3	0.55	
Story7	B64	467	Comb Max	3.3	-3.9095	12.894	-0.002	-8.331	-0.953	24.146	467-3	1.1	
Story7	B64	467	Comb Max	3.3	-4.2757	36.721	-2.539	10.033	-0.84	23.682	467-4	0	
Story7	B64	467	Comb Max	3.85	-4.2757	43.252	-2.539	10.033	0.8646	2.2984	467-4	0.55	
Story7	B64	467	Comb Max	4.4	-4.2757	49.784	-2.539	10.033	3.0371	-15.315	467-4	1.1	
Story7	B64	467	Comb Max	4.4	-4.1378	-25.74	3.7146	-11.32	2.5361	-13.636	467-5	0	
Story7	B64	467	Comb Max	4.95	-4.1378	-21.55	3.7146	-11.32	0.493	0.2103	467-5	0.55	
Story7	B64	467	Comb Max	5.5	-4.1378	-17.35	3.7146	-11.32	-0.996	15.591	467-5	1.1	
Story7	B64	467	Comb Max	5.5	-2.7701	-2.011	0.217	6.0941	-1.005	15.867	467-6	0	
Story7	B64	467	Comb Max	6.05	-2.7701	3.5103	0.217	6.0941	-1.082	15.82	467-6	0.55	
Story7	B64	467	Comb Max	6.6	-2.7701	9.8832	0.217	6.0941	-1.158	12.18	467-6	1.1	

Story7	B64	467	Comb Max	6.6	-3.5776	26.383	-0.132	23.194	-1.258	11.788	467-7	0
Story7	B64	467	Comb Max	7.15	-3.5776	32.915	-0.132	23.194	-1.186	-2.8909	467-7	0.55
Story7	B64	467	Comb Max	7.7	-3.5776	39.447	-0.132	23.194	-1.113	-15.666	467-7	1.1
Story7	B64	467	Comb Max	7.7	-6.9585	50.038	-5.097	38.756	-1.183	-16.338	467-8	0
Story7	B64	467	Comb Max	8.075	-6.9585	54.492	-5.097	38.756	1.1326	-28.925	467-8	0.375
Story7	B64	467	Comb Max	8.45	-6.9585	58.945	-5.097	38.756	4.1063	-42.585	467-8	0.75
Story7	B65	468	Comb Max	0.35	-21.188	-79.85	6.181	-4.227	3.6656	-83.758	468-1	0.35
Story7	B65	468	Comb Max	0.7464	-21.188	-76.83	6.181	-4.227	1.2153	-52.701	468-1	0.7464
Story7	B65	468	Comb Max	1.1429	-21.188	-73.8	6.181	-4.227	-0.793	-22.844	468-1	1.1429
Story7	B65	468	Comb Max	1.1429	-17.229	-54.06	-0.156	-1.546	-0.759	-20.783	468-2	0
Story7	B65	468	Comb Max	1.7143	-17.229	-49.7	-0.156	-1.546	-0.67	13.758	468-2	0.5714
Story7	B65	468	Comb Max	2.2857	-17.229	-45.34	-0.156	-1.546	-0.581	56.004	468-2	1.1429
Story7	B65	468	Comb Max	2.2857	-15.923	-29.57	-0.01	0.3356	-0.263	58.042	468-3	0
Story7	B65	468	Comb Max	2.8571	-15.923	-25.2	-0.01	0.3356	-0.257	82.392	468-3	0.5714
Story7	B65	468	Comb Max	3.4286	-15.923	-20.84	-0.01	0.3356	-0.252	102.86	468-3	1.1429
Story7	B65	468	Comb Max	3.4286	-15.898	-5.135	0.0741	2.6091	-0.165	103.58	468-4	0
Story7	B65	468	Comb Max	4	-15.898	-0.773	0.0741	2.6091	-0.192	106.21	468-4	0.5714
Story7	B65	468	Comb Max	4.5714	-15.898	5.5726	0.0741	2.6091	-0.219	104.96	468-4	1.1429
Story7	B65	468	Comb Max	4.5714	-16.657	30.508	0.1664	4.0545	-0.215	104.32	468-5	0
Story7	B65	468	Comb Max	5.1429	-16.657	37.294	0.1664	4.0545	-0.276	84.952	468-5	0.5714
Story7	B65	468	Comb Max	5.7143	-16.657	44.08	0.1664	4.0545	-0.337	61.703	468-5	1.1429
Story7	B65	468	Comb Max	5.7143	-18.838	70.381	0.3393	4.1902	-0.58	59.702	468-6	0
Story7	B65	468	Comb Max	6.2857	-18.838	77.167	0.3393	4.1902	-0.705	17.546	468-6	0.5714
Story7	B65	468	Comb Max	6.8571	-18.838	83.953	0.3393	4.1902	-0.829	-18.29	468-6	1.1429
Story7	B65	468	Comb Max	6.8571	-23.994	118.33	-4.094	3.4941	-0.778	-20.383	468-7	0
Story7	B65	468	Comb Max	7.2536	-23.994	123.04	-4.094	3.4941	1.3154	-51.133	468-7	0.3964
Story7	B65	468	Comb Max	7.65	-23.994	127.74	-4.094	3.4941	3.8412	-83.083	468-7	0.7929
Story7	B66	469	Comb Max	0.35	-3.7328	-28.82	6.8196	-27.47	3.2921	-25.625	469-1	0.35
Story7	B66	469	Comb Max	0.725	-3.7328	-25.96	6.8196	-27.47	0.7348	-15.353	469-1	0.725
Story7	B66	469	Comb Max	1.1	-3.7328	-23.1	6.8196	-27.47	-1.171	-6.1545	469-1	1.1
Story7	B66	469	Comb Max	1.1	-1.6401	-16.97	0.0011	-17.81	-1.179	-5.6488	469-2	0
Story7	B66	469	Comb Max	1.65	-1.6401	-12.77	0.0011	-17.81	-1.18	3.916	469-2	0.55
Story7	B66	469	Comb Max	2.2	-1.6401	-8.572	0.0011	-17.81	-1.18	13.07	469-2	1.1
Story7	B66	469	Comb Max	2.2	-1.971	3.2608	-0.232	-6.498	-1.187	13.203	469-3	0
Story7	B66	469	Comb Max	2.75	-1.971	9.7925	-0.232	-6.498	-1.059	9.6129	469-3	0.55
Story7	B66	469	Comb Max	3.3	-1.971	16.324	-0.232	-6.498	-0.931	2.4308	469-3	1.1
Story7	B66	469	Comb Max	3.3	-4.4906	42.414	-2.825	15.407	-0.996	1.9113	469-4	0
Story7	B66	469	Comb Max	3.85	-4.4906	48.945	-2.825	15.407	0.868	-14.868	469-4	0.55
Story7	B66	469	Comb Max	4.4	-4.4906	55.477	-2.825	15.407	3.286	-33.31	469-4	1.1
Story7	B66	469	Comb Max	4.4	1.3217	-30.65	3.9877	-8.743	2.8977	-17.447	469-5	0
Story7	B66	469	Comb Max	4.95	1.3217	-26.45	3.9877	-8.743	0.7045	-1.7452	469-5	0.55
Story7	B66	469	Comb Max	5.5	1.3217	-22.25	3.9877	-8.743	-0.957	18.093	469-5	1.1
Story7	B66	469	Comb Max	5.5	1.0387	-7.479	-0.057	9.928	-1.118	18.557	469-6	0
Story7	B66	469	Comb Max	6.05	1.0387	-3.28	-0.057	9.928	-1.086	23.17	469-6	0.55
Story7	B66	469	Comb Max	6.6	1.0387	1.4094	-0.057	9.928	-1.055	24.191	469-6	1.1
Story7	B66	469	Comb Max	6.6	-1.8023	16.702	-0.291	25.544	-1.272	23.979	469-7	0
Story7	B66	469	Comb Max	7.15	-1.8023	23.233	-0.291	25.544	-1.112	12.996	469-7	0.55
Story7	B66	469	Comb Max	7.7	-1.8023	29.765	-0.291	25.544	-0.951	-1.0009	469-7	1.1
Story7	B66	469	Comb Max	7.7	-7.014	38.2	-4.899	38.692	-1.2	-1.5463	469-8	0
Story7	B66	469	Comb Max	8.075	-7.014	42.653	-4.899	38.692	0.9912	-11.287	469-8	0.375
Story7	B66	469	Comb Max	8.45	-7.014	47.106	-4.899	38.692	3.8496	-22.102	469-8	0.75
Story7	B67	470	Comb Max	0.35	-48.467	-114.5	-3.76	25.212	-3.536	-96.563	470-1	0.35
Story7	B67	470	Comb Max	0.7821	-48.467	-108.3	-3.76	25.212	-1.911	-48.438	470-1	0.7821
Story7	B67	470	Comb Max	1.2143	-48.467	-102.1	-3.76	25.212	-0.285	-2.9866	470-1	1.2143
Story7	B67	470	Comb Max	1.2143	-39.978	-81.75	-1.343	28.737	-0.281	-2.0963	470-2	0
Story7	B67	470	Comb Max	1.8214	-39.978	-73.05	-1.343	28.737	0.8285	69.785	470-2	0.6071
Story7	B67	470	Comb Max	2.4286	-39.978	-64.36	-1.343	28.737	2.0978	134.69	470-2	1.2143
Story7	B67	470	Comb Max	2.4286	-36.03	-44.74	-0.358	28.014	1.9646	135.66	470-3	0
Story7	B67	470	Comb Max	3.0357	-36.03	-36.05	-0.358	28.014	2.3032	173.83	470-3	0.6071
Story7	B67	470	Comb Max	3.6429	-36.03	-27.36	-0.358	28.014	2.6419	203.79	470-3	1.2143
Story7	B67	470	Comb Max	3.6429	-35.165	-6.668	-0.016	23.485	2.7683	204.09	470-4	0
Story7	B67	470	Comb Max	4.25	-35.165	3.1256	-0.016	23.485	2.7857	206.3	470-4	0.6071
Story7	B67	470	Comb Max	4.8571	-35.165	16.645	-0.016	23.485	2.8031	200.3	470-4	1.2143
Story7	B67	470	Comb Max	4.8571	-36.919	49.816	0.4828	16.915	3.1275	199.92	470-5	0
Story7	B67	470	Comb Max	5.4643	-36.919	63.335	0.4828	16.915	2.8343	165.57	470-5	0.6071
Story7	B67	470	Comb Max	6.0714	-36.919	76.855	0.4828	16.915	2.5412	123.02	470-5	1.2143

Story7	B73	476	Comb Max	6.0714	-43.617	116.01	-1.937	-17.36	-1.667	132.26	476-6	0	
Story7	B73	476	Comb Max	6.6786	-43.617	129.53	-1.937	-17.36	-0.491	57.72	476-6	0.6071	
Story7	B73	476	Comb Max	7.2857	-43.617	143.05	-1.937	-17.36	1.0646	-16.031	476-6	1.2143	
Story7	B73	476	Comb Max	7.2857	-52.763	184	-8.328	-21.52	1.0758	-17.154	476-7	0	
Story7	B73	476	Comb Max	7.7179	-52.763	193.62	-8.328	-21.52	6.6756	-69.596	476-7	0.4321	
Story7	B73	476	Comb Max	8.15	-52.763	203.24	-8.328	-21.52	12.275	-124.71	476-7	0.8643	
Story6	B1	79	Comb Max	0	-0.4998	-0.074	0.257	-2.04	0.2499	-2.3223	79-1	0	
Story6	B1	79	Comb Max	0.5	-0.4998	3.101	0.257	-2.04	0.1214	-2.8023	79-1	0.5	
Story6	B1	79	Comb Max	1	-0.4998	6.3174	0.257	-2.04	-0.005	-4.316	79-1	1	
Story6	B1	79	Comb Max	1	-1.6003	8.823	0.3006	-2.44	0.1406	-4.3301	79-2	0	
Story6	B1	79	Comb Max	1.5	-1.6003	12.039	0.3006	-2.44	-0.006	-7.6828	79-2	0.5	
Story6	B1	79	Comb Max	2	-1.6003	15.256	0.3006	-2.44	-0.103	-12.069	79-2	1	
Story6	B1	79	Comb Max	2	-2.7885	17.03	0.6506	-2.854	-0.017	-12.154	79-3	0	
Story6	B1	79	Comb Max	2.5	-2.7885	20.246	0.6506	-2.854	-0.226	-18.144	79-3	0.5	
Story6	B1	79	Comb Max	3	-2.7885	23.462	0.6506	-2.854	-0.435	-25.168	79-3	1	
Story6	B2	80	Comb Max	0	-3.3861	-22.59	-0.175	-2.492	-0.152	-33.716	80-1	0	
Story6	B2	80	Comb Max	0.5	-3.3861	-20.53	-0.175	-2.492	-0.064	-22.935	80-1	0.5	
Story6	B2	80	Comb Max	1	-3.3861	-18.46	-0.175	-2.492	0.0358	-13.189	80-1	1	
Story6	B2	80	Comb Max	1	-3.0716	-17.05	-0.045	-3.06	0.0005	-13.066	80-2	0	
Story6	B2	80	Comb Max	1.5	-3.0716	-14.98	-0.045	-3.06	0.0352	-5.0584	80-2	0.5	
Story6	B2	80	Comb Max	2	-3.0716	-12.91	-0.045	-3.06	0.07	2.9702	80-2	1	
Story6	B2	80	Comb Max	2	-2.7971	-11.2	-0.021	-3.485	0.0339	3.0861	80-3	0	
Story6	B2	80	Comb Max	2.5	-2.7971	-9.128	-0.021	-3.485	0.0502	10.991	80-3	0.5	
Story6	B2	80	Comb Max	3	-2.7971	-7.061	-0.021	-3.485	0.0665	17.288	80-3	1	
Story6	B2	80	Comb Max	3	-2.5874	-5.912	0.0253	-3.633	0.0272	17.329	80-4	0	
Story6	B2	80	Comb Max	3.5	-2.5874	-3.844	0.0253	-3.633	0.0167	21.124	80-4	0.5	
Story6	B2	80	Comb Max	4	-2.5874	-1.777	0.0253	-3.633	0.0084	23.311	80-4	1	
Story6	B3	81	Comb Max	0	-2.3091	-6.163	-0.079	-5.867	-0.081	19.89	81-1	0	
Story6	B3	81	Comb Max	0.4542	-2.3091	-4.285	-0.079	-5.867	-0.045	23.582	81-1	0.4542	
Story6	B3	81	Comb Max	0.9083	-2.3091	-2.406	-0.079	-5.867	-0.008	25.948	81-1	0.9083	
Story6	B3	81	Comb Max	0.9083	-1.8147	-0.844	-0.151	-6.305	-0.046	25.985	81-2	0	
Story6	B3	81	Comb Max	1.3625	-1.8147	1.6034	-0.151	-6.305	0.0359	25.92	81-2	0.4542	
Story6	B3	81	Comb Max	1.8167	-1.8147	4.5249	-0.151	-6.305	0.1423	24.529	81-2	0.9083	
Story6	B3	81	Comb Max	1.8167	-0.6661	8.4111	-0.171	-6.834	0.05	24.554	81-3	0	
Story6	B3	81	Comb Max	2.2708	-0.6661	11.333	-0.171	-6.834	0.1707	20.071	81-3	0.4542	
Story6	B3	81	Comb Max	2.725	-0.6661	14.254	-0.171	-6.834	0.2915	14.26	81-3	0.9083	
Story6	B3	81	Comb Max	2.725	0.1436	14.394	0.081	-6.519	0.0453	15.34	81-4	0	
Story6	B3	81	Comb Max	3.0437	0.1436	16.445	0.081	-6.519	0.0205	10.425	81-4	0.3188	
Story6	B3	81	Comb Max	3.3625	0.1436	18.495	0.081	-6.519	-0.003	4.8562	81-4	0.6375	
Story6	B3	81	Comb Max	3.3625	-0.1079	13.254	-0.046	-5.689	-0.027	5.2241	81-5	0	
Story6	B3	81	Comb Max	3.6813	-0.1079	15.305	-0.046	-5.689	-0.012	0.6725	81-5	0.3188	
Story6	B3	81	Comb Max	4	-0.1079	17.355	-0.046	-5.689	0.0034	-2.9059	81-5	0.6375	
Story6	B4	82	Comb Max	0	-0.1467	17.773	-0.55	-3.828	0.0122	8.3322	82-1	0	
Story6	B4	82	Comb Max	0.6	-0.1467	21.633	-0.55	-3.828	0.526	-2.2426	82-1	0.6	
Story6	B4	82	Comb Max	1.2	-0.1467	25.493	-0.55	-3.828	1.0397	-11.33	82-1	1.2	
Story6	B4	82	Comb Max	1.2	-2.8492	39.822	-0.555	-11.95	1.3554	-11.452	82-2	0	
Story6	B4	82	Comb Max	1.625	-2.8492	42.556	-0.555	-11.95	1.7251	-22.704	82-2	0.425	
Story6	B4	82	Comb Max	2.05	-2.8492	45.29	-0.555	-11.95	2.0949	-34.702	82-2	0.85	
Story6	B5	83	Comb Max	0	-0.615	1.7441	-0.149	3.9164	-0.155	-1.9081	83-1	0	
Story6	B5	83	Comb Max	0.6	-0.615	5.6037	-0.149	3.9164	-0.066	-3.3251	83-1	0.6	
Story6	B5	83	Comb Max	1.2	-0.615	9.4634	-0.149	3.9164	0.0367	-6.2307	83-1	1.2	
Story6	B5	83	Comb Max	1.2	-1.7939	11.817	-0.333	4.7368	-0.048	-6.2932	83-2	0	
Story6	B5	83	Comb Max	1.8	-1.7939	15.677	-0.333	4.7368	0.2362	-11.595	83-2	0.6	
Story6	B5	83	Comb Max	2.4	-1.7939	19.536	-0.333	4.7368	0.5469	-18.386	83-2	1.2	
Story6	B6	84	Comb Max	0	-2.267	-23.53	0.1754	2.4425	0.1509	-33.132	84-1	0	
Story6	B6	84	Comb Max	0.55	-2.267	-21.26	0.1754	2.4425	0.0544	-20.815	84-1	0.55	
Story6	B6	84	Comb Max	1.1	-2.267	-18.98	0.1754	2.4425	-0.027	-9.7492	84-1	1.1	
Story6	B6	84	Comb Max	1.1	-1.9982	-17.33	0.0414	3.108	-0.014	-9.604	84-2	0	
Story6	B6	84	Comb Max	1.65	-1.9982	-15.05	0.0414	3.108	-0.029	-0.6986	84-2	0.55	
Story6	B6	84	Comb Max	2.2	-1.9982	-12.78	0.0414	3.108	-0.043	10.814	84-2	1.1	
Story6	B6	84	Comb Max	2.2	-1.7655	-10.92	0.0195	3.0011	-0.026	10.93	84-3	0	
Story6	B6	84	Comb Max	2.75	-1.7655	-8.649	0.0195	3.0011	-0.033	19.304	84-3	0.55	
Story6	B6	84	Comb Max	3.3	-1.7655	-6.375	0.0195	3.0011	-0.04	25.732	84-3	1.1	
Story6	B6	84	Comb Max	3.3	-1.598	-5.046	0.0141	1.9984	-0.028	25.791	84-4	0	
Story6	B6	84	Comb Max	3.85	-1.598	-2.771	0.0141	1.9984	-0.033	29.137	84-4	0.55	
Story6	B6	84	Comb Max	4.4	-1.598	-0.497	0.0141	1.9984	-0.038	30.536	84-4	1.1	

Story6	B6	84	Comb Max	4.4	-1.492	0.9739	0.0066	0.6525	-0.03	30.535	84-5	0	
Story6	B6	84	Comb Max	4.95	-1.492	4.5119	0.0066	0.6525	-0.032	29.027	84-5	0.55	
Story6	B6	84	Comb Max	5.5	-1.492	8.0499	0.0066	0.6525	-0.034	25.572	84-5	1.1	
Story6	B6	84	Comb Max	5.5	-1.4571	10.12	-0.002	-0.192	-0.031	25.512	84-6	0	
Story6	B6	84	Comb Max	6.05	-1.4571	13.658	-0.002	-0.192	-0.03	18.974	84-6	0.55	
Story6	B6	84	Comb Max	6.6	-1.4571	17.196	-0.002	-0.192	-0.029	10.489	84-6	1.1	
Story6	B6	84	Comb Max	6.6	-1.4967	20.051	-0.012	-0.216	-0.032	10.371	84-7	0	
Story6	B6	84	Comb Max	7.15	-1.4967	23.589	-0.012	-0.216	-0.025	-1.0445	84-7	0.55	
Story6	B6	84	Comb Max	7.7	-1.4967	27.127	-0.012	-0.216	-0.018	-10.01	84-7	1.1	
Story6	B6	84	Comb Max	7.7	-1.5818	29.491	-0.054	0.3854	-0.02	-10.157	84-8	0	
Story6	B6	84	Comb Max	8.25	-1.5818	33.029	-0.054	0.3854	0.0153	-21.209	84-8	0.55	
Story6	B6	84	Comb Max	8.8	-1.5818	36.567	-0.054	0.3854	0.0618	-33.512	84-8	1.1	
Story6	B7	85	Comb Max	0	-1.1389	-21.86	0.4405	-0.452	0.4535	-31.634	85-1	0	
Story6	B7	85	Comb Max	0.5714	-1.1389	-19.5	0.4405	-0.452	0.2018	-19.815	85-1	0.5714	
Story6	B7	85	Comb Max	1.1429	-1.1389	-17.14	0.4405	-0.452	-0.032	-9.3462	85-1	1.1429	
Story6	B7	85	Comb Max	1.1429	-0.1288	-15.46	0.1495	0.1174	0.0434	-9.217	85-2	0	
Story6	B7	85	Comb Max	1.7143	-0.1288	-13.1	0.1495	0.1174	-0.027	-1.0581	85-2	0.5714	
Story6	B7	85	Comb Max	2.2857	-0.1288	-10.73	0.1495	0.1174	-0.082	8.9418	85-2	1.1429	
Story6	B7	85	Comb Max	2.2857	1.1241	-8.725	0.0815	0.342	-0.024	9.0289	85-3	0	
Story6	B7	85	Comb Max	2.8571	1.1241	-6.362	0.0815	0.342	-0.054	15.735	85-3	0.5714	
Story6	B7	85	Comb Max	3.4286	1.1241	-3.999	0.0815	0.342	-0.084	20.341	85-3	1.1429	
Story6	B7	85	Comb Max	3.4286	1.9361	-2.415	0.0363	-0.067	-0.048	20.371	85-4	0	
Story6	B7	85	Comb Max	4	1.9361	-0.052	0.0363	-0.067	-0.061	21.469	85-4	0.5714	
Story6	B7	85	Comb Max	4.5714	1.9361	3.5924	0.0363	-0.067	-0.074	20.466	85-4	1.1429	
Story6	B7	85	Comb Max	4.5714	2.1776	6.0728	-0.009	-0.343	-0.063	20.438	85-5	0	
Story6	B7	85	Comb Max	5.1429	2.1776	9.7487	-0.009	-0.343	-0.057	15.917	85-5	0.5714	
Story6	B7	85	Comb Max	5.7143	2.1776	13.425	-0.009	-0.343	-0.052	9.2962	85-5	1.1429	
Story6	B7	85	Comb Max	5.7143	1.9161	16.598	-0.044	-0.173	-0.063	9.2103	85-6	0	
Story6	B7	85	Comb Max	6.2857	1.9161	20.274	-0.044	-0.173	-0.038	-0.8484	85-6	0.5714	
Story6	B7	85	Comb Max	6.8571	1.9161	23.949	-0.044	-0.173	-0.013	-8.9703	85-6	1.1429	
Story6	B7	85	Comb Max	6.8571	1.3961	26.629	-0.099	0.593	-0.032	-9.0987	85-7	0	
Story6	B7	85	Comb Max	7.4286	1.3961	30.305	-0.099	0.593	0.0395	-19.555	85-7	0.5714	
Story6	B7	85	Comb Max	8	1.3961	33.981	-0.099	0.593	0.1282	-31.362	85-7	1.1429	
Story6	B8	86	Comb Max	0	1.5073	-23.55	0.1494	0.2783	0.0862	-34.41	86-1	0	
Story6	B8	86	Comb Max	0.55	1.5073	-21.27	0.1494	0.2783	0.0057	-22.085	86-1	0.55	
Story6	B8	86	Comb Max	1.1	1.5073	-19	0.1494	0.2783	-0.05	-11.011	86-1	1.1	
Story6	B8	86	Comb Max	1.1	2.0127	-17.45	0.0622	1.0605	-0.032	-10.864	86-2	0	
Story6	B8	86	Comb Max	1.65	2.0127	-15.17	0.0622	1.0605	-0.054	-1.8938	86-2	0.55	
Story6	B8	86	Comb Max	2.2	2.0127	-12.9	0.0622	1.0605	-0.076	9.0572	86-2	1.1	
Story6	B8	86	Comb Max	2.2	2.3904	-11.04	0.023	1.1487	-0.06	9.1751	86-3	0	
Story6	B8	86	Comb Max	2.75	2.3904	-8.766	0.023	1.1487	-0.068	17.649	86-3	0.55	
Story6	B8	86	Comb Max	3.3	2.3904	-6.492	0.023	1.1487	-0.076	24.177	86-3	1.1	
Story6	B8	86	Comb Max	3.3	2.5452	-5.13	0.0048	0.3704	-0.07	24.237	86-4	0	
Story6	B8	86	Comb Max	3.85	2.5452	-2.856	0.0048	0.3704	-0.071	27.654	86-4	0.55	
Story6	B8	86	Comb Max	4.4	2.5452	-0.581	0.0048	0.3704	-0.073	29.125	86-4	1.1	
Story6	B8	86	Comb Max	4.4	2.4661	0.9139	-0.009	-0.482	-0.076	29.125	86-5	0	
Story6	B8	86	Comb Max	4.95	2.4661	4.4519	-0.009	-0.482	-0.071	27.649	86-5	0.55	
Story6	B8	86	Comb Max	5.5	2.4661	7.9899	-0.009	-0.482	-0.066	24.228	86-5	1.1	
Story6	B8	86	Comb Max	5.5	2.1478	10.145	-0.021	-0.956	-0.08	24.168	86-6	0	
Story6	B8	86	Comb Max	6.05	2.1478	13.683	-0.021	-0.956	-0.068	17.615	86-6	0.55	
Story6	B8	86	Comb Max	6.6	2.1478	17.221	-0.021	-0.956	-0.057	9.1166	86-6	1.1	
Story6	B8	86	Comb Max	6.6	1.5953	20.175	-0.048	-0.855	-0.081	8.9985	86-7	0	
Story6	B8	86	Comb Max	7.15	1.5953	23.713	-0.048	-0.855	-0.054	-1.9708	86-7	0.55	
Story6	B8	86	Comb Max	7.7	1.5953	27.251	-0.048	-0.855	-0.028	-10.98	86-7	1.1	
Story6	B8	86	Comb Max	7.7	0.929	29.741	-0.133	-0.312	-0.054	-11.127	86-8	0	
Story6	B8	86	Comb Max	8.25	0.929	33.279	-0.133	-0.312	0.0301	-22.267	86-8	0.55	
Story6	B8	86	Comb Max	8.8	0.929	36.817	-0.133	-0.312	0.144	-34.659	86-8	1.1	
Story6	B9	87	Comb Max	0	0.7061	-22.51	0.0726	-0.398	0.0187	-32.969	87-1	0	
Story6	B9	87	Comb Max	0.5857	0.7061	-20.09	0.0726	-0.398	-0.015	-20.493	87-1	0.5857	
Story6	B9	87	Comb Max	1.1714	0.7061	-17.67	0.0726	-0.398	-0.043	-9.4363	87-1	1.1714	
Story6	B9	87	Comb Max	1.1714	0.8376	-15.93	0.0255	0.2274	-0.039	-9.3064	87-2	0	
Story6	B9	87	Comb Max	1.7571	0.8376	-13.5	0.0255	0.2274	-0.049	-0.688	87-2	0.5857	
Story6	B9	87	Comb Max	2.3429	0.8376	-11.08	0.0255	0.2274	-0.058	10.126	87-2	1.1714	
Story6	B9	87	Comb Max	2.3429	0.7529	-9.065	-0.008	0.3649	-0.063	10.213	87-3	0	
Story6	B9	87	Comb Max	2.9286	0.7529	-6.643	-0.008	0.3649	-0.058	17.37	87-3	0.5857	
Story6	B9	87	Comb Max	3.5143	0.7529	-4.221	-0.008	0.3649	-0.053	22.32	87-3	1.1714	

Story6	B84	762	Comb Max	7.1139	70.457	32.772	0.2589	1.6442	-1.583	-19.918	762	7.1139	
Story5	B1	156	Comb Max	0	0.6172	-0.188	-0.127	-2.012	-0.13	-2.3988	156-1	0	
Story5	B1	156	Comb Max	0.5	0.6172	2.9233	-0.127	-2.012	-0.066	-2.8217	156-1	0.5	
Story5	B1	156	Comb Max	1	0.6172	6.1397	-0.127	-2.012	-0.002	-4.2783	156-1	1	
Story5	B1	156	Comb Max	1	2.0122	8.6011	-0.154	-2.396	-0.08	-4.2912	156-2	0	
Story5	B1	156	Comb Max	1.5	2.0122	11.818	-0.154	-2.396	-0.003	-7.5726	156-2	0.5	
Story5	B1	156	Comb Max	2	2.0122	15.034	-0.154	-2.396	0.1153	-11.888	156-2	1	
Story5	B1	156	Comb Max	2	3.5957	16.779	-0.357	-2.789	0.0023	-11.97	156-3	0	
Story5	B1	156	Comb Max	2.5	3.5957	19.996	-0.357	-2.789	0.281	-17.88	156-3	0.5	
Story5	B1	156	Comb Max	3	3.5957	23.212	-0.357	-2.789	0.5597	-24.824	156-3	1	
Story5	B2	157	Comb Max	0	5.2503	-22.11	-0.093	-2.087	-0.117	-32.094	157-1	0	
Story5	B2	157	Comb Max	0.5	5.2503	-20.04	-0.093	-2.087	-0.071	-21.556	157-1	0.5	
Story5	B2	157	Comb Max	1	5.2503	-17.97	-0.093	-2.087	-0.024	-12.051	157-1	1	
Story5	B2	157	Comb Max	1	6.039	-16.57	-0.074	-2.609	-0.065	-11.93	157-2	0	
Story5	B2	157	Comb Max	1.5	6.039	-14.5	-0.074	-2.609	-0.028	-4.1618	157-2	0.5	
Story5	B2	157	Comb Max	2	6.039	-12.44	-0.074	-2.609	0.0144	3.9906	157-2	1	
Story5	B2	157	Comb Max	2	6.8608	-10.7	-0.06	-2.987	-0.035	4.1018	157-3	0	
Story5	B2	157	Comb Max	2.5	6.8608	-8.634	-0.06	-2.987	-0.005	11.623	157-3	0.5	
Story5	B2	157	Comb Max	3	6.8608	-6.567	-0.06	-2.987	0.0393	17.535	157-3	1	
Story5	B2	157	Comb Max	3	7.6133	-5.357	-0.156	-3.095	-0.011	17.574	157-4	0	
Story5	B2	157	Comb Max	3.5	7.6133	-3.29	-0.156	-3.095	0.1054	20.938	157-4	0.5	
Story5	B2	157	Comb Max	4	7.6133	-1.222	-0.156	-3.095	0.2277	22.693	157-4	1	
Story5	B3	158	Comb Max	0	8.0151	-4.9	0.019	-4.804	0.1458	19.749	158-1	0	
Story5	B3	158	Comb Max	0.4542	8.0151	-3.022	0.019	-4.804	0.1372	22.549	158-1	0.4542	
Story5	B3	158	Comb Max	0.9083	8.0151	-1.144	0.019	-4.804	0.1285	24.023	158-1	0.9083	
Story5	B3	158	Comb Max	0.9083	7.6124	0.5935	0.0861	-5.126	0.1472	24.046	158-2	0	
Story5	B3	158	Comb Max	1.3625	7.6124	3.5151	0.0861	-5.126	0.1081	23.113	158-2	0.4542	
Story5	B3	158	Comb Max	1.8167	7.6124	6.4366	0.0861	-5.126	0.0729	20.853	158-2	0.9083	
Story5	B3	158	Comb Max	1.8167	5.6403	9.6233	0.7243	-5.474	0.1737	20.837	158-3	0	
Story5	B3	158	Comb Max	2.2708	5.6403	12.545	0.7243	-5.474	-0.098	15.803	158-3	0.4542	
Story5	B3	158	Comb Max	2.725	5.6403	15.466	0.7243	-5.474	-0.309	9.4419	158-3	0.9083	
Story5	B3	158	Comb Max	2.725	2.1593	15.278	0.9278	-5.1	-0.177	10.072	158-4	0	
Story5	B3	158	Comb Max	3.0437	2.1593	17.328	0.9278	-5.1	-0.367	4.875	158-4	0.3188	
Story5	B3	158	Comb Max	3.3625	2.1593	19.379	0.9278	-5.1	-0.557	-0.6202	158-4	0.6375	
Story5	B3	158	Comb Max	3.3625	-1.0241	14.142	0.7992	-4.328	-0.254	-0.5169	158-5	0	
Story5	B3	158	Comb Max	3.6813	-1.0241	16.193	0.7992	-4.328	-0.417	-3.6245	158-5	0.3188	
Story5	B3	158	Comb Max	4	-1.0241	18.243	0.7992	-4.328	-0.581	-7.1523	158-5	0.6375	
Story5	B4	159	Comb Max	0	2.8593	19.996	0.1294	-8.492	-0.59	6.3276	159-1	0	
Story5	B4	159	Comb Max	0.6	2.8593	23.856	0.1294	-8.492	-0.637	-4.389	159-1	0.6	
Story5	B4	159	Comb Max	1.2	2.8593	27.716	0.1294	-8.492	-0.684	-14.334	159-1	1.2	
Story5	B4	159	Comb Max	1.2	8.793	43.151	-11.15	-16.6	-0.36	-14.38	159-2	0	
Story5	B4	159	Comb Max	1.625	8.793	45.885	-11.15	-16.6	6.825	-26.542	159-2	0.425	
Story5	B4	159	Comb Max	2.05	8.793	48.619	-11.15	-16.6	14.223	-39.45	159-2	0.85	
Story5	B5	160	Comb Max	0	0.7591	1.936	0.1817	4.0467	0.1945	-1.883	160-1	0	
Story5	B5	160	Comb Max	0.6	0.7591	5.7957	0.1817	4.0467	0.0855	-3.3739	160-1	0.6	
Story5	B5	160	Comb Max	1.2	0.7591	9.6553	0.1817	4.0467	-0.015	-6.3534	160-1	1.2	
Story5	B5	160	Comb Max	1.2	2.2461	12.057	0.4274	4.8943	0.0669	-6.417	160-2	0	
Story5	B5	160	Comb Max	1.8	2.2461	15.917	0.4274	4.8943	-0.122	-11.812	160-2	0.6	
Story5	B5	160	Comb Max	2.4	2.2461	19.777	0.4274	4.8943	-0.286	-18.695	160-2	1.2	
Story5	B6	161	Comb Max	0	2.943	-23.71	-0.059	2.379	-0.051	-35.112	161-1	0	
Story5	B6	161	Comb Max	0.55	2.943	-21.43	-0.059	2.379	-0.018	-22.699	161-1	0.55	
Story5	B6	161	Comb Max	1.1	2.943	-19.16	-0.059	2.379	0.0221	-11.536	161-1	1.1	
Story5	B6	161	Comb Max	1.1	2.8893	-17.55	-0.009	3.0552	0.0254	-11.389	161-2	0	
Story5	B6	161	Comb Max	1.65	2.8893	-15.27	-0.009	3.0552	0.0337	-2.3632	161-2	0.55	
Story5	B6	161	Comb Max	2.2	2.8893	-13	-0.009	3.0552	0.042	8.4075	161-2	1.1	
Story5	B6	161	Comb Max	2.2	3.1047	-11.17	0.0253	2.939	0.0574	8.5267	161-3	0	
Story5	B6	161	Comb Max	2.75	3.1047	-8.897	0.0253	2.939	0.0435	17.114	161-3	0.55	
Story5	B6	161	Comb Max	3.3	3.1047	-6.623	0.0253	2.939	0.0296	23.755	161-3	1.1	
Story5	B6	161	Comb Max	3.3	3.7032	-5.316	0.0637	1.9217	0.0728	23.817	161-4	0	
Story5	B6	161	Comb Max	3.85	3.7032	-3.042	0.0637	1.9217	0.0378	27.395	161-4	0.55	
Story5	B6	161	Comb Max	4.4	3.7032	-0.768	0.0637	1.9217	0.003	29.027	161-4	1.1	
Story5	B6	161	Comb Max	4.4	4.6601	0.7471	0.0918	0.568	0.0701	29.03	161-5	0	
Story5	B6	161	Comb Max	4.95	4.6601	4.0675	0.0918	0.568	0.0196	27.766	161-5	0.55	
Story5	B6	161	Comb Max	5.5	4.6601	7.6055	0.0918	0.568	-0.019	24.556	161-5	1.1	
Story5	B6	161	Comb Max	5.5	5.8862	9.6731	0.1013	-0.227	0.055	24.499	161-6	0	
Story5	B6	161	Comb Max	6.05	5.8862	13.211	0.1013	-0.227	-2E-05	18.206	161-6	0.55	

Story5	B6	161	Comb Max	6.6	5.8862	16.749	0.1013	-0.227	-0.036	9.9669	161-6	1.1	
Story5	B6	161	Comb Max	6.6	7.3019	19.622	0.1311	-0.15	0.044	9.8527	161-7	0	
Story5	B6	161	Comb Max	7.15	7.3019	23.16	0.1311	-0.15	-0.018	-1.2233	161-7	0.55	
Story5	B6	161	Comb Max	7.7	7.3019	26.698	0.1311	-0.15	-0.064	-10.036	161-7	1.1	
Story5	B6	161	Comb Max	7.7	8.7388	29.09	0.4789	0.5727	-0.011	-10.182	161-8	0	
Story5	B6	161	Comb Max	8.25	8.7388	32.628	0.4789	0.5727	-0.179	-21.091	161-8	0.55	
Story5	B6	161	Comb Max	8.8	8.7388	36.166	0.4789	0.5727	-0.348	-33.252	161-8	1.1	
Story5	B7	162	Comb Max	0	8.7922	-21.99	-0.269	-0.363	-0.326	-31.435	162-1	0	
Story5	B7	162	Comb Max	0.5714	8.7922	-19.63	-0.269	-0.363	-0.173	-19.542	162-1	0.5714	
Story5	B7	162	Comb Max	1.1429	8.7922	-17.27	-0.269	-0.363	-0.019	-8.999	162-1	1.1429	
Story5	B7	162	Comb Max	1.1429	7.4731	-15.57	-0.07	0.2665	-0.067	-8.8691	162-2	0	
Story5	B7	162	Comb Max	1.7143	7.4731	-13.21	-0.07	0.2665	-0.027	-0.6467	162-2	0.5714	
Story5	B7	162	Comb Max	2.2857	7.4731	-10.84	-0.07	0.2665	0.0199	9.6769	162-2	1.1429	
Story5	B7	162	Comb Max	2.2857	6.2304	-8.816	-0.051	0.5057	-0.043	9.7651	162-3	0	
Story5	B7	162	Comb Max	2.8571	6.2304	-6.453	-0.051	0.5057	-0.013	16.554	162-3	0.5714	
Story5	B7	162	Comb Max	3.4286	6.2304	-4.09	-0.051	0.5057	0.0252	21.242	162-3	1.1429	
Story5	B7	162	Comb Max	3.4286	5.2253	-2.489	-0.04	0.0727	-0.028	21.273	162-4	0	
Story5	B7	162	Comb Max	4	5.2253	-0.126	-0.04	0.0727	-0.005	22.438	162-4	0.5714	
Story5	B7	162	Comb Max	4.5714	5.2253	3.4764	-0.04	0.0727	0.0282	21.501	162-4	1.1429	
Story5	B7	162	Comb Max	4.5714	4.481	5.986	-0.024	-0.216	-0.015	21.473	162-5	0	
Story5	B7	162	Comb Max	5.1429	4.481	9.6619	-0.024	-0.216	-9E-04	17.003	162-5	0.5714	
Story5	B7	162	Comb Max	5.7143	4.481	13.338	-0.024	-0.216	0.0199	10.431	162-5	1.1429	
Story5	B7	162	Comb Max	5.7143	3.9712	16.542	-0.019	0.1498	-0.009	10.346	162-6	0	
Story5	B7	162	Comb Max	6.2857	3.9712	20.218	-0.019	0.1498	0.0035	-0.0952	162-6	0.5714	
Story5	B7	162	Comb Max	6.8571	3.9712	23.894	-0.019	0.1498	0.021	-8.1961	162-6	1.1429	
Story5	B7	162	Comb Max	6.8571	3.6314	26.601	-0.008	1.024	-0.002	-8.3241	162-7	0	
Story5	B7	162	Comb Max	7.4286	3.6314	30.277	-0.008	1.024	0.0054	-18.77	162-7	0.5714	
Story5	B7	162	Comb Max	8	3.6314	33.953	-0.008	1.024	0.0148	-30.566	162-7	1.1429	
Story5	B8	163	Comb Max	0	2.8245	-23.64	-0.215	0.5622	-0.206	-35.381	163-1	0	
Story5	B8	163	Comb Max	0.55	2.8245	-21.37	-0.215	0.5622	-0.087	-23.002	163-1	0.55	
Story5	B8	163	Comb Max	1.1	2.8245	-19.09	-0.215	0.5622	0.0481	-11.875	163-1	1.1	
Story5	B8	163	Comb Max	1.1	1.8612	-17.55	-0.062	1.3642	-0.004	-11.727	163-2	0	
Story5	B8	163	Comb Max	1.65	1.8612	-15.27	-0.062	1.3642	0.047	-2.7019	163-2	0.55	
Story5	B8	163	Comb Max	2.2	1.8612	-13	-0.062	1.3642	0.1009	7.8821	163-2	1.1	
Story5	B8	163	Comb Max	2.2	1.2808	-11.15	-0.022	1.4565	0.0579	8.001	163-3	0	
Story5	B8	163	Comb Max	2.75	1.2808	-8.872	-0.022	1.4565	0.0768	16.567	163-3	0.55	
Story5	B8	163	Comb Max	3.3	1.2808	-6.598	-0.022	1.4565	0.0957	23.186	163-3	1.1	
Story5	B8	163	Comb Max	3.3	1.1971	-5.249	0.013	0.6656	0.0894	23.247	163-4	0	
Story5	B8	163	Comb Max	3.85	1.1971	-2.974	0.013	0.6656	0.0823	26.767	163-4	0.55	
Story5	B8	163	Comb Max	4.4	1.1971	-0.7	0.013	0.6656	0.0752	28.341	163-4	1.1	
Story5	B8	163	Comb Max	4.4	1.5911	0.8807	0.0618	-0.31	0.1077	28.342	163-5	0	
Story5	B8	163	Comb Max	4.95	1.5911	4.2373	0.0618	-0.31	0.0738	26.985	163-5	0.55	
Story5	B8	163	Comb Max	5.5	1.5911	7.7753	0.0618	-0.31	0.0398	23.681	163-5	1.1	
Story5	B8	163	Comb Max	5.5	2.5557	9.8984	0.0944	-0.807	0.1077	23.623	163-6	0	
Story5	B8	163	Comb Max	6.05	2.5557	13.436	0.0944	-0.807	0.0558	17.206	163-6	0.55	
Story5	B8	163	Comb Max	6.6	2.5557	16.974	0.0944	-0.807	0.0039	8.8431	163-6	1.1	
Story5	B8	163	Comb Max	6.6	3.9352	19.898	0.1495	-0.73	0.1004	8.727	163-7	0	
Story5	B8	163	Comb Max	7.15	3.9352	23.436	0.1495	-0.73	0.0182	-2.0445	163-7	0.55	
Story5	B8	163	Comb Max	7.7	3.9352	26.974	0.1495	-0.73	-0.041	-10.955	163-7	1.1	
Story5	B8	163	Comb Max	7.7	5.4834	29.437	0.4968	0.0102	0.0274	-11.101	163-8	0	
Story5	B8	163	Comb Max	8.25	5.4834	32.975	0.4968	0.0102	-0.157	-22.134	163-8	0.55	
Story5	B8	163	Comb Max	8.8	5.4834	36.513	0.4968	0.0102	-0.332	-34.417	163-8	1.1	
Story5	B9	164	Comb Max	0	6.1572	-22.52	-0.082	-0.371	-0.112	-32.587	164-1	0	
Story5	B9	164	Comb Max	0.5857	6.1572	-20.09	-0.082	-0.371	-0.064	-20.109	164-1	0.5857	
Story5	B9	164	Comb Max	1.1714	6.1572	-17.67	-0.082	-0.371	-0.016	-9.0488	164-1	1.1714	
Story5	B9	164	Comb Max	1.1714	5.8621	-15.92	-0.012	0.2634	-0.024	-8.9189	164-2	0	
Story5	B9	164	Comb Max	1.7571	5.8621	-13.5	-0.012	0.2634	-0.017	-0.3043	164-2	0.5857	
Story5	B9	164	Comb Max	2.3429	5.8621	-11.07	-0.012	0.2634	-0.01	10.713	164-2	1.1714	
Story5	B9	164	Comb Max	2.3429	5.5722	-9.051	-0.013	0.3947	-0.023	10.8	164-3	0	
Story5	B9	164	Comb Max	2.9286	5.5722	-6.629	-0.013	0.3947	-0.016	17.945	164-3	0.5857	
Story5	B9	164	Comb Max	3.5143	5.5722	-4.207	-0.013	0.3947	-0.008	22.884	164-3	1.1714	
Story5	B9	164	Comb Max	3.5143	5.3295	-2.658	-0.01	-0.159	-0.018	22.915	164-4	0	
Story5	B9	164	Comb Max	4.1	5.3295	-0.236	-0.01	-0.159	-0.012	24.236	164-4	0.5857	
Story5	B9	164	Comb Max	4.6857	5.3295	3.3965	-0.01	-0.159	-0.005	23.35	164-4	1.1714	
Story5	B9	164	Comb Max	4.6857	5.1407	5.8018	-0.008	-0.585	-0.013	23.324	164-5	0	
Story5	B9	164	Comb Max	5.2714	5.1407	9.5695	-0.008	-0.585	-0.009	18.822	164-5	0.5857	

Story5	B79	607	Comb Max	4.1398	69.201	-2.916	-0.064	-0.42	0.2167	28.259	607	4.1398
Story5	B79	607	Comb Max	8.1488	81.4685	41.46	-0.064	-0.42	0.6014	-29.383	607	8.1488
Story5	B45	124	Comb Max	0.3051	-18.678	5.6039	0.2611	-1.295	0.0717	24.499	124	0.3051
Story5	B45	124	Comb Max	2.1571	-15.035	26.293	0.2611	-1.295	-0.31	-2.863	124	2.1571
Story5	B45	124	Comb Max	4.009	-11.392	47.544	0.2611	-1.295	-0.62	-46.829	124	4.009
Story5	B46	151	Comb Max	0.1307	-6.5196	-32.39	-1.109	-0.673	-2.459	-47.881	151-1	0.1307
Story5	B46	151	Comb Max	3.1048	-0.1659	-10.45	-1.109	-0.673	1.3609	24.861	151-1	3.1048
Story5	B46	151	Comb Max	3.1048	-37.712	-21.23	0.8935	-1.322	-0.196	-26.273	151-2	0
Story5	B46	151	Comb Max	5.605	-32.793	-2.783	0.8935	-1.322	-1.65	5.8031	151-2	2.5002
Story5	B46	151	Comb Max	7.2446	-29.568	14.446	0.8935	-1.322	-2.595	-1.5479	151-2	4.1398
Story5	B46	151	Comb Max	7.2446	-30.441	-14.69	0.2199	-1.525	-1.844	-9.0331	151-3	0
Story5	B46	151	Comb Max	11.0793	-22.897	21.127	0.2199	-1.525	-2.385	-6.8437	151-3	3.8347
Story4	B1	233	Comb Max	0	-0.1092	-0.241	0.0544	-1.98	0.0594	-2.4133	233-1	0
Story4	B1	233	Comb Max	0.5	-0.1092	2.8412	0.0544	-1.98	0.0322	-2.8099	233-1	0.5
Story4	B1	233	Comb Max	1	-0.1092	6.0575	0.0544	-1.98	0.005	-4.2401	233-1	1
Story4	B1	233	Comb Max	1	-0.3648	8.4933	0.0677	-2.353	0.0413	-4.2525	233-2	0
Story4	B1	233	Comb Max	1.5	-0.3648	11.71	0.0677	-2.353	0.0074	-7.4992	233-2	0.5
Story4	B1	233	Comb Max	2	-0.3648	14.926	0.0677	-2.353	-0.017	-11.78	233-2	1
Story4	B1	233	Comb Max	2	-0.6611	16.642	0.1712	-2.736	0.0077	-11.861	233-3	0
Story4	B1	233	Comb Max	2.5	-0.6611	19.859	0.1712	-2.736	-0.049	-17.727	233-3	0.5
Story4	B1	233	Comb Max	3	-0.6611	23.075	0.1712	-2.736	-0.104	-24.627	233-3	1
Story4	B2	234	Comb Max	0	-0.9779	-22.01	0.1029	-2.233	0.1186	-30.54	234-1	0
Story4	B2	234	Comb Max	0.5	-0.9779	-19.94	0.1029	-2.233	0.0671	-20.052	234-1	0.5
Story4	B2	234	Comb Max	1	-0.9779	-17.87	0.1029	-2.233	0.0157	-10.599	234-1	1
Story4	B2	234	Comb Max	1	-1.2107	-16.41	0.0549	-2.764	0.0466	-10.478	234-2	0
Story4	B2	234	Comb Max	1.5	-1.2107	-14.34	0.0549	-2.764	0.0192	-2.7905	234-2	0.5
Story4	B2	234	Comb Max	2	-1.2107	-12.27	0.0549	-2.764	-0.005	5.996	234-2	1
Story4	B2	234	Comb Max	2	-1.403	-10.49	0.0326	-3.161	0.0184	6.1058	234-3	0
Story4	B2	234	Comb Max	2.5	-1.403	-8.421	0.0326	-3.161	0.0021	13.461	234-3	0.5
Story4	B2	234	Comb Max	3	-1.403	-6.353	0.0326	-3.161	-0.009	19.208	234-3	1
Story4	B2	234	Comb Max	3	-1.5017	-5.118	0.0738	-3.278	-0.004	19.244	234-4	0
Story4	B2	234	Comb Max	3.5	-1.5017	-3.05	0.0738	-3.278	-0.027	22.422	234-4	0.5
Story4	B2	234	Comb Max	4	-1.5017	-0.983	0.0738	-3.278	-0.05	23.992	234-4	1
Story4	B3	235	Comb Max	0	-1.3028	-4.514	-0.101	-5.146	-0.105	20.694	235-1	0
Story4	B3	235	Comb Max	0.4542	-1.3028	-2.636	-0.101	-5.146	-0.06	23.222	235-1	0.4542
Story4	B3	235	Comb Max	0.9083	-1.3028	-0.758	-0.101	-5.146	-0.014	24.424	235-1	0.9083
Story4	B3	235	Comb Max	0.9083	-0.8106	1.2475	-0.18	-5.473	-0.048	24.442	235-2	0
Story4	B3	235	Comb Max	1.3625	-0.8106	4.169	-0.18	-5.473	0.0524	23.212	235-2	0.4542
Story4	B3	235	Comb Max	1.8167	-0.8106	7.0905	-0.18	-5.473	0.1807	20.655	235-2	0.9083
Story4	B3	235	Comb Max	1.8167	0.2987	10.232	-0.032	-5.798	0.083	20.633	235-3	0
Story4	B3	235	Comb Max	2.2708	0.2987	13.153	-0.032	-5.798	0.1074	15.323	235-3	0.4542
Story4	B3	235	Comb Max	2.725	0.2987	16.075	-0.032	-5.798	0.1317	8.6855	235-3	0.9083
Story4	B3	235	Comb Max	2.725	0.3817	15.702	0.3417	-5.368	-0.059	9.3136	235-4	0
Story4	B3	235	Comb Max	3.0437	0.3817	17.752	0.3417	-5.368	-0.128	3.9819	235-4	0.3188
Story4	B3	235	Comb Max	3.3625	0.3817	19.803	0.3417	-5.368	-0.198	-1.2801	235-4	0.6375
Story4	B3	235	Comb Max	3.3625	-0.6283	14.31	0.1271	-4.543	-0.121	-1.1727	235-5	0
Story4	B3	235	Comb Max	3.6813	-0.6283	16.361	0.1271	-4.543	-0.146	-4.3148	235-5	0.3188
Story4	B3	235	Comb Max	4	-0.6283	18.411	0.1271	-4.543	-0.172	-7.8769	235-5	0.6375
Story4	B4	236	Comb Max	0	0.4935	20.238	-0.514	-9.294	-0.173	6.6481	236-1	0
Story4	B4	236	Comb Max	0.6	0.4935	24.098	-0.514	-9.294	0.2127	-4.2759	236-1	0.6
Story4	B4	236	Comb Max	1.2	0.4935	27.958	-0.514	-9.294	0.6979	-14.314	236-1	1.2
Story4	B4	236	Comb Max	1.2	-1.6079	43.682	-5.137	-17.77	1.2907	-14.368	236-2	0
Story4	B4	236	Comb Max	1.625	-1.6079	46.416	-5.137	-17.77	4.7102	-26.674	236-2	0.425
Story4	B4	236	Comb Max	2.05	-1.6079	49.15	-5.137	-17.77	8.1297	-39.727	236-2	0.85
Story4	B5	237	Comb Max	0	-0.1391	2.0191	-0.031	4.0715	-0.036	-1.854	237-1	0
Story4	B5	237	Comb Max	0.6	-0.1391	5.8787	-0.031	4.0715	-0.018	-3.3768	237-1	0.6
Story4	B5	237	Comb Max	1.2	-0.1391	9.7384	-0.031	4.0715	0.0016	-6.3883	237-1	1.2
Story4	B5	237	Comb Max	1.2	-0.4273	12.148	-0.085	4.9251	-0.017	-6.4526	237-2	0
Story4	B5	237	Comb Max	1.8	-0.4273	16.008	-0.085	4.9251	0.0538	-11.882	237-2	0.6
Story4	B5	237	Comb Max	2.4	-0.4273	19.867	-0.085	4.9251	0.1345	-18.8	237-2	1.2
Story4	B6	238	Comb Max	0	-0.7141	-23.82	-0.053	2.5599	-0.061	-35.189	238-1	0
Story4	B6	238	Comb Max	0.55	-0.7141	-21.54	-0.053	2.5599	-0.032	-22.716	238-1	0.55
Story4	B6	238	Comb Max	1.1	-0.7141	-19.27	-0.053	2.5599	-0.002	-11.494	238-1	1.1
Story4	B6	238	Comb Max	1.1	-0.9992	-17.63	-0.027	3.2686	-0.022	-11.346	238-2	0
Story4	B6	238	Comb Max	1.65	-0.9992	-15.35	-0.027	3.2686	-0.007	-2.2758	238-2	0.55
Story4	B6	238	Comb Max	2.2	-0.9992	-13.08	-0.027	3.2686	0.0142	8.6086	238-2	1.1

Story4	B6	238	Comb Max	2.2	-1.3656	-11.22	-0.029	3.1922	-0.018	8.7284	238-3	0	
Story4	B6	238	Comb Max	2.75	-1.3656	-8.942	-0.029	3.1922	-2E-04	17.355	238-3	0.55	
Story4	B6	238	Comb Max	3.3	-1.3656	-6.668	-0.029	3.1922	0.0234	24.035	238-3	1.1	
Story4	B6	238	Comb Max	3.3	-1.807	-5.332	-0.037	2.2041	-0.017	24.097	238-4	0	
Story4	B6	238	Comb Max	3.85	-1.807	-3.058	-0.037	2.2041	0.0067	27.69	238-4	0.55	
Story4	B6	238	Comb Max	4.4	-1.807	-0.784	-0.037	2.2041	0.0374	29.336	238-4	1.1	
Story4	B6	238	Comb Max	4.4	-2.3083	0.7447	-0.04	0.8607	-0.012	29.339	238-5	0	
Story4	B6	238	Comb Max	4.95	-2.3083	4.07	-0.04	0.8607	0.0163	28.073	238-5	0.55	
Story4	B6	238	Comb Max	5.5	-2.3083	7.608	-0.04	0.8607	0.0508	24.862	238-5	1.1	
Story4	B6	238	Comb Max	5.5	-2.844	9.6924	-0.037	0.0351	-0.005	24.805	238-6	0	
Story4	B6	238	Comb Max	6.05	-2.844	13.23	-0.037	0.0351	0.023	18.502	238-6	0.55	
Story4	B6	238	Comb Max	6.6	-2.844	16.768	-0.037	0.0351	0.0552	10.252	238-6	1.1	
Story4	B6	238	Comb Max	6.6	-3.4104	19.647	-0.044	0.1041	-0.005	10.138	238-7	0	
Story4	B6	238	Comb Max	7.15	-3.4104	23.185	-0.044	0.1041	0.0296	-1.0467	238-7	0.55	
Story4	B6	238	Comb Max	7.7	-3.4104	26.723	-0.044	0.1041	0.068	-9.8679	238-7	1.1	
Story4	B6	238	Comb Max	7.7	-3.9828	29.092	-0.194	0.813	0.0147	-10.014	238-8	0	
Story4	B6	238	Comb Max	8.25	-3.9828	32.63	-0.194	0.813	0.1828	-20.924	238-8	0.55	
Story4	B6	238	Comb Max	8.8	-3.9828	36.168	-0.194	0.813	0.3509	-33.085	238-8	1.1	
Story4	B7	239	Comb Max	0	-4.258	-22.1	0.0851	-0.248	0.1265	-31.887	239-1	0	
Story4	B7	239	Comb Max	0.5714	-4.258	-19.74	0.0851	-0.248	0.0778	-19.934	239-1	0.5714	
Story4	B7	239	Comb Max	1.1429	-4.258	-17.37	0.0851	-0.248	0.0292	-9.3308	239-1	1.1429	
Story4	B7	239	Comb Max	1.1429	-4.2405	-15.66	-0.007	0.4685	0.0265	-9.2003	239-2	0	
Story4	B7	239	Comb Max	1.7143	-4.2405	-13.3	-0.007	0.4685	0.0334	-0.9244	239-2	0.5714	
Story4	B7	239	Comb Max	2.2857	-4.2405	-10.94	-0.007	0.4685	0.0402	9.3259	239-2	1.1429	
Story4	B7	239	Comb Max	2.2857	-4.2692	-8.894	-0.004	0.7303	0.0385	9.4149	239-3	0	
Story4	B7	239	Comb Max	2.8571	-4.2692	-6.531	-0.004	0.7303	0.0424	16.274	239-3	0.5714	
Story4	B7	239	Comb Max	3.4286	-4.2692	-4.168	-0.004	0.7303	0.0462	21.032	239-3	1.1429	
Story4	B7	239	Comb Max	3.4286	-4.3456	-2.555	-0.007	0.3107	0.0369	21.064	239-4	0	
Story4	B7	239	Comb Max	4	-4.3456	-0.192	-0.007	0.3107	0.0433	22.288	239-4	0.5714	
Story4	B7	239	Comb Max	4.5714	-4.3456	3.3714	-0.007	0.3107	0.0497	21.412	239-4	1.1429	
Story4	B7	239	Comb Max	4.5714	-4.4672	5.8885	-0.008	-0.003	0.036	21.385	239-5	0	
Story4	B7	239	Comb Max	5.1429	-4.4672	9.5644	-0.008	-0.003	0.0436	16.969	239-5	0.5714	
Story4	B7	239	Comb Max	5.7143	-4.4672	13.24	-0.008	-0.003	0.0513	10.454	239-5	1.1429	
Story4	B7	239	Comb Max	5.7143	-4.6383	16.442	-0.007	0.3547	0.03	10.369	239-6	0	
Story4	B7	239	Comb Max	6.2857	-4.6383	20.117	-0.007	0.3547	0.0368	-0.0414	239-6	0.5714	
Story4	B7	239	Comb Max	6.8571	-4.6383	23.793	-0.007	0.3547	0.0436	-8.1048	239-6	1.1429	
Story4	B7	239	Comb Max	6.8571	-4.856	26.479	-0.109	1.2148	0.0261	-8.2326	239-7	0	
Story4	B7	239	Comb Max	7.4286	-4.856	30.154	-0.109	1.2148	0.1261	-18.633	239-7	0.5714	
Story4	B7	239	Comb Max	8	-4.856	33.83	-0.109	1.2148	0.2261	-30.384	239-7	1.1429	
Story4	B8	240	Comb Max	0	-4.7833	-23.73	0.2462	0.7368	0.3061	-35.543	240-1	0	
Story4	B8	240	Comb Max	0.55	-4.7833	-21.46	0.2462	0.7368	0.1707	-23.117	240-1	0.55	
Story4	B8	240	Comb Max	1.1	-4.7833	-19.18	0.2462	0.7368	0.0352	-11.942	240-1	1.1	
Story4	B8	240	Comb Max	1.1	-4.358	-17.62	0.041	1.5579	0.074	-11.794	240-2	0	
Story4	B8	240	Comb Max	1.65	-4.358	-15.34	0.041	1.5579	0.0515	-2.7311	240-2	0.55	
Story4	B8	240	Comb Max	2.2	-4.358	-13.07	0.041	1.5579	0.0289	7.8936	240-2	1.1	
Story4	B8	240	Comb Max	2.2	-3.8922	-11.2	0.0484	1.6717	0.0827	8.013	240-3	0	
Story4	B8	240	Comb Max	2.75	-3.8922	-8.923	0.0484	1.6717	0.0561	16.623	240-3	0.55	
Story4	B8	240	Comb Max	3.3	-3.8922	-6.649	0.0484	1.6717	0.0295	23.286	240-3	1.1	
Story4	B8	240	Comb Max	3.3	-3.3636	-5.284	0.0675	0.8957	0.0882	23.348	240-4	0	
Story4	B8	240	Comb Max	3.85	-3.3636	-3.01	0.0675	0.8957	0.051	26.898	240-4	0.55	
Story4	B8	240	Comb Max	4.4	-3.3636	-0.735	0.0675	0.8957	0.0139	28.503	240-4	1.1	
Story4	B8	240	Comb Max	4.4	-2.7636	0.8424	0.0783	-0.159	0.0802	28.505	240-5	0	
Story4	B8	240	Comb Max	4.95	-2.7636	4.195	0.0783	-0.159	0.0372	27.171	240-5	0.55	
Story4	B8	240	Comb Max	5.5	-2.7636	7.733	0.0783	-0.159	-0.003	23.89	240-5	1.1	
Story4	B8	240	Comb Max	5.5	-2.1237	9.8634	0.0794	-0.657	0.0651	23.833	240-6	0	
Story4	B8	240	Comb Max	6.05	-2.1237	13.401	0.0794	-0.657	0.0214	17.435	240-6	0.55	
Story4	B8	240	Comb Max	6.6	-2.1237	16.939	0.0794	-0.657	-0.014	9.091	240-6	1.1	
Story4	B8	240	Comb Max	6.6	-1.4841	19.864	0.0971	-0.585	0.0471	8.9752	240-7	0	
Story4	B8	240	Comb Max	7.15	-1.4841	23.402	0.0971	-0.585	-0.004	-1.8707	240-7	0.55	
Story4	B8	240	Comb Max	7.7	-1.4841	26.94	0.0971	-0.585	-0.038	-10.769	240-7	1.1	
Story4	B8	240	Comb Max	7.7	-0.9167	29.388	0.1981	0.1977	-0.001	-10.915	240-8	0	
Story4	B8	240	Comb Max	8.25	-0.9167	32.926	0.1981	0.1977	-0.07	-21.93	240-8	0.55	
Story4	B8	240	Comb Max	8.8	-0.9167	36.464	0.1981	0.1977	-0.138	-34.196	240-8	1.1	
Story4	B9	241	Comb Max	0	-0.6133	-22.61	0.0459	-0.23	0.032	-32.998	241-1	0	
Story4	B9	241	Comb Max	0.5857	-0.6133	-20.19	0.0459	-0.23	0.0051	-20.465	241-1	0.5857	
Story4	B9	241	Comb Max	1.1714	-0.6133	-17.76	0.0459	-0.23	-0.014	-9.3502	241-1	1.1714	

Story4	B81	733	Comb Max	6.9395	46.4803	29.75	-0.051	1.7181	2.1864	-11.607	733	6.9395	
Story4	B83	757	Comb Max	0.1307	-41.324	-27.73	0.0853	0.9169	1.1829	-33.702	757	0.1307	
Story4	B83	757	Comb Max	4.1398	-33.438	2.8458	0.0853	0.9169	0.841	28.309	757	4.1398	
Story4	B83	757	Comb Max	8.1488	-25.552	48.849	0.0853	0.9169	0.4991	-48.378	757	8.1488	
Story4	B84	758	Comb Max	0.1307	-40.964	-28.93	0.0738	0.9461	0.4698	-47.666	758	0.1307	
Story4	B84	758	Comb Max	3.6223	-34.096	-3.169	0.0738	0.9461	0.2121	13.018	758	3.6223	
Story4	B84	758	Comb Max	7.1139	-27.227	35.115	0.0738	0.9461	-0.022	-25.437	758	7.1139	
Story4	B40	604	Comb Max	0.1307	18.4498	-22.9	-0.099	-0.131	-0.73	-26.851	604	0.1307	
Story4	B40	604	Comb Max	3.6223	29.1338	4.4262	-0.099	-0.131	-0.385	12.651	604	3.6223	
Story4	B40	604	Comb Max	7.1139	39.8178	44.491	-0.099	-0.131	-0.041	-46.725	604	7.1139	
Story4	B79	605	Comb Max	0.1307	15.6433	-31.64	-0.103	-0.122	0.0269	-49.729	605	0.1307	
Story4	B79	605	Comb Max	4.1398	27.9108	-2.065	-0.103	-0.122	0.6544	27.743	605	4.1398	
Story4	B79	605	Comb Max	8.1488	40.1782	42.777	-0.103	-0.122	1.2973	-33.094	605	8.1488	
Story4	B45	122	Comb Max	0.3051	-45.553	3.787	0.3683	-1.884	0.6096	23.074	122	0.3051	
Story4	B45	122	Comb Max	2.1571	-41.91	24.258	0.3683	-1.884	-0.019	-1.3661	122	2.1571	
Story4	B45	122	Comb Max	4.009	-38.267	45.509	0.3683	-1.884	-0.492	-42.881	122	4.009	
Story4	B46	123	Comb Max	0.1307	-34.419	-26.87	-0.363	-1.085	-1.461	-36.931	123-1	0.1307	
Story4	B46	123	Comb Max	3.1048	-28.568	-4.933	-0.363	-1.085	-0.293	16.434	123-1	3.1048	
Story4	B46	123	Comb Max	3.1048	-66.19	-21.24	0.7261	-1.875	-0.954	-26.212	123-2	0	
Story4	B46	123	Comb Max	5.605	-61.272	-2.801	0.7261	-1.875	-2.148	5.9645	123-2	2.5002	
Story4	B46	123	Comb Max	7.2446	-58.047	14.403	0.7261	-1.875	-2.91	-1.3847	123-2	4.1398	
Story4	B46	123	Comb Max	7.2446	-58.823	-14.58	0.3315	-2.157	-2.654	-9.5732	123-3	0	
Story4	B46	123	Comb Max	11.0793	-51.28	21.282	0.3315	-2.157	-3.471	-7.7569	123-3	3.8347	
Story3	B1	310	Comb Max	0	-0.0316	-0.207	0.0155	-1.995	0.02	-2.396	310-1	0	
Story3	B1	310	Comb Max	0.5	-0.0316	2.8926	0.0155	-1.995	0.0123	-2.8091	310-1	0.5	
Story3	B1	310	Comb Max	1	-0.0316	6.1089	0.0155	-1.995	0.0045	-4.2558	310-1	1	
Story3	B1	310	Comb Max	1	-0.1132	8.5601	0.0224	-2.375	0.017	-4.2685	310-2	0	
Story3	B1	310	Comb Max	1.5	-0.1132	11.776	0.0224	-2.375	0.0058	-7.5366	310-2	0.5	
Story3	B1	310	Comb Max	2	-0.1132	14.993	0.0224	-2.375	-0.003	-11.838	310-2	1	
Story3	B1	310	Comb Max	2	-0.2182	16.724	0.0652	-2.764	0.007	-11.921	310-3	0	
Story3	B1	310	Comb Max	2.5	-0.2182	19.94	0.0652	-2.764	-0.016	-17.813	310-3	0.5	
Story3	B1	310	Comb Max	3	-0.2182	23.157	0.0652	-2.764	-0.035	-24.739	310-3	1	
Story3	B2	311	Comb Max	0	-0.3901	-22.12	0.0798	-2.249	0.0765	-31.325	311-1	0	
Story3	B2	311	Comb Max	0.5	-0.3901	-20.06	0.0798	-2.249	0.0366	-20.78	311-1	0.5	
Story3	B2	311	Comb Max	1	-0.3901	-17.99	0.0798	-2.249	-0.002	-11.269	311-1	1	
Story3	B2	311	Comb Max	1	-0.5421	-16.54	0.0364	-2.785	0.0164	-11.148	311-2	0	
Story3	B2	311	Comb Max	1.5	-0.5421	-14.47	0.0364	-2.785	-0.001	-3.3968	311-2	0.5	
Story3	B2	311	Comb Max	2	-0.5421	-12.4	0.0364	-2.785	-0.012	5.1487	311-2	1	
Story3	B2	311	Comb Max	2	-0.6596	-10.63	0.0204	-3.181	-0.002	5.2597	311-3	0	
Story3	B2	311	Comb Max	2.5	-0.6596	-8.561	0.0204	-3.181	-0.008	12.724	311-3	0.5	
Story3	B2	311	Comb Max	3	-0.6596	-6.493	0.0204	-3.181	-0.014	18.58	311-3	1	
Story3	B2	311	Comb Max	3	-0.7166	-5.266	0.0406	-3.295	-0.012	18.617	311-4	0	
Story3	B2	311	Comb Max	3.5	-0.7166	-3.199	0.0406	-3.295	-0.024	21.912	311-4	0.5	
Story3	B2	311	Comb Max	4	-0.7166	-1.131	0.0406	-3.295	-0.036	23.597	311-4	1	
Story3	B3	312	Comb Max	0	-0.6123	-4.723	-0.048	-5.074	-0.071	20.3	312-1	0	
Story3	B3	312	Comb Max	0.4542	-0.6123	-2.844	-0.048	-5.074	-0.049	22.976	312-1	0.4542	
Story3	B3	312	Comb Max	0.9083	-0.6123	-0.966	-0.048	-5.074	-0.027	24.325	312-1	0.9083	
Story3	B3	312	Comb Max	0.9083	-0.3595	0.89	-0.103	-5.392	-0.048	24.346	312-2	0	
Story3	B3	312	Comb Max	1.3625	-0.3595	3.8115	-0.103	-5.392	-7E-04	23.278	312-2	0.4542	
Story3	B3	312	Comb Max	1.8167	-0.3595	6.733	-0.103	-5.392	0.0727	20.884	312-2	0.9083	
Story3	B3	312	Comb Max	1.8167	0.2515	9.883	0.0655	-5.718	0.015	20.865	312-3	0	
Story3	B3	312	Comb Max	2.2708	0.2515	12.805	0.0655	-5.718	-0.008	15.713	312-3	0.4542	
Story3	B3	312	Comb Max	2.725	0.2515	15.726	0.0655	-5.718	-0.026	9.234	312-3	0.9083	
Story3	B3	312	Comb Max	2.725	-0.0233	15.447	0.2877	-5.31	-0.124	9.8612	312-4	0	
Story3	B3	312	Comb Max	3.0437	-0.0233	17.497	0.2877	-5.31	-0.183	4.6108	312-4	0.3188	
Story3	B3	312	Comb Max	3.3625	-0.0233	19.548	0.2877	-5.31	-0.241	-0.8215	312-4	0.6375	
Story3	B3	312	Comb Max	3.3625	-0.9204	14.207	0.067	-4.507	-0.14	-0.7167	312-5	0	
Story3	B3	312	Comb Max	3.6813	-0.9204	16.257	0.067	-4.507	-0.153	-3.8375	312-5	0.3188	
Story3	B3	312	Comb Max	4	-0.9204	18.308	0.067	-4.507	-0.167	-7.3784	312-5	0.6375	
Story3	B4	313	Comb Max	0	0.3159	20.073	-0.203	-8.743	-0.178	6.5959	313-1	0	
Story3	B4	313	Comb Max	0.6	0.3159	23.933	-0.203	-8.743	-0.047	-4.2455	313-1	0.6	
Story3	B4	313	Comb Max	1.2	0.3159	27.792	-0.203	-8.743	0.1248	-14.22	313-1	1.2	
Story3	B4	313	Comb Max	1.2	-1.2554	43.301	-6.199	-16.98	0.6949	-14.27	313-2	0	
Story3	B4	313	Comb Max	1.625	-1.2554	46.035	-6.199	-16.98	4.8147	-26.471	313-2	0.425	
Story3	B4	313	Comb Max	2.05	-1.2554	48.768	-6.199	-16.98	8.9345	-39.419	313-2	0.85	
Story3	B5	314	Comb Max	0	-0.0426	1.9652	-0.008	4.0424	-0.012	-1.8678	314-1	0	

Story3	B5	314	Comb Max	0.6	-0.0426	5.8249	-0.008	4.0424	-0.007	-3.3698	314-1	0.6	
Story3	B5	314	Comb Max	1.2	-0.0426	9.6845	-0.008	4.0424	-0.002	-6.3603	314-1	1.2	
Story3	B5	314	Comb Max	1.2	-0.1417	12.085	-0.031	4.8898	-0.008	-6.4242	314-2	0	
Story3	B5	314	Comb Max	1.8	-0.1417	15.945	-0.031	4.8898	0.0165	-11.829	314-2	0.6	
Story3	B5	314	Comb Max	2.4	-0.1417	19.804	-0.031	4.8898	0.0467	-18.723	314-2	1.2	
Story3	B6	315	Comb Max	0	-0.3394	-23.73	-0.066	2.4898	-0.07	-34.871	315-1	0	
Story3	B6	315	Comb Max	0.55	-0.3394	-21.45	-0.066	2.4898	-0.034	-22.448	315-1	0.55	
Story3	B6	315	Comb Max	1.1	-0.3394	-19.18	-0.066	2.4898	0.0037	-11.275	315-1	1.1	
Story3	B6	315	Comb Max	1.1	-0.6282	-17.54	-0.029	3.1842	-0.016	-11.128	315-2	0	
Story3	B6	315	Comb Max	1.65	-0.6282	-15.27	-0.029	3.1842	-3E-04	-2.1047	315-2	0.55	
Story3	B6	315	Comb Max	2.2	-0.6282	-12.99	-0.029	3.1842	0.0249	8.7982	315-2	1.1	
Story3	B6	315	Comb Max	2.2	-0.9609	-11.14	-0.025	3.0929	-0.008	8.9171	315-3	0	
Story3	B6	315	Comb Max	2.75	-0.9609	-8.865	-0.025	3.0929	0.0095	17.478	315-3	0.55	
Story3	B6	315	Comb Max	3.3	-0.9609	-6.591	-0.025	3.0929	0.0314	24.094	315-3	1.1	
Story3	B6	315	Comb Max	3.3	-1.3219	-5.264	-0.028	2.0938	-0.006	24.155	315-4	0	
Story3	B6	315	Comb Max	3.85	-1.3219	-2.99	-0.028	2.0938	0.0148	27.69	315-4	0.55	
Story3	B6	315	Comb Max	4.4	-1.3219	-0.715	-0.028	2.0938	0.0397	29.279	315-4	1.1	
Story3	B6	315	Comb Max	4.4	-1.7063	0.832	-0.029	0.7453	-0.002	29.281	315-5	0	
Story3	B6	315	Comb Max	4.95	-1.7063	4.1646	-0.029	0.7453	0.0214	27.963	315-5	0.55	
Story3	B6	315	Comb Max	5.5	-1.7063	7.7026	-0.029	0.7453	0.0469	24.7	315-5	1.1	
Story3	B6	315	Comb Max	5.5	-2.1048	9.7793	-0.026	-0.069	0.0032	24.643	315-6	0	
Story3	B6	315	Comb Max	6.05	-2.1048	13.317	-0.026	-0.069	0.0243	18.291	315-6	0.55	
Story3	B6	315	Comb Max	6.6	-2.1048	16.855	-0.026	-0.069	0.0468	9.9935	315-6	1.1	
Story3	B6	315	Comb Max	6.6	-2.5249	19.728	-0.031	0.0036	0.0006	9.8785	315-7	0	
Story3	B6	315	Comb Max	7.15	-2.5249	23.266	-0.031	0.0036	0.0256	-1.2402	315-7	0.55	
Story3	B6	315	Comb Max	7.7	-2.5249	26.804	-0.031	0.0036	0.0523	-10.09	315-7	1.1	
Story3	B6	315	Comb Max	7.7	-2.9597	29.175	-0.148	0.72	0.0108	-10.236	315-8	0	
Story3	B6	315	Comb Max	8.25	-2.9597	32.713	-0.148	0.72	0.1394	-21.175	315-8	0.55	
Story3	B6	315	Comb Max	8.8	-2.9597	36.251	-0.148	0.72	0.268	-33.366	315-8	1.1	
Story3	B7	316	Comb Max	0	-3.3437	-22.07	-0.045	-0.285	-0.032	-31.783	316-1	0	
Story3	B7	316	Comb Max	0.5714	-3.3437	-19.71	-0.045	-0.285	-0.006	-19.844	316-1	0.5714	
Story3	B7	316	Comb Max	1.1429	-3.3437	-17.35	-0.045	-0.285	0.0311	-9.2554	316-1	1.1429	
Story3	B7	316	Comb Max	1.1429	-3.7115	-15.64	-0.041	0.4087	-0.004	-9.1251	316-2	0	
Story3	B7	316	Comb Max	1.7143	-3.7115	-13.28	-0.041	0.4087	0.0292	-0.8634	316-2	0.5714	
Story3	B7	316	Comb Max	2.2857	-3.7115	-10.91	-0.041	0.4087	0.066	9.3969	316-2	1.1429	
Story3	B7	316	Comb Max	2.2857	-4.1375	-8.873	-0.03	0.6691	0.0216	9.4857	316-3	0	
Story3	B7	316	Comb Max	2.8571	-4.1375	-6.51	-0.03	0.6691	0.0491	16.326	316-3	0.5714	
Story3	B7	316	Comb Max	3.4286	-4.1375	-4.147	-0.03	0.6691	0.0766	21.066	316-3	1.1429	
Story3	B7	316	Comb Max	3.4286	-4.5887	-2.536	-0.032	0.2494	0.0268	21.097	316-4	0	
Story3	B7	316	Comb Max	4	-4.5887	-0.173	-0.032	0.2494	0.0559	22.305	316-4	0.5714	
Story3	B7	316	Comb Max	4.5714	-4.5887	3.3999	-0.032	0.2494	0.0849	21.412	316-4	1.1429	
Story3	B7	316	Comb Max	4.5714	-5.0575	5.9135	-0.029	-0.057	0.0334	21.385	316-5	0	
Story3	B7	316	Comb Max	5.1429	-5.0575	9.5893	-0.029	-0.057	0.0593	16.956	316-5	0.5714	
Story3	B7	316	Comb Max	5.7143	-5.0575	13.265	-0.029	-0.057	0.0852	10.426	316-5	1.1429	
Story3	B7	316	Comb Max	5.7143	-5.5547	16.464	-0.028	0.3029	0.0282	10.341	316-6	0	
Story3	B7	316	Comb Max	6.2857	-5.5547	20.14	-0.028	0.3029	0.0535	-0.0662	316-6	0.5714	
Story3	B7	316	Comb Max	6.8571	-5.5547	23.816	-0.028	0.3029	0.0788	-8.1376	316-6	1.1429	
Story3	B7	316	Comb Max	6.8571	-6.0818	26.504	-0.195	1.1664	0.0311	-8.2654	316-7	0	
Story3	B7	316	Comb Max	7.4286	-6.0818	30.18	-0.195	1.1664	0.2073	-18.675	316-7	0.5714	
Story3	B7	316	Comb Max	8	-6.0818	33.856	-0.195	1.1664	0.3835	-30.435	316-7	1.1429	
Story3	B8	317	Comb Max	0	-6.325	-23.71	0.1275	0.7386	0.204	-35.483	317-1	0	
Story3	B8	317	Comb Max	0.55	-6.325	-21.43	0.1275	0.7386	0.1338	-23.07	317-1	0.55	
Story3	B8	317	Comb Max	1.1	-6.325	-19.16	0.1275	0.7386	0.0637	-11.908	317-1	1.1	
Story3	B8	317	Comb Max	1.1	-6.2317	-17.59	-0.011	1.5601	0.0696	-11.76	317-2	0	
Story3	B8	317	Comb Max	1.65	-6.2317	-15.32	-0.011	1.5601	0.0799	-2.7104	317-2	0.55	
Story3	B8	317	Comb Max	2.2	-6.2317	-13.04	-0.011	1.5601	0.0902	7.9018	317-2	1.1	
Story3	B8	317	Comb Max	2.2	-6.0686	-11.17	0.0156	1.6737	0.1123	8.021	317-3	0	
Story3	B8	317	Comb Max	2.75	-6.0686	-8.899	0.0156	1.6737	0.1037	16.611	317-3	0.55	
Story3	B8	317	Comb Max	3.3	-6.0686	-6.625	0.0156	1.6737	0.0951	23.255	317-3	1.1	
Story3	B8	317	Comb Max	3.3	-5.7577	-5.264	0.0484	0.8968	0.1305	23.316	317-4	0	
Story3	B8	317	Comb Max	3.85	-5.7577	-2.989	0.0484	0.8968	0.1039	26.85	317-4	0.55	
Story3	B8	317	Comb Max	4.4	-5.7577	-0.715	0.0484	0.8968	0.0773	28.437	317-4	1.1	
Story3	B8	317	Comb Max	4.4	-5.2739	0.8656	0.0741	-0.159	0.1316	28.439	317-5	0	
Story3	B8	317	Comb Max	4.95	-5.2739	4.2205	0.0741	-0.159	0.0909	27.091	317-5	0.55	
Story3	B8	317	Comb Max	5.5	-5.2739	7.7585	0.0741	-0.159	0.0501	23.796	317-5	1.1	
Story3	B8	317	Comb Max	5.5	-4.6391	9.8812	0.09	-0.659	0.1203	23.738	317-6	0	

Story3	B46	78	Comb Max	11.0793	-39.352	21.561	0.267	-1.821	-3.096	-7.9742	78-3	3.8347	
Story2	B1	387	Comb Max	0	-0.0363	-0.177	0.0201	-2.013	0.0199	-2.3839	387-1	0	
Story2	B1	387	Comb Max	0.5	-0.0363	2.9389	0.0201	-2.013	0.0098	-2.8119	387-1	0.5	
Story2	B1	387	Comb Max	1	-0.0363	6.1553	0.0201	-2.013	4E-05	-4.2736	387-1	1	
Story2	B1	387	Comb Max	1	-0.1168	8.6204	0.024	-2.398	0.0115	-4.2866	387-2	0	
Story2	B1	387	Comb Max	1.5	-0.1168	11.837	0.024	-2.398	-1E-04	-7.5741	387-2	0.5	
Story2	B1	387	Comb Max	2	-0.1168	15.053	0.024	-2.398	-0.008	-11.895	387-2	1	
Story2	B1	387	Comb Max	2	-0.2038	16.797	0.052	-2.794	-0.001	-11.978	387-3	0	
Story2	B1	387	Comb Max	2.5	-0.2038	20.014	0.052	-2.794	-0.017	-17.893	387-3	0.5	
Story2	B1	387	Comb Max	3	-0.2038	23.23	0.052	-2.794	-0.032	-24.843	387-3	1	
Story2	B2	388	Comb Max	0	-0.2369	-22.23	-0.014	-2.272	-0.014	-32.079	388-1	0	
Story2	B2	388	Comb Max	0.5	-0.2369	-20.16	-0.014	-2.272	-0.007	-21.479	388-1	0.5	
Story2	B2	388	Comb Max	1	-0.2369	-18.1	-0.014	-2.272	4E-05	-11.913	388-1	1	
Story2	B2	388	Comb Max	1	-0.1733	-16.66	-0.005	-2.813	-0.004	-11.791	388-2	0	
Story2	B2	388	Comb Max	1.5	-0.1733	-14.59	-0.005	-2.813	-0.001	-3.9793	388-2	0.5	
Story2	B2	388	Comb Max	2	-0.1733	-12.52	-0.005	-2.813	0.0037	4.3342	388-2	1	
Story2	B2	388	Comb Max	2	-0.0803	-10.76	-0.008	-3.21	-0.005	4.4464	388-3	0	
Story2	B2	388	Comb Max	2.5	-0.0803	-8.693	-0.008	-3.21	0.0005	12.014	388-3	0.5	
Story2	B2	388	Comb Max	3	-0.0803	-6.625	-0.008	-3.21	0.0074	17.974	388-3	1	
Story2	B2	388	Comb Max	3	0.0443	-5.407	-0.015	-3.322	-0.007	18.012	388-4	0	
Story2	B2	388	Comb Max	3.5	0.0443	-3.339	-0.015	-3.322	0.0027	21.416	388-4	0.5	
Story2	B2	388	Comb Max	4	0.0443	-1.272	-0.015	-3.322	0.0153	23.212	388-4	1	
Story2	B3	389	Comb Max	0	0.26	-4.925	-0.041	-5.018	-0.04	19.895	389-1	0	
Story2	B3	389	Comb Max	0.4542	0.26	-3.046	-0.041	-5.018	-0.021	22.715	389-1	0.4542	
Story2	B3	389	Comb Max	0.9083	0.26	-1.168	-0.041	-5.018	-0.003	24.207	389-1	0.9083	
Story2	B3	389	Comb Max	0.9083	0.5483	0.5425	-0.069	-5.326	-0.02	24.231	389-2	0	
Story2	B3	389	Comb Max	1.3625	0.5483	3.464	-0.069	-5.326	0.0173	23.321	389-2	0.4542	
Story2	B3	389	Comb Max	1.8167	0.5483	6.3855	-0.069	-5.326	0.0689	21.084	389-2	0.9083	
Story2	B3	389	Comb Max	1.8167	0.9523	9.5356	0.1581	-5.65	0.0376	21.068	389-3	0	
Story2	B3	389	Comb Max	2.2708	0.9523	12.457	0.1581	-5.65	-0.02	16.074	389-3	0.4542	
Story2	B3	389	Comb Max	2.725	0.9523	15.379	0.1581	-5.65	-0.064	9.7532	389-3	0.9083	
Story2	B3	389	Comb Max	2.725	0.2339	15.185	0.3528	-5.26	-0.124	10.378	389-4	0	
Story2	B3	389	Comb Max	3.0437	0.2339	17.235	0.3528	-5.26	-0.196	5.211	389-4	0.3188	
Story2	B3	389	Comb Max	3.3625	0.2339	19.286	0.3528	-5.26	-0.268	-0.3803	389-4	0.6375	
Story2	B3	389	Comb Max	3.3625	-0.8838	14.097	0.159	-4.478	-0.145	-0.2783	389-5	0	
Story2	B3	389	Comb Max	3.6813	-0.8838	16.147	0.159	-4.478	-0.178	-3.3764	389-5	0.3188	
Story2	B3	389	Comb Max	4	-0.8838	18.198	0.159	-4.478	-0.209	-6.8947	389-5	0.6375	
Story2	B4	390	Comb Max	0	0.6269	19.902	-0.128	-8.206	-0.22	6.5545	390-1	0	
Story2	B4	390	Comb Max	0.6	0.6269	23.762	-0.128	-8.206	-0.132	-4.206	390-1	0.6	
Story2	B4	390	Comb Max	1.2	0.6269	27.621	-0.128	-8.206	-0.045	-14.114	390-1	1.2	
Story2	B4	390	Comb Max	1.2	-0.214	42.894	-6.5	-16.21	0.4385	-14.161	390-2	0	
Story2	B4	390	Comb Max	1.625	-0.214	45.628	-6.5	-16.21	4.752	-26.251	390-2	0.425	
Story2	B4	390	Comb Max	2.05	-0.214	48.362	-6.5	-16.21	9.0654	-39.087	390-2	0.85	
Story2	B5	391	Comb Max	0	-0.0454	1.9175	-0.011	4.0221	-0.011	-1.8838	391-1	0	
Story2	B5	391	Comb Max	0.6	-0.0454	5.7772	-0.011	4.0221	-0.005	-3.3673	391-1	0.6	
Story2	B5	391	Comb Max	1.2	-0.0454	9.6368	-0.011	4.0221	0.0023	-6.3395	391-1	1.2	
Story2	B5	391	Comb Max	1.2	-0.1326	12.029	-0.025	4.8647	-0.004	-6.403	391-2	0	
Story2	B5	391	Comb Max	1.8	-0.1326	15.889	-0.025	4.8647	0.0185	-11.786	391-2	0.6	
Story2	B5	391	Comb Max	2.4	-0.1326	19.748	-0.025	4.8647	0.0439	-18.658	391-2	1.2	
Story2	B6	392	Comb Max	0	-0.1867	-23.66	0.0005	2.4337	-6E-04	-34.64	392-1	0	
Story2	B6	392	Comb Max	0.55	-0.1867	-21.38	0.0005	2.4337	-9E-04	-22.254	392-1	0.55	
Story2	B6	392	Comb Max	1.1	-0.1867	-19.11	0.0005	2.4337	-7E-04	-11.119	392-1	1.1	
Story2	B6	392	Comb Max	1.1	-0.2031	-17.48	-0.001	3.116	-0.003	-10.973	392-2	0	
Story2	B6	392	Comb Max	1.65	-0.2031	-15.2	-0.001	3.116	-0.002	-1.9853	392-2	0.55	
Story2	B6	392	Comb Max	2.2	-0.2031	-12.93	-0.001	3.116	0.0019	8.9254	392-2	1.1	
Story2	B6	392	Comb Max	2.2	-0.2343	-11.08	-0.003	3.0109	-0.003	9.0437	392-3	0	
Story2	B6	392	Comb Max	2.75	-0.2343	-8.809	-0.003	3.0109	-4E-04	17.558	392-3	0.55	
Story2	B6	392	Comb Max	3.3	-0.2343	-6.535	-0.003	3.0109	0.0036	24.126	392-3	1.1	
Story2	B6	392	Comb Max	3.3	-0.2857	-5.217	-0.005	2.0006	-0.003	24.187	392-4	0	
Story2	B6	392	Comb Max	3.85	-0.2857	-2.943	-0.005	2.0006	0.0007	27.682	392-4	0.55	
Story2	B6	392	Comb Max	4.4	-0.2857	-0.668	-0.005	2.0006	0.0059	29.231	392-4	1.1	
Story2	B6	392	Comb Max	4.4	-0.3596	0.8886	-0.007	0.6447	-0.003	29.233	392-5	0	
Story2	B6	392	Comb Max	4.95	-0.3596	4.2258	-0.007	0.6447	0.0025	27.882	392-5	0.55	
Story2	B6	392	Comb Max	5.5	-0.3596	7.7638	-0.007	0.6447	0.0085	24.585	392-5	1.1	
Story2	B6	392	Comb Max	5.5	-0.4557	9.8312	-0.008	-0.165	-0.002	24.527	392-6	0	
Story2	B6	392	Comb Max	6.05	-0.4557	13.369	-0.008	-0.165	0.0039	18.147	392-6	0.55	

Story2	B6	392	Comb Max	6.6	-0.4557	16.907	-0.008	-0.165	0.01	9.8211	392-6	1.1	
Story2	B6	392	Comb Max	6.6	-0.5727	19.773	-0.01	-0.093	-0.002	9.7058	392-7	0	
Story2	B6	392	Comb Max	7.15	-0.5727	23.311	-0.01	-0.093	0.0056	-1.3652	392-7	0.55	
Story2	B6	392	Comb Max	7.7	-0.5727	26.849	-0.01	-0.093	0.0142	-10.23	392-7	1.1	
Story2	B6	392	Comb Max	7.7	-0.6985	29.223	-0.042	0.6263	0.0029	-10.377	392-8	0	
Story2	B6	392	Comb Max	8.25	-0.6985	32.761	-0.042	0.6263	0.0402	-21.332	392-8	0.55	
Story2	B6	392	Comb Max	8.8	-0.6985	36.299	-0.042	0.6263	0.0781	-33.539	392-8	1.1	
Story2	B7	393	Comb Max	0	-0.7638	-21.99	0.0152	-0.382	0.0224	-31.556	393-1	0	
Story2	B7	393	Comb Max	0.5714	-0.7638	-19.63	0.0152	-0.382	0.0138	-19.665	393-1	0.5714	
Story2	B7	393	Comb Max	1.1429	-0.7638	-17.26	0.0152	-0.382	0.0055	-9.1247	393-1	1.1429	
Story2	B7	393	Comb Max	1.1429	-0.7863	-15.57	-0.002	0.2394	0.0033	-8.9949	393-2	0	
Story2	B7	393	Comb Max	1.7143	-0.7863	-13.2	-0.002	0.2394	0.005	-0.7749	393-2	0.5714	
Story2	B7	393	Comb Max	2.2857	-0.7863	-10.84	-0.002	0.2394	0.0072	9.4676	393-2	1.1429	
Story2	B7	393	Comb Max	2.2857	-0.8336	-8.811	-0.003	0.4826	0.0034	9.5558	393-3	0	
Story2	B7	393	Comb Max	2.8571	-0.8336	-6.448	-0.003	0.4826	0.0057	16.342	393-3	0.5714	
Story2	B7	393	Comb Max	3.4286	-0.8336	-4.085	-0.003	0.4826	0.0086	21.027	393-3	1.1429	
Story2	B7	393	Comb Max	3.4286	-0.9133	-2.483	-0.006	0.0521	0.0011	21.058	393-4	0	
Story2	B7	393	Comb Max	4	-0.9133	-0.12	-0.006	0.0521	0.0055	22.22	393-4	0.5714	
Story2	B7	393	Comb Max	4.5714	-0.9133	3.4814	-0.006	0.0521	0.0109	21.28	393-4	1.1429	
Story2	B7	393	Comb Max	4.5714	-1.0293	5.9891	-0.007	-0.235	-3E-04	21.252	393-5	0	
Story2	B7	393	Comb Max	5.1429	-1.0293	9.6649	-0.007	-0.235	0.0053	16.78	393-5	0.5714	
Story2	B7	393	Comb Max	5.7143	-1.0293	13.341	-0.007	-0.235	0.012	10.207	393-5	1.1429	
Story2	B7	393	Comb Max	5.7143	-1.1862	16.542	-0.011	0.1285	-0.003	10.121	393-6	0	
Story2	B7	393	Comb Max	6.2857	-1.1862	20.218	-0.011	0.1285	0.0045	-0.2342	393-6	0.5714	
Story2	B7	393	Comb Max	6.8571	-1.1862	23.894	-0.011	0.1285	0.0143	-8.3339	393-6	1.1429	
Story2	B7	393	Comb Max	6.8571	-1.3771	26.597	-0.066	1.0044	-0.002	-8.4619	393-7	0	
Story2	B7	393	Comb Max	7.4286	-1.3771	30.273	-0.066	1.0044	0.0563	-18.905	393-7	0.5714	
Story2	B7	393	Comb Max	8	-1.3771	33.949	-0.066	1.0044	0.116	-30.699	393-7	1.1429	
Story2	B8	394	Comb Max	0	-1.5707	-23.65	-0.033	0.5608	-0.032	-35.261	394-1	0	
Story2	B8	394	Comb Max	0.55	-1.5707	-21.38	-0.033	0.5608	-0.014	-22.879	394-1	0.55	
Story2	B8	394	Comb Max	1.1	-1.5707	-19.1	-0.033	0.5608	0.0067	-11.748	394-1	1.1	
Story2	B8	394	Comb Max	1.1	-1.8014	-17.55	-0.027	1.3654	-0.01	-11.6	394-2	0	
Story2	B8	394	Comb Max	1.65	-1.8014	-15.28	-0.027	1.3654	0.0064	-2.5723	394-2	0.55	
Story2	B8	394	Comb Max	2.2	-1.8014	-13	-0.027	1.3654	0.0295	8.0817	394-2	1.1	
Story2	B8	394	Comb Max	2.2	-2.0681	-11.15	-0.021	1.4687	0.0021	8.2009	394-3	0	
Story2	B8	394	Comb Max	2.75	-2.0681	-8.878	-0.021	1.4687	0.0198	16.773	394-3	0.55	
Story2	B8	394	Comb Max	3.3	-2.0681	-6.603	-0.021	1.4687	0.0377	23.398	394-3	1.1	
Story2	B8	394	Comb Max	3.3	-2.3397	-5.248	-0.02	0.6991	0.0084	23.459	394-4	0	
Story2	B8	394	Comb Max	3.85	-2.3397	-2.974	-0.02	0.6991	0.0261	26.98	394-4	0.55	
Story2	B8	394	Comb Max	4.4	-2.3397	-0.699	-0.02	0.6991	0.0438	28.555	394-4	1.1	
Story2	B8	394	Comb Max	4.4	-2.6013	0.8912	-0.018	-0.271	0.0157	28.557	394-5	0	
Story2	B8	394	Comb Max	4.95	-2.6013	4.2489	-0.018	-0.271	0.0319	27.193	394-5	0.55	
Story2	B8	394	Comb Max	5.5	-2.6013	7.7869	-0.018	-0.271	0.048	23.883	394-5	1.1	
Story2	B8	394	Comb Max	5.5	-2.8398	9.9214	-0.013	-0.751	0.0222	23.825	394-6	0	
Story2	B8	394	Comb Max	6.05	-2.8398	13.459	-0.013	-0.751	0.0336	17.395	394-6	0.55	
Story2	B8	394	Comb Max	6.6	-2.8398	16.997	-0.013	-0.751	0.0451	9.0194	394-6	1.1	
Story2	B8	394	Comb Max	6.6	-3.0583	19.924	-0.009	-0.663	0.0203	8.9029	394-7	0	
Story2	B8	394	Comb Max	7.15	-3.0583	23.462	-0.009	-0.663	0.0284	-1.9352	394-7	0.55	
Story2	B8	394	Comb Max	7.7	-3.0583	27	-0.009	-0.663	0.0365	-10.854	394-7	1.1	
Story2	B8	394	Comb Max	7.7	-3.2684	29.461	-0.087	0.1073	0.0186	-11	394-8	0	
Story2	B8	394	Comb Max	8.25	-3.2684	32.999	-0.087	0.1073	0.0938	-22.041	394-8	0.55	
Story2	B8	394	Comb Max	8.8	-3.2684	36.537	-0.087	0.1073	0.169	-34.332	394-8	1.1	
Story2	B9	395	Comb Max	0	-3.3113	-22.69	0.0951	-0.17	0.1332	-33.409	395-1	0	
Story2	B9	395	Comb Max	0.5857	-3.3113	-20.26	0.0951	-0.17	0.0775	-20.831	395-1	0.5857	
Story2	B9	395	Comb Max	1.1714	-3.3113	-17.84	0.0951	-0.17	0.0218	-9.6709	395-1	1.1714	
Story2	B9	395	Comb Max	1.1714	-3.1773	-16.07	0.0006	0.6177	0.0337	-9.5402	395-2	0	
Story2	B9	395	Comb Max	1.7571	-3.1773	-13.65	0.0006	0.6177	0.0336	-0.8365	395-2	0.5857	
Story2	B9	395	Comb Max	2.3429	-3.1773	-11.23	0.0006	0.6177	0.0336	10.018	395-2	1.1714	
Story2	B9	395	Comb Max	2.3429	-3.0079	-9.189	0.0164	0.7833	0.0539	10.106	395-3	0	
Story2	B9	395	Comb Max	2.9286	-3.0079	-6.767	0.0164	0.7833	0.0443	17.379	395-3	0.5857	
Story2	B9	395	Comb Max	3.5143	-3.0079	-4.345	0.0164	0.7833	0.0347	22.446	395-3	1.1714	
Story2	B9	395	Comb Max	3.5143	-2.7664	-2.79	0.0306	0.1594	0.0611	22.478	395-4	0	
Story2	B9	395	Comb Max	4.1	-2.7664	-0.368	0.0306	0.1594	0.0432	23.921	395-4	0.5857	
Story2	B9	395	Comb Max	4.6857	-2.7664	3.1885	0.0306	0.1594	0.0253	23.157	395-4	1.1714	
Story2	B9	395	Comb Max	4.6857	-2.4448	5.5946	0.039	-0.321	0.06	23.132	395-5	0	
Story2	B9	395	Comb Max	5.2714	-2.4448	9.3623	0.039	-0.321	0.0371	18.751	395-5	0.5857	

Story2	B73	458	Comb Max	1.8214	1.2528	-83.82	-5.754	5.7571	-5.293	8.2717	458-2	0.6071	
Story2	B73	458	Comb Max	2.4286	1.2528	-75.13	-5.754	5.7571	-1.769	83.379	458-2	1.2143	
Story2	B73	458	Comb Max	2.4286	1.4941	-54.2	-1.179	-4.128	-1.5	84.504	458-3	0	
Story2	B73	458	Comb Max	3.0357	1.4941	-45.51	-1.179	-4.128	-0.783	131.64	458-3	0.6071	
Story2	B73	458	Comb Max	3.6429	1.4941	-36.82	-1.179	-4.128	-0.066	170.57	458-3	1.2143	
Story2	B73	458	Comb Max	3.6429	0.7184	-14.25	-0.173	-6.733	-0.098	171.01	458-4	0	
Story2	B73	458	Comb Max	4.25	0.7184	-5.563	-0.173	-6.733	0.0065	180.42	458-4	0.6071	
Story2	B73	458	Comb Max	4.8571	0.7184	4.7837	-0.173	-6.733	0.1557	181.61	458-4	1.2143	
Story2	B73	458	Comb Max	4.8571	-0.4618	41.145	-0.122	-7.454	-0.036	181.36	458-5	0	
Story2	B73	458	Comb Max	5.4643	-0.4618	54.664	-0.122	-7.454	0.053	152.27	458-5	0.6071	
Story2	B73	458	Comb Max	6.0714	-0.4618	68.184	-0.122	-7.454	0.1837	114.98	458-5	1.2143	
Story2	B73	458	Comb Max	6.0714	-1.6213	104.97	-0.304	-8.146	-0.006	114.01	458-6	0	
Story2	B73	458	Comb Max	6.6786	-1.6213	118.49	-0.304	-8.146	0.2889	46.17	458-6	0.6071	
Story2	B73	458	Comb Max	7.2857	-1.6213	132.01	-0.304	-8.146	0.5985	-19.03	458-6	1.2143	
Story2	B73	458	Comb Max	7.2857	-2.9761	171.84	-0.855	-11.37	0.451	-20.088	458-7	0	
Story2	B73	458	Comb Max	7.7179	-2.9761	181.46	-0.855	-11.37	1.051	-69.135	458-7	0.4321	
Story2	B73	458	Comb Max	8.15	-2.9761	191.09	-0.855	-11.37	1.651	-120.86	458-7	0.8643	
Story2	B80	728	Comb Max	0.3051	10.3815	-28.94	-0.116	1.6377	0.1786	-37.203	728	0.3051	
Story2	B80	728	Comb Max	4.1398	22.1155	-0.655	-0.116	1.6377	0.875	30.39	728	4.1398	
Story2	B80	728	Comb Max	7.9745	33.8496	42.934	-0.116	1.6377	1.5714	-31.956	728	7.9745	
Story2	B81	729	Comb Max	0.3051	11.784	-27.41	-0.063	1.799	1.7287	-38.886	729	0.3051	
Story2	B81	729	Comb Max	3.6223	21.9346	-2.939	-0.063	1.799	2.0567	17.809	729	3.6223	
Story2	B81	729	Comb Max	6.9395	32.0852	33.444	-0.063	1.799	2.3846	-19.181	729	6.9395	
Story2	B83	753	Comb Max	0.1307	-33.618	-29.82	0.0768	1.076	0.8976	-40.989	753	0.1307	
Story2	B83	753	Comb Max	4.1398	-25.731	-0.244	0.0768	1.076	0.5897	29.96	753	4.1398	
Story2	B83	753	Comb Max	8.1488	-17.845	45.605	0.0768	1.076	0.2817	-38.956	753	8.1488	
Story2	B84	754	Comb Max	0.1307	-32.503	-26.97	0.1018	1.0198	0.2182	-39.297	754	0.1307	
Story2	B84	754	Comb Max	3.6223	-25.635	-1.216	0.1018	1.0198	-0.078	15.432	754	3.6223	
Story2	B84	754	Comb Max	7.1139	-18.767	38.156	0.1018	1.0198	-0.303	-30.712	754	7.1139	
Story1	B1	10	Comb Max	0	-0.016	-0.118	0.0062	-2.042	0.0142	-2.3571	1-Oct	0	
Story1	B1	10	Comb Max	0.5	-0.016	3.0316	0.0062	-2.042	0.0111	-2.8149	1-Oct	0.5	
Story1	B1	10	Comb Max	1	-0.016	6.248	0.0062	-2.042	0.008	-4.3062	1-Oct	1	
Story1	B1	10	Comb Max	1	-0.0665	8.7386	0.0116	-2.438	0.0178	-4.3198	2-Oct	0	
Story1	B1	10	Comb Max	1.5	-0.0665	11.955	0.0116	-2.438	0.012	-7.6451	2-Oct	0.5	
Story1	B1	10	Comb Max	2	-0.0665	15.171	0.0116	-2.438	0.0069	-12.004	2-Oct	1	
Story1	B1	10	Comb Max	2	-0.1561	16.936	0.0578	-2.846	0.0166	-12.088	3-Oct	0	
Story1	B1	10	Comb Max	2.5	-0.1561	20.152	0.0578	-2.846	-0.006	-18.048	3-Oct	0.5	
Story1	B1	10	Comb Max	3	-0.1561	23.369	0.0578	-2.846	-0.023	-25.041	3-Oct	1	
Story1	B2	28	Comb Max	0	-0.6149	-22.5	0.3074	-2.382	0.2953	-33.333	28-1	0	
Story1	B2	28	Comb Max	0.5	-0.6149	-20.43	0.3074	-2.382	0.1416	-22.601	28-1	0.5	
Story1	B2	28	Comb Max	1	-0.6149	-18.36	0.3074	-2.382	-0.008	-12.902	28-1	1	
Story1	B2	28	Comb Max	1	-1.2128	-16.93	0.1393	-2.94	0.0631	-12.778	28-2	0	
Story1	B2	28	Comb Max	1.5	-1.2128	-14.86	0.1393	-2.94	-0.004	-4.8311	28-2	0.5	
Story1	B2	28	Comb Max	2	-1.2128	-12.79	0.1393	-2.94	-0.048	3.2142	28-2	1	
Story1	B2	28	Comb Max	2	-1.7668	-11.04	0.0941	-3.34	-7E-04	3.3293	28-3	0	
Story1	B2	28	Comb Max	2.5	-1.7668	-8.968	0.0941	-3.34	-0.03	11.111	28-3	0.5	
Story1	B2	28	Comb Max	3	-1.7668	-6.9	0.0941	-3.34	-0.06	17.285	28-3	1	
Story1	B2	28	Comb Max	3	-2.1921	-5.692	0.1721	-3.445	-0.026	17.327	28-4	0	
Story1	B2	28	Comb Max	3.5	-2.1921	-3.624	0.1721	-3.445	-0.079	20.953	28-4	0.5	
Story1	B2	28	Comb Max	4	-2.1921	-1.557	0.1721	-3.445	-0.132	22.971	28-4	1	
Story1	B3	36	Comb Max	0	-2.2805	-5.264	-0.047	-4.956	-0.117	19.515	36-1	0	
Story1	B3	36	Comb Max	0.4542	-2.2805	-3.386	-0.047	-4.956	-0.096	22.575	36-1	0.4542	
Story1	B3	36	Comb Max	0.9083	-2.2805	-1.508	-0.047	-4.956	-0.075	24.309	36-1	0.9083	
Story1	B3	36	Comb Max	0.9083	-1.9625	0.0052	-0.129	-5.241	-0.094	24.337	36-2	0	
Story1	B3	36	Comb Max	1.3625	-1.9625	2.8783	-0.129	-5.241	-0.035	23.694	36-2	0.4542	
Story1	B3	36	Comb Max	1.8167	-1.9625	5.7998	-0.129	-5.241	0.0385	21.723	36-2	0.9083	
Story1	B3	36	Comb Max	1.8167	-0.9826	8.9769	-0.117	-5.565	-0.035	21.713	36-3	0	
Story1	B3	36	Comb Max	2.2708	-0.9826	11.898	-0.117	-5.565	0.0311	16.972	36-3	0.4542	
Story1	B3	36	Comb Max	2.725	-0.9826	14.82	-0.117	-5.565	0.1183	10.905	36-3	0.9083	
Story1	B3	36	Comb Max	2.725	-0.4372	14.803	-0.002	-5.213	-0.068	11.526	36-4	0	
Story1	B3	36	Comb Max	3.0437	-0.4372	16.853	-0.002	-5.213	-0.066	6.4811	36-4	0.3188	
Story1	B3	36	Comb Max	3.3625	-0.4372	18.904	-0.002	-5.213	-0.063	0.7899	36-4	0.6375	
Story1	B3	36	Comb Max	3.3625	-0.5812	13.979	-0.117	-4.468	-0.062	0.9318	36-5	0	
Story1	B3	36	Comb Max	3.6813	-0.5812	16.03	-0.117	-4.468	-0.022	-2.4597	36-5	0.3188	
Story1	B3	36	Comb Max	4	-0.5812	18.08	-0.117	-4.468	0.0233	-5.9537	36-5	0.6375	
Story1	B4	37	Comb Max	0	-0.3547	19.671	-0.262	-7.17	0.0136	6.541	37-1	0	

Story1	B70	70	Comb Max	3.4286	7.2691	-6.521	0.0421	1.5619	-1.183	111.61	70-4	0
Story1	B70	70	Comb Max	4	7.2691	2.5095	0.0421	1.5619	-1.199	113.81	70-4	0.5714
Story1	B70	70	Comb Max	4.5714	7.2691	15.234	0.0421	1.5619	-1.214	108.74	70-4	1.1429
Story1	B70	70	Comb Max	4.5714	7.2382	41.245	-0.218	-8.335	-1.225	108.41	70-5	0
Story1	B70	70	Comb Max	5.1429	7.2382	53.969	-0.218	-8.335	-1.1	81.202	70-5	0.5714
Story1	B70	70	Comb Max	5.7143	7.2382	66.693	-0.218	-8.335	-0.975	46.727	70-5	1.1429
Story1	B70	70	Comb Max	5.7143	7.552	91.148	-0.93	-17.46	-1.024	45.768	70-6	0
Story1	B70	70	Comb Max	6.2857	7.552	103.87	-0.93	-17.46	-0.492	-6.2924	70-6	0.5714
Story1	B70	70	Comb Max	6.8571	7.552	116.6	-0.93	-17.46	0.0583	-46.76	70-6	1.1429
Story1	B70	70	Comb Max	6.8571	8.1374	138.41	-3.461	-26.77	0.0741	-47.78	70-7	0
Story1	B70	70	Comb Max	7.2536	8.1374	147.23	-3.461	-26.77	2.2097	-84.156	70-7	0.3964
Story1	B70	70	Comb Max	7.65	8.1374	156.06	-3.461	-26.77	4.3453	-122.78	70-7	0.7929
Story1	B71	71	Comb Max	0.35	24.6047	-134.3	-1.175	2.2063	-0.651	-154.15	71-1	0.35
Story1	B71	71	Comb Max	0.7821	24.6047	-128.2	-1.175	2.2063	-0.144	-97.429	71-1	0.7821
Story1	B71	71	Comb Max	1.2143	24.6047	-122	-1.175	2.2063	0.5644	-43.383	71-1	1.2143
Story1	B71	71	Comb Max	1.2143	20.2115	-96.67	-0.039	12.85	0.5598	-41.492	71-2	0
Story1	B71	71	Comb Max	1.8214	20.2115	-87.98	-0.039	12.85	0.5975	22.455	71-2	0.6071
Story1	B71	71	Comb Max	2.4286	20.2115	-79.29	-0.039	12.85	0.6352	101.5	71-2	1.2143
Story1	B71	71	Comb Max	2.4286	18.1386	-55.04	0.1696	17.835	0.5775	103.43	71-3	0
Story1	B71	71	Comb Max	3.0357	18.1386	-46.35	0.1696	17.835	0.4746	151.36	71-3	0.6071
Story1	B71	71	Comb Max	3.6429	18.1386	-37.66	0.1696	17.835	0.3716	191.08	71-3	1.2143
Story1	B71	71	Comb Max	3.6429	17.5891	-12.61	0.1303	18.941	0.3358	191.8	71-4	0
Story1	B71	71	Comb Max	4.25	17.5891	-3.923	0.1303	18.941	0.2567	199.66	71-4	0.6071
Story1	B71	71	Comb Max	4.8571	17.5891	7.3361	0.1303	18.941	0.1776	199.31	71-4	1.2143
Story1	B71	71	Comb Max	4.8571	18.2254	46.807	0.0974	17.581	0.1699	198.82	71-5	0
Story1	B71	71	Comb Max	5.4643	18.2254	60.326	0.0974	17.581	0.1108	166.3	71-5	0.6071
Story1	B71	71	Comb Max	6.0714	18.2254	73.845	0.0974	17.581	0.0516	125.57	71-5	1.2143
Story1	B71	71	Comb Max	6.0714	20.1972	112.58	0.052	15.001	0.0582	123.86	71-6	0
Story1	B71	71	Comb Max	6.6786	20.1972	126.1	0.052	15.001	0.0293	51.404	71-6	0.6071
Story1	B71	71	Comb Max	7.2857	20.1972	139.62	0.052	15.001	0.0035	-18.641	71-6	1.2143
Story1	B71	71	Comb Max	7.2857	23.9403	177.04	-0.115	12.197	0.0251	-20.466	71-7	0
Story1	B71	71	Comb Max	7.7179	23.9403	186.66	-0.115	12.197	0.0993	-70.957	71-7	0.4321
Story1	B71	71	Comb Max	8.15	23.9403	196.28	-0.115	12.197	0.1778	-124.12	71-7	0.8643
Story1	B72	72	Comb Max	0.35	10.5875	-108	5.2365	39.773	4.2181	-132.82	72-1	0.35
Story1	B72	72	Comb Max	0.725	10.5875	-102.6	5.2365	39.773	2.2545	-93.33	72-1	0.725
Story1	B72	72	Comb Max	1.1	10.5875	-97.25	5.2365	39.773	0.2908	-55.856	72-1	1.1
Story1	B72	72	Comb Max	1.1	9.8266	-84.65	1.3743	27.26	0.2713	-54.683	72-2	0
Story1	B72	72	Comb Max	1.65	9.8266	-76.78	1.3743	27.26	-0.309	-10.29	72-2	0.55
Story1	B72	72	Comb Max	2.2	9.8266	-68.9	1.3743	27.26	-0.795	46.18	72-2	1.1
Story1	B72	72	Comb Max	2.2	9.4453	-54.56	0.2783	15.848	-0.743	47.386	72-3	0
Story1	B72	72	Comb Max	2.75	9.4453	-46.68	0.2783	15.848	-0.842	90.733	72-3	0.55
Story1	B72	72	Comb Max	3.3	9.4453	-38.81	0.2783	15.848	-0.94	127.34	72-3	1.1
Story1	B72	72	Comb Max	3.3	9.3771	-23.42	-0.013	4.5702	-0.917	127.94	72-4	0
Story1	B72	72	Comb Max	3.85	9.3771	-15.55	-0.013	4.5702	-0.91	144.65	72-4	0.55
Story1	B72	72	Comb Max	4.4	9.3771	-7.674	-0.013	4.5702	-0.902	154.62	72-4	1.1
Story1	B72	72	Comb Max	4.4	9.7253	12.364	-0.062	-4.237	-0.926	154.62	72-5	0
Story1	B72	72	Comb Max	4.95	9.7253	24.611	-0.062	-4.237	-0.892	144.45	72-5	0.55
Story1	B72	72	Comb Max	5.5	9.7253	36.858	-0.062	-4.237	-0.858	127.55	72-5	1.1
Story1	B72	72	Comb Max	5.5	10.5743	60.963	-0.213	-11.45	-0.931	126.95	72-6	0
Story1	B72	72	Comb Max	6.05	10.5743	73.21	-0.213	-11.45	-0.814	90.057	72-6	0.55
Story1	B72	72	Comb Max	6.6	10.5743	85.457	-0.213	-11.45	-0.697	46.424	72-6	1.1
Story1	B72	72	Comb Max	6.6	11.9784	106.57	-0.776	-19.3	-0.819	45.255	72-7	0
Story1	B72	72	Comb Max	7.15	11.9784	118.82	-0.776	-19.3	-0.392	-10.623	72-7	0.55
Story1	B72	72	Comb Max	7.7	11.9784	131.06	-0.776	-19.3	0.053	-54.776	72-7	1.1
Story1	B72	72	Comb Max	7.7	14.4219	138.56	-3.107	-28.37	-0.051	-56.282	72-8	0
Story1	B72	72	Comb Max	8.075	14.4219	146.91	-3.107	-28.37	1.7331	-90.674	72-8	0.375
Story1	B72	72	Comb Max	8.45	14.4219	155.26	-3.107	-28.37	3.5468	-127.08	72-8	0.75
Story1	B73	73	Comb Max	0.35	27.4185	-131.3	-1.45	10.139	-1.567	-149.56	73-1	0.35
Story1	B73	73	Comb Max	0.7821	27.4185	-125.2	-1.45	10.139	-0.94	-94.143	73-1	0.7821
Story1	B73	73	Comb Max	1.2143	27.4185	-119	-1.45	10.139	-0.314	-41.395	73-1	1.2143
Story1	B73	73	Comb Max	1.2143	22.1979	-93.05	-0.555	-1.712	-0.335	-40.495	73-2	0
Story1	B73	73	Comb Max	1.8214	22.1979	-84.36	-0.555	-1.712	0.002	20.488	73-2	0.6071
Story1	B73	73	Comb Max	2.4286	22.1979	-75.67	-0.555	-1.712	0.5256	96.136	73-2	1.2143
Story1	B73	73	Comb Max	2.4286	19.5564	-53.09	-0.179	-7.075	0.4249	97.252	73-3	0
Story1	B73	73	Comb Max	3.0357	19.5564	-44.4	-0.179	-7.075	0.5951	143.36	73-3	0.6071
Story1	B73	73	Comb Max	3.6429	19.5564	-35.71	-0.179	-7.075	0.7653	181.26	73-3	1.2143
Story1	B73	73	Comb Max	3.6429	18.5744	-12.8	-0.045	-8.877	0.7492	181.69	73-4	0
Story1	B73	73	Comb Max	4.25	18.5744	-4.114	-0.045	-8.877	0.7926	189.75	73-4	0.6071
Story1	B73	73	Comb Max	4.8571	18.5744	7.0029	-0.045	-8.877	0.8361	189.6	73-4	1.2143
Story1	B73	73	Comb Max	4.8571	18.9923	43.426	0.1182	-9.453	0.8723	189.32	73-5	0
Story1	B73	73	Comb Max	5.4643	18.9923	56.945	0.1182	-9.453	0.8005	158.85	73-5	0.6071
Story1	B73	73	Comb Max	6.0714	18.9923	70.464	0.1182	-9.453	0.7288	120.18	73-5	1.2143
Story1	B73	73	Comb Max	6.0714	20.8787	107.21	0.8233	-10.32	0.8537	119.18	73-6	0
Story1	B73	73	Comb Max	6.6786	20.8787	120.73	0.8233	-10.32	0.3538	49.983	73-6	0.6071
Story1	B73	73	Comb Max	7.2857	20.8787	134.25	0.8233	-10.32	-0.091	-17.395	73-6	1.2143
Story1	B73	73	Comb Max	7.2857	25.0362	174.15	3.6839	-13.94	-0.09	-18.466	73-7	0
Story1	B73	73	Comb Max	7.7179	25.0362	183.77	3.6839	-13.94	-1.112	-68.143	73-7	0.4321
Story1	B73	73	Comb Max	8.15	25.0362	193.39	3.6839	-13.94	-2.135	-120.49	73-7	0.8643

Lampiran 1.3 Material CFRP HM-60



Transportation and Storage This product should be stored in a dry, cool and well-ventilated environment. It should not be exposed to rain, or subjected to impact by sharp objects.

During transportation and storage, carbon fiber materials shall not be squeezed or compressed, so as to avoid carbon fiber damage, and shall not be exposed to direct sunlight and/or rain.

Safety Measures The construction workers should take all necessary protective measures (such as wearing masks, gloves, goggles, etc.). Safety measures should be taken on site to keep the site clean and prevent fire hazards.

Carbon fiber is conductive, safety measures should be taken to prevent electric shocks.

Carbon fiber sheets should not be bent during transportation, handling, and cutting process.

HEAD OFFICE
Shanghai Horse Construction Co., Ltd.
Address: 501, No. 10, Lane 1228 Jiangchang Rd, Shanghai, China
Postcode: 200072
Fax: +86-21-36523017
Sales Hotline: +86-21-56505428-8108
Email: info@hhorse.com

For more information, please visit our website at www.horseen.com



Typical Fiber Properties


Dry Fiber Typical Properties

Stand Value of Tensile Strength	4900 Mpa
Tensile Elastic Modulus	2.4×10 ⁵ MPa
Elongation	0.016

Laminated Fiber Typical Properties

Stand Value of Tensile Strength (ASTM D3039)	4100 Mpa
Tensile Elastic Modulus (ASTM D3039)	2.4×10 ⁵ MPa
Elongation (ASTM D3039)	0.016
Flexural Strength (ASTM D7264)	1000 Mpa
Shear Strength (ASTM D2344)	80 Mpa
FRP with Concrete Bonding Strength	≥ 2.5Mpa, concrete cohesion damage
Density	1.8g/cm ³
Fiber Thickness	0.333mm

Room 501, 10#Building, Lane 1228 Jiangchang Rd, Shanghai, China
Tel: 86-21-56505428 Fax: 86-21-36523027



Application Range

- **Load Increase**
Increase in loads in commercial buildings
Increase in traffic weight and volume on bridges
Installation of heavy equipment in industrial facilities
Increase of vibration in structures
- **Improve Structural Condition**
Reduce deformations
Reduce stresses in existing structural elements
Limit or arrest crack propagation
- **Seismic Retrofitting**
Columns wrapping reinforcement for improving ductility and shear strength
Masonry walls reinforcement for improving out-of-plane bending and in-plane shear strengths
Beam and slab reinforcement
- **Change Structural System (Structural Alterations)**
Removal of walls or columns
Removal of slab sections for openings
- **Aging and Damaged Structures**
Aging of old deteriorated construction materials
Corrosion of steel bars in concrete
Vehicles collision impact on structures (impact damage)
- **Design or Construction Errors**
Lack of adequate well-detailed reinforcing bars
Inadequate member cross section
Substandard concrete material strength



Horse Advantage

■ Aviation Grade Yarn

Produced from high-quality international aviation grade yarn, every carbon fiber yarn length kept over 5000 meters to ensure the continuity of the carbon fiber fabrics without damage raw fiber.

■ World Leading Production Line

Germany imported intelligent production line. Point to point active weaving insertion. No damage or break of filament during the whole production process.

■ Patented Tension Controlling System


Independently developed constant tension system, ensures every bunch of raw fiber is kept under constant tension. With low dispersion, high strength, stable properties, the qualification rate by national authority testing organization is 100%.

■ Less Epoxy Adhesive Usage

The carbon fiber fabric is woven evenly and smooth, moderate soft, good suitability with the impregnated adhesive, which are easy to impregnate. The total adhesive usage is just 15%, less than products by other manufacturers, and the hollow issues maintained at 80% less than other products.

■ Large Output and Timely Delivery

Annual production capacity of quality carbon fiber fabric is 5 million square meters, while maintaining a daily stock of over 100,000 square meter to meet any project's demands, around the world.



Shanghai Horse Construction
Product Data Sheet
Edition 1.1.2019

Horse HM-60



Unidirectional Carbon Fiber Fabric For Strengthening

Description HM-60 is a high strength, high modulus unidirectional carbon fiber fabric.

It is laminated with epoxy resin adhesive to form a carbon fiber reinforced polymer lamination (CFRP) used in structural strengthening.

Carbon fiber not only has high strength and high elastic modulus, but also possesses the characteristics of light self-weight and high durability.


First, it was adopted for the aerospace and auto industry applications, followed by the sporting goods and machinery industries.

In recent years, as the substitute of reinforcing materials in concrete structures, it has been widely used for seismic strengthening of highway structures, railway and bridge piers, tunnels, and buildings.

Currently, it is being explored for structural modifications of highway bridges for increase in traffic volume.

Product Characteristic

- **Light self-weight:**
Allows operation in a narrow and tight spaces;
Minimal impact on the normal use of the structure during construction;
Adds almost no additional weight to the existing structure.
- **High strength, high modulus:**
Very effective in flexural strengthening in the form of straight sheets, shear strengthening in the form of closed loop wrapping, U-shaped and side bonding;
Increase ductility and strength of circular columns in the form of transverse wrapping;
Restoration of various complex shape structural elements.
- **Wide application range:**
Suitable for surface of various structural components: Beams, columns, ventilation tubes, pipes, walls, etc.;
It could be used on various types of structural components and systems, e.g. concrete structures, masonry structures, wood structures, steel structures, and many other structural elements and systems.
- **Anticorrosion:**
Anti-acid, alkali and other chemical corrosion and resistance to severe environments.
- **Long storage life:**
Allows for long operation projects and extended deadlines.
- **High temperature resistance, limited creep resistance under high permanent loads, high corrosion resistance and excellent seismic strengthening system.**



Technical Parameters

Model	Specification	Strength Grade		Thickness
		High strength Grade I	High strength Grade II	
HM-20	200g/m ²	High strength Grade I	High strength Grade II	0.111mm
HM-23	230g/m ²	High strength Grade I	High strength Grade II	0.128mm
HM-30	300g/m ²	High strength Grade I	High strength Grade II	0.167mm
HM-43	430g/m ²	High strength Grade I	High strength Grade II	0.240mm
HM-45	450g/m ²	High strength Grade I	High strength Grade II	0.250mm
HM-53	530g/m ²	High strength Grade I	High strength Grade II	0.294mm
HN-60	600g/m ²	High strength Grade I	High strength Grade II	0.333mm

Model HM-60
Appearance Black fabric
Length 50
Width Regular width is 100mm, 150mm, 200mm, 250mm, 300mm, 500mm, other width can be customized.
Shelf Life 10 years
Storage Conditions Store in dry conditions at 40°F to 95°F (4°C to 35°C)
Braiding 0° (Unidirectional)
Areal Weight 600g/m²
Package This product uses carton package.
 When the width is 100mm, 200mm, 300mm, the total area of carbon fiber per case is 30m²;
 when the width is 250mm, 500mm, the total area of carbon fiber per case is 25m².

Construction Process

Please scan the QR code to watch the video



1. **Surface Preparing:** Remove the coating of concrete surface with grinder. Polishing the Surface. If there is angular, grinder it into round.
2. **Setting out:** Get the concrete surface clean and keep it dry, then setting out.
3. **Apply Primer:** Apply primer adhesive onto the surface of the concrete.
4. **Apply Putty/Leveling:** Apply putty for repairing and leveling if needed.
5. **Fabric Cutting:** Cut carbon fiber fabric into sizes as designed.
6. **Preparing the Impregnation adhesive:** Weight and mixing adhesive according to ratio. Stirring the adhesive until the color is even. Avoid air bubble in this process.
7. **Applying Impregnation Adhesive:** Apply impregnation adhesive when primer adhesive is touch dry. (if primer is not required, impregnated adhesive can be applied directly.)
8. **Apply carbon fiber fabric:** Apply carbon fiber fabric onto the concrete surface as designed. Leveling the surface from one end to another.
9. **Check Gap or Bubble:** Apply impregnation carbon fiber adhesive again. Make sure the adhesive impregnate fully into the fabric. The surface flat and no air bubble. Repeat above process from cutting carbon fiber if applying two or more layers.