

DAFTAR PUSTAKA

- Abdelwahab, A. H. *et al.* (2017) 'Comparative Effects of Stevia rebaudiana and Aspartame on hepato-renal function of diabetic rats : Biochemical and Histological Approaches ARTICLE Comparative Effects of Stevia rebaudiana and Aspartame on hepato-renal function of diabetic rats : Biochemical and Histological Approaches', (August). doi: 10.7324/JAPS.2017.70806.
- Abo Elnaga, N. I. E. *et al.* (2016) 'Effect of stevia sweetener consumption as non-caloric sweetening on body weight gain and biochemical's parameters in overweight female rats', *Annals of Agricultural Sciences*. Faculty of Agriculture, Ain Shams University, 61(1), pp. 155–163. doi: 10.1016/j.aos.2015.11.008.
- Al-Maskari, Awatif Y, Masoud Y, S. A. (2011) 'Oral manifestation and complication of diabetes mellitus', *Sultan Qaboos Univ Med J.*, 11(2), pp. 179–186.
- American Diabetes Association (2013) 'Diagnosis and Classification of Diabetes Mellitus.', *Diabetes care*, 36(1), pp. S67–S74. doi: 10.2337/dc13-S067.
- American Diabetes Association (2017) 'Classification and Diagnosis of Diabetes', *Diabetes Care*, 40(1), pp. S11–S24. doi: 10.2337/dc17-S005.
- American Diabetes Association (2018) 'Standard medical care in diabetes 2018', *Diabetes Care*, 41(1). doi: 10.2337/dc18-Sint01.
- Amin, I. M. (2011) 'Nutritional Properties of Abelmoschus Esculentus as Remedy to Manage Diabetes Mellitus : A Literature Review', *International Conference on Biomedical Engineering and Technology IPCBEE (2011) IACSIT Press, Singapore*, 11, pp. 50–54.
- Anjani, P. P. (2018) 'POTENSI ANTIDIABETES EKSTRAK OKRA UNGU (Abelmoschus esculentus L.) PADA TIKUS MODEL DIABETES YANG DIINDUKSI STREPTOZOTOCIN'.
- Assaei, R. *et al.* (2016) 'Hypoglycemic effect of aquatic extract of Stevia in pancreas of diabetic rats: PPAR γ -dependent regulation or antioxidant potential', *Avicenna Journal of Medical Biotechnology*, 8(2), pp. 65–74. doi: 10.1016/j.metabol.2003.07.013.
- Ayala, A. (2014) 'Lipid Peroxidation: Production, Metabolism, and Signaling Mechanisms of Malondialdehyde and 4-Hydroxy-2-Nonenal', p. 31.

- Chang, C. *et al.* (2013) 'Herbal Therapies for Type 2 Diabetes Mellitus: Chemistry, Biology, and Pote...: EBSCOhost', *Evidence-based complementary and alternative medicine : eCAM*, 2013, pp. 1–33. doi: <http://dx.doi.org/10.1155/2013/378657>.
- Damayanthi, E., Rimbawan, R. and Handharyani, E. (2018) 'Potential of okra (*Abelmoschus esculentus* L.) extract to reduce blood glucose and malondialdehyde (MDA) liver in streptozotocin-induced diabetic rats', *Jurnal Gizi dan Pangan*, 13(1), pp. 47–54. doi: 10.25182/jgp.2018.13.1.47-54.
- Departement of Biotechnology Ministry of Science and Technology Government of India (2011) *Biology of Okra, Series of Crop Specific Biology*. India.
- Dinas Kesehatan Provinsi Jawa Tengah (2016) 'Full-Text', 3511351(24).
- Elberry, A. A. *et al.* (2015) 'Methanolic extract of *Marrubium vulgare* ameliorates hyperglycemia and dyslipidemia in streptozotocin-induced diabetic rats', *International Journal of Diabetes Mellitus*. International Journal of Diabetes Mellitus, 3(1), pp. 37–44. doi: 10.1016/j.ijdm.2011.01.004.
- Fan, S. *et al.* (2014) 'Extract of okra lowers blood glucose and serum lipids in high-fat diet-induced obese C57BL/6 mice.', *The Journal of nutritional biochemistry*. Elsevier Inc., 25(7), pp. 702–9. doi: 10.1016/j.jnutbio.2014.02.010.
- Farbstein, D., Blickstein, A. K. and Levy, A. P. (2010) 'Antioxidant vitamins and their use in preventing cardiovascular disease', *Molecules*, 15(11), pp. 8098–8110. doi: 10.3390/molecules15118098.
- Francisco, F. *et al.* (2018) 'Characterization of *Stevia rebaudiana* Bertoni Accessions Cultived in Southern Brazil', *Journal of Agricultural Science*, 10(3), p. 353. doi: 10.5539/jas.v10n3p353.
- Gasmalla, M. A. A. *et al.* (2014) 'Nutritional composition of *Stevia rebaudiana* bertonii leaf: Effect of drying method', *Tropical Journal of Pharmaceutical Research*, 13(1), pp. 61–65. doi: 10.4314/tjpr.v13i1.9.
- Gemedé, H. F. *et al.* (2014) 'Nutritional Quality and Health Benefits of Okra (*Abelmoschus Esculentus*): A Review', *Global Journal Of Medical Research: K Interdisciplinary*, 14(5), pp. 29–37. doi: 10.4172/2157-7110.1000458.
- Ghasemi, A., Khalifi, S. and Jedi, S. (2014) 'Streptozotocin nicotinamide induced

- rat model of type 2 diabetes', *Acta Physiologica Hungarica*, 101(4), pp. 408–420. doi: 10.1556/APhysiol.101.2014.4.2.
- Gupta, E., Purwar, S., Sundaram, S. & Rai, G. K. (2013) 'Nutritional and therapeutic values of *Stevia rebaudiana*: a review', *academicJournals*, 7(46), pp. 3344–3353. doi: 10.5897/JMPR2013.5276.
- International Diabetes Federation (2017) *Eighth edition 2017*. doi: [http://dx.doi.org/10.1016/S0140-6736\(16\)31679-8](http://dx.doi.org/10.1016/S0140-6736(16)31679-8).
- Jaggi, S. (2015) 'Increased serum malondialdehyde levels among cigarette smokers', 4(4), pp. 94–96.
- Jain, N. *et al.* (2012) 'A Review On : *Abelmoschus Esculentus*', *Pharmacia*, 1(3), pp. 84–89.
- Khan, M. A. (2014) 'Increased Malondialdehyde Levels in Coronary Heart Disease'.
- Khomsug, P. *et al.* (2010) 'Antioxidative Activities and Phenolic Content of Extracts from Okra (*Abelmoschus esculentus* L.)', *Research Journal of Biologi Sciences*, 5(4), pp. 310–313.
- Kishore, L., Kajal, A. and Kaur, N. (2017) 'Role of Nicotinamide in Streptozotocin Induced Diabetes in Animal Models', *journal of endocrinology & thyroid research (JETR)*, 2(1), pp. 1–4. doi: 10.19080/JETR.2017.02.555577.
- Konstantinos Papatheodorou, Nikolaos Papanas, Maciej Banach, Dimitrios Papazoglou, and Michael E. (2016) 'Complications of Diabetes', *Complications of Diabetes 2016*, 2016(Dm), pp. 3–5.
- Kumar, S. and Pandey, A. K. (2013) 'Chemistry and Biological Activities of Flavonoids', *Hindawi Publishing Corporation The ScientificWorld Journal*, pp. 1–16. doi: <http://dx.doi.org/10.1155/2013/162750>.
- Kurt, H. *et al.* (2012) 'Comparative therapeutic potentials of acarbose and a formulated herbal extract on type 2 diabetic rats', 6(29), pp. 2194–2204. doi: 10.5897/AJPP12.296.
- Liu, X., Ryabenkova, Y. and Conte, M. (2015) 'Catalytic oxygen activation versus autoxidation for industrial applications: a physicochemical approach', *Physical Chemistry*, 17(2), pp. 715–731. doi: <http://dx.doi.org/10.1039/c4cp0356b>.
- Majd, N. E. *et al.* (2018) 'Okra (*Abelmoschus esculentus*) Improved Islets

Structure, and Down-Regulated PPARs Gene Expression in Pancreas of High-Fat Diet and Streptozotocin-Induced Diabetic Rats', *Cell Journal*, 20(1), pp. 31–40. doi: 10.22074/cellj.2018.4819.

- Marcinek, K. and Krejpcio, Z. (2015) 'Stevia Rebaudiana bertonii - chemical composition and functional properties', *Acta Scientiarum Polonorum, Technologia Alimentaria*, 14(2), pp. 145–152. doi: 10.17306/J.AFS.2015.2.16.
- Mathebula, S. D. (2015) 'Polyol pathway: A possible mechanism of diabetes complications in the eye', *Afr. Vision Eye Health*, 74(1), pp. 1–5. doi: 10.4102/aveh.v74i1.13.
- Mohamed K, Yates J, R. A. (2012) 'Diabetes mellitus: considerations for the dental practitioner.', *Dent Update.*, 41(2), pp. 144–6, 149–50, 153–4.
- Nimse, S. B. and Pal, D. (2015) 'Free Radicals, Natural Antioxidants, And Their reaction Mechanisms', *RSC Advances*, 5, pp. 1–36. doi: 10.1039/C4RA13315C.
- O. Graham, J., K. Agbenorhevi, J. and M. Kpodo, F. (2017) 'Total Phenol Content and Antioxidant Activity of Okra Seeds from Different Genotypes', *American Journal of Food and Nutrition*, 5(3), pp. 90–94. doi: 10.12691/ajfn-5-3-2.
- Oboh, G. *et al.* (2016) 'ScienceDirect Influence of gallic acid on α -amylase and α -glucosidase inhibitory properties of acarbose', 4, pp. 2–9. doi: 10.1016/j.jfda.2016.03.003.
- Ozougwu, O. (2013) 'The pathogenesis and pathophysiology of type 1 and type 2 diabetes mellitus', *Journal of Physiology and Pathophysiology*, 4(4), pp. 46–57. doi: 10.5897/JPAP2013.0001.
- Perkumpulan Endokrinologi Indonesia (2015) *Konsensus pengelolaan dan pencegahan diabetes melitus tipe 2 di Indonesia 2015*. Jakarta: PB PERKENI.
- Purohit, V. and Mishra, S. (2018) 'Authors reply: Stevia: Long term data is lacking!', *Indian Heart Journal*. Cardiological Society of India, 70(3), p. 459. doi: 10.1016/j.ihj.2018.06.012.
- Ray, J. *et al.* (2013) 'Exploratory Investigation On The Hypoglycemic Effect Of *Abelmoschus Esculentus* In Mice', *International Journal of Scientific & Technology Research*, 2(11), pp. 249–253.
- Repetto, M., Semprine, J. and Boveris, A. (2012) 'Lipid Peroxidation : Chemical Mechanism , Biological Implications and Analytical Determination',

pp. 3–30. doi: <http://dx.doi.org/10.5772/45943>.

- Rotimi, S. O. *et al.* (2018) ‘Stevioside modulates oxidative damage in the liver and kidney of high fat/low streptozocin diabetic rats.’, *Heliyon*. Elsevier Ltd, 4(5), p. e00640. doi: 10.1016/j.heliyon.2018.e00640.
- Roy, A., Shrivastava, S. L. and Mandal, S. M. (2014) ‘Functional properties of Okra *Abelmoschus esculentus* L. (Moench): traditional claims and scientific evidences’, *Plant Science Today*, 1(3), pp. 121–130. doi: 10.14719/pst.2014.1.3.63.
- Sabitha, V. *et al.* (2011) ‘Antidiabetic and antihyperlipidemic potential of *Abelmoschus esculentus* (L.) Moench. in streptozotocin-induced diabetic rats’, *Journal of Pharmacy and Bioallied Sciences*, 3(3), pp. 397–402. doi: 10.4103/0975-7406.84447.
- Salway, J. G. (2012) ‘Medical Biochemistry at a Glance’. Wiley-Blackwell, pp. 64–65.
- Siddiqui, A. A. *et al.* (2013) ‘Diabetes: Mechanism, pathophysiology and management-A review’, *International Journal of Drug Development and Research*, 5(2), pp. 1–23.
- Szkudelski, T. (2012) ‘Streptozotocin–nicotinamide-induced diabetes in the rat. Characteristics of the experimental model’, *Experimental Biology and Medicine*, 237(5), pp. 481–490. doi: 10.1258/ebm.2012.011372.
- Tangvarasittichai, S. (2016) ‘Serum levels of malondialdehyde in type 2 diabetes mellitus Thai subjects’, (January 2009).
- Wahjuni, S. (2012) *Monograf Malondialhid Prekursor Stress Oksidatif*. 1st edn. Denpasar: Udayana University Press.
- Weiss, S. L. (2014) ‘Elevated malondialdehyde levels in sepsis - something to stress about?’, *Critical Care*. Critical Care, pp. 1–2.
- Yaradua, I., Ibrahim, M. and Bilbis, L. (2018) ‘Antidiabetic Activity of *Abelmoschus esculentus* (Ex- Maradi Okra) Fruit in Alloxan-induced Diabetic Rats’, (March).
- Zhang, Q. *et al.* (2013) ‘Acarbose reduces blood glucose by activating miR-10a-5p and miR-664 in diabetic rats’, *PLoS ONE*. doi: 10.1371/journal.pone.0079697.