

DAFTAR PUSTAKA

- Abdul K. Abbas, Lichman, A. H. and Pillai, S. (2016) *Imunologi Dasar Abbas : Fungsi dan Kelainan Sistem Imun*. Edisi Keli. ELSEVIER.
- Ahmadiafshar, A., Mohsenifard, M. R. and Mazloomzadeh, S. (2015) “Evaluation of serum & salivary IgA in patients with type 1 diabetes,” *PLoS ONE*, 10(4), pp. 1–7. doi: 10.1371/journal.pone.0122757.
- Andra Iulia-Suceveanu, Sergiu Ioan Micu, Claudia Voinea, Madalina Elena Manea, Doina Catrinoiu, Laura Mazilu, Anca Pantea Stoian, Irinel Parepa, R. A. S. and (2014) “Metformin and Its Benefits in Improving Gut Microbiota Disturbances in Diabetes Patients,” *IntechOpen*, i(October), p. 13. doi: 10.5772/57353.
- Azhar, M. (2009) “Inulin Sebagai Prebiotik,” *Jurnal Ilmiah Ilmu Pengetahuan dan Teknologi*, 12(1), pp. 1–8.
- Barclay, T. et al. (2010) “Inulin - A versatile polysaccharide with multiple pharmaceutical and food chemical uses,” *Journal of Excipients and Food Chemicals*, 1(3), pp. 27–50.
- Bauer, P. V. et al. (2018) “Metformin Alters Upper Small Intestinal Microbiota that Impact a Glucose-SGLT1-Sensing Glucoregulatory Pathway,” *Cell Metabolism*. Elsevier Inc., 27(1), pp. 101-117.e5. doi: 10.1016/j.cmet.2017.09.019.
- Brunkwall, L. and Orho-Melander, M. (2017) “The gut microbiome as a target for prevention and treatment of hyperglycaemia in type 2 diabetes: from current human evidence to future possibilities,” *Diabetologia*. Diabetologia, 60(6), pp. 943–951. doi: 10.1007/s00125-017-4278-3.
- Burton, J. H. et al. (2015) “Addition of a gastrointestinal microbiome modulator to metformin improves metformin tolerance and fasting glucose levels,” *Journal of Diabetes Science and Technology*, 9(4), pp. 808–814. doi: 10.1177/1932296815577425.
- Das C Hansen KC and Tyler JK, L. M. S. (2017) “Microbiota metabolite short chain fatty acid acetate promotes intestinal IgA response to microbiota which is mediated by GPR43,” *Physiology & behavior*, 176(3), pp. 139–148. doi: 10.1016/j.physbeh.2017.03.040.
- Corthésy, B. (2013) “Multi-faceted functions of secretory IgA at mucosal surfaces,” *Frontiers in Immunology*, 4(JUL), pp. 1–11. doi: 10.3389/fimmu.2013.00185.
- Devaraj, S., Venkatachalam, A. and Chen, X. (2016) “Metformin and the Gut

- Microbiome in Diabetes,” *Clinical Chemistry*, 62(12), pp. 1554–1555. doi: 10.1373/clinchem.2016.256842.
- Furman, B. L. (2015) “Streptozotocin-Induced Diabetic Models in Mice and Rats,” *Current protocols in pharmacology*, 70(September 2015), pp. 5.47.1-5.47.20. doi: 10.1002/0471141755.ph0547s70.
- Geerlings, S. et al. (2018) “Akkermansia muciniphila in the Human Gastrointestinal Tract: When, Where, and How?,” *Microorganisms*, 6(3), p. 75. doi: 10.3390/microorganisms6030075.
- Greenway, F., Wang, S. and Heiman, M. (2014) “A novel cobiotic containing a prebiotic and an antioxidant augments the glucose control and gastrointestinal tolerability of metformin: A case report,” *Beneficial Microbes*, 5(1), pp. 29–32. doi: 10.3920/BM2012.0063.
- Gutzeit, C., Magri, G. and Cerutti, A. (2014) “Intestinal IgA production and its role in host-microbe interaction,” *Immunological Reviews*, 260(1), pp. 76–85. doi: 10.1111/imr.12189.
- Hayati, M., Herman, H. and Rezano, A. (2014) “PERAN IMUNOGLOBULIN A (SIgA) DALAM MENGHAMBAT PEMBENTUKAN BIOFILM STREPTOKOKUS MUTANS PADA PERMUKAAN GIGI,” *dentika Dental Journal*, 18(22), pp. 199–203.
- Ito, H. et al. (2011) “Degree of polymerization of inulin-type fructans differentially affects number of lactic acid bacteria, intestinal immune functions, and immunoglobulin a secretion in the rat cecum,” *Journal of Agricultural and Food Chemistry*, 59(10), pp. 5771–5778. doi: 10.1021/jf200859z.
- Jayasimha Goud, B., V, D. and Swamy, B. K. C. (2015) “Streptozotocin -A Diabetogenic Agent in Animal Models,” *Human Journals Review Article April*, 3(31), pp. 253–269. doi: 23497203.
- Kim, C. H. (2018) “Microbiota or short-chain fatty acids: Which regulates diabetes?,” *Cellular and Molecular Immunology*. Nature Publishing Group, 15(2), pp. 88–91. doi: 10.1038/cmi.2017.57.
- Kim, W. J. et al. (2017) “Relationship between serum IgA level and allergy/asthma,” *Korean Journal of Internal Medicine*, 32(1), pp. 137–145. doi: 10.3904/kjim.2014.160.
- Li, M. et al. (2018) “Molecular Mechanisms of Metformin for Diabetes and Cancer Treatment,” *Frontiers in Physiology*, 9(July), pp. 1–7. doi: 10.3389/fphys.2018.01039.
- Liang, H. et al. (2013) “Effect of Lipopolysaccharide on Inflammation and Insulin Action in Human Muscle,” *PLoS ONE*, 8(5), pp. 8–15. doi:

- 10.1371/journal.pone.0063983.
- Luck, H. *et al.* (2019) “Gut-associated IgA+ immune cells regulate obesity-related insulin resistance,” *Nature Communications*. Springer US, 10(1). doi: 10.1038/s41467-019-11370-y.
- Lv, Y. *et al.* (2018) “The Relationship between Frequently Used Glucose-Lowering Agents and Gut Microbiota in Type 2 Diabetes Mellitus,” *Journal of diabetes research*. Hindawi, 2018, p. 1890978. doi: 10.1155/2018/1890978.
- Marisa (2016) “Peran Serat Pada Modulasi Mikrobiota Usus Pasien Diabetes Melitus Tipe 2,” *Jurnal Kedokteran Syiah Kuala*, 16(2), pp. 109–113.
- McCreight, L. J., Bailey, C. J. and Pearson, E. R. (2016) “Metformin and the gastrointestinal tract,” *Diabetologia*, 59(3), pp. 426–435. doi: 10.1007/s00125-015-3844-9.
- Montandon, S. A. and Jornayvaz, F. R. (2017) “Effects of antidiabetic drugs on gut microbiota composition,” *Genes*, 8(10). doi: 10.3390/genes8100250.
- Nagata, R. *et al.* (2018) “Effect of a combination of inulin and polyphenol-containing adzuki bean extract on intestinal fermentation in vitro and in vivo,” *Bioscience, Biotechnology and Biochemistry*. Taylor & Francis, 82(3), pp. 489–496. doi: 10.1080/09168451.2018.1429886.
- Nasri, H. and Rafieian-Kopaei, M. (2014) “Metformin: Current knowledge,” *Journal of research in medical sciences : the official journal of Isfahan University of Medical Sciences*. Medknow Publications & Media Pvt Ltd, 19(7), pp. 658–664.
- Nicola, W. G. *et al.* (2015) “Is there a role of inulin in the management of type 2 diabetes mellitus ?!,” *International Journal of PharmTech Research*, 8(10), pp. 1–9.
- Novrial, D. (2018) “Kerusakan Sel β Pankreas Akibat Induksi Streptozotocin : Tinjauan Patologi,” *Mandala of health*, 3(March), p. 48.
- Oikawa, J. *et al.* (2015) “Diabetes Mellitus is Associated With Low Secretion Rates of Immunoglobulin A in Saliva,” *Journal of Epidemiology*, 25(7), pp. 470–474. doi: 10.2188/jea.JE20140088.
- Perkumpulan Endokrinologi Indonesia (2015) *Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia*. Jakarta : PB. PERKENI.
- Perrine Susan (2011) “Secretory IgA’s Complex Roles in Immunity and Mucosal Homeostasis in the Gut,” *NIH Public Access*, 23(1), pp. 1–7. doi: 10.1038/jid.2014.371.

- Piqué, N., Berlanga, M. and Miñana-Galbis, D. (2019) "Health benefits of heat-killed (Tyndallized) probiotics: An overview," *International Journal of Molecular Sciences*, 20(10), pp. 1–30. doi: 10.3390/ijms20102534.
- Pollak, M. (2017) "The effects of metformin on gut microbiota and the immune system as research frontiers," *Diabetologia*. Diabetologia, 60(9), pp. 1662–1667. doi: 10.1007/s00125-017-4352-x.
- Prabowo, A. Y., Estasih, T. and Purwantiningrum, I. (2014) "Umbi gembili (Dioscorea esculenta L.) sebagai bahan pangan mengandung senyawa bioaktif: kajian pustaka," *Jurnal Pangan dan Agroindustri*, 2(3), pp. 129–135.
- Pritchard, B. T. et al. (2017) "Factors affecting measurement of salivary cortisol and secretory immunoglobulin a in field studies of athletes," *Frontiers in Endocrinology*, 8(JULY). doi: 10.3389/fendo.2017.00168.
- Punder, K. de and Pruimboom, L. (2015) "Stress induces endotoxemia and low-grade inflammation by increasing barrier permeability," *Frontiers in Immunology*, 6(MAY), pp. 1–12. doi: 10.3389/fimmu.2015.00223.
- Ren, W. et al. (2016) "Glutamine-induced secretion of intestinal secretory immunoglobulin A: A mechanistic perspective," *Frontiers in Immunology*, 7(NOV), pp. 1–9. doi: 10.3389/fimmu.2016.00503.
- Rena, G., Hardie, D. G. and Pearson, E. R. (2017) "The mechanisms of action of metformin," *Diabetologia*. Diabetologia, 60, pp. 1577–1585. doi: 10.1007/s00125-017-4342-z.
- Retnowati, D. S., Kumoro, A. C. and Ratnawati, R. (2018) "Physical, thermal and functional properties of flour derived from Ubi Gembili (Dioscorea Esculenta L.) tubers grown in Indonesia," *Potravinarstvo Slovak Journal of Food Sciences*, 12(1), pp. 539–545. doi: 10.5219/937.
- Riskesdas (2018) "HASIL UTAMA RISKESDAS 2018 Kesehatan, Kementerian."
- Rodriguez, J., Hiel, S. and Delzenne, N. M. (2018) "Metformin: Old friend, new ways of action-implication of the gut microbiome?," *Current Opinion in Clinical Nutrition and Metabolic Care*, 21(4), pp. 294–301. doi: 10.1097/MCO.0000000000000468.
- Rojas, L. B. A. and Gomes, M. B. (2013) "Metformin: An old but still the best treatment for type 2 diabetes," *Diabetology and Metabolic Syndrome*. Diabetology & Metabolic Syndrome, 5(1), p. 1. doi: 10.1186/1758-5996-5-6.
- Rosario, D. et al. (2018) "Understanding the representative gut microbiota dysbiosis in metformin-treated Type 2 diabetes patients using genome-scale metabolic modeling," *Frontiers in Physiology*, 9(JUN), pp. 1–14. doi:

- 10.3389/fphys.2018.00775.
- Sabda, M. *et al.* (2019) “Karakterisasi Potensi Gembili (Dioscorea esculenta L .) Lokal Asal Papua sebagai Alternatif Bahan Pangan Pokok,” *Buletin Plasma Nutfah*, 25(1), pp. 25–32.
- Scheithauer, T. P. M. *et al.* (2016) “Causality of small and large intestinal microbiota in weight regulation and insulin resistance,” *Molecular Metabolism*. Elsevier GmbH, 5(9), pp. 759–770. doi: 10.1016/j.molmet.2016.06.002.
- Setiarto, R. H. B. *et al.* (2016) “Pengaruh Variasi Konsentrasi Inulin Pada Proses Fermentasi Oleh Lactobacillus acidophilus , Lactobacillus bulgaricus dan Streptococcus thermophilus,” *Biopropal Industri*, 8(1), pp. 1–17.
- Siavash¹, M. and , Majid Tabbakhian² , Ali Mohammad Sabzghabae³, N. R. (2017) “Severity of Gastrointestinal Side Effects of Metformin Tablet Compared to Metformin Capsule in Type 2 Diabetes Mellitus Patients,” *journal of research in pharmacy practice*, 6(June), pp. 158–165. doi: 10.4103/jrpp.JRPP.
- Stenman, L. K. *et al.* (2015) “Probiotic B420 and prebiotic polydextrose improve efficacy of antidiabetic drugs in mice,” *Diabetology and Metabolic Syndrome*. BioMed Central, 7(1), pp. 1–9. doi: 10.1186/s13098-015-0075-7.
- Syamsul, E. S., Nugroho, A. E. and Pramono, S. (2011) “Aktivitas Antidiabetes Kombinasi Ekstrak Terpurifikasi Herba Sambiloto (Andrographis Paniculata (Burn.F.) Ness.) Dan Metformin Pada Tikus Dm Tipe 2 Resisten Insulin The Antidiabetics Of Combination Metformin And Purified Extract Of Andrographis Paniculata,” *Majalah Obat Tradisional*, 16(163), pp. 124–132.
- Ursini, F. *et al.* (2018) “Metformin and autoimmunity: A ‘new deal’ of an old drug,” *Frontiers in Immunology*, 9(JUN), pp. 1–12. doi: 10.3389/fimmu.2018.01236.
- Ustinova, M. *et al.* (2019) “Metformin strongly affects transcriptome of peripheral blood cells in healthy individuals,” *PLoS ONE*, 14(11), pp. 1–15.
- Vieco-Saiz, N. *et al.* (2019) “Benefits and inputs from lactic acid bacteria and their bacteriocins as alternatives to antibiotic growth promoters during food-animal production,” *Frontiers in Microbiology*, 10(February), pp. 1–17. doi: 10.3389/fmicb.2019.00057.
- Winarti, S., Harmayani, E. and Nurismanto, R. (2017) “Karakteristik dan Profil Inulin Beberapa Jenis Uwi (Dioscorea spp.),” *Agritech*, 31(4), pp. 378–383.
- Winer, D. A. *et al.* (2017) “Immunologic impact of the intestine in metabolic disease Find the latest version : Immunologic impact of the intestine in

- metabolic disease,” *Jci*, 127(1), pp. 33–42. doi: 10.1172/JCI88879. There.
- Wresdiyati, T. *et al.* (2013) “Probiotik Lokal Meningkatkan Kandungan Iga Usus Halus Tikus Yang Diinfeksi Enteropathogenic E.Coli (EPEC): Studi Imunohistokimia,” *Jurnal Kedokteran Hewan - Indonesian Journal of Veterinary Sciences*, 7(2). doi: 10.21157/j.ked.hewan.v7i2.921.
- Yofananda, O. and Estiasih, T. (2016) “Potensi Senyawa Bioaktif Umbi-Umbian Lokal Sebagai Penurun Kadar Glukosa Darah : Kajian Pustaka Bioactive Compounds Potential In Local Tubers For Lowering Blood Glucose Levels : A Review,” *Jurnal Pangan dan Agroindustri*, 4(1), pp. 410–416.
- Yonata, A. and Farid, A. F. M. (2016) “Penggunaan Probiotik sebagai Terapi Diare,” *Majority*, 5(2), pp. 1–5.
- Yuniarti, E. (2017) “Perbedaan Kadar Tumor Necrosis Factor - Alfa Antara Diabetes Mellitus Tipe 2 Terkontrol Dengan Tidak Terkontrol,” *BioScience*, 1(1), p. 18. doi: 10.24036/02017117186-0-00.
- Zhang, Q. *et al.* (2018) “Inulin-type fructan improves diabetic phenotype and gut microbiota profiles in rats,” *PeerJ*, 2018(3), pp. 1–24. doi: 10.7717/peerj.4446.