

LAMPIRAN

Lampiran 1 : Kuesioner

KUESIONER

PERAN KEPERCAYAAN DAN SIKAP TERHADAP BELANJA ONLINE UNTUK MENDORONG PEMBELIAN ULANG

Dengan hormat,

Dalam kesempatan ini saya mohon bantuan dari Bapak/Ibu/Saudara untuk meluangkan waktu guna mengisi angket yang saya sertakan berikut ini.

Angket ini diperlukan untuk kepentingan penelitian dalam rangka menyusun skripsi untuk program strata (S1) di Universitas Islam Sultan Agung Semarang. Mengingat betapa pentingnya data ini, maka saya sangat mengharapkan agar angket ini diisi dengan lengkap sesuai kondisi yang sebenarnya.

A. Identitas Responden (beri tanda centang pada kotak)

1. Nama :
.....
2. Usia : 21 tahun
 22 – 25 tahun
 26 - 30 tahun
3. Jenis kelamin : Laki-laki Perempuan
4. Profesi : Pelajar
 Karyawan
 Wirausaha
 PNS
 Lain-lain
5. Alamat :
.....
6. Aplikasi mobile shopping yang digunakan :

7. Pengalaman berbelanja online : 3 – 5 kali
 Lebih dari 5 kali

B. Petunjuk Pengisian

Setiap pernyataan dibawah ini mohon diberikan respon dengan memberi tanda centang (v) pilihan pada skala 1-5 dengan rincian sebagai berikut :

1	2	3	4	5
Sangat tidak setuju	Tidak Setuju	Netral	Setuju	Sangat setuju

Pernyataan yang berkaitan dengan : Perceived Usefulness (X1)						
NO	Pernyataan	STS	TS	N	S	SS
1	Saya merasa bahwa system operasi pada mobile shopping mudah untuk di gunakan					
2	Saya merasa prosedur pada mobile shopping mudah untuk di telusuri					
3	Saya merasa perintah pada system mobile shopping mudah di pahami					
4	Saya merasa mobile shopping mudah digunakan oleh semua kalangan					

Pernyataan yang berkaitan dengan : Perceived Enjoyment (X2)						
NO	Pernyataan	STS	TS	N	S	SS
1	Saya merasa nyaman dengan system mobile shopping					
2	Saya menikmati fitur yang tersedia pada mobile shopping					
3	Saya memiliki pengalaman yang menyenangkan dalam berbelanja melalui mobile shopping					

Pernyataan yang berkaitan dengan : Trust for Platform (Y1)						
NO	Pernyataan	STS	TS	N	S	SS
1	Saya merasa percaya terhadap informasi yang diberikan oleh mobile shopping					
2	Saya merasa percaya terhadap vendor dari mobile shopping					

3	Saya merasa percaya atas keamanan yang diberikan oleh mobile shopping					
4	Saya merasa bahwa mobile shopping dapat diandalkan dalam melayani saya dengan baik					

Pernyataan yang berkaitan dengan : Attitude toward Mobile Shopping (Y2)						
NO	Pernyataan	STS	TS	N	S	SS
1	Saya selalu mencari tahu informasi produk yang saya inginkan melalui mobile shopping					
2	Saya merasa mendapatkan manfaat dengan berbelanja melalui mobile shopping					
3	Saya merasa berbelanja melalui mobile shopping lebih efektif dan efisien					
4	Saya merasa berbelanja dengan bantuan mobile shopping membuat lebih menarik					

Pernyataan yang berkaitan dengan : Repurchase Intention (Y3)						
NO	Pernyataan	STS	TS	N	S	SS
1	Saya berminat membeli ulang dengan menggunakan mobile shopping					
2	Saya merekomendasikan orang lain untuk menggunakan mobile shopping					
3	Saya akan mendorong teman-teman saya yang hendak berbelanja agar menggunakan layanan mobile shopping					
4	Saya merasa mobile shopping adalah menjadi pilihan utama saya dalam berbelanja					

Lampiran 2

Tabel 4.13

Uji validitas

Butir Pernyataan	<i>Corrected Item-Total Correlation</i>	<i>p-value</i>	Ket.
Perceived Usefulness			
System yang mudah untuk digunakan	0,774	0.000	Valid
Prosedur yang mudah untuk di telusuri	0,752	0.000	Valid
Perintah dari system yang mudah di pahami	0,680	0.000	Valid
Mobile shopping yang dapat digunakan semua kalangan	0,644	0.000	Valid
Perceived Enjoyment			
User merasa nyaman dengan system platform	0,857	0.000	Valid
User merasa senang karena dapat memilih barang yang di inginkan	0,814	0.000	Valid
User merasa menikmati dengan fitur yang tersedia	0,804	0.000	Valid
Trust for Platform			
Kepercayaan terhadap informasi yang di berikan oleh mobile shopping	0,808	0.000	Valid
Kepercayaan terhadap vendor dari platform mobile shopping	0,825	0.000	Valid
Kepercayaan atas keamanan yang diberikan oleh platform mobile shopping	0,851	0.000	Valid
Butir Pertanyaan	<i>Corrected Item-Total Correlation</i>	<i>p-value</i>	Ket

Mobile shopping yang dapat diandalkan	0,768	0.000	Valid
Attitude toward mobile shopping			
User selalu mencari tahu informasi melalui mobile shopping	0,749	0.000	Valid
User mendapatkan manfaat atas barang yang di inginkan	0,788	0.000	Valid
Berbelanja menjadi lebih efektif dan efisien	0,823	0.000	Valid
Berbelanja menjadi lebih menarik	0,774	0.000	Valid
Repurchase Intention			
Memiliki minat membeli ulang	0,816	0.000	Valid
Membeli dengan jumlah yang banyak	0,822	0.000	Valid
Konsumen merekomendasikan kepada orang lain	0,884	0.000	Valid
Menjadikan pilihan utama dalam berbelanja	0,812	0.000	Valid

Sumber : Hasil Analisis Data, 2019

Lampiran 3

Tabel 4.14
Uji Reliabilitas

Butir Pernyataan	<i>Cronbach's Alpha</i>	Ket.
Perceived Usefulness		
PU 1	0,713	Reliabel
PU 2	0,713	Reliabel
PU3	0,752	Reliabel
PU 4	0,759	Reliabel
Perceived Enjoyment		
PE 1	0,779	Reliabel
PE 2	0,808	Reliabel
PE 3	0,799	Reliabel
Trust for Platform		
TP 1	0,778	Reliabel
TP 2	0,779	Reliabel
TP 3	0,771	Reliabel
TP 4	0,793	Reliabel
Attitude toward Mobile Shopping		
AMS 1	0,778	Reliabel
AMS 2	0,773	Reliabel
AMS 3	0,761	Reliabel
AMS 4	0,776	Reliabel
Repurchase Intention		
RI 1	0,794	Reliabel
RI 2	0,794	Reliabel
RI 3	0,767	Reliabel
RI 4	0,779	Reliabel

Sumber : Hasil Analisis Data, 2019

Lampiran 4 : Uji Validitas

		Correlations				
		PU1	PU2	PU3	PU4	PU
PU1	Pearson Correlation	1	.594**	.474**	.245**	.774**
	Sig. (2-tailed)		.000	.000	.003	.000
	N	146	146	146	146	146
PU2	Pearson Correlation	.594**	1	.417**	.205*	.752**
	Sig. (2-tailed)	.000		.000	.013	.000
	N	146	146	146	146	146
PU3	Pearson Correlation	.474**	.417**	1	.165*	.680**
	Sig. (2-tailed)	.000	.000		.046	.000
	N	146	146	146	146	146
PU4	Pearson Correlation	.245**	.205*	.165*	1	.644**
	Sig. (2-tailed)	.003	.013	.046		.000
	N	146	146	146	146	146
PU	Pearson Correlation	.774**	.752**	.680**	.644**	1
	Sig. (2-tailed)	.000	.000	.000	.000	
	N	146	146	146	146	146

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

Correlations

		PE1	PE2	PE3	PE
PE1	Pearson Correlation	1	.605**	.489**	.852**
	Sig. (2-tailed)		.000	.000	.000
	N	146	146	146	146
PE2	Pearson Correlation	.605**	1	.461**	.814**
	Sig. (2-tailed)	.000		.000	.000
	N	146	146	146	146
PE3	Pearson Correlation	.489**	.461**	1	.804**
	Sig. (2-tailed)	.000	.000		.000
	N	146	146	146	146
PE	Pearson Correlation	.852**	.814**	.804**	1
	Sig. (2-tailed)	.000	.000	.000	
	N	146	146	146	146

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		TP1	TP2	TP3	TP4	TP
TP1	Pearson Correlation	1	.605**	.552**	.446**	.808**
	Sig. (2-tailed)		.000	.000	.000	.000
	N	146	146	146	146	146
TP2	Pearson Correlation	.605**	1	.610**	.470**	.825**
	Sig. (2-tailed)	.000		.000	.000	.000
	N	146	146	146	146	146
TP3	Pearson Correlation	.552**	.610**	1	.606**	.851**
	Sig. (2-tailed)	.000	.000		.000	.000
	N	146	146	146	146	146
TP4	Pearson Correlation	.446**	.470**	.606**	1	.768**
	Sig. (2-tailed)	.000	.000	.000		.000
	N	146	146	146	146	146
TP	Pearson Correlation	.808**	.825**	.851**	.768**	1
	Sig. (2-tailed)	.000	.000	.000	.000	
	N	146	146	146	146	146

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		AMS1	AMS2	AMS3	AMS4	AMS
AMS1	Pearson Correlation	1	.458**	.522**	.335**	.749**
	Sig. (2-tailed)		.000	.000	.000	.000
	N	146	146	146	146	146
AMS2	Pearson Correlation	.458**	1	.480**	.553**	.788**
	Sig. (2-tailed)	.000		.000	.000	.000
	N	146	146	146	146	146
AMS3	Pearson Correlation	.522**	.480**	1	.565**	.823**
	Sig. (2-tailed)	.000	.000		.000	.000
	N	146	146	146	146	146
AMS4	Pearson Correlation	.335**	.553**	.565**	1	.774**
	Sig. (2-tailed)	.000	.000	.000		.000
	N	146	146	146	146	146
AMS	Pearson Correlation	.749**	.788**	.823**	.774**	1
	Sig. (2-tailed)	.000	.000	.000	.000	
	N	146	146	146	146	146

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		RI1	RI2	RI3	RI4	RI
RI1	Pearson Correlation	1	.709**	.609**	.479**	.816**
	Sig. (2-tailed)		.000	.000	.000	.000
	N	146	146	146	146	146
RI2	Pearson Correlation	.709**	1	.646**	.465**	.822**
	Sig. (2-tailed)	.000		.000	.000	.000
	N	146	146	146	146	146
RI3	Pearson Correlation	.609**	.646**	1	.664**	.884**
	Sig. (2-tailed)	.000	.000		.000	.000
	N	146	146	146	146	146
RI4	Pearson Correlation	.479**	.465**	.664**	1	.812**
	Sig. (2-tailed)	.000	.000	.000		.000
	N	146	146	146	146	146
RI	Pearson Correlation	.816**	.822**	.884**	.812**	1
	Sig. (2-tailed)	.000	.000	.000	.000	
	N	146	146	146	146	146

** . Correlation is significant at the 0.01 level (2-tailed).

Lampiran 5 : Uji Reliabilitas

Perceived Usefulness

Reliability Statistics

Cronbach's Alpha	N of Items
.777	5

Item Statistics

	Mean	Std. Deviation	N
PU1	4.39	.637	146
PU2	4.25	.703	146
PU3	4.26	.644	146
PU4	3.97	.909	146
PU	16.88	2.044	146

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
PU1	29.36	13.088	.699	.731
PU2	29.50	12.886	.660	.731
PU3	29.49	13.548	.580	.752
PU4	29.78	12.752	.482	.759
PU	16.88	4.178	1.000	.650

Perceived Enjoyment

Reliability Statistics

Cronbach's Alpha	N of Items
.835	4

Item Statistics

	Mean	Std. Deviation	N
PE1	4.08	.797	146
PE2	4.16	.675	146
PE3	4.02	.809	146
PE	12.26	1.879	146

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
PE1	20.45	9.656	.774	.779
PE2	20.36	10.452	.738	.808
PE3	20.50	9.893	.703	.799
PE	12.26	3.532	1.000	.758

Trust for platform

Reliability Statistics

Cronbach's Alpha	N of Items
.819	5

Item Statistics

	Mean	Std. Deviation	N
TP1	3.49	.832	146
TP2	3.46	.780	146
TP3	3.58	.804	146
TP4	3.70	.755	146
TP	14.23	2.580	146

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
TP1	24.96	20.385	.739	.778
TP2	24.99	20.600	.766	.779
TP3	24.88	20.219	.798	.771
TP4	24.75	21.222	.696	.793
TP	14.23	6.659	1.000	.829

Attitude toward mobile shopping

Reliability Statistics

Cronbach's Alpha	N of Items
.810	5

Item Statistics

	Mean	Std. Deviation	N
AMS1	4.18	.900	146
AMS2	4.01	.830	146
AMS3	4.12	.878	146
AMS4	4.03	.826	146
AMS	16.35	2.690	146

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
AMS1	28.52	22.500	.660	.778
AMS2	28.68	22.590	.718	.773
AMS3	28.58	21.943	.757	.761
AMS4	28.66	22.749	.700	.776
AMS	16.35	7.236	1.000	.789

Repurchase Intention

Reliability Statistics

Cronbach's Alpha	N of Items
.824	5

Item Statistics

	Mean	Std. Deviation	N
RI1	4.08	.809	146
RI2	4.03	.800	146
RI3	3.76	.964	146
RI4	3.38	1.058	146
RI	15.25	3.028	146

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
RI1	26.42	29.336	.763	.794
RI2	26.47	29.354	.771	.794
RI3	26.75	27.294	.840	.767
RI4	27.13	27.397	.737	.779
RI	15.25	9.170	1.000	.847

Lampiran 6 : Uji Multikolinieritas

Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	T	Sig.	Collinearity Statistics	
	B	Std. Error	Beta			Tolerance	VIF
1 (Constant)	2.630	1.482		1.775	.078		
PU	.417	.110	.317	3.787	.000	.601	1.663
PE	.545	.120	.381	4.549	.000	.601	1.663

a. Dependent Variable: AMS

Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	T	Sig.	Collinearity Statistics	
	B	Std. Error	Beta			Tolerance	VIF
1 (Constant)	.210	1.117		.188	.851		
TP	.234	.074	.200	3.144	.002	.739	1.354
AMS	.716	.071	.636	10.028	.000	.739	1.354

a. Dependent Variable: RI

Lampiran 7 : Uji Heteroskedastisitas

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	2.203	.976		2.257	.026
	PU	-.041	.073	-.061	-.568	.571
	PE	.005	.079	.006	.057	.955

a. Dependent Variable: Abs_Res

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.023	.117		.198	.843
	Ln_Y1	-.057	.042	-.132	-1.365	.174
	Ln_Y2	.082	.045	.174	1.800	.074

a. Dependent Variable: Abs_Res3

Lampiran 8 : Uji Normalitas

One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		146
Normal Parameters ^{a,b}	Mean	.0000000
	Std. Deviation	2.08757732
Most Extreme Differences	Absolute	.098
	Positive	.048
	Negative	-.098
Test Statistic		.098
Asymp. Sig. (2-tailed)		.117 ^c

a. Test distribution is Normal.

b. Calculated from data.

c. Lilliefors Significance Correction.

One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		146
Normal Parameters ^{a,b}	Mean	.0000000
	Std. Deviation	1.97511200
Most Extreme Differences	Absolute	.068
	Positive	.057
	Negative	-.068
Test Statistic		.068
Asymp. Sig. (2-tailed)		.092 ^c

a. Test distribution is Normal.

b. Calculated from data.

c. Lilliefors Significance Correction.

Lampiran 9 : Uji Statistik t

Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
	B	Std. Error	Beta			Tolerance	VIF
1 (Constant)	4.919	1.609		3.058	.003		
PU	.551	.095	.437	5.827	.000	1.000	1.000

a. Dependent Variable: TP

Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
	B	Std. Error	Beta			Tolerance	VIF
1 (Constant)	2.630	1.482		1.775	.078		
PU	.417	.110	.317	3.787	.000	.601	1.663
PE	.545	.120	.381	4.549	.000	.601	1.663

a. Dependent Variable: AMS

Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
	B	Std. Error	Beta			Tolerance	VIF
1 (Constant)	.210	1.117		.188	.851		
TP	.234	.074	.200	3.144	.002	.739	1.354
AMS	.716	.071	.636	10.028	.000	.739	1.354

a. Dependent Variable: RI

Lampiran 10 : Uji Koefisien Determinasi

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.631 ^a	.398	.389	2.102	1.989

a. Predictors: (Constant), PE, PU

b. Dependent Variable: AMS

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.758 ^a	.575	.569	1.989	1.236

a. Predictors: (Constant), AMS, TP

b. Dependent Variable: RI

Lampiran 11 : Uji Regresi Linear Berganda

Model Regresi 1

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	PU ^b	.	Enter

a. Dependent Variable: TP

b. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.437 ^a	.191	.185	2.329	1.682

a. Predictors: (Constant), PU

b. Dependent Variable: TP

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	184.228	1	184.228	33.954	.000 ^b
	Residual	781.313	144	5.426		
	Total	965.541	145			

a. Dependent Variable: TP

b. Predictors: (Constant), PU

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	T	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	4.919	1.609		3.058	.003		
	PU	.551	.095	.437	5.827	.000	1.000	1.000

a. Dependent Variable: TP

Collinearity Diagnostics^a

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions	
				(Constant)	PU
1	1	1.993	1.000	.00	.00
	2	.007	16.631	1.00	1.00

a. Dependent Variable: TP

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	10.43	15.95	14.23	1.127	146
Std. Predicted Value	-3.364	1.528	.000	1.000	146
Standard Error of Predicted Value	.193	.679	.261	.079	146
Adjusted Predicted Value	10.01	16.04	14.22	1.134	146
Residual	-7.294	5.706	.000	2.321	146
Std. Residual	-3.131	2.450	.000	.997	146
Stud. Residual	-3.142	2.458	.001	1.005	146
Deleted Residual	-7.345	5.745	.003	2.361	146
Stud. Deleted Residual	-3.244	2.503	.000	1.013	146
Mahal. Distance	.004	11.319	.993	1.454	146
Cook's Distance	.000	.195	.009	.022	146
Centered Leverage Value	.000	.078	.007	.010	146

a. Dependent Variable: TP

Model Regresi 2

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	PE, PU ^b	.	Enter

a. Dependent Variable: AMS

b. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.631 ^a	.398	.389	2.102	1.989

a. Predictors: (Constant), PE, PU

b. Dependent Variable: AMS

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	417.278	2	208.639	47.215	.000 ^b
	Residual	631.907	143	4.419		
	Total	1049.185	145			

a. Dependent Variable: AMS

b. Predictors: (Constant), PE, PU

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	2.630	1.482		1.775	.078		
	PU	.417	.110	.317	3.787	.000	.601	1.663
	PE	.545	.120	.381	4.549	.000	.601	1.663

a. Dependent Variable: AMS

Collinearity Diagnostics^a

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions		
				(Constant)	PU	PE
1	1	2.983	1.000	.00	.00	.00
	2	.011	16.128	.60	.00	.60
	3	.006	22.764	.39	1.00	.40

a. Dependent Variable: AMS

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	11.74	19.14	16.35	1.696	146
Std. Predicted Value	-2.718	1.648	.000	1.000	146
Standard Error of Predicted Value	.179	.920	.284	.100	146
Adjusted Predicted Value	11.99	19.33	16.36	1.691	146
Residual	-7.145	4.575	.000	2.088	146
Std. Residual	-3.399	2.176	.000	.993	146
Stud. Residual	-3.443	2.193	-.001	1.004	146
Deleted Residual	-7.334	4.644	-.006	2.136	146
Stud. Deleted Residual	-3.583	2.223	-.005	1.018	146
Mahal. Distance	.055	26.790	1.986	2.838	146
Cook's Distance	.000	.146	.008	.020	146
Centered Leverage Value	.000	.185	.014	.020	146

a. Dependent Variable: AMS

Model Regresi 2

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	AMS, TP ^b	.	Enter

a. Dependent Variable: RI

b. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.758 ^a	.575	.569	1.989	1.236

a. Predictors: (Constant), AMS, TP

b. Dependent Variable: RI

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	763.969	2	381.984	96.567	.000 ^b
	Residual	565.655	143	3.956		
	Total	1329.623	145			

a. Dependent Variable: RI

b. Predictors: (Constant), AMS, TP

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	.210	1.117		.188	.851		
	TP	.234	.074	.200	3.144	.002	.739	1.354
	AMS	.716	.071	.636	10.028	.000	.739	1.354

a. Dependent Variable: RI

Collinearity Diagnostics^a

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions		
				(Constant)	TP	AMS
1	1	2.971	1.000	.00	.00	.00
	2	.016	13.601	.52	.86	.03
	3	.013	15.221	.48	.13	.97

b. Dependent Variable: RI

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	8.75	19.22	15.25	2.295	146
Std. Predicted Value	-2.833	1.728	.000	1.000	146
Standard Error of Predicted Value	.166	.614	.272	.087	146
Adjusted Predicted Value	8.73	19.19	15.25	2.294	146
Residual	-5.432	4.568	.000	1.975	146
Std. Residual	-2.731	2.297	.000	.993	146
Stud. Residual	-2.746	2.309	.000	1.001	146
Deleted Residual	-5.491	4.616	.000	2.008	146
Stud. Deleted Residual	-2.812	2.345	-.001	1.009	146
Mahal. Distance	.017	12.818	1.986	2.172	146
Cook's Distance	.000	.039	.006	.008	146
Centered Leverage Value	.000	.088	.014	.015	146

a. Dependent Variable: RI