

ASUHAN KEPERAWATAN JIWA PADA TN.S
DENGAN GANGGUANDEFISIT PERAWATAN DIRI
DI RUANG ENDRO TENOYO RSJD DOKTER AMINO GONDOSHUTOMO
PROVINSI JAWA TENGAH

ABSTRAK

Karya tulis ini merupakan hasil pengolaan Asuhan Keperawatan Pada TN.S dengan gangguan defisit perawatan diri di ruang Endro Tenoyo RSJD Dr. Amino Gondohutomo Jawa tengah pada tanggal 9 maret sampai 14 maret 2020 yang tujuannya untuk mengatasi beberapa masalah yang timbul secara komprehensif. Metode yang dipakai berupadeskritif dengan tipe studi kasus dengan pendekatan proses keperawatan. Pengumpulan data langsung dari klien melalui observasi dan pemeriksaan fisik, sedang kan wawancara melalui keluarga klien. Data yang telah didapat divalidasi kembali dengan data-data status pada klien (catatan dokter dan perawat). Dari hasil pengkajian yang di lakukan oleh Tn. S dengan diagnosa defisit Perawatan Diri , klien dengan defisit perawatan diri bisa di sebab kan oleh beberapa faktor , dikarenakan klien jarang mandi, menganti pakaian ,kramas dan potong kuku. Adanya tahap edukasi tentang kebersiahn diri dan permasalahan masalah sosial (menarik diri). Ada faktor yang menyebabkan terjadi nya isolasi sosial (menarik diri) antara lain faktor predisposisi dan faktor presipitasi, faktor predisposisi dapat menyebabkan seorang menjadi atau mengalami isolasi sosial adanya tahap pertumbuhan dan perkembanggan yang belum dilalui dengan baik, dan ada juga faktor prespitasi yang menjadi penyebab adalah adanya stresor psikologis yang dapat menyebabkan klien mengalami kecemasan dan di tandai dengan adanya perasaan malu terhadap diri sendiri,gangguan hubungan sosial dan kurangnya percaya diri

ASUHAN KEPERAWATAN JIWA PADA TN.S
DENGAN GANGGUAN SENSORI DEFISIT PERAWATAN DIRI
DI RUANG ENDRO TENOYO RSJD DOKTER AMINO GONDOKHUTOMO
PROVINSI JAWA TENGAH

ABSTRACT

This paper is the result of the management of Nursing in TN.S with sensory impairment of self-care deficit in the TenoyoEndro Room of RSJD Dr. Amino Gondohutomo, Central Java, from March 9 to March 14, 2020, which aims to overcome problems that have appeared comprehensively. The method used is descriptive with a case study type with a nursing process approach. Collecting data directly from the client through observation and physical examination, while interviewing through the client's family. Data that has been obtained is validated again with status data on the client (doctor and nurse records). From the results of the assessment conducted by Mr. With self-care deficit diagnosis, clients with self-care deficits can be caused by several factors, because clients rarely bathe, change clothes, cramps and cut nails. There is an education stage about selfishness and social problems (withdrawing). There are factors that cause social isolation (withdrawal) including predisposing factors and precipitation factors, predisposing factors can cause a person to become or experience social isolation in the stages of growth and development that have not been traversed properly, and there are also precipitating

factors that are the cause are the existence of psychological stressors that can cause clients to experience anxiety and is characterized by a feeling of shame towards oneself, social relationship disorders and lack of confidence.