

PUSTAKA

1. Sorg H, Tilkorn DJ, Hager S, Hauser J, Mirastschijski U. Skin wound healing: An update on the current knowledge and concepts. *Eur Surg Res.* 2017;58:81-94.
2. Kanji S, Das H. Advances of stem cell therapeutics in cutaneous wound healing and regeneration. *Mediators Inflamm.* 2017;2017:1-14.
3. Aydemir I, Öztürk S, Sönmez KP, Tuglu MI. *Mesenchymal stem cells in skin wound healing.* *Anatomy.* 2016;10:228-234.
4. Madrigal M, Rao KS, Riordan NH. A review of therapeutic effects of mesenchymal stem cell secretions and induction of secretory modification by different culture methods. *Journal of Translational Medicine.* 2014;12:1-14.
5. Lv B, Li F, Fang J, Xu L, Sun C, Han J, Hua T, Zhang Z, Feng Z, Jiang X. Hypoxia inducible factor 1 α promotes survival of mesenchymal stem cells under hypoxia. *Am J Transl Res.* 2017;9: 2492-2499.
6. Yoon D, Yoon D, Sim H, Hwang I, Lee J, Chun W. Accelerated wound healing by fibroblasts differentiated from human embryonic stem cell-derived mesenchymal stem cells in a pressure ulcer animal model. *Stem Cells International.* 2018;2018:1-12.
7. Homcha C, Ehrlich HP. Fibroblast expression of α -smooth muscle actin, α 2 β 1 integrin and α v β 3 integrin: Influence of surface rigidity. *Exp Mol Pathol.* 2011;91:394–399.
8. Zhao B, Guan H, Liu J, Zheng Z, Zhou Q, Zhang J, Su L, Hu D, Hypoxia drives the transition of human dermal fibroblasts to a myofibroblast-like phenotype via the TGF- β 1/Smad3 pathway, *International Journal of Molecular Medicine* 2017;39:153-159.
9. Esmaeili H, Dehghan MM, Rabbani M, Haririan E. Effect of bovine colostrum on open wound healing in guinea pigs. *Razi J Med Sci.* 2014;21:66-74.
10. You H, Han S. Cell therapy for wound healing. *J Korean Med Sci.* 2014;29:311-319.
11. Frykberg RG, Banks J. Challenges in the treatment of chronic wounds. *Adv Wound Care (New Rochelle).* 2015;4:560:582.

12. Balitbang Kemenkes RI. *Riset Kesehatan Dasar; RISKESDAS*. Jakarta: Balitbang Kemenkes RI; 2013.
13. Augustin M, Brocatti LK, Rustenbach SJ, Schäfer I, Herberger K. Cost-of-illness of leg ulcers in the community. *Int Wound J*. 2014;11:283-292.
14. Hu MS, Leavitt T, Malhotra S, Duscher D, Pollhammer MS, Walmsley GG, Maan ZN, Cheung ATM, Schmidt M, Huemer GM, Longaker MT, Lorenz HP. Stem cell-based therapeutics to improve wound healing. *Plast Surg Int*. 2015;2015:1-7.
15. Noronha NC, Mizukami A, Caliári-Oliveira C, Cominal JG, Rocha JLM, Covas DT, Swiech K, Malmegrim KCR. Priming approaches to improve the efficacy of mesenchymal stromal cell-based therapies. *Stem Cell Res Ther*. 2019;10:131.
16. Seo Y, Shin T, Kim H. Current strategies to enhance adipose stem cell function: an update. *Int J Mol Sci*. 2019;20: 3827.
17. Hu MS, Borrelli MR, Lorenz HP, Longaker MT, Wan DC. Mesenchymal stromal cells and cutaneous wound healing: a comprehensive review of the background, role, and therapeutic potential. *Stem Cells Int*. 2018.2018:1-13.
18. Putra A. *Basic Molecular Stem Cell*. Semarang: Unissula Press; 2019.
19. Klingberg F, Hinz B, White ES. The myofibroblast matrix: implications for tissue repair and fibrosis. *J Pathol*. 2013;229:298-309.
20. Zhang M, Chen, X. Possible mechanisms and prospects of stem cell therapy for keloids. *International Journal of Dermatology and Venereology*. 2019;2:160-164.
21. Jumper N, Paus R, Bayat A. Functional histopathology of keloid disease. *Histol Histopathol*. 2015;30:1033–1057.
22. Ogawa R. Keloid and hypertrophic scars are the result of chronic inflammation in the reticular dermis. *Int J Mol Sci*. 2017:18.
23. Villalta SA, Rinaldi C, Deng B, Liu G, Fedor B, Tidball JG. Interleukin-10 reduces the pathology of mdx muscular dystrophy by deactivating M1 macrophages and modulating macrophage phenotype. *Human Molecular Genetics*. 2011;20:790–805.
24. Hu MS, Borrelli MR, Lorenz HP, Longaker MT, Wan DC. Mesenchymal stromal cells and cutaneous wound healing: a comprehensive review of the

- background, role, and therapeutic potential. *Hindawi Stem Cells International*. 2018:6901983.
25. Du L, Lv R, Yang X, Cheng S, Ma T, Xu J. Hypoxic conditioned medium of placenta-derived mesenchymal stem cells protects against scar formation. *Life Sciences*. 2016: 149:51–57.
 26. Li Z, Wei H, Deng L, Cong X, Chen X. Expression and secretion of interleukin-1 β , tumour necrosis factor- α and interleukin-10 by hypoxia- and serum-deprivation-stimulated mesenchymal stem cells. *FEBS J*. 2010:277:3688-3698.
 27. Hung SP, Yang MH, Tseng KF, Lee OK. Hypoxia-induced secretion of TGF- β 1 in mesenchymal stem cell promotes breast cancer cell progression. *Cell Transplant*. 2013;22:1869:1882.
 28. Putra A, Ridwan FB, Putridewi AI, Kustiyah AR, Wirastuti K, Sadyah NAC, Rosdiana I, Munir D. The role of TNF- α induced MSCs on suppressive inflammation by increasing TGF- β and IL-10. *Open Access Maced J Med Sci*. 2018;6:1779-1783.
 29. Jorgensen C. Mesenchymal stem cells immunosuppressive properties: is it specific to bone marrow-derived cells? *Stem Cell Res Ther*. 2010;1:1-2.
 30. Huang WH, Chen HL, Huang PH, Yew TL, Lin MW, Lin SJ, Hung SC. Hypoxic mesenchymal stem cells engraft and ameliorate limb ischaemia in allogeneic recipients. *Cardiovasc Res*. 2014.101:266-276.
 31. Kuntardjo N, Putra A, Dharmana E, Chodidjah, Nasihun TR. TNF- α -activated MSC-CM topical gel effective in increasing PDGF level, fibroblast density, and wound healing process compared to subcutaneous injection combination. *Majalah Kedokteran Bandung*. 2019;51:1-6
 32. Somia HA, Faten ZM, Shima HA. Evaluation of bone marrow derived mesenchymal stem cell potency on wound healing. *J Stem Cell Ther*. 2015;5:1-7
 33. Ohashi CM, Caldeira FAM, Feitosa-Junior DJS, Valente AL, Dutra PRW, Miranda MS, Santos SSD, Brito MVH, Ohashi OM, Yasojima EY. Stem cells from adipose tissue improve the time of wound healing in rats. *Acta Cirurgica Brasileira*:2016;31:821-825
 34. Textor JA, Clarck KC, Walker NJ, Aristizobal FA, Kol A, Lejeune SS, Bledsoe A, Davidyan A, Gray SN, Bohannon-Worsley LK, Borjesson DL.

- Allogeneic stem cells alter gene expression and improve healing of distal limb wounds in horses. *Stem Cells Translational Medicine*. 2018;7: :98-108.
35. Nielsen SH, Willumsen N, Leeming DJ, Daniels SJ, Brix S, Karsdal MA, Genovese F, Nielsen MJ. Serological assessment of activated fibroblasts by alpha-smooth muscle actin (α -sma): a noninvasive biomarker of activated fibroblasts in lung disorders. *Transl Oncol*. 2019;12:368–374.
 36. Ravikanth M, Soujanya P, Manjunath K, Saraswathi TR. Ramachandran CR. Heterogeneity of fibroblasts. *J Oral Maxillofac Pathol*. 2011;15: 247-250.
 37. Klingberg F, Hinz B, White ES. The myofibroblast matrix: implications for tissue repair and fibrosis. *Pathol*. 2013;229:298-309.
 38. Hinz B, Phan SH, Thannickal VJ, Prunotto M, Desmouliere A, Varga J. Recent developments in myofibroblast biology: paradigms for connective tissue remodeling. *Am J Pathol*. 2012;180:1340-1355.
 39. Sinn M, Denkert C, Striefler JK, Pelzer U, Stieler JM, Bahra M, Lohneis P, Dörken B, Oettle H, Riess H, Sinn BV. α -Smooth muscle actin expression and desmoplastic stromal reaction in pancreatic cancer: results from the CONKO-001 study. *British Journal of Cancer*. 2014;111:1917-1923.
 40. Nakagawa N, Duffield JS. Myofibroblasts in fibrotic kidneys. *Curr Pathobiol Rep*. 2013;1:10.
 41. Holm NS, Willumsen N, Leeming DJ, Daniels SJ, Brix S, Karsdal MA, Genovese F, Nielsen MJ. Serological assessment of activated fibroblasts by alpha-smooth muscle actin (α -SMA): A noninvasive biomarker of activated fibroblasts in lung disorders. *Transl Oncol*. 2019;12:368-374.
 42. Anggorowati N, Kurniasari CR, Damayanti K, Cahyanti T, Widodo I, Ghozali A, Romi MM, Sari DCR, Arfian N. Histochemical and immunohistochemical study of α -SMA, collagen, and PCNA in epithelial ovarian neoplasm. *Asian Pac J Cancer Prev*. 2017;18:667-671.
 43. Sjamsuhidajat R. *Buku Ajar Ilmu Bedah, Edisi 3*. Jakarta: EGC; 2013.
 44. Yolanda MM, Maria AV, Amaia FG, Marcos PB, Silvia PL, Dolores E, Jesús OH. Adult stem cell therapy in chronic wound healing. *J Stem Cell Res Ther*. 2014;4:1-6.
 45. Maxson S, Lopez EA, Yoo D, Danilkovitch-miagkova A, Leroux MA. Concise Review: Role of Mesenchymal Stem Cells in Wound Repair Stem Cells Translational Medicine 2012;1:142–149.

46. Junqueira LC. *Histology Dasar: Teks dan Atlas, Edisi 12*. Jakarta: EGC; 2011.
47. Johnson KE. *Quick Review Histologi dan Biologi Sel*. Tangerang: Binarupa Aksara; 2011.
48. Kumar V, Abbas AK, Aster JC. *Robbins Basic Pathology 10 ed*. Philadelphia: Elsevier; 2018.
49. Halim D, Murti H, Sandra F, Boediono A, Djuwantono T, Setiawan B. *Stem Cell Dasar Teori dan Apikasi Klinis*. Jakarta: Erlangga; 2010.
50. Carrade DD, Borjesson DL. Immunomodulation by mesenchymal stem cells in veterinary species. *Comp Med*. 2013;63:207-217.
51. Elahi KC, Klein G, Avci-Adali M, Sievert KD, MacNeil S, Aicher WK. Human mesenchymal stromal cells from different sources diverge in their expression of cell surface proteins and display distinct differentiation patterns. *Stem Cells Int*. 2016:5646384.
52. Trivanović D, Kocić J, Mojsilović S, Krstić A, Ilić V, Djordjević IO, Santibanez JF, Jovčić G. Mesenchymal stem cells isolated from peripheral blood and umbilical cord wharton's jelly. *Srp Arh Celok Lek*. 2013;141:178-86.
53. Lee DE, Ayoub N, Agrawal DK. Mesenchymal stem cells and cutaneous wound healing: novel methods to increase cell delivery and therapeutic efficacy. *Stem Cell Research & Therapy*. 2016;7:1-8.
54. Ding D, Shyu W, Lin S. Mesenchymal stem cells. *Cell Transpl*. 2011;20:5-14.
55. Lee SH, Jin SY, Song JS, Seo KK, Cho KH. Paracrine effects of adiposederived stem cells on keratinocytes and dermal fibroblasts. *Ann Dermatol*. 2012;24:136-143.
56. Schlosser S, Dennler C, Schweizer R, Eberli D, Stein JV, Enzmann V. Paracrine effects of mesenchymal stem cells enhance vascular regeneration in ischemic murine skin. *Microvasc Res*. 2012;83:267-75.
57. Isakson M, de Blacam C, Whelan D, McArdle A, Clover AJP. Mesenchymal stem cells and cutaneous wound healing: Current evidence and future potential. Hindawi Publishing Corporation *Stem Cells International*. 2015:831095:1-12.
58. Fong EL, Chan CK, Goodman SB. Stem cell homing in musculoskeletal injury. *Biomaterials*. 2010;32:395-409.

59. Mas-Bargues C, Sanz-Ros J, Román-Domínguez A, Inglés M, Gimeno-Mallench L, El Alami M, Viña-Almunia J, Gambini J, Viña J, Borrás C. Relevance of oxygen concentration in stem cell culture for regenerative medicine. *Int J Mol Sci.* 2019;20:1-27.
60. Hawkins KE, Sharp TV, McKay TR. The role of hypoxia in stem cell potency and differentiation. *Regen. Med.* 2013;8:771-782
61. Zou D, Zhang Z, Ye D, Tang A, Deng L, Han W, Zhao J, Wang S, Zhang W, Zhu C, Zhou J, He J, Wang Y, Xu F, Huang Y, Jiang X. Repair of critical-sized rat calvarial defects using genetically engineered bone marrow-derived mesenchymal stem cells overexpressing hypoxia-inducible factor-1 α . *Stem Cells.* 2011;29:1380-1390.
62. Sun Z, Wang S, Zhao RC. The roles of mesenchymal stem cells in tumor inflammatory microenvironment. *Journal of Hematology & Oncology.* 2014;7:1-10.
63. Heikkinen P, Yliopisto T. Modulation of TGF- β Signaling by Hypoxia. Dissertation, University of Turku, 2015.
64. Rustad KC, Wong VW, Sorkin M, Glotzbach JP, Major MR, Rajadas J, Longaker MT, Gurtner GC. Enhancement of mesenchymal stem cell angiogenic capacity and stemness by a biomimetic hydrogel scaffold. *Biomaterials.* 2012;33:80-90.
65. Van De Water L, Varney S, Tomasek JJ. Mechanoregulation of the myofibroblast in wound contraction, scarring, and fibrosis: opportunities for new therapeutic intervention. *Adv Wound Care.* 2013;2:122-141.
66. Lacoste B, Raymond V-A, Lapierre P, Bilodeau M. Protection against Acute Hepatocellular Injury Afforded by Liver Fibrosis Is Independent of T Lymphocytes. *PLoS ONE.* 2016. 11(10): e0165360.
67. Putra A, Rosdiana I, Darlan DM, Alif I, Hayuningtyas F, Wijaya I, Aryanti A, Makarim FM, Antari AD. Intravenous administration is the best route of mesenchymal stem cells migration in improving liver function enzyme of acute liver failure. *Folia Medica.* 2020;62:52-8.
68. Putra A, Pertiwi D, Milla MN, Indrayani UD, Jannah D, Sahariyani M, Trisnadi S, Wibowo JW. Hypoxia-preconditioned MSCs have superior effect in ameliorating renal function on acute renal failure animal model. *Open Access Maced J Med Sci.* 2019 :7:305-310.

69. Hocking AM. The Role Of Chemokines In Mesenchymal Stem Cell Homing To Wounds. *Adv Wound Care (New Rochelle)*. 2015. 4(11): 623–630.
70. Chen L, Xu Y, Zhao J, Zhang Z, Yang R, Xie J, Liu X, Qi S. Conditioned medium from hypoxic bone marrow-derived mesenchymal stem cells enhances wound healing in mice. *PLoS One*. 2014;9(4):e96161.
71. Jun EK, Zhang Q, Yoon BS, Moon J, Lee G, Park G, Kang PJ, Lee JH, Kim A, You S. Hypoxic Conditioned Medium from Human Amniotic Fluid-Derived Mesenchymal Stem Cells Accelerates Skin Wound Healing through TGF- β /SMAD2 and PI3K/Akt Pathways. *Int J Mol Sci*. 2014; 15(1): 605–628.
72. Pankajakshan D, Agrawal DK.. Mesenchymal stem cell paracrine factors in vascular repair and regeneration. *J Biomed Technol Res*. 2014; 1(1):10.19104.
73. Kwon HM, Hur SM, Park KY, Kim CK, Kim YM, Kim HS, Shin HC, Won MH, Ha KS, Kwon YG, Lee DH, Kim YM. Multiple paracrine factors secreted by mesenchymal stem cells contribute to angiogenesis. *Vascul Pharmacol*. 2014;63(1):19-28.
74. Pawitan JA. Prospect of stem cell conditioned medium in regenerative medicine. *BioMed Research International*. 2014.
75. Reinke JM, Sorg H. Wound repair and regeneration. *Eur Surg Res* 2012;49:35–43.
76. Jiang CM, Liu J, Zhao JY, Xiao L, An S, Gou YC, Quan HX, Cheng Q, Zhang YL, He W, Wang YT, Yu WJ, Huang YF, Yi YT, Chen Y, Wang J. Effects of hypoxia on the immunomodulatory properties of human gingiva-derived mesenchymal stem cells. *Journal of Dental Research* 2015;94(1) 69–77.
77. Roemeling-van Rhijn M, Mensah FKF, Korevaar SS, Leijns MJ, van Osch GJVM, Ijzermans JNM, Betjes MGH, Baan CC, Weimar W, Hoogduijn MJ. Effects of hypoxia on the immunomodulatory properties of adipose tissue-derived mesenchymal stem cells. *Front Immunol*. 2013;4:203.
78. El Agha E, Kramann R, Schneider RK, Li X, Seeger W, Humphreys BD, Bellusci S. Mesenchymal stem cells in fibrotic disease. *Cell Stem Cell*. 2017; 21(2):166-177.
79. Nie C, Yang D, Xu J, Si Z, Jin X, Zhang J. Locally administered adipose-derived stem cells accelerate wound healing through differentiation and vasculogenesis. *Cell Transplantation*. 2011;20(2):205–216.

80. Jackson WM, Nesti LJ, Tuan RS. Mesenchymal stem cell therapy for attenuation of scar formation during wound healing. *Stem Cell Res Ther.* 2012; 3(3): 20.
81. Lee HJ, Ryu JM, Jung YH, Oh SY, Lee SJ, Han HJ. Novel pathway for hypoxia-induced proliferation and migration in human mesenchymal stem cells: involvement of HIF-1 α , FASN, and mTORC1. *Stem Cells.* 2015. 33(7):2182-95.
82. Tong C, Hao H, Xia L, Liu J, Dong DL, Hou Q, Song H, Liu H, Zhao Y, Fu X, Han W. Hypoxia pretreatment of bone marrow—derived mesenchymal stem cells seeded in a collagen-chitosan sponge scaffold promotes skin wound healing in diabetic rats with hindlimb ischemia. *Wound Rep Reg.* 2016. 24:45–56.
83. LeBleu VS, Taduri G, O’Connell J, Teng Y, Cooke VG, Woda C, Sugimoto H, Kalluri R. Origin and function of myofibroblasts in kidney fibrosis. *Nat. Med.* 2013;19(8):1047–1053.
84. Finnsen KW, McLean S, di Guglielmo GM, Philip A. Dynamics of transforming growth factor beta signaling in wound healing and scarring. *Adv Wound Care (New Rochelle).* 2013;2(5):195-214.
85. Faulknor RA, Olekson MA, Nativ NI, Ghodbane M, Gray AJ, Berthiaume F. Mesenchymal stromal cells reverse hypoxia-mediated suppression of α -smooth muscle actin expression in human dermal fibroblasts. *Biochemical and Biophysical Research Communications.* 2015;458(1):8-13.
86. Oyama N. Dynamic action of myofibroblasts in skin and bone marrow transplantation. *J Bone Marrow Res.* 2014;2:2.
87. Shu B, Yang R, Shi Y, Xu Y, Liu J, Wang P, Liu X, Qi S, Xie J. Notch1 signaling regulates wound healing via changing the characteristics of epidermal stem cells. *J Stem Cell Res Ther.* 2016;6:7.
88. Sarrazy V, Billet F, Micallef L, Coulomb B, Desmoulière A. Mechanisms of pathological scarring: role of myofibroblasts and current developments. *Wound Repair Regen.* 2011. 19 Suppl 1: s10-s15.
89. Pakyari M, Farrokhi A, Maharlooei MK, Ghahary A. Critical role of transforming growth factor beta in different phases of wound healing, *Adv Wound Care (New Rochelle).* 2013;2(5): 215–224.