

DAFTAR PUSTAKA

- Achmad, H., Chandra, H. M., Harun, S., Sudjarwo, I., Yunus, M., Rusdi, R. K., *et al.* 2017. Prevalence of Medically Compromised Children Regarding Dental Caries and Treatment Needs in Wahidin Sudirohusodo Hospital. *J Int Dent Med Res.* 10(3):915–920.
- Alamoudi, N. M., Sabbagh, H. J., Innes, N. P., Ahmed, S. E., Butali, A., Alnamnakani, E. A., *et al.* 2018. Interferon Regulatory Factor 6 (IRF6) and Gene – Environment Interactions in Non-Syndromic Orofacial Cleft Cases in Saudi Arabia-A Case Control Study. *J Oral Hyg Health.* 6(1).
- Alexander, B., R, R. and Ramesh, S. 2017. Cleft Lip and Palate-An Overview on Its Complex Etiopathogenesis. *Int J Curr Innovation Res,* 3(12):917–920.
- Almaeeni, M. M. and Hassan, A. M. 2018. Selected Salivary Physicochemical Properties among Cleft Lip and Palate Children in Iraq. *Int J Med Res Health Sci,* 7(9):132–136.
- Amalia, R., Chairunisa, F., Alfian, M. F. and Supartinah, A. 2019. Indonesia: Epidemiological Profiles of Early Childhood Caries. *Front Public Health,* 7(210):1–6.
- Annapoorna, H. B. and Datta, D. 2020. Effects of the salivary flow rate, pH, viscosity and buffering capacity on dental caries experience in government school children in Bangalore city. *Int J Community Med Public Health,* 7(12):4865–4868.
- Bezamat, M., Souza, J. F., Silva, F. M. F., Corrêa, E. G., Fatturi, A. L., Brancher, J. A., *et al.* 2021. Gene-environment interaction in molar-incisor hypomineralization. *PLoS ONE,* 16(1):e0241898.
- Bezerra, J. F., Vital da Silva, H. P., Bortolin, R. H., Luchessi, A. D., Ururahy, M. A. G., Loureiro, M. B., *et al.* 2020. IRF6 polymorphisms in Brazilian patients with non-syndromic cleft lip with or without palate. *Braz J Otorhinolaryngol,* 86(6):696–702.
- Biggs, L. C., Goudy, S. L. and Dunnwald, M. 2015. Palatogenesis and Cutaneous Repair: A Two-Headed Coin. *Dev Dyn,* 244(3):289–310.
- Chaudhari, P. K., Kharbanda, O. P., Chaudhry, R., Pandey, R. M., Chauhan, S., Bansal, K., *et al.* 2020. Factors Affecting High Caries Risk in Children With and Without Cleft Lip and/or Palate: A Cross-Sectional Study. *Cleft Palate Craniofac J.,* (406):1–10.
- Chowdhury, C., Khijmatgar, S., Kishore, N. and Shetty, V. 2017. Oral health status among cleft lip and palate patients in South India: A profile. *J Cleft Lip Palate Craniofac Anomal,* 4(3):152–159.
- Deshpande, A. S. and Goudy, S. L. 2019. Cellular and molecular mechanisms of cleft palate development. *Laryngoscope Invest Otolaryngol,* 4(1):160–164.
- Durhan, M. A., Topcouglu, N., Kulekci, G., Ozgentas, E. and Tanboga, I. 2019. Microbial Profile and Dental Caries in Cleft Lip and Palate Babies Between 0 and 3 Years Old. *Cleft Palate Craniofac J.,* 56(3):349–356.
- Gomes, M. F., Giannasi, L. C., Fillietaz-Bacigalupo, E., de Mancilha, G. P., de Carvalho Silva, G. R., Soviero, L. D., *et al.* 2020. Evaluation of the

- masticatory biomechanical function in Down syndrome and its Influence on sleep disorders, body adiposity and salivary parameters. *J Oral Rehabil*, 47(8):1007–1022.
- Hauser, B. R. and Hoffman, M. P. 2015. Regulatory Mechanisms Driving Salivary Gland Organogenesis. *Curr Top Dev Biol*, 115:111–130.
- Howe, B. J., Cooper, M. E., Wehby, G. L., Resick, J. M., Nidey, N. L., Valencia-Ramirez, L. C., et al. 2017. Dental Decay Phenotype in Nonsyndromic Orofacial Clefting. *J Dent Res*, 96(10):1106–1114.
- Kiranahayu, R., Suhartono, A. W., Sulistyani, L. D., Latief, B. S. and Auerkari, E. I. 2020. Association of rs235768 A>T polymorphism of the bone morphogenetic protein 2 gene on non-syndromic orofacial cleft in an Indonesian population. *Padjadjaran J Dent*, 32(2):136–141.
- Lertsirivorakul, J., Kajornchaivut, N., Pungchanchaikul, P., Puasiri, S. and Jinaporntham, S. 2017. Dental Caries Experience, Treatment Needs, Dental Anomalies and Malocclusion in Preschool Children with Cleft Lip and/or Palate. *J Med Assoc Thai*, 100(6):109–116.
- Lin-Shiao, E., Lan, Y., Welzenbach, J., Alexander, K. A., Zhang, Z., Knapp, M., et al. 2019. P63 establishes epithelial enhancers at critical craniofacial development genes. *Sci Adv*, 5(5):eaaw0946.
- Liu, D., Schwender, H., Wang, M., Wang, H., Wang, P., Zhu, H., et al. 2018. Gene–gene interaction between MSX1 and TP63 in Asian case-parent trios with nonsyndromic cleft lip with or without cleft palate. *Birth Defects Res*, 110(4):317–324.
- Lubis, W. H. and Prakas, K. 2019. the Effect of Viscosity and Saliva Buffer in Diabetes Melitus Patients on the Dental Caries. *Dentika Dent J*, 22(1):1–5.
- Maili, L., Letra, A., Silva, R., Buchanan, E. P., Mulliken, J. B., Greives, M. R., et al. 2020. PBX-WNT-P63-IRF6 pathway in nonsyndromic cleft lip and palate. *Birth Defects Res*, 112(3):234–244.
- Martinelli, M., Palmieri, A., Carinci, F. and Scapoli, L. 2020. Non-Syndromic Cleft Palate: An Overview on Human Genetic and Environmental Risk Factors. *Front Cell Dev Biol*, 8:592271.
- Mattingly, A., Finley, J. K. and Knox, S. M. 2015. Salivary gland development and disease. *WIREs Dev Biol*, 4(6):573–590.
- Mazaheri, R., Jabbarifar, E., Ghasemi, E., Akkafzadeh, E. and Poursaeid, E. 2017. Oral health status, salivary pH status, and Streptococcus mutans counts in dental plaques and saliva of children with acute lymphoblastic leukemia. *Dent Res J*, 14(3):188–194.
- Metwalli, K. A., Do, M. A., Nguyen, K., Mallick, S., Kin, K., Farokhnia, N., et al. 2018. Interferon Regulatory Factor 6 Is Necessary for Salivary Glands and Pancreas Development. *J Dent Res*, 97(2):226–236.
- Min, S., Oyelakin, A., Gluck, C., Bard, J. E., Song, E. C., Smalley, K., et al. 2020. p63 and its Target Follistatin, Maintain Salivary Gland Stem/Progenitor Cell Function Through TGF- β /Activin Signaling. *ISCIENCE*, 23(9):101524.
- Mohanan, A., Varma R., B., Kumar, S., Kumaran, P. and Xavier, A. M. 2019.

- Assessment of Salivary Flow Rate and Antioxidant Levels in Ectodermal Dysplasia Patients: An In Vivo Study. *Contemp Clin Dent*, 10(1):74–80.
- Parada-Sanchez, M. T., Chu, E. Y., Cox, L. L., Undury, S. S., Standley, J. M., Murray, J. C., et al. 2017. Disrupted IRF6-NME1/2 Complexes as a Cause of Cleft Lip/Palate. *J Dent Res*, 96(11):1330–1338.
- de Paula, F., Teshima, T. H. N., Hsieh, R., Souza, M. M., Nico, M. M. S. and Lourenco, S. V. 2017. Overview of Human Salivary Glands: Highlights of Morphology and Developing Processes. *Anat Rec*, 300(7):1180–1188.
- Porcheri, C. and Mitsiadis, T. A. 2019. Physiology, Pathology and Regeneration of Salivary Glands. *Cells*, 8(9):976.
- Prasanth, P., Reddy, V., Kumar, R. V. S. K., Srinivasulu, G. and Deepthi, A. 2019. Salivary Biomarkers for Dental Caries – A Review. *Int J Dent Med Sci Res*, 3(1):36–41.
- Prasetya, M. A. (2018) *Cleft Lip and Palate*. Denpasar.
- Punj, A. 2019. Secretions of Human Salivary Gland. in Guvenc, I. A. (ed.) *Salivary Glands: New Approaches in Diagnostics and Treatment*. London: IntechOpen:3–13.
- Renke, W. 2016. Saliva and Dental Caries. in Xuedong, Z. (ed.) *Dental Caries: Principles and Management*. Berlin: Springer-Verlag:59–69.
- Rochmah, Y. S., Suwarsi, L., Harumsari, S., Sosiawan, A., Muis, S. F. and Faradz, S. M. 2018. Maternal Polymorphism MTHFR A1298C not C677T and MSX1 As The Risk Factor of Non-syndrome Cleft Lips/Palate in Sasak Tribe Indonesia. *J Int Dent Med Res*, 11(1):120–123.
- Romanos, H. F., Antunes, L. S., Lopes, L. B., De Medeiros Sabóia, T., Tannure:N., Lips, A., et al. 2015. BMP2 is associated with caries experience in primary teeth. *Caries Res*, 49(4):425–433.
- Saleem, K., Zaib, T., Sun, W. and Fu, S. 2019. Assessment of Candidate Genes and Genetic Heterogeneity in Human Non-syndromic Orofacial Clefts Specifically Non-syndromic Cleft Lip wtih or without Palate. *Heliyon*, 5(12):e03019.
- Seymen, F., Koruyucu, M., Toptancı, I. R., Balsak, S., Dedeoglu, S., Celepkolu, T., et al. 2016. Novel FGF10 mutation in autosomal dominant aplasia of lacrimal and salivary glands. *Clin Oral Invest*, 21(1):167–172.
- Shaffer, J. R., Wang, X., McNeil, D. W., Weyant, R. J., Crout, R. and Marazita, M. L. 2015. Genetic Susceptibility to Dental Caries Differs between the Sexes: A Family-based Study. *Caries Res*, 49(2):133–140.
- Shashni, R., Goyal, A., Gauba, K., Utreja, A. K., Ray, P. and Jena, A. K. 2015. Comparison of risk indicators of dental caries in children with and without cleft lip and palate deformities. *Contemp Clin Dent*, 6(1):58–62.
- Skare, Ø., Lie, R. T., Haaland, Ø. A., Gjerdevik, M., Romanowska, J., Gjessing, H. K., et al. 2018. Analysis of parent-of-origin effects on the X chromosome in asian and european orofacial cleft triads identifies associations with DMD, FGF13, EGFL6, and additional loci at Xp22.2. *Front Genet*, 9:25.
- Smallridge, J., Wills, A. K., Mahmoud, O., Chong, A., Clark, V., Collard, M., et al. 2017. Centre-level variation in dental treatment and oral health and individual- and area-level predictors of oral health in 5-year-old children

- with non-syndromic unilateral cleft lip and palate: the Cleft Care UK study. Part 3. *Orthod Craniofac Res*, 20(2):19–26.
- Suazo, J., Recabarren, A. S., Marin, N. R. and Blanco, R. 2020. Association Between IRF6 Variants and Nonsyndromic Cleft Lip With or Without Cleft Palate in Chile. *Reprod Sci*, 27:1857–1862.
- Sundell, A. L., Ullbro, C., Marcusson, A. and Twetman, S. 2015. Comparing caries risk profiles between 5- and 10- year-old children with cleft lip and/or palate and non-cleft controls. *BMC Oral Health*, 15(1):1–6.
- Sunderji, S., Acharya, B., Flaitz, C. and Chiquet, B. 2017. Dental caries experience in texan children with cleft lip and palate. *Pediatr Dent*, 39(5):397–402.
- Tamasas, B. and Cox, T. C. 2017. Massively Increased Caries Susceptibility in an Irf6 Cleft Lip/Palate Model. *J Dent Res*, 96(3):315–322.
- Tikhonova, S., Booij, L., D’Souza, V., Crosara, K. T. B., Siqueira, W. L. and Emami, E. 2018. Investigating the association between stress, saliva and dental caries: a scoping review. *BMC Oral Health*, 18(41):1–9.
- Tuaño-Cabrera, C. A., Ildefonso, E. C. and Palabrica, M. B. S. 2017. Caries experience in Filipino children with cleft lip and/or palate from the Noordhoff Craniofacial Foundation, Philippines. *Acta Med Philippina*, 51(2):139–145.
- Worth, V., Perry, R., Ireland, T., Wills, A. K., Sandy, J. and Ness, A. 2017. Are people with an orofacial cleft at a higher risk of dental caries? A systematic review and meta-analysis. *Br Dent J*. Nature Publishing Group, 223(1):37–47.
- Wu, W., Hao, J., Wang, H., Hua, L., Li, F., Chen, Y., et al. 2016. Association of Polymorphisms of IRF6 to Non-syndromic Cleft Lip with or without Palate in a Guangdong Population. *Int J Clin Exp Med*, 9(6):11732–11739.
- Wu-Chou, Y.-H., Lu, Y.-C., Chen, K. P., Chang, H.-F., Lin, Y.-T. and Lo, L.-J. 2018. Association Studies Between Regulatory Regions of IRF6/TP63 Genes and Nonsyndromic Oral Clefts. *Cleft Palate Craniofac J*, 56(6):778–785.
- Xiao, W. L., Zhang, D. Z. and Xu, Y. X. 2015. The caries prevalence of oral clefts in eastern China. *Int J Clin Exp Med*, 8(9):16322–16327.
- Xing, Y., Zhang, W., Wan, X., Hong, Z., Zhao, H., Liang, W., et al. 2019. Association Between an Interferon Regulatory Factor 6 Gene Polymorphism and Nonsyndromic Cleft Palate Risk. *Genet Test Mol Biomarkers*, 23(9):652–663.
- Xu, W., Han, W. T., Lu, Y. P., Feng, W. H. and Dai, M. 2016. Association of single-nucleotide polymorphisms, rs2235371 and rs2013162, in the IRF6 gene with non-syndromic cleft palate in northeast China. *Genet Mol Res*, 15(3):gmr.15038210.