

DAFTAR PUSTAKA

- Admen, P. (2018) ‘Perbedaan Derajat Keasaman (pH) Dan Laju Aliran Saliva pada Perokok PADmen, P. (2018) “Perbedaan Derajat Keasaman (pH) Dan Laju Aliran Saliva pada Perokok Putih dan Perokok Kretek”.utih dan Perokok Kretek’.
- Afrina, Chismirina, S. and Amirza, N. S. (2018) ‘Perubahan pH Saliva Sebelum Dan Sesudah Mengkonsumsi Buah Pisang Ayam (Musa Acuminata Colla) Pada Mahasiswa Fkg Unsyiah Angkatan 2014’, *Cakradonya Dent J*, 10(1), pp. 44–48.
- Ahmad, M. Al *et al.* (2018) ‘Evaluation of the Salivary Flow Rate and pH in Patients with Recurrent Oral Ulcers’, 17(2), pp. 49–56.
- Aji, H. (2018) ‘Pengaruh Vaping Terhadap Keluhan Mulut Kering (Xerostomia)’.
- Al-Weheb, A. M. (2005) ‘Smoking and its relation to caries experience and salivary lactobacilli count’, *Journal of baghdad college of dentistry*, 17, pp. 92–95.
- Alaee, A. *et al.* (2017) ‘The Correlation between Cigarette Smoking and Salivary Flow Rate’, 2(3), pp. 5–9.
- Almeida, P. *et al.* (2008) ‘Saliva Composition and Functions ’:, *The journal of contemporary dental practice, volume 9*, 9(3), pp. 72–80.
- Arta, I. P. K. P. (2014) ‘Perbedaan pH Saliva Pada Perokok Putih Dan Perokok Kretek Sesaat Setelah Merokok Fakultas Kedokteran Gigi Universitas Mahasaraswati Denpasar 2014’, *Faculty of Dentistry University Mahasaraswati Denpasar*. doi: 10.8.03.81.41.1.5.028.
- Ayyusufi, A. (2009) ‘Dampak Ekonomi Fatwa MUI Tentang Haram Merokok Terhadap Pedagang Kaki Lima’, *Universitas Muhammadiyah Surakarta*, pp. 0–17.
- Benowitz, N. L. (2010) ‘Nicotine Addiction’, *Nicotine & tobacco research : official journal of the Society for Research on Nicotine and Tobacco*, 362(24), pp. 2295–2303. doi: 10.1056/NEJMra0809890.Nicotine.
- BPOM (2017) ‘Meneropong Profil Kadar Nikotin dan Tar Produk Rokok Di Indonesia’, *pojok infopom*, 18(2), pp. 1–12.
- Breland, A. *et al.* (2014) ‘Science and Electronic Cigarettes: Current Data, Future Needs.’, *J Addict Med*, 8(4), pp. 1–23. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/25089952>.
- Brosky, M. (2007) ‘The role of saliva in oral health: strategies for prevention and management of xerostomia’, *Journal of Supportive Oncology*, 5(5), pp. 215–225. doi: DOI 10.1016/j.diaghicrobio.2006.12.001.

- Bulthuis, M. S., Jager, D. H. J. and Brand, H. S. (2018) 'Relationship among perceived stress , xerostomia , and salivary flow rate in patients visiting a saliva clinic'. *Clinical Oral Investigations*, pp. 3121–3127.
- Caponnetto, P. et al. (2013) 'Efficiency and Safety of an electronic cigarette (ECLAT) as Tobacco Cigarettes Substitute: A Prospective 12-Month Randomized Control Design Study', *Plos ONE*, 8(6), pp. 1–12. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/23826093>.
- Catalán, M. A., Nakamoto, T. and Melvin, J. E. (2009) 'The salivary gland fluid secretion mechanism', 56, pp. 192–196.
- Chismirina, S. et al. (2019) 'Pengaruh konsumsi air minum reverse osmosis (RO) terhadap laju aliran, pH, DAN viskositas saliva pada siswa SMA Negeri 10 Fajar Harapan Banda Aceh', *Journal Of Syiah Kuala Dentistry Society*, 4(1), pp. 15–20.
- Creanor, S. (2016) *Essential clinical oral biology*. New Delhi: CBS Publisher.
- Dahlan, S. (2004) *Seri Statistik Statistika Untuk Kedokteran dan Kesehatan Uji Hipotesis Dengan Menggunakan SPSS program 12 jam*. Jakarta: PT. Arkans.
- Dawes, C. (2003) 'What Is the Critical pH and Why Does a Tooth Dissolve in Acid ?'
- Dawes, C. et al. (2017) 'The functions of human saliva : A review sponsored by the World Workshop on Oral Medicine VI', 0, pp. 0–11. doi: 10.1016/j.ajoralbio.2015.03.004.
- Dr. Jan Bergström Sören Eliasson Jan Dock (2000) 'A 10-Year Prospective Study of Tobacco Smoking and Periodontal Health', *journal of periodontology*, p. 71:1338-1347.
- Ekstrom, J. et al. (2012) 'Saliva and the Control of Its Secretion', (January). doi: 10.1007/174.
- Etter, J. F. and Bullen, C. (2011) 'Saliva cotinine levels in users of electronic cigarettes.', *The European Respiratory Journal*, 38(5), pp. 1219–20. doi: 10.1183/09031936.00066011.
- Fenoll-Palomares, C. et al. (2004) 'Unstimulated salivary flow rate , pH and buffer capacity of saliva', (November). doi: 10.4321/S1130-01082004001100005.
- Fikriyah, S. and Febrjianto, Y. (2012) 'Faktor-faktor yang mempengaruhi perilaku merokok pada mahasiswa laki-laki di asrama putra', *Jurnal STIKES*, 5(1), pp. 99–109.
- Fitria et al. (2013) 'Merokok dan Oksidasi DNA', 5(2), pp. 113–120.
- Geiss, O. (2007) 'Tobacco , Cigarettes and Cigarette Smoke', pp. 29–46.

- Gholami, N. *et al.* (2017) ‘Effect of stress, anxiety and depression on unstimulated salivary flow rate and xerostomia’, *Tabriz University of Medical Sciences*, 11(4), pp. 247–252. doi: 10.15171/joddd.2017.043.
- Gondodiputro, S. . (2007) ‘Bahaya Tembakau dan Bentuk-Bentuk Sediaan Tembakau’, pp. 9–12.
- Guyton (2011) *Fisiologi Gastrointestinal*. Jakarta: EGC.
- Guyton, A. C. and Hall, J. E. (2014) *Buku Ajar Fisiologi Kedokteran*. 12th edn. Jakarta: EGC.
- Kanwar, A. *et al.* (2013) ‘Long - term effect of tobacco on resting whole mouth salivary flow rate and pH : An institutional based comparative study’, 2(3), pp. 296–299. doi: 10.4103/2278-9626.116017.
- Kasuma, N. (2015) ‘01.Buku-Fisiologi-dan-Patologi-Saliva.pdf’, p. 17.
- Kemenkes, R. (2015) ‘infodatin-hari-tanpa-tembakau-sedunia. Perilaku merokok masyarakat’. doi: 24422-7659.
- Kemenkes, R. (2018) *Laporan Nasional Riset Kesehatan Dasar (RISKESDAS)*.
- Khan, G. J., Javed, M. and Ishaq, M. (2010) ‘Effect of Smoking on Salivary Flow Rate’, *Gomal Journal of Medical Sciences*, 8(2), pp. 221–224.
- Kurnianigratri, A. F. (2017) ‘Hubungan Kebiasaan Merokok Terhadap Penurunan Laju Aliran Saliva Pada Mahasiswa Fakultas Teknik Universitas Sumatera Utara Tahun 2016’.
- Lestari, D. A., Tandelin, R. T. C. and Rahman, F. A. (2020) ‘Degree of Acidity , Salivary Flow Rate and Caries Index in Electronic Cigarette Users in Sleman Regency , Indonesia’, 6183, pp. 37–41. doi: 10.32793/jida.v3i1.449.
- Lorensia, A. (2017) ‘Elektrik (E-Cigarette) Oleh Perokok Aktif Sebagai Terapi Dalam Smoking Cessation : Mixed Methods Dengan Pendekatan Studi Kuantitatif Dan Kualitatif’, 4(2), pp. 66–78.
- Malson, J. L. *et al.* (2003) ‘Clove cigarette smoking: biochemical, physiological, and subjective effects’, *Pharmacology Biochemistry and Behavior*, 74(3), pp. 739–745. doi: 10.1016/s0091-3057(02)01076-6.
- Permatasari, D. (2017) ‘Pengaruh Merokok Terhadap Stimulated Salivary Flow Rate (SFR) Pada Perokok Dewasa Muda’.
- Rad, M. *et al.* (2010) ‘Effect of Long-term Smoking on Whole-mouth Salivary Flow Rate and Oral Health’, *Dental Research, Dental Clinics, Dental Prospects*, 4(4).
- Rizkia, A. (2011) ‘Alveolar Bone Loss, Tooth Loss ’, *Pengaruh Merokok Terhadap Kesehatan Gigi Dan Rongga Mulut*. Available at:

<http://jurnal.unissula.ac.id/index.php/majalahilmiah.sultanagung/article/viewFile/39/33>.

- Rohmani, A., Yazid, N. and AuliaRahmawati (2018) ‘Rokok Elektrik dan Rokok Konvensional Merusak Alveolus Par’, *Prosiding Seminar Nasional Unimus*.
- Rouabchia, M. et al. (2016) ‘E-Cigarette Vapor Induces an Apoptotic Response in Human Gingival Epithelial Cell Through the Caspase-3 Pathway: Effect of e-cigarette on epithelial cells’, *journal of cellular physiology*, 6, pp. 1539–1547. doi: 10.1002/jcp.25677.
- Sherwood, L. (2012) *Fisiologi Manusia dari Sel ke Sistem : Sistem Pencernaan*. 8th edn. Jakarta: EGC.
- Singh, M. et al. (2015) ‘Effect of long-term smoking on salivary flow rate and salivary pH’, *Journal of Indian Association of Public Health Dentistry*, 13(1), p. 11. doi: 10.4103/2319-5932.153549.
- Smith, P. M. (2004) ‘Saliva and Oral Health 3 rd Edition Chapter 2 Mechanisms of Salivary Secretion’. London: British Dental Journal, (saliva and oral health), pp. 1–16.
- Sudhana, W. (2010) ‘Peranan Kebiasaan Merokok Terhadap Insidensi Karies’, *jdentistry universitas indonesia*, 7, pp. 388–94.
- Sumerti, N. (2020) ‘Merokok dan efeknya terhadap kesehatan gigi dan rongga mulut’, 4(2), pp. 49–58.
- Sunaryo, T. (2013) *Kretek Pusaka Nusantara*. Serikat Kerakyatan Indonesia.
- Surjadi, N. et al. (2012) ‘Radiotherapy Reduced Salivary Flow Rate and Might Induced C. albicans Infection’, 19(1), pp. 1–6.
- Suryadinata, A. (2012) ‘Kadar Bikarbonat Saliva Penderita Karies dan Bebas Karies’, *e-jounal*, 1(1), pp. 38–42.
- Tirtosastro, S. and Murdiyati, A. S. (2010) ‘Kandungan Kimia Tembakau dan Rokok’.
- Tortora, G. J. and Derrickso, B. (2012) *Principle of Anatomy and Physiology*. 13th edn. Edited by J. Wiley and Sons. United State of America.
- Trigiyatno, A. (2011) ‘Fatwa hukum merokok’, 8(1), pp. 57–75.
- Tumilisar, D. L. (2011) ‘Tembakau dan Pengaruhnya Terhadap Kesehatan Mulut’, *J Kedokt Meditek*, 17(44), pp. 19–23.
- Unita, L. and Agnes (2018) ‘Efek merokok terhadap perubahan pH , laju aliran dan kadar kalsium saliva pada laki-laki di Kelurahan Padang Bulan Medan (The effects of smoking on the changes of salivary pH , flow rates and calcium level on male in Padang Bulan District Medan)’,

Makassar Dent J, 7(1), pp. 1–5.

Vinay, K., RS, C. and L, R. (2013) *Buku Ajar Patologi Robbins*. Jakarta: Penerbit Buku Kedokteran EGC.

Vining, K. H. (2015) ‘Anatomy, biogenesis, and regeneration of salivary glands’, (December). doi: 10.1159/000358776.

Walsh, L. J. (2008) ‘Clinical aspects of salivary biology for the dental clinician’, 1(1), pp. 6–24.

Whelton (2004) ‘Introduction the Anatomy and Physiology of Salivary Glands’, *British Dental Journal*.

WHO (2011) *Global Adult Tobacco Survey: Indonesia Report 2011*. doi: 10.13140/RG.2.1.4383.5365.

Williams, M. et al. (2013) ‘Metal and Silicate Particles Including Nanoparticles are Present in Electronic Cigarette Cartomizer Fluid and Aerosol.’, *Plos ONE*, 8(3), pp. 1–11.

